

Australian Fine Arms – Auction 10 Catalogue

- | | | |
|-----------|---|---------------------------|
| 1. | <p>TASMANIAN MARKED ENFIELD MARTINI-HENRY MK. III RIFLE & BAYONET: .577–450 cal.; 33 1/8" barrel with vg. bore, rifling is well-defined, some minor frosting & oxidisation in grooves but bright overall; even brown patina to majority of metalwork, some spotted staining on barrel & rhs action; rhs of action marked with cypher/ defined V.R./ ENFIELD/ 1884./ Board of Ordnance stamp/ III/ 1; top of barrel marked C.G. BONEHILL MAKER FIRE A(barrel band)ORKS BIRMINGHAM; mechanically exc., action locks up with strong sears & springs, retains steel cleaning rod, std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs of front barrel band; woodwork in g. to vg. overall cond., some darkened staining around buttplate & general scattered handling marks but presents well; rhs stock marked with defined ENFIELD roundel, double broad arrows & T G/ 501; fitted with modern leather sling & g. cond. socket bayonet; exc. wo & g.+ cond. N/L</p> | <p>1500 - 1800</p> |
| 2. | <p>ENFIELD MARTINI-HENRY MK. II SERVICE RIFLE: .577–450 cal.; 33 1/8" barrel with f. to g. bore, rifling is well-defined, peppered with light to moderate pitting, bright overall; metalwork has been cleaned back, now with a mottled smoky grey patina, some light peening & general handling marks in areas; rhs of action marked with cypher/ defined V.R./ ENFIELD/ 1873./ Board of Ordnance stamp/ II; action locks up with strong sears & springs, retains steel cleaning rod, std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs of front barrel band; woodwork has been cleaned back & refinished, still bearing some of the heavier scattered bruises, small repair along ramrod channel; lightly defined ENFIELD roundel marked to rhs stock; chequered steel buttplate; overall in g. wo & cond. N/L</p> | <p>700 - 900</p> |
| 3. | <p>BRITISH VOLUNTEER FLINTLOCK INDIA PATTERN MUSKET & SOCKET BAYONET: .746 cal.; 39" barrel with p. bore, caked with oxidation scale; metalwork has been previously cleaned back, silvery-grey patina overall, streaky staining to barrel; dull, cleaned finish to brass furniture; border engraved lock with some light pit peppering, TOWER marked to rear, defined crown/ GR to centre; London V & P commercial proofs to lhs breech; incorrect trigger guard & tang, lock has been converted to percussion and back to flintlock; lock spring strong but trigger sear not releasing; missing swivels & ramrod; woodwork presents well but entire butt section of stock is a well-executed grafted replacement, joined at wrist; some light handling marks & bruising overall; brass buttplate marked with L-Y 4899 (Irish registration); comes with f. to g. cond. socket bayonet; overall in f. to g. cond. N/L</p> | <p>1000 - 1400</p> |
| 4. | <p>DIXIE GUN WORKS SHORT LAND PATT. FLINTLOCK MUSKET: .71 cal.; 41 1/2" barrel with f. to g. bore, dusty & with patchy oxidation staining, needs a clean; bright steel finish to metalwork with some plum staining on barrel; lock marked TOWER to tail, crown/ GR to centre; makers name marked to lhs breech; strong lock springs & sears, sparks well; retains swivels & steel ramrod; woodwork in g. overall cond., one graze to rhs forestock, otherwise light handling marks & bruising overall; brass buttplate; fitted with older leather sling; overall in g. cond. #3510 L/R</p> | <p>400 - 600</p> |
| 5. | <p>PORT ARTHUR MARKED BRITISH PERCUSSION CONSTABULARY CARBINE: .660 cal.; 26 1/2" barrel with vg. bright bore, has had a polish; dark smoky-grey patina to metalwork some spotted dark staining to lock with moderate pitting to breech areas; dull mellow patina to brass furniture; border engraved lock marked with defined crown/ VR, centre marked with ordnance stamp, 1854/ TOWER; strong lock springs & sears, replacement nipple & ramrod; two additional screws added to woodwork ahead of nose & tail of lock; walnut stock presents well, some older handling marks & scattered bruises, lhs stock at butt with filled bruise repair; four notches to lhs wrist; forewood has been fitted with four brass ferrules; TURNER marked to underside of stock; brass buttplate, tang marked with PA/ 62; overall in f. cond. N/L
<i>A rare piece of Tasmanian history.</i></p> | <p>1800 - 2500</p> |
| 6. | <p>BRITISH VOLUNTEER CAVALRY CARBINE by GREENER: .650 cal.; 24" round barrel with dusty bore, powdery oxidation throughout; metalwork has been cleaned back previously now bearing a dark brown patina to barrel with some handling scuffs & patches of dark staining with pit peppering; mellow finish to brass furniture; lock marked GREENER to centre; strong lock springs & sears; incorrect swivel ramrod fitted saddle bar with ring to lhs stock; woodwork presents decent, some handling marks & bruising overall, small filled repair to lhs saddle bar mount; brass buttplate; overall in f.+ cond. N/L</p> | <p>500 - 800</p> |

7. **BRITISH PATT. 1843 ENROLLED PENSIONERS PERCUSSION MUSKET:** .75 cal.; 39" barrel with dusty bore, some oxidation scale present but doesn't appear badly pitted; silvery-grey patina to majority of metalwork, barrel finely speckled with dark staining & fine pitting patches, continues onto lockplate; mellow finish to brass furniture; border engraved lock marked **TOWER** to tail, crown/ **GR** to centre; proofs & inspection marks to lhs breech; nipple & drum percussion conversion, strong lock springs & sears; fitted with incorrect swivel & modern ramrod; woodwork has undergone massive replacement to centre of stock, grafted section to wrist back into majority of stock; remainder of original woodwork on stock with extensive borer damage; forestock with some handling marks & light bruising; brass buttplate; overall in f. to g. cond. **N/L** **700 - 1000**

8. **AUSTRO-HUNGARIAN WANZL LORENZ M.1867 RIFLE & BAYONET:** 14x33Rm/m rimfire cal.; 35" barrel with octagonal breech section; bore is vg., bright with sharply defined rifling; even chocolate brown patina to majority of metalwork, some oxidization scale on tangs; strong lock springs & sears, trap-door breech locks up well; flip up ladder rear sight, retains steel cleaning rod & swivels; refinished woodwork in g. overall cond., bearing only light handling marks & bruising overall; steel buttplate; comes with g. cond. original bayonet; overall in vg. wo & g.+ cond. **N/L** **800 - 1200**

9. **INDIAN MFG. PATT. 1856 PERCUSSION CARBINE:** .577 cal.; 25" round barrel with g. bright bore; blued finish to metalwork strong, brass furniture; crudely stamped **ENFIELD** markings to lockplate; strong lock springs & sears, captive ramrod & fixed sights; saddle wring bar to lhs stock; hardwood full stock bearing only a few light handling marks & bruising; brass buttplate; overall in g. wo & cond. **#8924 L/R** **100 - 300**

10. **WILSON of LONDON S x S PERCUSSION CARBINE:** .62 cal.; 22 1/2" twist damascus barrels with bright bores, both dusty but appear vg.; barrels with rebrowned finish, pine pit peppering the majority, vg. pattern definition; faint case colours & dark patina to lockplates; **WILSON** marked to both lockplates, **LONDON** marked to top rib; Birmingham proofs to underside of both barrels; back action locks with strong springs & sears, matching flat sided hammers & replacement nipples; captive ramrod, sling swivel to ramrod pipe & underside of stock; walnut half stock in g. sound cond., patchy losses & handling marks to original varnish finish, chequering to wrist remains well-defined; vacant silver oval escutcheon to wrist; steel buttplate; overall in g. cond. **N/L An interesting little gun** **800 - 1400**

11. **TASMANIAN MARKED B.S.A. & M. Co. MARTINI-HENRY MK. III SERVICE RIFLE:** .577-450 cal.; 33 1/8" barrel with g. bore, rifling is well-defined, some minor pitting & oxidisation in grooves but bright overall; dark patina to barrel, action with peacock heat-treated finish, possibly an attempt to colour case harden; rhs of action marked with cypher/ defined **V.R./ B.S.A. & M. Co./ 1884./** Board of Ordnance stamp/ **III/ 1**; mechanically exc., action locks up with strong sears & springs, repro steel cleaning rod, std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs of front barrel band; woodwork in g. to vg. overall cond., some darkened staining around buttplate & general scattered handling marks but presents well; rhs stock marked with faint **ENFIELD** roundel, double broad arrows & defined **T G/ 853**; exc. wo & g.+ cond. **N/L** **600 - 800**

12. **JAMES W. ROSIER S/B HAMMER ROOF RIFLE:** .442 CF cal.; 26 3/4" octagonal barrel with bright bore, well-defined rifling & but with some scattered pits, f. overall; re-blued finish to metalwork, plum finish on action; **JAMES W. ROSIER. MELBOURNE** engraved to top of barrel, underside of barrel marked with Birmingham proofs & some pit peppering; side-lever action locks up tight, non-rebounding lock with strong springs & sears; incorrect sights fitted; walnut semi-pistol grip stock in vg. overall cond., chequering is sharply defined & bearing only light handling marks; overall in vg. wo & g. cond. **#7334 L/R** **500 - 700**

13. **BELGIAN CHARLEVILLE M.1777 STYLE FLINTLOCK MUSKET:** .65 cal.; 45" barrel with bright bore, some light oxidation staining; grey patina to majority of metalwork with patchy oxidation staining to barrel; **MADE IN BELGIUM** marked to top of barrel; main spring a little weak, strong sear; one incorrect barrel band; retains steel cleaning rod; hardwood full stock in g.+ cond., some light handling marks & bruising; overall in g. cond. **#94 L/R** **150 - 300**

- | | | |
|-----|--|-------------|
| 14. | BRITISH PATT. 1853 TWO-BAND PERCUSSION RIFLE: .577 cal.; 39" barrel with p. bore; v. dark patina to metalwork, breech with some heavy corrosion with has been polished over; faint London commercial proofs; 1860/ TOWER marked lock with strong springs & sears; retains swivels & modern ramrod; walnut stock is a hotchpotch of grafted sections, presents ordinary; brass buttplate & furniture; overall in p. to f. cond. N/L <i>Suit wall hanger</i> | 400 - 600 |
| 15. | LAND TRANSPORT MARKED BRITISH CONSTABULARY CARBINE & BAYONET: .642 cal.; 26 3/4" barrel with f. bore, dusty but doesn't appear to be heavily pitted; mottled grey patina to metalwork with frosting to most iron surfaces; dull mellow finish to majority of brass furniture; ordnance marks to lhs breech; border engraved lockplate, some heavier pit peppering at nose & tail with chips surrounding; lock marked 1855/ TOWER , defined cypher/ V-R ; strong lock springs & sears, complete with ramrod, replacement front swivel; general handling marks & light bruising to majority of walnut stock, metal-to-wood fit is general vg. with exception of lock area mentioned; rhs butt marked with ordnance stamps; top tang of brass butt marked LTC/ L / 69 ; comes with correct style bayonet, small crack in muzzle ring, otherwise a good honest example; overall in f. to g. cond. N/L | 1100 - 1400 |
| 16. | COMPOSITE BRITISH SNIDER-ENFIELD ARTILLERY CARBINE: .577 Snider cal.; 21" barrel with f. bore, rifling sharply defined but peppered with light to moderate pitting and some speckled oxidation; dark grey patina to majority of metalwork, some pitting along sides of barrel & general handling marks; worn markings to lock, does function; replacement stock a crude home-made attempt, wood-to-metal fit leaves much to be desired; brass buttplate; overall in p. cond. N/L <i>A mix of original parts thrown together</i> | 400 - 600 |
| 17. | COMPOSITE SCARCE T.J. MAYALL PATENT BREECH LOADING RIFLE: .577 CF cal.; 37 3/4" barrel with f. bore, bright in areas but dusty towards muzzle, some oxidation scale & a few heavier scattered pits; v. dark patina & fine pitting to majority of barrel, breech; Birmingham commercial proofs marked to bolt, breech & barrel; top of breech flat to top of barrel engraved with J.S. MAYALL'S/ PATENT/ P. WEBLEY & SON , partially obscured by vice marks; bolt cycles a little stiff; remainder of rifle are scavenged originals or repro's incl. furniture, vgc. replacement stock etc.; overall in f. cond. N/L | 250 - 500 |
| 18. | TASMANIAN MARKED B.S.A. Co. SNIDER-ENFIELD MK. III RIFLE: .577 Snider cal.; 36 1/2" barrel with f. bore, rifling sharply defined, some fine to moderate pitting peppered throughout & two bands of oxidation scale, would grade up with a clean; blued finish to barrel has developed a dark patina, speckled with some surface oxidation; dull patina to brass furniture; lock marked with cypher/ V R to tail, B.S.A. Co/ 1871 & ordnance mark to centre; III marked to top of breech, ordnance & WD marks to lhs breech, barrel; strong lock springs & sears, action operating freely; std. sights, no ramrod; woodwork would be considered vg. if not for some heavier bruising on comb, metal-to-wood fit is vg.+; rhs stock marked with BIRMINGHAM WD roundel stamp I.C./ T ; tang of brass buttplate marked T.G. / 463 ; overall in g. cond. N/L | 1200 - 1500 |
| 19. | BRITISH S/B PERCUSSION FOWLER by G.H. FLINT: 17 bore; 30" twist steel two-stage barrel, octagonal breech section; bore a bit dusty but appears bright with only light patches of pitting, a few dents; dark patina to metalwork some scattered patches of pit peppering, breech area with some peening; G.H.FLINT.CHEAPSIDE marked to top of barrel, Birmingham proofs to underside of breech; makers name again to border engraved lock; lock functioning sears holding; muzzle end of bottom rib lifting; walnut half stock in f. to g. cond., some losses along forewood and dry appearance, slightly shrunken; overall in f. cond. N/L | 300 - 500 |
| 20. | SNIDER-ENFIELD MK. III ARTILLERY CARBINE: .577 Snider cal.; 21 1/2" barrel with vg. bright bore & crisp rifling, some minor frosting but hard to fault; dark patina to majority of metalwork, frosting to most iron surfaces; bright finish to cleaned brass furniture; lock marked 1860/ TOWER , defined cypher/ V-R ; strong lock springs & sears, III marked to top of breech, ordnance & WD marks to lhs breech, barrel; lock needs work, spring springs & sears but when retaining screws are wound in, lock freezes up; action operates freely; complete with swivels & ramrod; walnut stock presents well, has had an older clean up & metal-to-wood fit around lockplate is poor; faint roundel mark to rhs stock; brass buttplate, tang marked 22.B.R.A./ 7.B. & 26 (22 nd Brigade Royal Artillery. 7 th Battery No.26) ; overall in g. cond. N/L <i>Would grade up significantly with some minor work, bore is unusually fine.</i> | 700 - 1000 |

21. **VICTORIAN MARKED WESTLEY RICHARDS & Co MONKEY TAIL CAVALRY CARBINE:** 800 - 1200
.451 paper cartridge; 25" round barrel with f. to g. bore, rifling is v. well-defined, only some light pitting & scattered oxidation internally, would clean up well; dark patina to majority of metalwork incl. iron furniture; some scattered patches of pit peppering, confined mainly to breech area & lock; top of breech lever engraved **WESTLEY RICHARDS/ PATENT**, top of barrel marked **WHITWORTH PATENT**; makers name marked again to lock, tail marked with trademark triangle with **1862** within; **.451 & .485** marked to breech along with proofs; strong springs & sears to lock, std. sights, retains cleaning rod; sling bar with welded repair to centre, retains saddle ring; g. sound walnut full stock, some light handling marks & bruising; steel buttplate with trap, **N 62/ 18 / V.V.** marked to tang; overall in g. cond. **N/L A good honest example**
22. **SNIDER-ENFIELD MK. II CAVALRY CARBINE by I. HOLLIS & SONS:** .577 Snider cal.; 18 1/2" 800 - 1100
barrel with well-defined rifling, a little dull, frosting to light pitting throughout; even grey patina to majority of metalwork incl. iron furniture, some frosting but presents well; **I. HOLLIS & SONS LONDON** engraved to top of barrel, makers name engraved again to centre lockplate & trademark to tail; strong lock springs & sears, std. sights; retains leather sight cover, snap cap on chain, saddle ring bar with ring to lhs; walnut half stock in g. overall cond., a few small aged partial cracks to surface around butt but bearing only light handling marks, chequering to wrist remains well-defined; overall in g. wo & g.+ cond. **N/L**
23. **SNIDER-ENFIELD MK. I VOLUNTEER SHORT RIFLE by JAMES KERR:** .577 Snider cal.; 30 900 - 1300
1/2" barrel with g. bright bore & well-defined rifling, some minor frosting & surface oxidation scale, would grade up; metalwork has been cleaned back to a silvery-grey patina overall, top of barrel still bearing extensive but moderate depth pit peppering, extending onto breech; mellow finish to brass furniture; lock & hammer peppered with pits, **JAs KERR/ 54 KING WILLIAM St/ E. C.** marked to lock, large **3** marked to top of breech; Birmingham proofs & ordnance marks to lhs breech; strong lock springs & sears, std. sights but missing cleaning rod; woodwork in vgc. overall, some light handling marks but presents v. well, retains exc. metal-to-wood fit; rhs stock marked with defined **LONDON ARMOURY** roundel stamp; brass buttplate; fitted with period but incorrect leather sling; overall in vg. wo & f. to g. cond. **N/L Presents well**
24. **VICTORIAN MARKED FRANCOTTE CADET RIFLE:** .297-230 Morris long cal.; 27 1/2" barrel with 700 - 900
f. to g. bore, bright with some minor speckled oxidation & fine patchy pitting, rifling remains v. well-defined; dark patina to majority of metalwork, thinning to a mottled appearance on areas of barrel & action; B.S.A. full name/ **BIRMINGHAM 1907** marked to top of barrel; lhs action marked with **VICTORIAN GOVERNMENT/** crown stamp, small **FRANCOTTE** roundel trademark to top; action cycles freely, crisp trigger; std. sights & retains steel cleaning rod; woodwork in g. sound cond., large aged scratch running along rhs of comb, otherwise with general handling marks & light bruising; lhs stock marked with lightly defined **VICTORIAN GOVERNMENT/** crown stamp; steel buttplate; overall in vg. wo & g. cond. #4653 **N/L**
25. **N.S.W. MARKED B.S.A. MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/4" barrel with vg. bore, bright 400 - 600
with sharply defined rifling; original blued finish presents well, thinning slightly on profiles & speckled with some minor oxidation staining in areas; top of barrel & lhs of action marked with BSA full name, piled arms motif/ **B.S.A.** to lhs action; **COMMONWEALTH OF AUSTRALIA** to rhs & Kangaroo trademark to top of breech; rhs action marked with serial no., **N.S.W./ 30-295**; action functioning well, strong sears & springs; std. tangent sights graduated 100yd – 6; blade foresight; refinished woodwork in g. sound cond., some handling marks & bruising; defined **C.M.F / N.S.W./ 30295** marked to rhs butt is defined; steel buttplate; fitted with period tatty leather sling & front sight protector; overall in vg. wo & g. to vg. cond. **#74143 L/R One of the nicer examples**
26. **ENFIELD MARTINI-HENRY MK. II SERVICE RIFLE:** .577–450 cal.; 33 1/8" barrel with f. to g. 700 - 1000
bore, rifling is well-defined, bright overall with some heavier pit peppering; mottled grey patina to metalwork, some original blued finish in protected areas; rhs of action marked with cypher/ defined **V.R./ ENFIELD/ 1878./** Board of Ordnance stamp/ **II**; action locks up with strong sears & springs, retains steel cleaning rod; fitted with Ross rifle pattern **SUTHERLAND RIFLE SIGHT CO** adjustable rear ladder sight, sight in vgc.; bayonet lug & sling swivel to rhs of front barrel band; woodwork has been cleaned back & refinished, presents well, some small losses to toe of butt & underside head of stock; steel buttplate; fitted with modern leather sling; overall in g. cond. **N/L**

27. **VICTORIAN MARKED ENFIELD MARTINI-METFORD MK. I S/S SERVICE RIFLE:** .303 cal.; 500 - 700
30 1/4" barrel with dark bore, Metford rifling defined but moderate depth pitted throughout; original blued finish has thinned to a dark patina overall, rhs of action peppered with pits; cypher/ **V.R, ENFIELD/ 1895/ M.E. 303/ I** marked to lhs of action, **ENFIELD 1879** marked to rhs; action cycles smoothly & trigger crisp; std. sights with 6 to 18 graduations; missing cleaning rod; woodwork in g. overall cond., a few scattered bruises, general handling marks but presents well; rhs of stock marked with broad arrows, **RM ENFIELD** & pair of **VIC GOV** roundels; steel buttplate; overall in f. to g. cond. #5273 L/R
28. **VICTORIAN MARKED MARTINI-HENRY CAVALRY CARBINE:** .577-450 cal.; 21 1/4" barrel 1200 - 1600
with g. to vg. bore, rifling v. well-defined, some minor pitting in areas but bright overall; blued finish to metalwork has thinned to a brown patchy patina, some patchy staining to barrel; rhs of action marked with royal cypher/ **V.R/ ENFIELD / 1877/** board of Ordnance mark/ **I.C.1.**, small **VIC GOV** roundel to bottom rhs; strong springs & sears, actions cycling well; std. 4-10 graduated rear sights; retains cleaning rod; woodwork in g. original cond., bearing handling marks & bruising to stock, rhs marked with defined **ENFIELD & VIC GOV** roundels, broad arrows & **301**; steel buttplate; overall in vg. wo & g. cond. **N/L A nice honest example that's escaped restoration.**
29. **BRITISH S/B PERCUSSION FOWLER WALL HANGER:** 12 bore approx.; 25 1/2" two-stage twist 100 - 300
steel barrel with p. bore; barrel has been shortened, missing bottom rib; brown patina, patchy staining & some handling marks to metalwork; no makers name; back action locks functioning, additional screws fitted; walnut half stock is in f. cond., some general handling marks, small loss to lhs forestock; partial crack running below rhs breech area of forestock; missing forewood cap; overall in p. to f. cond. **N/L**
30. **N.S.W. MARKED W.W. GREENER MARTINI CADET RIFLE:** .310 cal.; 25 1/4" barrel with bright 400 - 600
bore & sharply defined rifling, some minor oxidation in grooves but vg. overall; blued finish to metalwork presents well, thinning on action to a plum brown patina; **W.W. GREENER MAKER BIRMINGHAM** marked to top of barrel & lhs action, rhs action marked **COMMONWEALTH OF AUSTRALIA**; action functioning a little stiff on close, strong sears & springs; std. tangent sights graduated 3 – 6; blade foresight; walnut stock in g. sound cond., some general handling marks & light bruising; rhs stock marked with crisp **A C C C/ N.S.W. / 3445 / 608**; steel buttplate; overall in g. wo & cond. #8034 L/R
31. **B.S.A. Co. SINGLE SHOT B/A RIMFIRE RIFLE:** .22 LR cal.; 19 1/2" barrel with bright bore & 200 - 400
sharply defined rifling, some light frosting, g. to vg. overall; strong blued finish to metalwork, presents well; B.S.A. full name/ **England/ Cartridge .220 Long Rifle** marked to lhs barrel, piled arms trademark to top of barrel; bolt cycles freely, strong springs & sears; walnut std. fixed front & rear sights dovetailed to barrel; reinforced steel plate inlaid to wrist of stock marked **BASE FOR / BSA No8 / PEEP SIGHT**; walnut half stock in g. to vg. overall cond., a few minor handling marks & light bruises but presents well; overall in vg. wo & cond. #282 L/R
32. **I. HOLLIS & SONS MARTINI ROOF RIFLE:** .442 CF cal.; 25 1/2" round barrel with f. bore, some fine 400 - 600
pitting throughout & bands of heavier pits half way, rifling remains sharply defined; smoky grey patina to majority of metalwork, thinning on action; **I. HOLLIS & SONS** engraved to top of barrel, serial no. & **WT** marked to underside of frame; action functions, weak main spring; one missing screw to lhs action & bad replacement to rhs; walnut stock & forend in g. overall cond., head of stock with some losses to top & slightly loose in socket; some general handling marks elsewhere, chequering to grip & forewood is defined; horn forewood cap vg., grip cap horn is distressed; steel buttplate; overall in f. to g. cond. #14899 **N/L**
Would grade up significantly with some minor work.
33. **BELGIAN DAISY ROOK RIFLE:** .320 CF cal.; 22 1/4" octagonal barrel with f. bore, last 2" of rifling 300 - 500
has been machined out, remainder of bore with defined rifling, some light pitting; dark patina to metalwork, some pits peppering breech end of barrel & action; top of barrel marked with **DAISY 320 CF**; Liege proofs to breech & action; action functions ok, missing rear sight; woodwork f. to g., head of stock loose on tangs; overall in f. cond. **N/L**

34. **WARD & SONS SNIDER-ENFIELD SPORTING RIFLE:** .577 Snider cal.; 30 1/2" barrel with bright bore & crisp three-groove rifling, some scattered bands of light to moderate pitting but g. overall; plum refinish to barrel, reblued finish to lock & breech, some patchy light pitting still presents; border engraved lock, **WARD & SONS/ MAKERS/ LONDON** engraved to tail; Birmingham commercial proofs to breech; MK II style action locks up well, strong lock springs & sears, std. pattern military rear sight; walnut half stock presents well, chequering well-defined to wrist & forestock; large repaired crack running from underside of forestock horn cap back down through to trigger tang; steel buttplate; overall in vg. wo & g. cond. **N/L** **500 - 800**
35. **BELGIAN MFG. THE PIEPER RIFLE:** .297-230 Morris long cal.; 24 1/2" octagonal barrel with f.+ bore, some light pitting in areas but rifling remains well-defined; original blued finish to metalwork thinning on profiles, plum patina developing on sides of action; **THE PIEPER RIFLE** engraved to top of barrel, calibre & Liege proofs marked to lhs barrel; action operates freely, strong springs & sears; incorrect replacement rear sight, blade front; woodwork in f. to g. cond., some general handling marks & light bruising; original hard rubber buttplate with chip & crack extending to other side; overall in f. to g. cond. **N/L** **400 - 600**
36. **NEPALESE ISSUE ENFIELD MARTINI-HENRY MK IV. RIFLE:** .577-450 cal.; 33 1/8" barrel with vg. bright bore & well-defined rifling, some light pitting; blued finish to metalwork has thinned to an even grey patina overall, presents well; lhs barrel marked **N.S./ N E P.**; rhs action marked with cypher/ **V.R./ ENFIELD / 1887. / IV. / 1**; distinctive long lever action cycles smoothly, strong springs & sears; 5 – 13 graduated rear sights; retains correct style steel cleaning rod, fitted with modern repro leather sling; walnut stock in vg. to vg. cond., has had a light clean up but the Nepalese cartouche & roundel marks to rhs stock are sharply defined; overall in exc. wo & vg. cond. **N/L** **1400 - 1600**
37. **W. & C. SCOTT & SON SNIDER ACTION ROOK RIFLE:** .360 CF cal.; 26" round barrel with f. to g. bore, rifling well-defined, moderate pitting throughout; grey patina to majority of metalwork, mottled plum staining to barrel; **W & C. SCOTT & SON. LONDON** engraved to top of barrel, border engraved lock with makers name again to front; strong lock spring & sears; action has had some ordinary replacement parts fitted incl. hammer screw, breech release & collar on breech axis pin; rear sights are loose in their dovetail, front blade sight is sound; walnut half stock presents well, has been refinished, chequering to wrist & forestock almost indistinct; horn forend cap; steel buttplate; overall in f. to g. cond. **N/L Would grade up with minor work.** **400 - 600**
38. **19th CENTURY BRITISH S/S ROOK RIFLE:** .360 CF cal.; 28" octagonal barrel with f.+ bore, bright overall with well-defined rifling, some pitting; reblued finish to metalwork has developed a dark patina, some frosting still present & thinning around action; Birmingham proofs to underside of barrel; strong springs & sears, side lever action locks up tight; nicely figured walnut straight stock & forend, some light handling marks overall but chequering remains well-defined; steel buttplate; overall in g. cond. **N/L** **400 - 600**
39. **SWISS PERCUSSION TARGET RIFLE by SIBER of LAUSANNE:** 17 bore; 33" fine twist steel barrel with f. to g. bore, rifling well-defined, some fine pitting; silvery-grey patina to barrel with g. pattern definition; top of barrel with gold inlaid starburst pattern to breech, gold inlaid **Siber A LAUSANNE** ahead of front sights & fletched arrow to inlaid before front sight; deep relief forewood cap leaf bordering, trigger guard with dragon motif, pineapple finial; has been fitted with incorrect **P. WEBLEY & SON.** marked lockplate; double set triggers but lock sear needs work; adjustable rear ladder sight, blade front dovetailed to barrel; walnut half stock presents decent, chequering to wrist has areas of someone trying to recut, otherwise worn; small grafted section above lockplate; overall in f. wo & g. cond. **N/L** **400 - 600**
40. **VICTORIAN MARKED B.S.A. Co LEE ENFIELD MK I* B/A RIFLE:** .303 cal.; 10 rnd. mag.; 30" replacement barrel with g.+ bore, some light oxidation speckling but rifling remains sharply defined, would grade up; blued finish to metalwork presents well, thinning on mag. & dust cover; rhs body socket marked with **E.R.** Cypher/ **B.S.A.Co / 1902 / L.E / I.***; non-matching bolt cycles freely, strong springs & sears; std. 6-18 graduated rear ladder sights; missing cleaning rod but retains mag. cut-off, volley sights & correct style mag. with chain; woodwork presents well, g.+ overall cond. with only light handling marks overall & some light bruising; rhs stock marked with faint **B.S.A.Co & VICTORIAN COMMONWEALTH** roundels; overall in vg. wo & g. cond. **#842960 L/R** **600 - 800**

41. **B.S.A. Co SHT. LE MK. III* SHOTGUN CONVERSION:** .410 cal., 2 1/2" chambered; 25" barrel with f. bore, fine to moderate pitting throughout; grey patina to majority of metalwork; B.S.A. marks to rhs body socket; bolt cycles freely, strong springs & sears; military woodwork has been sporterized, forestock cut down, sides of stock have been shaved down; some handling marks overall; brass buttplate; overall in g. wo & f. cond. **#4636 L/R** 50 - 150
42. **B.S.A. Co MARTINI S/S RIMFIRE TARGET RIFLE:** .22 LR cal.; 25" barrel with f. bore, bright with well-defined rifling, some bands of moderate pitting; original blued finish to metalwork has thinned to a dark mottled patina; B.S.A. full name marked to top of barrel, **TRADE MARKS/ B.S.A.** piled arms trademark to lhs action; action functions but some movement in takedown thread of barrel; a couple of crude replacement screws; globe front sight, ladder rear sight to barre & flip up peep sight (missing aperture) to rear of frame; rhs action fitted with alloy **QUICK LOADER**; walnut stock & wide target style forestock in g. overall cond., aged crack to lhs forewood but otherwise bearing only light handling marks & light bruising; original buttplate with some inspect damage; overall in g. wo & f. to g. cond. **#28854 L/R** 200 - 400
43. **BRITISH SWIFT TRAINING RIFLE:** 47" overall length; blacked finish to metalwork presents well, some speckled oxidation; lhs forestock with brass plate marked **THE SWIFT TRAINING RIFLE/ 9B / 1588/ SERIES B** (cut out of brass & stamped to wood) **704**; bolt cycles freely, trigger won't release; woodwork bearing a few minor handling marks but presents well; overall in g. cond. **N/L** 200 - 500
44. **BRITISH SWIFT TRAINING RIFLE:** 45" overall length; blacked finish to metalwork presents well, some speckled oxidation; lhs forestock with brass plate marked **THE SWIFT TRAINING RIFLE/ 9B / 2030/ S.R. MK. III 13800**; bolt cycles freely, trigger won't release; woodwork bearing a few minor handling marks but presents well, No.4 style grooves to handguard; overall in g. cond. **N/L** 200 - 500
45. **SAVAGE MOD. 99 L/A SPORTING RIFLE:** .22 Savage high power cal.; 5 rnd. rotary mag.; 20" barrel with g. bore, rifling is well-defined, peppered with some pine pits but bright overall; majority of metalwork with a mottled grey patina, some small patches of scattered frosting & handling marks; top of barrel marked with **SAVAGE ARMS CROP. UTICA** address, lhs breech of barrel marked **SAVAGE HI-PRESSURE STEEL** and with London **V & P** proofs; action cycles freely, strong springs & sears, some minor movement in takedown assembly; std. sights; walnut stock presents decent, older repair to crack running through rhs head of stock, small chip to top; woodwork otherwise bearing only light handling marks; original steel buttplate; overall in vg. wo & g. cond. **#227048 L/R** 600 - 800
46. **RUGER NO. 1 FALLING BLOCK SPORTING RIFLE:** 22-250 Rem. cal.; 26" barrel with vg. bore, bright with crisp rifling; blued finish to metalwork showing little wear but speckled with oxidation scale overall, heavier to muzzle end of barrel & on action; **RUGER, NEWPORT, NH U.S.A.** address marked to top of barrel, **RUGER/ NO 1** marked to top of breech; action cycles smoothly, trigger sear not holding; factory 3/4 express style rib fitted to barrel; walnut semi pistol grip stock & forewood in g. cond., a few minor handling marks overall & dark staining to butt; chequering to grip & forend is sharply defined; fitted with factory rubber recoil pad; overall in f. wo & f. cond. **#130-13942 L/R** *A pretty sound rifle that needs some TLC* 200 - 400
47. **WESTLEY RICHARDS FARQUARSON FALLING BLOCK RIFLE:** .275 Rigby (7x57m/m Mauser) cal.; 24" round barrel with vg. bore & sharply defined rifling; strong reblued finish to metalwork, presents exc.; **WESTLEY RICHARDS & Co LONDON** engraved to top of barrel, engraved again to sides of action within scroll banner; action with 30% coverage of border & acanthus scroll engraving; trademark triangle engraved to top of barrel & top tang; underside of barrel marked with Birmingham **CORDITE** nitro proofs, **275 R**; action cycles freely, strong springs & sears; express sights to barrel with fixed 100 & folding 200, 300 leaf's; walnut restock presents well, cheek piece to lhs & chequering to semi-pistol grip, forewood is sharply defined; some minor handling marks overall but presents exc.; Pachmayr thin rubber recoil pads; overall in exc. wo & vg. to exc. cond. **#42191 L/R** 4000 - 6000

48. **WINCHESTER MOD. 94 YELLOW BOY INDIAN CARBINE:** .30-30 Win. cal.; 6 rnd. tube mag.; 20" round barrel with exc. bright bore & crisp rifling; bright gold finish to receiver & furniture, some thin areas but presents well; blued finish to barrel, mag & small parts is largely strong, lever with patchy surface oxidation; **NEW HAVEN** address & trademarks to lhs barrel, **YELLOW BOY INDIAN CARBINE** marked to rhs barrel; action cycles freely, strong springs & sears, std. V-notch rear sight & blade front; walnut straight stock & forend, some light handling marks to both but in vg. overall cond. overall in exc. wo & g. cond. **#YB4896** L/R **500 - 700**
49. **STEVENS FAVOURITE FALLING BLOCK SPORTING RIFLE:** .22 Hornet cal.; 27 1/2" round heavy **SPORTCO** barrel; bore vg., bright with sharply defined riddling; strong blued finish to barrel with some handling marks & light oxidation; silvery finish to action with patchy staining; action cycles freely, strong springs & sears; fitted with **tasco 1860 REPLICA** model brass body scope, optics clear; original walnut forewood with some bruising but g. cond.; custom walnut high comb stock with cheek piece & target style brass buttplate; some surface cracks to walnut grain; overall in exc. wo & g. cond. **#698** L/R **500 - 700**
50. **WINCHESTER MOD. 94 CLASSIC L/A RIFLE:** 30-30 Win. cal.; 8 rnd. tube mag.; 26" octagonal barrel with vg. bright bore & sharply defined rifling; strong blued finish to barrel & mag, blacked finish to receiver; heavy oxidation scale under forend & at head of stock, under buttplate; rust is swelling up and cause to head of stock to separate & forewood to swell out; standard **WINCHESTER** markings to barrel; deluxe walnut stock & forend dark staining in areas & problems outlined above; overall in f. cond. **#3016735** L/R *Has seen little use but unfortunately has had the notorious salt cured walnut.* **200 - 400**
51. **MAUSER MOD. MS 420 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 25 1/2" barrel with g. bright bore & well-defined rifling, fine pitting in areas; blued finish to metalwork has thinned a mottled plum patina in areas; **MAUSER-WERKE & OBERNDORF** address to lhs action; bolt cycles freely, strong springs & sears; fitted with **taco 4x39** scope on two-piece dovetails fitted to top of action; retains original tangent sights; walnut stock in f. cond., refinish with surface cracking, presents v. ordinary & pinned crack repair through stock with large chip just behind bolt; overall in g. wo & f. cond. **#35532** L/R **150 - 300**
52. **WINCHESTER MOD. 1892 L/A RIFLE:** .32 WCF (32-20 Win.); half-length tube mag.; 23 3/4" round replacement barrel with vg. bright bore & sharply defined rifling, needs a clean; reblued finish to metalwork has thinned to a patchy maroon-brown patina, presents ordinary; action cycles freely, strong springs & sears; action has been drilled & tapped for **LYMAN** side mount peep sight, fitted with target style globe front sight; stock & forend with reddish finish, bearing some handling marks & light bruising but appears to be in g. cond.; crescent steel buttplate; overall in exc. wo & f. to g. cond. **#918768** L/R **300 - 500**
53. **COLT MEDIUM FRAME LIGHTNING P/A CARBINE:** .44 WCF (44-40 Win.) cal.; full length tube mag.; 20 1/2" round barrel with g. to vg. bright bore & sharply defined rifling, needs a clean; black reblued finish to metalwork presents ordinary, finish losses in areas, some fine pitting still presents & speckled oxidation staining; defined two-line **COLT'S PT. F.A. MFG. Co. HARTFORD C.T. U.S.A./** patents to top of barrel, **44 Cal.** to lhs barrel; slide action cycles freely, strong springs & sears; std. sights, saddle ring to lhs receiver; mag. tube with patches of heavier pitting in dents, barrel has been struck back & some pits polished off; refinished walnut straight stock with some general handling marks & dark staining, small chips to head of stock; two-piece walnut slide with some bruising to otherwise well-defined chequering & fine cracks to lhs; curved steel buttplate; overall in vg. wo & f. cond. **#43217** L/R **800 - 1400**
54. **C.G. BONEHILL MK. II MARTINI HENRY RIMFIRE CONVERSION:** .22 long cal.; 30 1/8" barrel with f. bore, rifling well-defined but with some scattered pitting; blued finish to metalwork has been scrubbed off, now bearing a silvery-grey patina; lhs action marked **CONVERTED BY C.G. BONEHILL OF BIRMINGHAM/ FOR THE SOCIETY OF MINIATURE RIFLE CLUBS;** original **L.S.A. Co** markings to rhs; strong springs & sears; factory pattern barrel with std. sights; fitted with **B.S.A.** peep sight to wrist of stock; woodwork presents well overall, some light handling marks overall; chequered steel buttplate; overall in vg. wo & f. to g. cond. **#9480** L/R **400 - 600**

55. **SPORTERIZED EDDYSTONE M.17 B/A RIFLE:** .300 H.&H. magnum cal.; 5 rnd. integral mag.; 26 1/2" stepped replacement barrel with bright bore & sharply defined rifling, needs a clean but appears vg.; thinning blued finish to metalwork, barrel speckled with patches of oxidation; lhs barrel marked **300 H-H MAGNUM**; bolt cycles freely, strong springs & sears; knurled bolt handle; two piece dovetail mounts to top of action; replacement stock in g. overall cond., grafted comb presents a but ordinary but in g. sound cond.; overall in exc. wo & g. cond. **#358893 L/R** **400 - 600**
56. **WWII ERA FAZAKERLEY No. 5 MK I JUNGLE CARBINE:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; f.+ bore, defined rifling, some pitting; worn military black painted finish to metalwork, now a mottled grey patina on barrel & other parts; lhs of action marked with defined **No5 MKI ROF (F) 2/44**; lhs body socket marked with serial no. **FE96** which is again marked to bolt; std. peep sights with 2 – 8 graduations & knurled sight slide to ladder; matching bolt cycles freely, strong sears; woodwork in g. cond. overall, a few handling marks & losses to varnish finish but no heavy bruising or cracks; standard cupped buttplate with rubber centre; overall in exc. wo & g. to vg. cond. **#FE96 L/R A very early example from the Fazakerley factory. In nice representative condition.** **1200 - 1500**
57. **BRITISH FLINTLOCK MUSKET by LUCAS:** .780 cal.; 42" barrel with p. bore, brown oxidation scale throughout, may clean up; metalwork has been cleaned back, dark patina to barrel, breech end peppered with some pitting; brass furniture; border engraved lock marked with **LUCAS** to centre; Birmingham commercial proofs marked to breech; lock frozen, ring-neck cock; fixed rear sight, front missing, vacant dovetail; missing brass sideplate & lock retaining screw not sitting in thread; ordinary restock, some cracks & repaired cracks, cheekpiece to lhs; overall in f. cond. **N/L Good project for the handyman** **500 - 800**
58. **EXQUISITE EARLY 18th CENTURY SPANISH FLINTLOCK HALF-STOCKED FOWLER:** 19 bore; 39 3/4" two stage barrel, octagonal breech half to wedding band, round remainder; g. bore with some fine pitting throughout; mottled dark patina to barrel & lock, some light frosting in areas; gilded brass furniture incl. bands, trigger guard & slide plates, 30%+ remaining in protected areas; octagonal section of barrel with hammered decorative pattern, top of breech with sunken gold cartouches incl. one containing a prancing deer, another with crown/ **DIES/ QVI/ B E L**; inlays of **En Madrid Anno 1719 Es quibel** also makers gold poincion for Esquibel Diego of Madrid; bevelled lockplate with swan-neck cock, strong springs & crisp sears; very ornate brass furniture, lock retaining screw plates with lion grotesques, floral finials to trigger guard tang ends; contemporary ramrod; ornately carved walnut stock presents v. well, some scattered handling marks & filled repairs; cheek piece to lhs; heel tang of ornate brass buttplate engraved with depiction of archer with bow quiver, two dogs; overall in vg. cond. **N/L A truly superb piece that everyone can appreciate.** **4000 - 5000**
59. **EXCEPTIONAL BRITISH FLINTLOCK BAKER RIFLE by KETLAND & BAYONET:** .625 cal.; 30 1/2" barrel with g. bore, seven-groove rifling is sharply defined throughout, speckled with oxidation scale in the last half, the remainder is still quite bright, would grade up with a clean; even original plum finish to majority of barrel, faint twist pattern, some minor freckled oxidation; grey patina to lock & dull patina to brass furniture; border engraved lock with **KETLAND & Co** marked to tail, crown/ **G R** to centre, below pan (no crowned-arrow ordnance stamp); Ordnance **GR** proof & view & **HEELY** to breech; strong lock springs, sears holding; brass front sight & iron V-notch rear sight; vg.+ cond. walnut stock, full slit rod channel, cheek rest, bearing only v. minor & scattered handling marks, hard to fault; no Ordnance stamps; brass buttplate with patch box to rhs; complete with original rod & swivels and original correct sword bayonet with original leather scabbard, both in good condition; comes with correct type reproduction sling; exc. wo & near exc. cond. **N/L c.1823. A superb outfit.** **9000 - 12000**

60. **BRITISH S/B PERCUSSION SHOTGUN:** 14 bore; 31" twist damascus barrel transitioning from octagonal to sixteen sided to a wedding band, into round remainder; dark & dirty bore but doesn't appear heavily pitted, some oxidation; rebrowned finish to barrel presents well, strong pattern definition; silvery grey patina to remainder of metalwork; no makers name, Birmingham poofs to underside of breech; light coverage of acanthus scroll, game birds & dogs to locks & small parts; strong lock springs & sears, platinum pressure plug; correct style ramrod with worm & brass cap; walnut half stock in g. overall cond., bearing extensive small surface marks, has been lacquered which has reduced chequering definition on wrist & forewood; lhs butt stamped with period **J.W. DOUGLAS**, square silver escutcheon to underside of stock marked **BR**; elongated heel tang of steel buttplate with game bird & dog engraving; overall in f. to g. cond. **N/L** **600 - 800**
61. **PENTRIDGE PRISON WINCHESTER 1873 SADDLE-RING CARBINE:** .44 WCF (44-40 Win.) cal.; full length tube mag.; 20" round barrel with bright bore & sharply defined rifling, some fine pitting towards muzzle, g. to vg. overall; streaky brown patina to majority of metalwork, frame with some scattered small areas of fine pitting on rhs; two-line **WINCHESTER** address & **KINGS-IMPROVEMENT** patents to top of barrel, partially worn but overall defined; **44 CAL.** marked to top of barrel at breech; **J.R.** (James W. Rosier of Melbourne)/ **12770** marked to underside of frame, base of brass lifter marked with large rack no. **56**; action cycles freely, strong springs & sears; std. sights; walnut straight stock & forewood in g. sound cond., vg. metal-to-wood fit but has been lightly cleaned previously; some handling marks & light bruising overall but presents well; overall in vg. wo & g.+ cond. **#175028A L/R** **3500 - 4000**
62. **AUSTRALIAN RETAILED WINCHESTER 1873 SADDLE-RING CARBINE:** .44 WCF (44-40 Win.) cal.; full length tube mag.; 20" round barrel; bore f., peppered with light to moderate pits but rifling remains sharply defined, would grade up; original blued finish to metalwork thinning to a grey patina on action, top of barrel & underside of mag., strong in protected areas; well-defined two-line **WINCHESTER** address & **KINGS-IMPROVEMENT** patents to top of barrel; **44 W.C.F.** marked to top of barrel at breech; **J.R.** (James W. Rosier of Melbourne)/ **18368** marked to underside of frame, base of brass lifter marked **44 CAL**; action cycles freely, lever does not hold in place, suspected broken spring; std. sights; walnut straight stock & forewood in g. sound cond., vg. metal-to-wood fit; some handling marks & light bruising overall, most significantly an older graze to lhs wrist but presents well; overall in g. wo & g.+ cond. **#520929B L/R A good, original, Australian delivered example.** **1200 - 1400**
63. **COLT MEDIUM FRAME LIGHTNING P/A RIFLE:** .44 WCF (44-40 Win.) cal.; full length tube mag.; 26" octagonal barrel with g. to vg. bright bore & sharply defined rifling, some fine pitting; metalwork has been polished & reblued, a few minor storage marks; sharply defined two-line address & patents to top of barrel almost indistinct, defined **44 Cal.** to top of barrel flat; worn rampant horse trademark to lhs action, indistinct; slide action cycles freely, strong springs & sears; std. semi buckhorn rear sight, pinched silver blade front; walnut straight stock presents well, some light surface marks & bruising; two-piece walnut slide in g. to vg. cond., well-defined chequering, some minor handling marks; reblued crescent steel buttplate; overall in vg. wo & g. cond. **#25194 L/R** **1200 - 1600**
64. **COLT MEDIUM FRAME LIGHTNING P/A LIGHT BABY CARBINE:** .44 WCF (44-40 Win.) cal.; full length tube mag.; 20" round barrel with g. to vg. bright bore & sharply defined rifling, some fine pitting; glossy black reblued finish to metalwork, some patchy blemishes on mag. tube & action, lhs barrel with some older pitting; sharply defined two-line **COLT'S PT. F.A. MFG. Co. HARTFORD C.T. U.S.A.** patents to top of barrel, **44 Cal.** to lhs barrel over London **V & P** proofs; lhs receiver marked with faint London **V** proof, lightly defined rampant horse trademark to centre; top of slide engraved with lightly defined **R.B. RODDA & Co. LONDON & CALCUTTA**; slide action cycles freely, strong springs & sears; std. sights, saddle ring to lhs receiver; walnut straight stock with some general handling marks & streaky staining, chip to rhs head of stock; two-piece walnut slide in g. cond., some bruising to otherwise well-defined chequering; curved steel buttplate; overall in vg. wo & g. cond. **#62582 L/R** **1600 - 2000**

65. **SAKO MOD. A1 B/A SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 24" barrel with bright bore & sharply defined rifling, some scattered light pits, f. to g. cond.; strong blued finish to barrel & action, presents exc., a few minor storage marks; **CAL. 222 REM. MADE IN FINLAND** to lhs; **SAKO A1** & serial no to lhs of action; bolt cycles smoothly, trigger crisp; fitted with bridge mount & bottom half of rings; walnut stock with right-handed cheekpiece, factory buttplate; woodwork in vg. overall, some minor handling marks; chequering to forewood & pal-swell grip is sharply defined; fitted with rubber recoil pad; overall in vg. wo & cond. **#800061** L/R **400 - 600**
66. **J. MANTON S x S PERCUSSION SHOTGUN:** 14 bore; 30" twist damascus barrels with f. bores, scattered patches of moderate pitting; dark patina to majority of metalwork, areas of fine pitting especially around breech; **J. MANTON. LONDON** marked to top rib, Birmingham proofs to underside of barrels; 60% scroll engraving to lockplates, makers name to both; flat sided non-matching hammers, strong springs & sears; retains ramrod; walnut half stock in g. overall cond., chequering to wrist & forewood is defined, some light handling marks & bruising overall; steel buttplate with some patchy pitting; overall in f. to g. cond. **N/L** **600 - 800**
67. **BRITISH S x S PINFIRE SHOTGUN by JOSEPH TOWL:** 12 bore pinfire; 30" twist damascus barrels with dirty bores, only light pitting; plum patina to barrels with g. pattern definition, some minor staining in areas; grey patina to remainder of metalwork, some faint case colours to locks; **JOSEPH TOWL BOSTON** marked to top rib; Birmingham proofs to underside of barrels; light coverage of scroll & border engraving to action & locks, makers name again to locks; Jones underlever action locks up loose, crisp lock sears & strong springs; walnut straight stock & splinter forend present v. well, chequering to wrist & forend is well-defined, only light handling marks to stock but forend with some chips to edges; steel buttplate; overall in g. cond. **N/L** **800 - 1200**
68. **TOWER MARKED SNIDER ENFIELD MK. I CAVALRY CARBINE:** .577 Snider cal.; 19 3/4" barrel; bore bright overall with sharply defined rifling, speckled with oxidation throughout, some moderate pits peppering last few inches; dark brown patina to majority of metalwork, some brown oxidation scale in areas; dull finish to brass trigger guard & buttplate; **SNIDER/PATENT** trademark stamped to top of breech; **TOWER** marked to lockplate, royal cypher to tail; strong lock springs & sears, breech operates freely; 4-8 graduated rear sight; saddle ring & bar to lhs stock; walnut half stock presents well, some scattered bruising & light handling marks; brass buttplate; overall in vg. wo & g. cond. **N/L** **800 - 1200**
69. **T.J. MORTIMER of LONDON S x S PERCUSSION FOWLER:** 14 bore; 29 1/4" twist damascus barrels with dusty bores, some oxidation but both appear free from heavy pitting; even soft plum finish to barrels, exc. pattern definition; grey patina to remainder of metalwork; lockplates marked with **T.J. Mortimer** in gothic script over **St. James's St.**; lockplates engraved with a combination of acanthus scroll & pheasants which extends onto plat sided hammers; scroll engraved top tang, top of breech with double gold band inlay & engraved bird motif; platinum pressure plugs; **4814**, London **V & P** proofs, **TJM** stamps to underside of both barrels; squared off lock tails, matching hammers with strong springs & sears; period ramrod, missing worm end & missing one ramrod pipe; walnut half stock presents well, glossy finish bearing a few handling marks & scattered bruising; chequering to wrist is sharply defined; steel buttplate with engraved heel tang; overall in vg. cond. **N/L Presents very well.** **1200 - 1600**
70. **IMPRESSIVE LECLAIR S x S PERCUSSION CONVERSION FOWLER:** 18 bore; 34 3/4" twist damascus barrels with f. to g. bore, some oxidation staining; beautiful plum browned finish to barrels with exc. pattern definition; silver grey patina to locks & other small parts; large gold inlaid script **Leclair** to top of lh barrel, **A Paris** to rhs, both barrel markings followed by gold inlaid scroll; lockplate marked **B. Watson**; Liege proof to lhs barrel; border engraved locks with game birds to tails, pair rabbits to lh breech & pair bevelled lockplates with stepped tails, matching flat side hammers; carved resin trigger guard which extends into an ornate carved pineapple finial; strong lock springs & sears, period flintlock to percussion conversion; sling swivel to first of two ramrod pipes & underside of stock; nicely figured walnut half stock with right handed cheek piece, some light handling marks & bruising but presets well; wrist with v. fine & well-defined chequering, top of wrist inlaid with vacant silver shield escutcheon; unusual heel & toe buttplate, some bruising to walnut in-between; overall in g. to vg. cond. **N/L** **1500 - 2000**

71. **FINE MANTON of LONDON FLINTLOCK FOWLER:** 15 bore; 36 1/2" twist damascus barrel transitioning from octagonal, to sixteen sided, to wedding band, round remaining 2/3; bright bore, some minor staining but exc. overall; mottled plum patina to barrel, some fine frosting & staining, g. pattern definition; grey & brown patina to remainder of metalwork; gold band to breech, gold touch hole & gold washed pan; top of breech with sunken **MANTON / LONDON** cartouche; **MANTON** engraved to otherwise plain lockplate; very ornate pineapple finial; top tang, trigger guard & buttplate tang with v. well-defined border, floral & game engraving, bouquet to trigger guard, bird to top tang & piled flask, gun (?) motif to tang of buttplate; swan neck cock, semi waterproof pan, bevelled lockplate with stepped tail, strong springs & crisp sears; 'hand detachable lock' design with push-down button to centre of lock, no lock retaining screw; double staples to forewood; horn forewood cap; retains original horn capped ramrod with worm; nicely figured walnut half stock, large & sharply defined flat-top chequering to wrist; overall in exc. wo. & vg. cond. *N/L A lovely original example of a late 18th century Manton flintlock fowler with an interesting hand-detachable lock design.* **3000 - 4000**
72. **CARVED BOER WAR PLEZIER D.W.M. MAUSER 1896 B/A RIFLE:** 7x57m/m cal.; 5 rnd. integral mag.; 28" octagonal barrel with p. bore, moderate pitting but rifling almost indistinct; original blued finish to metalwork has developed a dark patina overall, thinning to a plum patina on profiles; magazine lifter retaining much of its nitre blueing; lhs action marked with D.W.M. full name/ **BERLIN**; lhs barrel marked with later **BNP** British proofs & **7x57M/M**; non-matching bolt cycles freely, strong springs & sears; 4 – 11 graduated ladder rear sight, hemi-globe front sight with adjustment; sling swivel to underside of stock, missing swivel to underside of barrel; walnut half stock presents well, some bruising & chequering to forestock showing wear; wrist with impressive woven brass & copper wire repair, very strong; rhs of stock inlaid with large, ornate border engraved sterling silver escutcheon; cheek piece with period relief carved **I.P GROBLER/ DEWAARD. Z.A.R.**, peened texture behind lettering; steel buttplate; overall in g.+ cond. *#827 L/R Rifle features in David George's book 'Carvings from the Veldt', part 4, pages 104. & 105.* **3000 - 4000**
73. **MANNLICHER-SCHOENAUER MOD. 1905 B/A SPORTING RIFLE:** 9x56m/m MS cal.; 5 rnd. rotary mag.; 20 1/2" barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork presents v. well overall, thinning slightly towards muzzle & on mag. floorplate; plum finish to trigger guard; top of breech marked **Patent/ Mannlicher/Schoenauer/ M.1905**, lhs action marked **OESTERR. WAFFENFABR.- GES. STEYR.**; lhs breech marked with period London **V & P CORDITE** nitro proofs; distinctive spoon handle bolt cycles smoothly, strong springs & crisp double set triggers; fixed 200 yd rear sight with folding 300yd leaf; sling swivels to forestock & underside butt; walnut full stock in g. to vg. cond., some light handling marks overall & bruising, presents well; chequering to pistol grip & forestock sharply defined; steel forestock cap & oval horn grip cap; fitted with **Pachmayr OLD ENGLISH** rubber recoil pad; overall in exc. wo & vg. cond. *#4700 L/R* **2500 - 2750**
74. **MANNLICHER-SCHOENAUER MOD. 1908 B/A SPORTING RIFLE:** 8x56m/m MS cal.; 5 rnd. rotary mag.; 20" barrel with g.+ bore, strongly defined rifling & shiny overall, some frosting in grooves; original blued finish to metalwork presents well, slight plum patina developing on action & trigger guard, scattered patches of staining; patents, makers name & **M.1908** marked to top of breech, lhs action marked **OESTERR. WAFFENFABR.- GES. STEYR.**; distinctive spoon handle bolt cycles smoothly, strong springs & crisp double set triggers; fixed rear sight with folding 300 leaf; sling swivels to forestock & underside butt; QD mount to breech; walnut full stock in g. to vg. cond., some light handling marks overall & general handling wear; chequering to pistol grip & forestock well-defined; steel forestock cap & oval horn grip cap; underside stock marked **22210**; grooved steel butt with trap to centre for trio of cartridge storage; overall in exc. wo & g. to vg. cond. *#5397 L/R* **2200 - 2500**
75. **BRITISH INDIA PATTERN TYPE II. FLINTLOCK MUSKET:** .780 cal.; 39 1/4" barrel with p. to f. bore, brown oxidation scale throughout, would clean up; barrel speckled with small patches of dark staining & pitting, grey cleaned finish to difference; brass furniture to mellow finish; breech stamped with faint Ordnance proofs; lock marked **TOWER** to tail, crown / **GR** & small crowned-arrow stamp to centre; lock with ring-neck cock, incorrect replacement top jaw & screw, strong springs & sears; complete with original sling swivels & ramrod; g. walnut full stock, presents well with honest older bruising & handling marks, g. profiles; Ordnance viewer's stamps to underside of wrist behind bottom tang; brass buttplate; overall in g. cond. *N/L c.1814 A good example that would grade up with little effort* **3000 - 3750**

76. **BRITISH FLINTLOCK INDIA PATTERN MUSKET:** .780 cal.; 39 1/2" barrel with f. bore, dusty & some oxidation but doesn't appear heavily pitted; metalwork has been previously cleaned back to a silvery-grey patina overall, frosted appearance with heavier pitting to breech area; bright, cleaned finish to brass furniture; incorrect lock from a Windus pattern East India Co musket, tail stamped **1815** & bearing the EICo prancing Lion emblem; breech stamped with Ordnance proofs & **S172**; butt tang engraved **Co Sligo No 90** also stamped **S172**; strong lock springs & sears; complete with restored sling swivels & ramrod; g. cond. well refinished walnut stock, v. minor scratches & bruises, butt lhs with Ordnance Storekeeper's stamps, incl **B/T/O** & issue date **4/1831**; overall in g.+ cond. **N/L A fascinating musket, made c. 1815 & issued to the Sligo Militia (Ireland) in April 1831. Presents well.** **2000 - 2750**
77. **SCARCE DUBLIN CASTLE BRITISH SHORT LAND PATTERN FLINTLOCK MUSKET:** .780 cal.; 42" barrel with p. bore; barrel has been cleaned back previously, dark mottled patina to barrel, some fine pitting in areas; silvery-grey patina to lock, some fine pitting; mellow finish to brass furniture; lock tail marked with defined **DUBLIN/ CASTLE**, centre with defined crown/ **GR** & Ordnance crowned-arrow stamp; Ordnance proof & maker stamp to breech; strong lock springs & sears, complete with swivels & ramrod; woodwork presents well overall, forestock a grafted replacement after ramrod pipe; some handling marks, scattered bruises & minor losses along barrel channel to forestock; wrist with large brass escutcheon marked **2/ 23**; overall in g. cond. **N/L c.1790** **4000 - 4500**
78. **J.M. MARLIN MOD. 62 L/A SPORTING RIFLE:** .30 Carbine cal.; 5 rnd. mag.; 20" exc. bright bore & sharply defined **MICROGROOVE** rifling; blued finish to metalwork presents exc., only trace amounts of handling marks overall; lhs barrel marked with **NEW HAVEN** address, model & cal.; short throw lever action cycles well, strong springs & sears; factory hooded front sight, vacant rear sight dovetail; fitted with **WILLIAMS** side mount peep sight & two-piece dovetail mounts; walnut stock in vg. overall cond., only scattered & minor handling marks overall; retains original butt & grip plastic caps; overall in exc. wo & vg.+ cond. **#AB2508 L/R** **600 - 800**
79. **W. ANSELL & Co PUSH-FORWARD UNDERLEVER HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 26 7/8" barrels, shortened, cyl. & cyl. choked; polished bores appear bright & exc., some light pits peppering chambers; rebrowned finish to barrels present exc., strong pattern definition; grey patina to remainder of metalwork; top rib with faint **W.W. GREENER** & address, original Birmingham proofs & modern nitro re-proofs to flats; London **V & P** proofs to actions tables; grey patina to action & small parts; back action lockplates engraved with **W. ANSELL & Co**, border & 70% coverage of scroll engraving, all of which are defined but showing wear; interesting push forward underlever snap action with rebounding locks, matching hammers; firing pins inlaid with **LOADED** to each, visible when lever pushed forward; action locks up tight; woodwork in g. to vg. overall cond., some handling marks overall, refinished with sharply defined recut chequering; 6lb 6oz weight & 14 1/8" LOP incl. chequered 1/2" buttplate; overall in vg. wo & g.+ cond. **#486 L/R A working example of some unusual & interesting patents.** **400 - 600**
80. **WALTHER MOD. KJ B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 21" barrel with exc. bright bore & sharply defined rifling; blued finish to majority of metalwork presents decent, some minor wear & blemishes, blacked finish to alloy magazine & trigger guard thinning to a grey patina; proofs & **Kal**. **.22l.f.R.** marked to lhs barrel, **Carl Walther** marked to top of action; bolt cycles smoothly, crisp two-stage trigger; retains original tangent rear sight, front removed for threaded muzzle & cap; fitted with **TASCO 2.5x32** scope on two-piece mounts, greasy lenses; walnut stock in g. overall cond., sharply defined chequering to grip & forewood, cheekpiece to lhs; woodwork with only light & scattered storage marks but spotted blemishes to wood surface; overall in exc. wo & f. to g. cond. **#020205 L/R Would grade up significantly with some T.L.C.** **500 700**

81. **BOSS & Co. SINGLE TRIGGER SIDELOCK S x S SHOTGUN:** 12G, 2 1/2" chambered; 26" shortened barrels, now cyl. & cyl. choked; exc. bright bores; strong reblued finish to barrels, presents exc.; silvery grey finish to locks & action; top rib engraved **BOSS & Co, 13 DOVER STREET, PICADILLY, LONDON. W.;** London **V & P, 1 1/8 OZ NITRO PROOF** marks to barrels & action tables; action, fences, tangs & locks with Boss's signature rose & scroll engraving, sharply defined & covering most surfaces; locks with no less than six floral bouquets, **BOSS & Co** within scroll banners; underside of action engraved **BOSS & Co/ PATENT**, an additional **BOSS'S PATENT/ No11278** ahead of trigger guard; gold **1** is inlaid to top rib, top lever & forend iron; assisted opening action locks up with some movement, strong springs & sears, mechanical single trigger & perfectly timed ejectors; manual safety with gold inlaid **SAFE**; screw heads vg.; walnut straight stock & splinter forend in vg. overall cond., a few minor handling marks & light bruising; vacant gold escutcheon to underside of stock; nicely figured walnut, stocked to the fences with tear drops to lock tails; chequering to wrist & forend is well-defined, bearing a few minor marks; small aged partial crack to underside of forend; metal-to-wood fit is vg. overall; fitted with a distressed foam rubber recoil pad, measures 13 1/4" LOP from trigger to end of walnut; 6lb 5oz weight; overall in vg. wo & cond. **#6073** L/R **14000 - 16000**
82. **BOSS & Co. SINGLE TRIGGER SIDELOCK S x S SHOTGUN:** 12G, 2 1/2" chambered; 28" barrels choked approx. cyl. & 1/8; exc. bright bores, right hand barrel with v. subtle rivel; strong reblued finish to barrels & small parts, presents exc.; silvery grey finish to locks & action with 60% coverage of thinning case colours; lhs action & ball fence with some v. minor pit peppering; top rib engraved **BOSS & Co, 73 St. JAMES'S STREET, LONDON;** London **V & P, 1 1/8 OZ NITRO PROOF** marks to barrels & action tables; action, fences, tangs & locks with Boss's signature, fine rose & scroll engraving, sharply defined & covering most surfaces; locks engraved with five floral bouquets, **BOSS & Co** within scroll banners, **BOSS'S PATENT** to top of action below tables; underside of action ahead of trigger guard engraved **BOSS'S PATENT/ No22894;** gold **2** is inlaid to top rib, top lever & forend iron; assisted opening action locks up tight & on face, strong springs & sears, mechanical single trigger & perfectly timed ejectors; manual safety with gold inlaid **SAFE**; walnut straight stock & splinter forend in vg. overall cond., a few minor handling marks & light bruising; gold escutcheon to underside of stock engraved **B.E.L.;** nicely figured walnut, stocked to the fences with tear drops to lock tails; chequering to wrist & forend is defined, bearing a few minor marks; small aged partial crack to underside of forend; metal-to-wood fit is vg. overall; fitted with a quality walnut extension, measures 13 5/8" LOP from trigger to end of original walnut, 15" LOP incl. extension; 6lb 9oz weight; overall in exc. wo & near vg. cond. **#5330** L/R **16000 - 18000**
83. **SPANISH MAUSER MOD. 1893 B/A CARBINE:** .308 Win. cal.; 5 rnd. integral mag.; 18" barrel with vg. & bright bore, sharply defined rifling; thinning blued finish to metalwork now an even grey patina, some pitting lhs action along wood; **.308** marked to rhs of breech; matching numbers bolt cycles freely, strong springs & sears; std. tangent sights; refinished woodwork presents v. well, some minor staining around buttplate; light handling marks but vg. overall; steel buttplate; fitted with contemporary **DINGO** leather sling on original swivels; overall in exc. wo & g. cond. **#1418** L/R **500 - 700**
84. **TURKISH MARKED SPANDAU MFG. GEW 1888 B/A SERVICE RIFLE:** 7.92×57m/m cal.; 5 rnd. integral mag.; 30" barrel with bright bore, worn rifling & fine pitting throughout; dark brown patina to majority of metalwork, some light handling marks; top of breech marked with crown/ **SPANDAU/ 1890,** lhs of action marked **3954 & Gew 88;** lhs front barrel band marked with **18. R. 1.142.;** non-matching bolt cycles smoothly, strong springs & sears; Turkish markings to sight graduations; retains steel cleaning rod; woodwork in g. sound cond., has been cleaned back but still bearing some original staining; steel buttplate; fitted with original leather sling; overall in exc. wo. & g. cond. **#3954** L/R **500 - 700**
85. **V.C. SCHILLING KAR. 88 B/A CARBINE:** 7.92×57m/m cal.; 5 rnd. mag.; 18 1/2" barrel with bright bore & sharply defined rifling, some scattered pit peppering but g. overall; original blued finish to metalwork thinning to a mottled brown patina, original finish stronger in protected areas; top of breech marked **V.C. SCHILLING/ SUHL/ 1892.,** lhs of action marked **Kar 88;** rhs barrel band with unit markings **B1T.F.3.16.;** serial no. **7136e** marked to lhs breech, barrel & bolt; spoon handle bolt cycles smoothly, strong sears & springs; 5 – 12 graduated rear sights; well figured walnut stock in vgc. overall, some light storage marks & minor scuffs; armourers join repair to forestock with joining chip; steel buttplate; overall in vg. wo & g.+ cond. **#7136** L/R **800 - 1200**

86. **AMBERG MFG. MAUSER GEW 98 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 30" barrel with vg. bright bore & sharply defined rifling, some scale in grooves; silvery-grey patina to majority of metalwork, some spotted oxidation staining & darker overall finish to barrel; top of breech faint crown over **AMBERG/ 1916, Gew. 98.** marked to lhs action; serial no. 88 marked to lhs barrel, breech, barrel bands & mag. floor plate; non-matching bolt cycles freely, strong springs & sears; 4-20 graduated early style ramp rear sights; missing cleaning rod; walnut stock in g.+ original cond., bearing plenty of bumps & surface bruising but remains sound with exc. metal-to-wood fit; retains an original but distressed leather sling; overall in exc. wo & g.+ cond. **#88 L/R A nice honest example that has avoided restoration.** 1200 - 1600
87. **DANZIG MFG. MAUSER GEW 98 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 30" barrel with vg. bright bore & sharply defined rifling, some scale in grooves; reblued finish to metalwork now a v. dark patina overall; still bearing extensive pre-refinish pits peppering on action, sights, buttplate but not on barrel or bolt; top of breech faint crown over **DANZIG/ 1915, Gew. 98.** marked to lhs action; non-matching bolt cycles freely, strong springs & sears; 4-20 graduated early style ramp rear sights; retains steel cleaning rod; hardwood two-piece stock in sound cond., has been refinished but still bearing some battlefield bruises & marks; steel buttplate; fitted with contemporary leather sling; overall in exc. wo & f. to g. cond. **#7502 L/R** 600 - 800
88. **SPANDAU MFG. GEW 1888 B/A SERVICE RIFLE:** 7.92×57m/m cal.; 5 rnd. integral mag.; 30" barrel with bright bore, rifling lightly defined & lightly pitted, p. to f. cond.; dark patina to metalwork with oxidation spotting in areas; metalwork with grey patina & fine frosting most surfaces, barrel & action with heavy pitting to sides where wood meets metalwork; top of breech marked with crown/ **SPANDAU/ 1890,** lhs of action marked **5208 & Gew 88;** non-matching bolt too stiff to close; missing screw to front of mag.; 5 - 20.5 graduated rear sights, retains steel cleaning rod; woodwork in sound cond., dark appearance with some scattered battlefield bruising & surface chipping in areas; steel buttplate with light pitting; overall in p. to f. cond. **#5208 L/R** 250 - 500
89. **TURKISH MARKED SPANDAU MFG. GEW 1888 B/A SERVICE RIFLE:** 7.92×57m/m cal.; 5 rnd. integral mag.; 30" barrel with bright bore, sharply defined, vg. overall; freckled patina to majority of barrel, action with silvery-grey finish, some vice marks to sides of breech; top of breech marked with crown/ **SPANDAU/ 1890,** lhs of action marked **7348 & Gew 88;** bolt cycles smoothly, strong springs & sears; Turkish markings to sight graduations & bolt; retains steel cleaning rod; woodwork in g. sound cond., dark appearance with some scattered battlefield bruising; heel of butt with some lifting surface chips; steel buttplate; fitted with contemporary leather sling to original swivels; overall in exc. wo. & g. cond. **#7348 L/R** 700 - 900
90. **SAVAGE MOD. 212 B/A RIFLED SHOTGUN:** 12G, 3" chambered; 2 rnd. polymer mag.; 22 1/2" barrel with dirty bore, appears bright with sharply defined rifling, vg. overall; matte blacked finish to metalwork; lhs barrel marked with address, **SAVAGE MODEL 212;** bolt cycles freely, strong springs & sears; fitted with **ORYX 3-9 x 32** scope on two-piece mounts, clear optics; black polymer stock with foam rubber recoil pad; stock bearing a few minor handling marks; overall in exc. wo & near exc. cond. **#H425768 L/R** 500 - 700
91. **WWII ERA B.S.A. No. 5 MK I JUNGLE CARBINE:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; vg.+ bore, bright with sharply defined rifling, some superficial frosting on lands; military black painted finish to metalwork, patchy in areas & bearing some surface marks, 80% remaining; lhs of action marked with defined **No5 MKI;** lhs body socket marked with **M47/C / 1945/ ENGLAND/** serial no. **BG1468** which is again marked to bolt; **BNP** proofs to top of barrel ahead of handguard; std. peep sights with 2 – 8 graduations & knurled sight slide to ladder; matching bolt cycles freely, strong sears; woodwork in vg. cond. overall, a few minor handling marks but presents extremely well; underside of butt has a small hole drilled; standard cupped buttplate with rubber centre; fitted with period canvas sling; overall in exc. wo & g. to vg. cond. **#BG1468 L/R** 1200 - 1500

92. **REMINGTON MOD. 700 B/A LONG RANGE SPORTING RIFLE PACKAGE:** .338 Lapua cal.; 5 rnd. mag.; 26" barrel incl. ported integral muzzle brake; vg. bright bore & sharply defined rifling; satin black finish to majority of metalwork, some minor storage marks & scuffs overall; lhs barrel marked **REMINGTON ARMS COMPANY INC. & ILION** address to lhs barrel after **338 LAPUA MAG**; lhs action marked **Remington/ MODEL 700** marked to lhs action; bolt cycles freely, strong springs & sears; fitted with a German **DOCTER 8 – 25 x 50** scope on two-piece mounts; scope clear & fitted with rubber protective caps; black synthetic stock with wider forestock & factory rubber recoil pad; some light handling marks overall but presents well; overall in exc. wo & vg.+ cond. **#G6742510** L/R *Comes with five boxes of factory Nosler Custom 338 Lapua ammunition which would retail at close to the lower estimate of the rifle, if picked up.* **1500 - 1800**
93. **REMINGTON MOD. 700 B/A SPORTING RIFLE:** .300 Win. mag. cal.; 5 rnd. mag.; 25" barrel with vg. bright bore & sharply defined rifling; matte black finish to metalwork, presents exc. with only a few minor storage marks overall & speckled residue; **REMINGTON** address & user warnings marked to lhs barrel, make & model to lhs action; bolt cycles freely, strong springs & sears; two-piece picatinny mounts to top of breech & action; maroon-brown coloured synthetic stock with black spattered texturing, presents exc., some minor storage marks; factory rubber recoil pad; overall in exc. wo & near exc. cond. **#S6233561** L/R **700 - 900**
94. **BOITO MOD. MIURA O/U SHOTGUN:** 12G, 2 3/4" chambered; 28" barrels with ventilated top & middle ribs, choked approx. 3/4 & 3/4; vg. bright bores; blued finish to metalwork showing wear on profiles but presents well; makers name & marks to lhs top barrel; action locks up tight & on face, auto safety & double triggers with strong sears; hardwood stock in sound cond., some chips to otherwise sharply defined chequering & general light handling marks elsewhere; 15 1/4" LOP incl. original buttplate; overall in exc. wo & g. cond. **#20512** L/R **300 - 500**
95. **P. BERETTA MOD. S56E O/U SHOTGUN:** 12G, 2 3/4" chambered; 26 1/2" barrels with ventilated top rib; choked approx. 1/4 & 1/2; vg. bright bores; strong blued finish to barrels, silver coin finish & scroll pattern to action; **P. BERETTA GARDONE** marked to barrels, marked again to sides of action & underside; action locks up tight, strong well-timed ejectors, single trigger; breech retaining much of its original jewellery; woodwork in vg. cond., sharply defined chequering, some light handling marks overall & some finish lifting at heel of butt; 14" LOP incl. maker marked buttplate; overall in exc. wo & vg. cond. **#B64818B** L/R *A nice honest gun ready for the field or clays* **600 - 800**
96. **RUGER ALL-WEATHER MOD. 77/22 B/A RIFLE:** .22 WMR cal.; 9 rnd. rotary mag.; 20" barrel with exc. bore & crisp rifling; bright finish to stainless steel metalwork, a few minor storage marks but presents well; makers name & **NEWPORT** address to top of barrel, makers name & model to lhs action; bolt cycles freely, strong springs & sears; comes with correct Ruger pattern stainless rings; black synthetic 'paddle' stock with rubber recoil pad; some spotted blemishes to butt but vg. cond. otherwise; fitted with synthetic fabric padded sling on factory swivels; overall in exc. wo & g. to vg. cond. **#703-59762** L/R **600 - 800**
97. **J.P. SAUER & SON B.L.N.E S x S SMALL BORE SHOTGUN:** 16G, 2 1/2" chambered; 30" barrels choked approx. 1/2 & full; g. to vg. bright bores, some minor frosting & a couple pits peppering after forcing cones; strong reblued finish to barrels & even silvery patina to action; border engraved action with makers name to both sides, top rib marked **J.P. SAUER & SOHN, SUHL.**; action with greener style cross bolt, locks up with some movement; strong trigger sears, cocking indicators to sides of action, auto safety; nicely figured walnut stock with left handed cheek piece (to rhs stock); chequering to semi pistol grip well-defined, smooth forend; 14 1/2" LOP incl. original horn buttplate; overall in vg. wo & g. cond. **#209258** L/R **500 - 700**

98. **IMPRESSIVE & ORNATE AUGUST SCHULER B.L.E S x S SHOTGUN:** 12G, 2 1/2" chambered; 30 1500 - 2000
1/4" twist damascus barrels choked approx. 3/4 & 3/4; bright bores with some minor pitting in areas, lh barrel with small rivet, looks to have been dent repair; silvery grey patina to majority of metalwork, barrel with thinning brown finish but retains vg. pattern definition; top rib engraved **AUG. SCHULER. SUHL. GERMANY**; action & tangs with impressive scroll, border engraving and intricate gold inlaid game scenes; gold inlay includes trio of pheasants to lhs action, fox catching one of a pair of ducks to rhs, retriever & quail to trigger guard, underside of action with stag & pair of doe; engraving and inlays all sharply defined; action locks up loose, rh ejector is mistimed; greener style cross bolt, cocking indicators behind fences, auto safety with gold inlaid **SAFE**; woodwork in vg. overall cond., some light handling marks to beautifully figured walnut stock & forend, the latter a quality replacement; bag style grip with a combination of sharply defined chequering & tear drops to head, transitioning into ornately carved floral & vine patterns to both sides; the same carving has been mirrored onto forend tip; 7lb weight & 14 1/2" LOP incl. original chequered horn buttplate; overall in f. wo & g. to vg. cond. **#12014 L/R A stunning display of German workmanship.**
99. **WINCHESTER MOD. 88 L/A SPORTING RIFLE:** .308 Win. cal.; 4 rnd. box magazine; 22" barrel with 400 - 600
g. to vg. bright bore & crisp rifling, small oxidation patch; blued finish to metalwork is strong but bearing scattered patches of pitting, presents ordinary; **-WINCHESTER- MODEL 88 CAL. .308 WIN.-** /trademarks marked to lhs of barrel, **PW** proof to barrel & breech; serial no. to lhs of receiver; **WINCHESTER** trademark marked to bottom of magazine; action cycles freely, strong sears; std. flip up rear sight & hooded front; fitted with period leather sling, sling swivels to underside of forewood & stock; woodwork presents very well, some light handling marks overall; wicker pattern pressed chequering to grip & forewood v. well-defined with oak leaf pressed motifs surrounds; black plastic chequered buttplate & blued steel grip cap; overall in vg. wo & f. to g. cond. **#H277723 L/R**
100. **FINE FAZAKERLEY No. 4 MK 2 B/A SERVICE RIFLE:** .303 Brit cal.; 10 rnd. mag.; 25 1/4" barrel 1200 - 1500
with fine bore, mirror with crisp rifling; military blacked finish to metalwork presents exc., some minor storage marks overall; lhs action with sharply defined markings, **No 4 MK 2 (F)/ I/55 [PF339660;** magazine & bolt marked again with **[PF339660;** bolt cycles freely, strong springs & sears; std. No. 4 style sights; woodwork in vg. to exc. overall cond., apart from small ding to lhs forewood near action, stock, forewood & handguard are only bearing storage marks & sticker discolouration to rhs butt; dull finish & some surface marks to brass buttplate with trap; fitted with period canvas sling; overall in exc. wo & near exc. cond. **#PF339660 L/R A lovely, example in 'unissued' condition.**
101. **AUSTRALIAN INTERNATIONAL ARMS MOD. M10-A3 B/A CARBINE:** 7.62x39mm/m cal.; 12 rnd. 1200 - 1600
AK style box mag.; 22" barrel incl. muzzle brake; exc. bore & crisp rifling; blued finish to metalwork presents exc., some surface residue on barrel; lhs of action marked with **AUSTRALIAN INTERNATIONAL ARMS/ Brisbane Australia**, trademarks, serial no. & model; bolt cycles well, strong springs & sears; std. No.4 style sights; woodwork in vg. cond., some light handling marks overall; grooved forestock & handguard; fitted with canvas sling; brass SMLE style buttplate with trap; overall in exc. wo & vg. to exc. cond. **#M10A-220398 L/R Comes with another two magazines. A brilliant little package for feral eradicators**
102. **BRASS FLINTLOCK TURN-OFF PISTOL by HAY of GREENWICH:** 24 bore; 4 1/2" brass cannon 800 - 1100
barrel with dark bore; mellow finish to barrel & frame, some handling marks; iron trigger guard, cock, pan etc. with dark grey patina; lhs action marked **Hay** in script, rhs marked **Greenwich**; underside of breech marked with pair British proofs; g. spring tension to lock & strong sears, sliding safety tab is broken; flat sided walnut stock with crack to lhs, otherwise bearing general handling marks & light bruising; sides & spine of woodwork with fine silver inlaid border to walnut; small silver ovate escutcheon to spine of stock inscribed with initials **JIP**; overall in g. cond. **N/L**

103. **BRITISH PATT. 1853 CONSTABULARY PERCUSSION PISTOL:** .655 cal.; 6" barrel with f. bore, some light pitting oxidation but would grade up; barrel & lock has developed an honest, smoky-grey patina, some light handling marks; brass furniture with dull mellow patina; border engraved lock with sharply defined crown/ **V.R** marked to tail, **1853/ TOWER** to centre; strong lock springs & sears, captive ramrod, lanyard swivel to bras butt cap; woodwork in original cond., **B /I\ O** marked to rhs wrist, **T.TURNER** marked to lhs forestock; walnut unfortunately bearing v. heavy peening to lhs & back of wrist; overall in f. cond. **N/L** 700 - 900
104. **BRITISH SINGLE BARREL FLINTLOCK PISTOL:** 10 bore approx.; 9 1/4" barrel with p. bore; metalwork with extensive but moderate depth pitting to external surfaces; markings to lockplate indistinct; bevelled lockplate with stepped tail, swan neck cock; strong springs & sears, does spark lightly; crude replacement ramrod; walnut full stock with cracks & large chip to lhs forewood; brass furniture incl. sideplate, trigger guard in g. cond.; overall in p. bordering on relic cond. **N/L** 300 - 500
105. **REPRODUCTION BRITISH LAND PATT. FLINTLOCK PISTOL:** .665 cal.; 9" (230m/m) barrel with f. to g. bore, some light oxidation but no heavy pitting; dark patina & some fine oxidation speckling to majority of metalwork, brass furniture with some patchy tarnishing; lock marked with **TOWER** to tail, crown/ **GR** to centre; lhs breech marked with serial no.; strong lock springs & sears, retains steel ramrod; walnut full stock presents well, some light handling marks; overall in vg. wo & g. cond. **#1025** Post 46' L/R 300 - 500
106. **REPRODUCTION BRITISH LAND PATT. FLINTLOCK PISTOL:** .665 cal.; 9" (230m/m) barrel with f. to g. bore, some light oxidation but no heavy pitting; dark patina & some fine oxidation speckling to majority of metalwork, brass furniture with some patchy tarnishing; lock marked with **TOWER** to tail, crown/ **GR** to centre; lhs breech marked with serial no.; strong lock springs & sears, retains steel ramrod; walnut full stock presents well, some light handling marks & heavier ding to rhs wrist; overall in vg. wo & g. cond. **#1023** Post 46' L/R 300 - 500
107. **BRITISH HILL'S PATENT SELF EXTRACTOR REVOLVER:** .380 CF cal.; 6 shot cylinder; 5 3/4" (146m/m) octagonal barrel with thin top flat; barrel with two slight ring bulges; metalwork has been polished to a bright finish, some surface marring & peening remaining; rhs barrel flat engraved **HILL'S PATENT SELF EXTRACTOR**, winged **T M** trademark to rhs breech; Birmingham proofs to chambers & barrel; strong hammer springs & sears but action won't lock up or index; chequered grip panels in g.+ cond. present well with only light bruising to both; lanyard ring to butt; overall in p. wo & f.+ cond. **#JD** Pre 1900 L/R 150 - 300
108. **FINE BERGMANN MOD. 1896 SEMI-AUTOMATIC PISTOL:** 6.5m/m Bergmann cal.; 5 rnd. integral mag.; 102m/m barrel with bright bore & sharply defined rifling, speckled with light oxidation and frosting, g.+ overall; strong blued finish to metalwork, thing slightly on profiles, around muzzle but presents well; some minor speckled oxidation; strong straw finish to small parts incl. hammer, trigger etc., safety with strong nitre bluing; lhs frame marked **PATENT/ BREVETE /G.G.D.G.**, rhs marked with 'shining mountain man' trademark motif & **PISTOLET/ BERGMANN**; bolt retracts freely, strong springs & sears, original hard rubber grips are in vg. cond. overall, large B to top of both & fine chequering is still v. well-defined; integral lanyard loop to butt of backstrap; overall in exc. wo & vg. cond. **#4122** Pre 47' L/R **A fine example of a relatively scarce pistol, around 2,500 of these were ever manufactured.** 1500 1800
109. **COLT MOD. 1902 PHILIPPINE CONSTABULARY D.A. REVOLVER:** .45 long Colt cal.; 6 shot fluted cylinder; 6" (161m/m) barrel with bright bore, sharply defined rifling, some minor frosting in patches & leading; silvery grey patina to meatworks with some minor pit peppering in patches on barrel & top strap, presents well; strong nitre blued finish to the distinctive large trigger & spine of hammer; lhs barrel marked **45 COLT.**, top of barrel marked with single line **COLT'S PT. F.A.MFG. Co. HARTFORD CT. U.S.A.**; rampant horse roundel mark to lhs frame; **R.A.C.** stamp to lhs frame, trigger guard; rhs frame marked with **J.T.T.** to back, **1902** to bottom & **US** to front; action needs work, feels a bit scratchy and only indexes in s.a.; hard rubber birds head grips with v. well-defined rampant horse to top of both & chequering; some light handling marks to grips but only v. light; lanyard swivel to butt of backstrap; overall in f. wo & g. to vg. cond. **#47844** Pre 47' L/R 1100 1600

110. **BRITISH MARKED COLT NEW SERVICE D.A. REVOLVER:** .455 Eley cal.; 6 shot fluted cylinder; 600 - 900
5 1/2" (140m/m) barrel with sharply defined rifling, shiny throughout, needs a clean but near exc.; 30% original blued finish to protected areas of metalwork, mottled grey patina & patchy staining, fine pitting to other areas; lhs of barrel marked **NEW SERVICE 455 ELEY**, two-line **HARTFORD** address marked to top of barrel; lhs of frame marked with rampant horse trademark; lhs breech marked with crossed flag mark, British **6B/E** & broad arrow mark to back of lhs top strap; makings to revolver are sharply defined; strong springs, crisp sears & cylinder indexing well; original hard rubber grips showing little wear, both with sharply defined chequering, lh grip with large chuck of top has chipped off, rh grip vg. with some minor chips to butt; fitted with lanyard to factory swivel; overall in exc. wo & g. cond. #134380 Mfg. c.1917 L/R
111. **STARR ARMS Co. ARMY MOD. 1858 D.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 6" 800 - 1200
(154m/m) round barrel; dusty bore, appears f.+ with well-defined rifling, some oxidation scale in patches; 20% original blued finish to protected areas on frame, remainder of metalwork bearing a dark patina, some wear; sides of frame & breech bearing vice marks; lhs of frame marked **STARR. ARMS. Co. NEW. YORK.**, rhs of frame marked **STARR'S PATENT JAN. 15, 1856.**; serial no. **4299/ B** marked to front of frame; inspectors marks to several parts; dovetailed front blade sight & hammer notch rear; cylinder indexing but a little rough operation; single-piece smooth walnut grip bearing handling marks & scattered bruising; faint cartouches to both sides of butt; overall in g. wo & f. cond. #4299B Pre 1900 L/R
112. **WEBLEY MK. V SERVICE REVOLVER with AG. PARKER RIMFIRE CONVERSION:** .22 LR 1000 1500
cal.; 6 shot fluted short cylinder fitted; 4" (101m/m) barrel currently fitted with .22 insert, vg. bright bore & sharply defined rifling; original blued finish to metalwork, thinning to a mottled plum patina on straps & barrel, strong blueing in protected areas; lhs top strap marked with **MARK "V"**, lhs frame marked with **WEBLEY/ MARK V/PATENTS/ 1914**; broad arrows marked to several parts; face of cylinder marked **PARKER HALE**, lhs breech of insert marked with **AGP, MADE IN ENGLAND**; mechanically exc., action locks up tight, strong springs & sears, cylinder indexing well; original hard rubber grips in g. to vg. cond., some light marks overall but chequering remains sharply defined; birds head grip with lanyard stud to butt; comes with its original, matching numbers .455 cylinder; overall in exc. wo & g. to vg. cond. #141200 L/R Mfg. 1914
113. **BELGIAN D.A. PINFIRE REVOLVER:** 9m/m pinfire cal.; 6 shot cylinder; 5 1/8" (130m/m) octagonal 500 - 700
barrel with f.+ bore, rifling well-defined, some patchy oxidation scale & fine pitting; bright plated refinish to metalwork, some scattered pitting still present in areas; Liege proof marked to chamber, no makers name; border engraved breech, cylinder & frame with floral motifs to sides of frame, cylinder; cylinder not indexing but main spring & sears are strong; ornate gutta percha grips present well, deep relief vine & leaf patterns to both; lanyard ring to butt of backstrap; overall in g. to vg. cond., f. wo. #112233 Pre 1900 L/R *Presents well.*
114. **FINE COLT 1903 POCKET HAMMERLESS S/A PISTOL:** 32 ACP cal.; 8 rnd. mag.; 3 1/2" (90m/m) 800 - 1200
barrel with vg. bright bore & sharply defined rifling; 90%+ original blued finish to metalwork, thinning on slide profiles; some finely speckled oxidation & blemishes overall but presents v. well; lhs of slide marked with **COLT'S PT. F.A. MFG. CO. HARTFORD, CT. U.S.A./ patents**, rhs of slide marked with **COLT, AUTOMATIC/ CALIBRE.32 RIMLESS SMOKELESS**; slide retracts freely with v. strong spring tension, crisp sears; chequered walnut grip panels with **COLT** silver medallion inserts to top of both; grips are in vg.+ cond., only trace amounts of handling marks & chequering remains sharply defined; comes in contemporary leather COLT marked holster; overall in exc. wo & vg.+ cond. #551262 Mfg. 1941 L/R

115. **CASED PAIR S x S PERCUSSION POCKET PISTOLS by WILLIAMS & POWELL:** 68 bore; 4" (103m/m) barrels with f. to g. bores, both with some patchy frosting, one with some heavy pit peppering; both pistols have undergone extensive but professional restorations now bearing vivid case colours to frame & hammers, correct style glossy blued finish to barrels & trigger guards; two pairs of gold inlaid bands to breech section; defined **WILLIAMS & POWELL – LIVERPOOL** engraved to top ribs; underside of both barrels marked with British proofs & **82** marked to both rh barrels; flat sided hammers, tangs & actions with coverage of large acanthus scroll engraving; both pistols with strong lock springs & sears, captive ramrods; walnut bag-style stocks with sharply defined chequering, some minor handling marks to both; spine of stocks inlaid with rectangular silver escutcheons finely inscribed with family crests (lion over crown); pistols come presented in oak case, relined with modern green baize; **WILLIAMS & POWELL** facsimile paper trade label to lid; case contains some modern & original accessories incl. brass ball & powder flask; overall in vg. cond. **#3377 & #3378** Pre 1900 L/R **A very nicely presented little outfit.** 2500 - 3000
116. **SUPERB & SCARCE FOUR-BARREL TAP-ACTION FLINTLOCK PISTOL by HENRY NOCK:** 85 bore (.38 cal.); 2 5/8" turn-off barrels, bores with some light oxidation & light pitting but g. overall; silvery grey patina & some light pit peppering to barrels & iron small parts; bright finish to brass frame & straps; metalwork has been cleaned by markings remain v. well-defined; lhs frame engraved with **H.NOCK** within oval, over a stand of arms motif; motif continued to rhs with **LONDON** to top; light floral engraving to breech & tap action rhs; underside & top of breech marked with pair of London **V & P** proofs; each barrel & breech engraved with numbers **1 to 4** respectively; strong lock springs & crisp sears with sliding half-cock sliding safety; tap action lever to lhs frame rotating freely with sliding rhs pan isolator to rhs frame; flat sided walnut stock in vg. overall cond., some light handling marks but presents well; sharply defined chequering to back & diamond silver escutcheon to centre; overall in vg. cond. **N/L C.1800 A fascinating little pistol from on the of the late 18th century's most renowned makers. The combination of mechanisms allows the individual firing of all four barrels.** 3500 4500
117. **A. UBERTI MOD. 1860 ARMY PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (205m/m) round barrel with bright bore & crisp rifling, some patches of light oxidation; strong blued finish to barrel & cylinder, vivid case colours to frame & loading lever; brass trigger guard & front strap; makers name to lhs frame; cylinder indexing well, strong springs & sears; smooth walnut grips with some light handling marks & wear to finish; overall in vg. wo & near g.+ cond. **#120833** Post 46' L/R 150 - 300
118. **C.V.A. MOD. COLT 1860 ARMY PERCUSSION REVOLVER & SHOULDER STOCK:** .44 cal.; 6 shot cylinder; 8" (205m/m) round barrel with bright bore & crisp rifling, needs a clean but exc.; strong blued finish to barrel & cylinder, vivid case colours to frame & loading lever; brass trigger guard & front strap; **CONNECTICUT VALLEY ARMS** to lhs frame; cylinder indexing well, strong springs & sears, nipples exc.; smooth walnut grips in g. cond. with some light handling marks; comes with vgc. shoulder stock, still in plastic sleeve; overall in exc. wo & vg. cond. **#74076** Post 46' L/R 600 - 800
119. **D.W.M. ARTILLERY LUGER P08 S/A PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 200m/m barrel with g. to vg., bright bore, sharply defined rifling some pin-prick pit peppering throughout; blued finish presents well, some light pitting peppering barrel & frame; strong straw finishes to small parts incl. trigger & safety; **DWM** trademark marked to top of toggle, **1917** to top of breech; all visible numbers are matching excluding mag. which is marked **2358**; British **BNP** marked to underside of barrel, frame; toggle retracts freely, strong springs but action won't cock; tangent sight with **1-8** graduations; chequered grip panels in vgc. cond., sharply defined chequering with only minor handling marks overall; overall in g. cond. **#247** L/R Mfg. 1917 *Would grade up significantly with some minor work.* 1800 - 2200
120. **SMITH & WESSON MOD. 16-2 D.A. REVOLVER:** .32 S.&W. cal.; 6 shot fluted cylinder; 150m/m barrel with exc. bore & sharply defined rifling; reblued finish to metalwork is strong, barrel & cylinder with more of a plum finish; polished trigger & hammer; **SMITH & WESSON** marked to lhs barrel, cal. to rhs; SW monogram & four-line address marked to rhs of frame; indexing well, strong springs & sears; two-piece walnut grip in g. to vg. cond., some light handling marks but chequering remains sharply defined; overall in exc. wo & vg. cond. **#K484848** Post 46' L/R 400 600

- | | | | |
|------|---|-------|-----|
| 121. | CONTINENTAL S x S PERCUSSION PISTOL: .36 cal.; 80" octagonal barrels have been plugged; grey finish to metalwork, some fine pitting & patchy oxidation in areas, has been struck back at some point; no proofs or makers marks; locks functioning, lh is strong with strong sears, rh with weaker spring & only one holding sear; turn off barrels with some rounding to breech end, barrels point outwards; smooth walnut grip in g. cond., some light handling marks; overall in f. cond. #18 Pre 1900 L/R <i>Appears to have been a restoration project of someone without the necessary skills.</i> | 50 - | 100 |
| 122. | HOMEMADE S/B PERCUSSION PISTOL: .69 cal.; 190m/m barrel with octagonal breech section; bore f., some light oxidation; grey finish to metalwork with patchy oxidation staining in areas; rudimentary lock does function; hardwood stock has a patchy brown finish applied; overall in g. cond. #HM01 Post 46' L/R | 25 - | 50 |
| 123. | EUROARMS NEW MOD. ARMY 1858 PERCUSSION REVOLVER: .44 cal.; 6 shot cylinder; 6 1/2" (165m/m) octagonal barrel with bright bore & sharply defined rifling, needs a clean; stainless steel metalwork with light polished finish, some surface marks & marring; makers name to top of barrel, model to lhs; cylinder indexing but no trigger; appears otherwise complete; smooth walnut grips with some surface marks; overall in g. cond. #096472 Post 46' L/R | 50 - | 100 |
| 124. | SMITH & WESSON MOD. 10-5 D.A. REVOLVER: .38 Spl. cal.; 6 shot fluted cylinder; 4" (102m/m) barrel with vg. bright bore & sharp rifling; blued finish to metalwork thinning from holster wear at muzzle, some light patchy staining in areas; SMITH & WESSON to lhs barrel, cal. to rhs; rhs frame marked with SW monogram trademark & four-line address; cylinder indexing well, strong springs & sears; fitted with tatty PACHMAYR rubber grips; overall in exc. wo & g. cond. #D975843 Post 46' L/R | 150 - | 300 |
| 125. | SPANISH LLAMA MOD. 1A S/A PISTOL: 32 ACP cal.; <u>missing mag.</u> ; 3 3/4" (95m/m) barrel with g. bore, dirty grooves but rifling sharply defined; metalwork has been cleaned up & either polished or plated to a shiny finish, still bearing fine pitting to most surfaces; makers name & address to lhs slide, LLAMA ESPECIAL to rhs; slide retracts freely, strong springs & sears; fitted with faux pearl grips, lh grip with small chip to base; overall in vg. wo & f. cond. #222046 Post 46' L/R <i>An interesting little scaled down Colt 1911.</i> | 150 - | 300 |
| 126. | SMITH & WESSON MOD. 10-8 D.A. REVOLVER: .38 Spl. cal.; 6 shot fluted cylinder; 106m/m barrel with vg. bore & sharp rifling, needs a clean; blued finish to metalwork presents well overall, some v. minor wear at muzzle & finely speckled oxidation staining in areas; SMITH & WESSON marked to lhs barrel, cal. to rhs; SW monogram trademark to lhs frame, four-line address to rhs; cylinder indexing well, strong springs & sears; original chequered walnut grips with SW silver medallion inlaid to top of both; grip in g. cond., general wear & handling mark; overall in exc. wo & g.+ cond. #5D71319 Post 46' L/R | 300 - | 500 |
| 127. | RUGER POLICE SERVICE-SIX D.A. REVOLVER: .357 Mag. cal.; 6 shot fluted cylinder; 4" (103m/m) barrel vg. bore & sharply defined rifling, dusty; stainless steel metalwork is bearing plenty of surface marring & small patches of staining (ironic); STURM RUGER/ address marked to lhs barrel, cal. to rhs; model marked to rhs frame; cylinder indexing well, strong springs & sears; fitted with PACHMAYR chequered rubber grips which are in vgc.; overall in exc. wo & f. to g. cond. #159-96887 Post 46' L/R | 300 - | 500 |
| 128. | HECKLER & KOCH MOD. USP S/A PISTOL: .45 ACP cal.; <u>missing mag.</u> ; 4" (104m/m) barrel with dirty bore but rifling remains sharply defined; matte blued finish to metalwork presents well, some light handling marks; HK USP & cal. marked to lhs slide, Heckler & Koch to rhs polymer frame/ Made in Germany ; slide retracts freely, strong springs & sears; polymer frame/ grip with some light handling marks; overall in exc. wo & vg. cond. #25-025826 Post 46' L/R | 300 - | 500 |
| 129. | A. UBERTI MOD. STALLION S.A. RIMFIRE REVOLVER: .22 LR cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with vg. but dirty bore, sharply defined rifling; stainless steel metalwork with bright brushed finish, some handling marks and general marring; makers name & address to underside of barrel; cylinder not indexing, strong lock springs & sears; smooth walnut grips with some minor handling marks; overall in g. cond. but f. wo. #72319 Post 46' L/R | 100 - | 200 |

130. **COLT GOVERNMENT MOD. 1911 S/A PISTOL:** .38 Super cal.; missing mag.; 5" 125m/m) barrel with 400 - 600
vg. bright bore, some scale in grooves; blued finish to metalwork presents well, v. strong with some scattered handling marks overall; **COLT'S/ GOVERNMENT MODEL/38 SUPER CALIBER** marked to lhs slide with rampant horse trademark, rhs marked **100 YEARS/ OF SERVICE**; Hartford address & serial no. marked to rhs frame; slide retracts freely, strong springs & sears; original diamond pattern chequered laminated wood grip panels; overall in exc. wo & near exc. cond. #2830954 Post 46' L/R *Has seen very little use, just needs a mag.*
131. **TAURUS MOD. PT99 AFS S/A PISTOL:** 9x19m/m Luger cal.; missing mag.; 5" (125m/m) barrel with 50 - 100
vg. bright bore & sharply defined rifling, needs a clean; stainless steel slide with polished sides, matte elsewhere; high polish finish to alloy frame; **TAURUS** & trademark to lhs slide, address & model marked to rhs; slide retracts freely, strong springs & sears; missing rear sights & grips; vg. cond. #TUF64662 Post 46' L/R
132. **SMITH & WESSON MOD. 915 S/A PISTOL:** 9x19m/m Luger cal.; 10 rnd. mag.; 100m/m barrel with 250 - 500
vg. bright bore & sharply defined rifling, some scale in grooves; blued finish to steel slide & blacked finish to alloy frame, both with some handling marks & holster wear on profiles; **SMITH & WESSON** marked to lhs slide over **SPRINGFIELD** address; slide retracts freely, strong springs & sears to double action trigger; black plastic is poor, cracked & worn; overall in exc. wo & f. cond. #VAE1734 Post 46' L/R
133. **SMITH & WESSON MOD. M&P 9L S/A PISTOL:** 9x19m/m Luger cal.; 10 rnd. mag.; 4" (103m/m) 400 - 600
barrel with vg. bore, bright overall & sharply defined rifling, powder residue in grooves, needs a clean; matte black finish to metalwork, some minor surface marks; **M&P** trademark, **9** marked to front lhs of slide & **SW** monogram to back; slide retracts freely, strong springs & sears; black polymer frame; overall in exc. wo & exc. cond. #HTU4419 Post 46' L/R
134. **PHOENIX ARMS MOD. HP22 S/A POCKET PISTOL:** .22 LR cal.; 6 rnd. mag.; 5" (125m/m) barrel 300 - 500
with bright bore & sharply defined micro-groove rifling, needs a clean; satin silver finish to majority of metalwork; **PHOENIX ARMS/ ONTARIO, CA.** to lhs slide, cal. marked to lhs barrel, model marked to rhs slide; slide retracts freely, strong springs & sears; black polymer grip panels in vg. cond., a few minor handling marks to both; overall in vg. cond. #4224049 post 46' L/R
135. **SMITH & WESSON MOD. M&P 40 S/A PISTOL:** 40 S.&W. cal.; incorrect mag.; 105m/m barrel with 100 - 300
vg. bright bore & sharply defined rifling, needs a clean; matte blued finish to metalwork, some minor wear to profiles & surface oxidation in grooves to rear of slide; **M&P** trademark, **40** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; slide retracts freely, strong springs; missing sights & firing pin assembly; fitted with 17 rnd. **9mm** marked mag.; black polymer frame with some minor handling marks; overall in exc. wo & g. cond. #DXL0735 Post 46' L/R
136. **HECKLER & KOCH MOD. USP S/A PISTOL:** .45 ACP cal.; missing mag.; 4" (104m/m) barrel with 300 - 500
dirty bore but rifling remains sharply defined; matte blued finish to metalwork presents well, some light handling marks; **HK USP** & cal. marked to lhs slide, **Heckler & Koch** to rhs polymer frame/ **Made in Germany**; slide retracts freely, strong springs & sears; polymer frame/ grip with some light handling marks; overall in exc. wo & vg. cond. #25-025826 Post 46' L/R
137. **GLOCK MOD. 34 S/A PISTOL:** 9x19m/m Luger cal.; fitted with 10 rnd. polymer **PMAG** mag.; 6" 300 - 500
150m/m ported Lone Wolf barrel with dirty bore, needs a clean but rifling sharply defined; matte finish to slide with some minor storage marks & light wear; **GLOCK** trademark, **34, AUSTRIA** & **9x19** marked to lhs slide; matching no. slide retracts freely, strong sears & springs; black polymer frame in exc. cond.; overall in exc. wo & g. cond. #CYF751 Post 46' L/R
138. **CZ MOD. 100 S/A PISTOL:** 9x19m/m Luger cal.; missing mag.; 90m/m barrel with vg. bright bore, some 200 - 400
powder residue; black coated finish to metalwork presents decent, minor loses to finish on profiles; lhs slide marked **CZ 100** & cal., **MADE IN CZECH REPUBLIC** marked to rear; slide retracts freely, strong springs & sears, d.a. trigger pull; black polymer frame with a few minor handling marks; overall in exc. wo & vg. cond. #A0493 L/R Mfg. 1996

139. **SIG SAUER MOD. MOSQUITO S/A PISTOL:** .22 LR cal.; missing mag.; 5" (126m/m) barrel with vg. bore, dirty but rifling sharply defined; matte blued finish to slide & steel parts, blacked finish to alloy frame; makers name, **MADE IN GERMANY** to lhs of slide, **MOSQUITO** to rhs; slide retracts freely, strong springs & sears; maker marked polymer grips in vgc.; overall in exc. wo. & vg. cond. **#A078020** Post 46' L/R **200 - 400**
140. **SMITH & WESSON MOD. M&P 40 S/A PISTOL:** 40 S.&W. cal.; 15 rnd. mag.; 105m/m barrel with vg. bright bore & sharply defined rifling, needs a clean; matte blued finish to metalwork, some minor wear to profiles; **M&P** trademark, **40** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; slide retracts freely, strong springs & sears; all matching numbers; black polymer frame with some minor handling marks; overall in exc. wo & g. to vg. cond. **#DXL0227** Post 46' L/R **500 - 700**
141. **TAURUS MOD. PT100 AFS S/A PISTOL:** .40 S.&W. cal.; 10 rnd. mag.; 5" (125m/m) barrel with vg. bright bore & sharply defined rifling, needs a clean; stainless steel slide with polished sides, matte elsewhere; high polish finish to alloy frame; **TAURUS** & trademark to lhs slide, address & model marked to rhs; slide retracts freely, strong springs & sears; black polymer grips with trademark to centre, sharply defined chequering; overall in exc. wo & vg. cond. **#SWE67601** Post 46' L/R **400 - 600**
142. **TAURUS MOD. 82 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with dirty bore, appears shiny with sharply defined rifling; strong blued finish to metalwork, light thinning from holster wear, some v. light patchy staining in areas; **TAURUS** marked to lhs barrel, cal. to rhs; trademark & address to rhs frame; cylinder indexing well, strong springs & sears; original rubber grips in g. cond., some light wear; overall in exc. wo & g. cond. **#WC107928** Post 46' L/R **150 - 300**
143. **SMITH & WESSON MOD. 10-5 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 3" (77m/m) barrel with vg. bright bore & sharp rifling, needs a brush; blued finish to metalwork thinning from holster wear, some light patchy staining in areas; **SMITH & WESSON** to lhs barrel, cal. to rhs; rhs frame marked with **SW** monogram trademark & four-line address; cylinder indexing well, strong springs & sears; walnut chequered grips are sound but very grubby, patchy finish & chequering gummed up; overall in exc. wo & f. cond. **#D954322** Post 46' L/R **150 - 300**
144. **RUGER SECURITY-SIX D.A. BLANK FIRE REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 4" (101m/m) barrel with p. bore, heavy pitting at muzzle end; thinning blued finish on barrel; standard markings; cylinder indexing well, strong springs & sears; chambers have been fitted with inserts for use with blanks; original walnut grips in f. cond., general handling marks to both crack to rh grip & number carved to butt of lh grip; overall in g. wo & p. cond. **#150-86812** Post 46' L/R *Suit movie prop.* **25 - 50**
145. **RUGER POLICE SERVICE-SIX D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 4" (103m/m) barrel vg. bore & sharply defined rifling, dirty; polished finish to stainless steel metalwork is bearing plenty of surface marring & handling scuffs; **STURM RUGER/** address marked to lhs barrel, cal. to rhs; model marked to rhs frame; cylinder indexing well, strong springs & sears; original walnut grips in sound but f. cond., both showing wear & surface handling marks; overall in exc. wo & f. to g. cond. **#160-62097** Post 46' L/R **300 - 500**
146. **PHOENIX ARMS MOD. HP22 S/A POCKET PISTOL:** .22 LR cal.; missing mag.; 3" (76m/m) barrel with bright bore & s sharply defined micro-groove rifling, needs a clean; satin silver finish to majority of metalwork; **PHOENIX ARMS/ ONTARIO, CA.** to lhs slide, cal. marked to lhs barrel, model marked to rhs slide; unknown working order, slide won't retract without mag.; black polymer grip panels in vg. cond., a few minor handling marks to both; overall in vg. cond. **#4152843** post 46' L/R **200 - 400**
147. **TAURUS MOD. 82 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with dirty bore, appears shiny with sharply defined rifling; strong blued finish to metalwork, light thinning from holster wear, some v. light patchy staining in areas; **TAURUS** marked to lhs barrel, cal. to rhs; trademark & address to rhs frame; cylinder indexing well, strong springs & sears; original rubber grips in g. cond., some light wear; overall in exc. wo & g. cond. **#WC107929** Post 46' L/R **150 - 300**

148. **SMITH & WESSON MOD. 36 D.A. REVOLVER:** 38 Special cal.; 5 shot fluted cylinder; 1 7/8" (47m/m) barrel with exc. bore & crisp rifling; strong blued finish to metalwork, presents well with only minor holster wear on profiles; makers name & calibre marked to barrel, four-line address to rhs of frame; mechanically exc., strong sears & springs; original walnut chequered grips with SW monogram silver medallions to top of both, some handling marks; overall in exc. wo & vgc. cond. #J370309 Post 46' L/R 300 - 500
149. **NEW ENGLAND FIREARMS MOD. B22 BLANK FIRE REVOLVER:** .22 blank cal.; 9 shot cylinder; 84m/m 'barrel'; matte military style finish to majority of metalwork, thinning bluing to cylinder; **GARDNER** address to lhs frame; action binds up & needs work; smooth walnut grips with **NEF** medallions inlaid to both, lanyard ring to grip; overall in g. cond. #X035 L/R(?) *Check state laws* 50 - 100
150. **HOPPE'S REPRO ETHAN ALLEN S/B PERCUSSION PISTOL:** .44 cal.; 180m/m barrel with octagonal breech; bore caked with grey oxidation; gloss blued finish to barrel & matte elsewhere; rhs breech marked **Ethan Allen by HOPPE'S**; strong lock springs & sears; barrel has been unscrewed, 1/4" of thread exposed; smooth walnut grip panels with some handling marks; overall in f. cond. #T03453 Post 46' L/R 25 - 50
151. **EUROARMS NEW MOD. ARMY 1858 PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (202m/m) octagonal barrel with bright bore & sharply defined rifling, some oxidized lead residue; blued finish to metalwork is strong overall, some minor handling marks; makers name to top of barrel, model to lhs; cylinder indexing but hammer or trigger sears are not holding; appears complete; smooth walnut grips with some surface marks; overall in g. cond. #105451 Post 46' L/R 50 - 100
152. **DRULOV MOD. 70 S/S TARGET PISTOL:** 22 LR cal.; 195m/m barrel with vg. bright bore & sharply defined rifling; strong blued finish to metalwork, some handling marks; **Drulov** marked to lhs of frame; crisp trigger & strong springs; single piece walnut grip with some shaved back 'modifications', in sound cond.; overall in exc. wo & g. cond. #11814 Mfg. 1967 L/R 150 - 300
153. **BELGIAN S.A. PINFIRE REVOLVER:** 9m/m PF cal.; 6 shot cylinder; 4" (104m/m) round barrel with f. bore, light oxidation throughout but rifling remains sharp; metalwork bearing some fine pitting & mottled grey patina in areas; Liege proof to cylinder; d.a. only, requires heavy trigger pull but is indexing; replacement axis pin & extractor rod; smooth walnut grips in f. to g. cond., rh grip peppered with peening; overall in f. cond. #MH3 Pre 1900 L/R 200 - 400
154. **RUGER POLICE SERVICE-SIX D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 4" (102m/m) barrel vg. bore & sharply defined rifling, dirty; blued finish to metalwork presents ordinary, thinning from holster wear & speckled with oxidation in areas; **STURM RUGER**/ address marked to lhs barrel, cal. to rhs; model marked to rhs frame; cylinder indexing well, strong springs & sears; original walnut grips in sound but f. cond., both showing wear & surface handling marks; overall in exc. wo & f. to g. cond. #160-69218 Post 46' L/R 250 - 500
155. **SMITH & WESSON MOD. 36 D.A. REVOLVER:** 38 Special cal.; 5 shot fluted cylinder; 3" (76m/m) barrel with vg. bore & crisp rifling, needs a brush through; strong blued finish to metalwork, some light holster wear & light patchy staining; makers name & calibre marked to barrel, four-line address to rhs of frame; mechanically exc., strong sears & springs; f. cond. original walnut chequered grips with SW monogram silver medallions to top of both, some heavy handling marks & small chips; overall in exc. wo & f cond. #372J17 Post 46' L/R 200 - 400
156. **SPRINGFIELD ARMORY MOD. 1911 A1 S/A PISTOL:** 9x19m/m Luger cal.; 10 rnd. mag.; 125m/m barrel with bright bore & sharply defined rifling, grooves dirty with powder residue; v. strong blued finish to metalwork, bearing only dried grease residue & trace storage marks overall; model/ cal. marked to lhs slide, trademark, **SPRINGFIELD ARMORY** marked to rhs; rhs frame marked with makers name & address/ serial no.; slide retracts freely, strong springs & sears, adjustable rear sights; exc. black polymer chequered grip panels; overall in exc. wo & near exc. cond. #NM39681 Post 46' L/R 500 - 700

157. **SMITH & WESSON MOD. 10-7 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 3" (77m/m) barrel with bright bore & sharp rifling, vg. overall; blued finish to metalwork thinning & finely speckled with oxidation overall; **SMITH & WESSON** to lhs barrel, cal. to rhs; rhs frame marked with **SW** monogram trademark & four-line address; cylinder indexing well, strong springs & sears; fitted with **HOGUE MONOGRIP** but missing retaining screw; overall in exc. wo & f. cond. **#6D91708** Post 46' L/R **150 - 300**
158. **TAURUS MOD. 82 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with bright bore & sharply defined rifling, need a clean; strong blued finish to metalwork, light thinning from holster wear, some v. light patchy staining in areas; **TAURUS** marked to lhs barrel, cal. to rhs; trademark & address to rhs frame; cylinder indexing well, strong springs & sears; original rubber grips in g. cond., some light wear; overall in exc. wo & g. cond. **#WC107930** Post 46' L/R **150 - 300**
159. **SMITH & WESSON MOD. 10-5 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 3" (77m/m) barrel with bright bore & sharp rifling, grooves dirty with leading; blued finish to metalwork thinning from holster wear, some light patchy staining in areas; **SMITH & WESSON** to lhs barrel, cal. to rhs; rhs frame marked with **SW** monogram trademark & four-line address; cylinder indexing well, strong springs & sears; fitted with Pachmayr black rubber grip; overall in exc. wo & f. to g. cond. **#2D07616** Post 46' L/R **300 - 500**
160. **TAURUS MOD. 82 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with dirty bore, appears shiny with sharply defined rifling; strong blued finish to metalwork, light thinning from holster wear, some v. light patchy staining in areas; **TAURUS** marked to lhs barrel, cal. to rhs; trademark & address to rhs frame; cylinder indexing well, strong springs & sears; original rubber grips in g. cond., some light wear; overall in exc. wo & g. cond. **#WC107927** Post 46' L/R **150 - 300**
161. **CZ MOD. 75 BD S/A PISTOL:** 9x19m/m Luger cal.; 17 rnd. mag.; 118m/m barrel with bright bore & crisp rifling, grooves a little dirty; matte black coated finish to metalwork presents strong but bearing plenty of handling marks, some light holster wear on profiles; lhs of slide marked **CZ MOD. 75 BD; MADE IN CZECH REPUBLIC** to lhs of frame; matching barrel, slide & frame; mechanically exc., slide retracts smoothly, crisp sears & strong springs; chequered original black plastic grips in exc. cond.; overall in exc. wo & g.+ cond. **#3951M** Mfg. 1996 L/R **600 - 800**
162. **SMITH & WESSON MOD. 459 S/A PISTOL:** 9x19m/m Luger cal.; 17 rnd. mag.; 4" (101m/m) barrel with bright bore & sharply defined rifling, grooves dirty with powder residue; blued finish to steel slide & blacked finish to alloy frame, both with some handling marks & holster wear on profiles; **SMITH & WESSON** marked to lhs slide along with four-line address; slide retracts freely, strong springs & sears to double action trigger; black plastic chequered grip panels in sound cond., both with some surface scuffs; overall in exc. wo & f. to g. cond. **#A823724** Post 46' L/R **400 - 600**
163. **STURM RUGER MOD. SP101 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 59m/m barrel with dirty bore, rifling sharply defined but powder residue needs a clean out; bright finish to stainless steel metalwork, some light surface marring but presents well; **STURM RUGER/** address marked to lhs barrel, model/ cal. marked to rhs; strong springs & sears, cylinder indexing well; two-piece smooth hardwood grip with finger grooves, some light handling marks to both; overall in exc. wo & g.+ cond. **#570-11897** L/R **300 - 500**
164. **TAURUS MOD. 82 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4" (102m/m) barrel with slight ring bulge; bore otherwise appears shiny with sharply defined rifling; strong blued finish to metalwork, light thinning from holster wear; **TAURUS** marked to lhs barrel, cal. to rhs; trademark & address to rhs frame; cylinder indexing well, strong springs & sears; original walnut grips in g. cond., some light wear; overall in g. cond. **#UF890496** Post 46' L/R *Suit parts or prop gun.* **25 - 100**
165. **HIGH STANDARD MOD. 103 OLYMPIC S/A PISTOL:** .22 Short cal.; 10 rnd. mag.; 140m/m barrel with dirty bore, appears bright with sharp rifling; strong blued finish to metalwork, some handling marks; cal. marked to lhs breech, **HAMDEN. CONN. U.S.A.** address to rhs; slide retracts freely, crisp trigger; adjustable rear sights; integral ported barrel weight, fitted with additional weights to underside barrel; chequered walnut grip panels in g. overall cond., some handling scuffs to both, thumb rest on lh grip; overall in vg. wo & near vgc. **#1193291** Post 46' L/R **150 - 300**

166. **ASTRA MOD. MATCH S.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with dirty bore, some powder fouling but appears bright with sharply defined rifling; blued finish to metalwork v. strong overall, some light storage marks; rhs of barrel marked **ASTRA MATCH**, calibre to lhs; **ASTRA** trademark marked to rhs frame/ **SPAIN**; cylinder indexing well, strong springs & sears, s.a. only; two-piece walnut grip in vg. cond., some light handling marks, chequering sharply-defined; overall in exc. wo & vg. to exc. cond. **#R228359** Post 46' L/R **300 - 500**
167. **CZ MOD. 45 S/A VEST POCKET PISTOL:** .25 ACP cal.; missing mag.; 62m/m barrel with g. bore, well-defined rifling & bright overall but needs a clean; blued finish to slide & small parts, thinning on profiles; bright polished finish to frame, some light marring; **CZ** trademark & full name to lhs slide, **MADE IN CZECHOSLOVAKIA** to lhs frame; slide retracts freely but won't dry fire without mag.; original single piece hard rubber grip presents well, well-defined chequering, small partial crack to base of rhs; overall in g. cond. **#94423** Mfg. 1948 L/R **200 - 400**
168. **BRNO ALFA-PROJ MOD. 3241 D.A. REVOLVER:** .32 S.&W. long cal.; 6 shot fluted cylinder; 4" (102m/m) barrel with exc. bright bore & sharply defined rifling; strong blued finish to metalwork, bearing a few light handling marks but presents well; **ALFA steel** marked to lhs barrel, cal. to rhs; **ALFA-PROJ BRNO/ MADE IN CZECH/ REPUBLIC** to rhs frame; action indexing smoothly in d.a. & crisp in s.a., std. sights; two piece walnut grip with peened texturing & makers marked gold medallions inlaid to both sides, some handling marks; overall in exc. wo & vg. cond. **#8324102815** Mfg. 2008 L/R **500 - 800**
169. **UNIQUE MOD. DES 69 S/A RIMFIRE TARGET PISTOL:** .22 LR cal.; 10 rnd. mag.; 150m/m barrel with sharp rifling, bright but needs a clean; thinning matte blued finish to metalwork, some minor oxidation staining; model markings to lhs slide, **UNIQUE** trademark to rhs with address; slide retracts freely, strong springs & sears, exposed hammer; std. adjustable sights, fitted with under barrel weight; adjustable walnut target grip, stippled/ finely peened texturing; grip in g. overall cond., minor handling marks but a bit dirty; overall in exc. wo & g. cond. **#755226** Post 46' L/R **150 - 300**
170. **STURM RUGER MOD. SP101 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 59m/m barrel with dirty bore, rifling sharply defined but powder residue needs a clean out; bright finish to stainless steel metalwork, bearing extensive surface marring to surface; **STURM RUGER/** address marked to lhs barrel, model/ cal. marked to rhs; strong springs & sears, cylinder indexing well; original rubber grips with grooved plastic panels to both sides, some light wear & general handling marks; overall in exc. wo & f. to g. cond. **#571-13897** L/R **250 - 500**
171. **SMITH & WESSON MOD. 586 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (151m/m) barrel with dirty bore, appears bright with sharp rifling; strong blued finish to metalwork overall with holster wear to sides of barrel; **SMITH & WESSON** to lhs barrel, cal. to rhs; **SW** monogram trademark to lhs frame, address to rhs; cylinder indexing well, strong springs & sears; rh side plate is missing, comes with non-matching side plate; original grips have darkened, some handling marks but chequering well-defined; overall in g. cond. **#AJY6313** Post 46' L/R **100 - 200**
172. **SMITH & WESSON MOD. M&P 40 FRAME & SLIDE:** no barrel, mag. or internals; matte blued finish to metalwork, some minor wear to profiles; **M&P** trademark, **40** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; matching numbers between slide & frame; black polymer frame with some minor handling marks; overall in g. cond. **#DXJ9427** Post 46' L/R *Suit parts* **25 - 50**
173. **SMITH & WESSON MOD. M&P 40 S/A PISTOL:** 40 S.&W. cal.; 15 rnd. mag.; 105m/m barrel with exc. bright bore & sharply defined rifling; matte blued finish to metalwork, some minor wear to profiles & minor staining; **M&P** trademark, **40** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; slide retracts freely, strong springs & sears; all matching numbers; black polymer frame with some minor handling marks; overall in exc. wo & vg. cond. **#DXL0734** Post 46' L/R **500 - 700**

174. **CZ MOD. 75 S/A PISTOL:** 9x19m/m Luger cal.; 17 rnd. mag.; 126m/m barrel with bright bore & crisp rifling, a little dirty; last 1/2" of rifling has been bored out; strong blued finish to slide, some light staining; frame appears to have been polished back & given a bright plated finish; lhs of slide marked **MODEL 75**; lhs frame marked with faint **CZECHOSLOVAKIA**; matching numbers; slide retracts freely, strong springs & sears; underside front frame has had repair, discoloured & with two holes drilled; fitted with rubber **HOGUE** brand single piece grip; overall in vg. wo & f. to g. cond. **#152061** Post 46' L/R **100 - 300**
175. **TAURUS MOD. 82 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with slight bulge; strong blued finish to metalwork, light thinning from holster wear, some v. light patchy staining in areas; **TAURUS** marked to lhs barrel, cal. to rhs; trademark & address to rhs frame; cylinder indexing well, strong springs & sears; original rubber grips in g. cond., some light wear; overall in exc. wo & g. cond. **#WC107926** Post 46' L/R **Suit parts only.** **50 - 100**
176. **SMITH & WESSON MOD. M&P 40 FRAME & SLIDE:** no barrel, mag. or internals; matte blued finish to metalwork, some minor wear to profiles; **M&P** trademark, **40** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; matching numbers between slide & frame; black polymer frame with some minor handling marks; overall in g. cond. **#DXL1370** Post 46' L/R **Suit parts** **25 - 50**
177. **CZ MOD. 85 S/A PISTOL:** 9x19m/m Luger cal.; 17 rnd. mag.; 118m/m barrel with vg. bore, bright with sharply defined, some powder residue in grooves; original blued finish to metalwork, some light holster wear on profiles & some minor staining; lhs of slide marked **CZ MOD. 85**; **MADE IN CZECHOSLOVAKIA** to lhs of frame; matching barrel, slide & frame; mechanically exc., slide retracts smoothly, crisp sears & strong springs; fitted with some period Pachmayr rubber grips, both worn; overall in exc. wo & g.+ cond. **#A0478** Mfg. 1989 L/R **600 - 800**
178. **HECKLER & KOCH MOD. USP COMPACT S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 92m/m barrel with bright shiny bore, some leading in grooves but appears exc.; matte blued finish to metalwork presents well, some light handling marks; **HK USP COMPACT** & cal. marked to lhs slide, **Heckler & Koch** to rhs polymer frame/ **Made in Germany**; slide retracts freely, strong springs & sears; fitted with underframe mounted laser point with blue light feature; polymer frame/ grip with some light handling marks; overall in exc. wo & vg. cond. **#29-024199** Post 46' L/R **500 - 700**
179. **GLOCK MOD. 35 S/A PISTOL:** .40 S.&W. cal.; 14 rnd. mag.; 130m/m barrel bright shiny bore, some leading in grooves but appears exc.; black coated finish to steel slide presents well, some handling marks & loses on profiles; **GLOCK** trademark, **35**, **AUSTRIA** & **.40** marked to lhs slide; matching no. frame & slide; slide retracts freely, strong sears & springs; brown polymer frame in vg. cond., some light handling marks; overall in exc. wo & g. cond. **#EHX852** Post 46' L/R **300 - 500**
180. **STI INTERNATIONAL MOD. 2011 DVC S/A PISTOL:** .357 SIG cal.; missing mag.; 122m/m barrel with dirty bore, appears vg. & rifling is sharply defined; satin finish to stainless steel metalwork, presents well, only v. minor handling marks overall; **STI INTERNATIONAL/ GEORGETOWN. TX. USA** marked to frame underside ahead of trigger guard; rhs slide marked with shield motif with **I.P. S.C./ globe/ DVC** motif; slide retracts freely, strong springs & crisp trigger sear; adjustable rear sight; fitted with variety of what appears to be aftermarket accessories incl. polished alloy flared mag. well attachment, extended mag. release etc.; synthetic grip with glittery fine crushed stone texture; overall in exc. wo & near exc. cond. **#CM16112** Post 46' L/R **An impressive looking custom pistol, just needs a magazine.** **500 - 700**
181. **GLOCK MOD. 17 S/A PISTOL WITH CONVERSION ASSEMBLY:** 9x19m/m Luger cal.; 10 rnd. mag.; 150m/m barrel with dirty bore, appears bright, rifling is sharply defined; matte blacked finish to metalwork with sticky tape residue all over; **GLOCK** trademark, **34 AUSTRIA** & **9x19** marked to lhs slide; slide retracts freely strong springs & sears; black polymer frame in g. overall cond., some general handling marks; comes with additional slide marked **GLOCK** trademark, **22 AUSTRIA** & **.40**; overall in exc. wo & g. cond. **#BK405** Post 46' L/R **Both slides need a good clean up.** **400 - 600**

182. **SMITH & WESSON MOD. 586 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with exc. bore & sharp rifling, v. slight bulge in barrel, bordering on indistinct; blued finish to metalwork presents well, some light wear on profiles; **SMITH & WESSON** to lhs barrel, cal. to rhs; **SW** monogram trademark to lhs frame, address to rhs; cylinder indexing well, strong springs & sears; fitted with **HOGUE** rubber grips; overall in vg. cond. & f. wo. #**ACT5064** Post 46' L/R **100 - 150**
183. **SMITH & WESSON MOD. 65-1 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted revolver; 4" (103m/m) barrel with dirty bore, sharply defined rifling; polished finish to stainless steel metalwork, some light surface marks & marring; **SMITH & WESSON** to lhs barrel, cal. to rhs; **SW** monogram trademark to rhs frame with four-line address; cylinder indexing well, strong springs & sears overall; fitted with Pachmayr rubber grip, a bit dirty but in g cond.; overall in exc. wo & g. cond. #**1D11975** Post 46' L/R **300 - 500**
184. **CZ MOD. 75 S/A PISTOL:** 9x19m/m Luger cal.; missing mag.; 118m/m barrel with dirty bore, dark with powder residue but rifling appears sharply defined; original blued finish to metalwork, some light holster wear on profiles & some minor oxidation patches; lhs of slide marked **CZ MOD. 75; MADE IN CZECHOSLOVAKIA** to lhs of frame; matching barrel, slide & frame; mechanically exc., slide retracts smoothly, crisp sears & strong springs; missing central pin, has been replaced with a chamber flag; original black plastic grips in g. cond., rh grip with heavier wear; overall in vg. wo & f. cond. #**152376** Mfg. 1986 L/R **200 - 400**
185. **SPRINGFIELD ARMORY MOD. 1911 COMPACT:** .45 ACP cal.; missing mag.; 100m/m barrel not incl. muzzle brake; bright bore with sharply defined rifling, needs a clean but appears vg.; matte black finish to metalwork, presents v. well, only a few minor handling marks overall; **COMPACT CAL.45** marked to lhs slide, trademark & **SPRINGFIELD ARMOURY** to rhs; rhs frame marked with **SPRINGFIELD** address & **FI BRAZIL**; slide retracts freely, strong springs & sears; rear sights removed; chequered walnut grip panels in vgc., some minor handling marks; overall in exc. wo & vg. cond. #**LW110064** Post 46' L/R **400 - 600**
186. **PARA ORDNANCE MOD. P18-9 LIMITED S/A PISTOL:** 9x19m/m Luger cal.; missing mag.; 125m/m barrel; bright bore with sharply defined rifling, needs a clean; stainless steel metalwork bright brushed finish to sides of slide & satin elsewhere, presents well, some light handling marks; **Para-Ordnance** motif to lhs slide, model to rhs; rhs frame marked with Canadian address & serial no.; slide retracts freely, strong springs but hammer sear is too light, sometimes doesn't hold; adjustable rear sights; fitted with flared mag. well attachment; original black chequered plastic grips in exc. cond.; overall in exc. cond. & f. wo #**P125217** Post 46' L/R *Would need the hammer sear issue addressed before use.* **200 - 400**
187. **A. UBERTI MOD. 1875 ARMY S.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 5 1/2" (141m/m) barrel with vg. bore, bright with sharply defined rifling, needs a clean; strong case colours to frame, blued finish to most other parts; barrel with light wear around muzzle; **A. UBERTI-ITALY** marked to top of barrel, model & calibre to lhs; cylinder indexing well, strong springs & sears; smooth walnut grips with some handling marks; overall in exc. wo & g. cond. #**J30836** Post 46' L/R **500 - 700**
188. **SMITH & WESSON MOD. M&P 40 S/A PISTOL:** 40 S.&W. cal.; 15 rnd. mag.; 105m/m barrel with vg. bright bore & sharply defined rifling, needs a clean; matte blued finish to metalwork, some minor wear to profiles; **M&P** trademark, **40** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; slide retracts freely, strong springs & sears; all matching numbers; black polymer frame with some minor handling marks; overall in exc. wo & vg. cond. #**DXJ5719** Post 46' L/R **500 - 700**
189. **PARA ORDNANCE MOD. P18-38S S/A PISTOL:** .38 Super cal.; 10 rnd. double stack mag.; 125m/m barrel; exc. bright bore with sharply defined rifling; steel metalwork presents well, only minor surface marks overall; bright brushed finish to sides of slide, satin finish to remainder of metalwork; **Para 38 Super** motif to lhs slide, model to rhs; rhs frame marked with Canadian address & serial no.; slide retracts freely, strong springs & sears; adjustable rear sights; original black plastic chequered grip panels are exc.; overall in exc. wo & near exc. cond. #**P127336** Post 46' L/R **600 - 800**

190. **ALFA-PROJ BRNO MOD. COMBAT L S/A PISTOL:** 9x19m/m Luger cal.; missing mag.; 4 3/4" (120m/m) barrel with bright bore & sharply defined rifling, some leading in grooves but appears exc.; blacked finish to steel components presents exc., some minor storage marks; **ALFA COMBAT L** marked to top of slide; matching slide & frame; slide retracts freely, strong springs & sears overall; black polymer frame with only light handling marks; overall in exc. wo & cond. #**AC16318** Post 46' L/R 300 - 500
191. **HECKLER & KOCH MOD. USP BLANK FIRE PISTOL:** 9x19m/m Luger blank cal.; missing mag.; 108m/m barrel, only half rifled with muzzle half bored out; strong blued finish to metalwork, some light holster wear to profiles; **HK USP** & cal. markings to lhs slide, breech marked **UTM AMMO ONLY/ S/N 18351**; slide retracts freely strong springs & sears; black polymer frame in g. cond., some light handling marks; overall in g. cond. #**24-121971** Post 46' L/R 150 - 300
192. **HIGH STANDARD MOD. 103 OLYMPIC S/A PISTOL:** .22 Short cal.; 10 rnd. mag.; 140m/m barrel with dirty bore, appears bright with sharp rifling; strong blued finish to metalwork, some handling marks; cal. marked to lhs breech, **HAMDEN. CONN. U.S.A.** address to rhs; slide retracts freely, crisp trigger; adjustable rear sights; integral ported barrel weight, fitted with weight to underside barrel; chequered walnut grip panels in g. overall cond., some handling scuffs to both, thumb rest on lh grip; overall in vg. wo & g. cond. #**1286740** Post 46' L/R 200 - 400
193. **STURM RUGER VAQUERO S.A. REVOLVER:** .45 long Colt cal.; 6 shot fluted cylinder; 4 3/4" (120m/m) barrel with exc. bore & sharply defined rifling; blued finish to barrel & cylinder, strong case colours to frame, finishes showing light wear; makers name & address to lhs barrel, **RUGER VAQUERO/ .45 CAL.** to lhs frame; cylinder indexing well, strong springs & sears; exc. cond. smooth walnut grips, trademark medallion inlaid to top of both; overall in exc. wo & vg.+ cond. #**56-46487** Post 46' L/R 600 - 800
194. **AUSTRALIAN MARKED SMITH & WESSON NEW MOD. No.3 S.A. REVOLVER & SHOULDER STOCK:** .44 Russian cal.; 6 shot fluted cylinder; 7" 179m/m barrel with exc. bright bore & crisp rifling; metalwork retains 80%+ original nickel-plated finish, thinning to a plum patina on frame & scattered losses with dark staining; hammer & trigger guard with areas of strong case colours, strong blued finish to knurled latch; top of integral barrel rib marked with two-line **SPRINGFIELD** address, patents & **REISSUE JULY 25. 1871**; markings & rifles are sharply defined; mechanically fine, strong cylinder indexing, spring tension & crisp sears; screw heads present untouched; hard rubber grips present exc., some light handling marks to both but chequering & **SW** monograms to top of both are sharply defined; comes with comes with a vgc. Smith & Wesson shoulder stock #**23316**; walnut to stock bearing light handling marks overall & one small dent to lhs wrist, aged fine crack to rhs; hard rubber chequered buttplate with **SW** monogram to centre is exc.; 98% nickel plating remains on steel stock hardware; overall in exc. wo & g. to vg. cond. #**12846** Pre 1900 L/R *A fine original example. While not bearing any visible broad arrow marks, this revolver is built to an identical spec and almost certainly part of the 310 contract revolvers ordered for the South Australian Colonial Police. More details can be found in 'Service Arms of the South Australian Police' by Max Slee.* 3000 - 4000
195. **BERETTA MOD. 949 OLYMPIC S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 220m/m barrel incl. muzzle brake; dirty bore but appears vg., rifling sharply defined; alloy frame with blacked alloy finish; steel finishes present ordinary & with a brown patina; **PISTOLA AUT.22 CORTO TIPO OLIMPIONICO/** makers name, address marked to lhs slide; slide retracts freely, strong springs & sears; fitted with barrel weight; two-piece walnut thumb rest grip, some light handling marks but g. overall; chequering well-defined; overall in exc. wo & vg. cond. #**2504** Post 46' L/R 150 - 300
196. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** 32 WCF (32-20 Win.) cal.; 6 shot fluted cylinder; 4 3/4" (121m/m) barrel; g. bore, bright sharply defined rifling, some fine pitting in grooves; even grey patina to majority of metalwork, barrel & cylinder retain 10%+ original blued finish in protected areas, frame with areas of vivid case colours; face of cylinder with some fine pitting defined two-line **HARTFORD** address to top of barrel; lhs barrel marked **32 W.C.F.**; lhs of frame with partially worn two-line patents & rampant horse trademark; **333648** marked to frame, trigger guard & butt; strong springs & crisp cylinder indexing, sears; original hard rubber grips in vg. overall cond., rampant horse motif & chequering to both is v. well-defined; overall in vg. wo & g.+ cond. #**333648** L/R Mfg. 1916 *An honest example.* 1600 - 2000

197. **EUROARMS NEW MOD. ARMY 1858 PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 6 1/2" (166m/m) octagonal barrel with bright bore & sharply defined rifling, some oxidized lead residue; bright buffed finish to metalwork, presents well, some minor handling marks; makers name to top of barrel, model to lhs; cylinder indexing well, strong springs but trigger sear v. light; smooth walnut grips with some surface marks; overall in g. wo & near vg. cond. **#106068** Post 46' L/R **250 - 500**
198. **SOUTH AFRICAN POLICE marked WEBLEY MK. IV D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (126m/m) barrel with g. bright bore, sharply defined rifling, some light pitting & marks; original blued finish to metalwork thinning to a grey patina overall, some handling marks; lhs barrel at breech marked **S.A.P.**, lhs frame marked **WR115703**; **MARK IV 38** to lhs top strap, **WEBLEY & SCOTT. LTD** marked to top; serial no. to rhs of frame; **BV** proofs to chambers; **W & S** flying bullet trademark to rhs of breech; action locks up with movement, cylinder indexing but quit a lot of play in cylinder stop; original black plastic grips in sound cond., chequering & **Webley** trademark to top of both are defined but showing wear; overall in g. cond. **#A6373** Post 46' L/R **500 - 700**
199. **WEBLEY MK. V D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with bright bore & sharply defined rifling, some scattered light pitting but g.+ overall; blued finish to metal work has thinned to a mottled grey patina, some original finish in protected areas & fine pitting; std. marking to lhs frame have been deliberately obscured with peening, lhs of top strap marked **MARK "V"**; **GR** proofs to barrel & chambers, broad arrows marked to several parts; **WEBLEY/ MARK V/ PATENTS/ 1915** action locks up tight, cylinder indexing correctly, strong springs & sears; hard rubber grips present well, chequering remains well-defined but some cracking at bases; overall in vg. wo & f. to g. cond. **#159369** Pre 47' L/R **400 - 600**
200. **WEBLEY MK. IV D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with bright bore & sharply defined rifling, some scattered light pitting & leading in grooves, f. to g. overall; re-blued finish to metal work has thinned to a patchy grey patina with some fine pitting; lhs of top strap marked **MARK "V"**; **GR** proofs to barrel & chambers, broad arrows marked to several parts; **WEBLEY/ MARK IV/ PATENTS/ 1915**; **3.I.M.D.** marked to back strap; action locks up tight, cylinder indexing correctly, strong springs & sears; hard rubber grips present well, chequering remains well-defined but some small chips at bases; overall in vg. wo & f. to g. cond. **#159369** Pre 47' L/R **300 - 500**
201. **W.W. GREENER S x S BIG BORE HAMMER SHOTGUN:** 10G 3" chambered; 28" twist damascus barrels choked approx. 3/4 & 3/4; with g. bores, frosting throughout & some scattered pits after forcing cones; 3" chambers; mottled brown finish to barrels with g. pattern definition; grey patina to action & small parts; top rib marked **W.W. GREENER. 68 HAY MARKET LONDON.**, **W.W. GREENER** to both lockplates; **W.W.G.**, Birmingham proofs & **NOT FOR BALL** stamped to both barrels ahead of flats; Jones underlever action with dolls head extension locks up with some movement, rebounding back action locks with matching hammers; nicely figured walnut straight stock & splinter forend both in g. sound cond., some surface handling marks & light bruising; chequering to wrist & forend is sharply defined, vg. wood to metal fit; vacant silver escutcheon to underside of stock, horn forend tip; 9lb 8oz weight & 14 1/2" LOP to original steel buttplate; overall in vg. wo & g. cond. **#26939** L/R **1500 - 1800**
202. **WINCHESTER MOD. 1885 HIGH WALL S/S RIFLE:** .32-40 Win. cal.; 28" octagonal barrel with g. to vg. bright bore & well-defined rifling, some minor frosting; older reblued finish to metalwork presents OK, thinning on profiles, some general scattered blemishes & speckled plum patina developing; two-line **NEW HAVEN** address to top of barrel, top line faint, bottom well-defined; **32-40** marked to top of barrel after breech; action cycles well, strong springs & sears; fitted with target style front globe sight, vacant rear sight dovetail; top of barrel has been drilled & tapped x 4; missing front top tang screw; fitted with leather barrel handguard; refinished walnut straight stock & forend both present v. well, some older handling marks which are confined mainly to forend; fitted with crescent Schuetzen style steel buttplate; overall in exc. wo & g.+ cond. **#114425** L/R **400 - 600**

203. **IMPRESSIVE GERMAN TAKE-DOWN SCHUETZEN RIFLE by E. SCHMIDT & HABBERMAN:** 1600 - 2000
 7.6X54m/mR cal.; 31" octagonal barrel with bright bore & sharply defined rifling, vg. overall; rifle retains much of its original blued finish to barrel & strong case colours to action & small parts, some v. light handling wear & light oxidation staining in areas; rhs flat of barrel engraved **E. SCHMIDT & HABBERMAN**, lhs marked -> **SUHL** <-; border engraved, falling block action locks up tight, double set triggers are crisp; large adjustable tang mounted peep sight with huge aperture, globe front sight dovetailed to barrel; entire trigger assembly & bottom tang removable with turn of small locking lever, take down lever to underside of forend; elaborate target style walnut stock with exaggerated cheek piece, ornately bordered & sharply defined chequering to grip & forend, thumb rest to rhs wrist; some light handling marks overall, lhs forewood with some chips to underside & aged crack to lhs; curved steel buttplate marked with serial no.; overall in exc. wo & g. to vg. cond. **#35381 L/R An incredible display of German engineering & workmanship.**
204. **SUPERB GERMAN SCHUETZEN RIFLE by R. WAGNER:** 1800 - 2400
 7.7X46m/mR cal.; 32 3/4" octagonal barrel with bright bore & crisp rifling, exc. overall; original blued finish to barrel presents exc., some minor speckled oxidation staining; action with vivid case colours to entirety, some dried grease & fine surface oxidation in areas; top rib engraved **R. WAGNER FURTH.**; sharply defined markings & border engraving to action; falling block action locks up tight, double set triggers are crisp; large adjustable tang mounted peep sight with huge aperture, hemi-globe front sight dovetailed to barrel; entire trigger assembly & bottom tang removable with pull of locking lever; elaborate target style walnut stock with large & exaggerated cheek piece, ornately bordered & sharply defined chequering to grip, thumb rest to rhs wrist with peened texturing; some light handling marks overall; distinctive German target style curved steel buttplate which retains equally vivid case colours; overall in exc. wo & fine original cond. **#877 N/L**
205. **J. STEVENS A&T Co. MOD. 44 RIMFIRE TARGET RIFLE:** 400 - 600
 .22 LR cal.; 28" barrel with octagonal breech third, round remainder; g. bore, needs a clean but rifling remains well-defined, some minor pitting; original blued finish to barrel, thinning to a soft plum patina in patches, some pit peppering to muzzle end of barrel; faint case colours to action; makers name & **CHICOPEE FALLS** address to top of barrel flat; action cycles well, strong springs & sears; period **LYMAN** tang mount peep sights & adjustable globe style front style; last 3/4" of barrel has been turned down for unknown accessory; walnut stock & forend presents well, some light handling marks overall, thin chip/ slither loss to front lhs forewood, aged partial surface crack to lhs butt; homemade curved hardwood buttplate; overall in vg. wo & g. cond. **#5202 L/R**
206. **STEYR-DAIMLER-PUCH MANNLICHER MOD. M CENTREFIRE RIFLE:** 1600 - 2000
 .243 Win. cal.; 5 rnd. rotary mag.; 20" barrel with vg. bright bore & sharply defined rifling, needs a clean; strong blued finish to metalwork overall, small patch of pitting to top of barrel & losses to finish surrounding; **STEYR-DAIMLER-PUCH A.G. STEYR** marked to lhs action, **MADE IN AUSTRIA/ Original** marked to top of breech, remainder of markings obscured by mount; lhs of barrel marked with **60** proof; spoon handle bolt cycles smoothly, strong springs & crisp sears to double set triggers; retains factory fixed sights, fitted with German **PECAR** scope on **QD** mounts, dusty optics; walnut full stock presents well, cheek piece, sharply defined skip line chequering to forewood & semi pistol grip; some light handling marks & bruising overall but g. to vg. cond.; factory grooved buttplate; overall in exc. wo & vg. cond. **#28920 L/R A nice example without the hassle of an obscure chambering.**
207. **SINGLE BARREL PERCUSSION STALKING RIFLE by JACKSON of LONDON:** 700 - 1000
 10 bore; 30 1/2" twist damascus barrel transitioning from octagonal to sixteen sided to a wedding band, into round remainder; dark & dirty bore with oxidation scale in areas; grey steel patina to majority of metalwork, some patchy dark staining to barrel but free from significant pitting externally; **Jackson WIGMORE STREET London** engraved to top of barrel, **London V & P** proofs to underside breech; makers name & address engraved again to lockplate; breech, tangs, lock etc. extensively engraved with defined acanthus scroll & ornate border engraving, buttplate tang with lions head motif & lioness head to top tang of breech; strong lock springs & sears, flat nosed hammer; double platinum bands to breech; walnut half stock with German silver forewood cap; woodwork between underside of lock & finial is warped, separating from metalwork; metal-to-wood fit is otherwise vg. & woodwork only bearing light handling marks, minor loses along forewood; chequering to wrist is defined but filled with years of build up; vacant square silver escutcheon to wrist; some surface cracking to grain on rhs butt; overall in f. cond. **N/L Would have been quite a high-end big bore rifle in its day.**

208. **JAMES W. ROSIER RETAILED SNIDER SPORTING RIFLE:** .577 Snider cal.; 23" round barrel with g. to vg. bright bore & sharply defined Enfield style rifling, some minor pitting; mottled grey patina to majority of metalwork; barrel with patchy pitting which ranges from moderate to heavy, some oxidation scale; top of barrel engraved **JAMES WATSON ROSIER. MELBOURNE**, makers name again to lockplate; lock & breech with 50% coverage of sharply defined & quite fine scroll engraving; **SNIDER/PATENT** stamp to top of MK II style breech; action locks up well, strong lock springs & sears, original hammer; fixed 50 yd sight with folding 100, 200 & 300 yd leaf's; walnut half stock in vg. overall cond., sharply defined chequering to wrist & forewood, metal-to-wood fit overall is near exc.; buffalo horn forend cup, steel buttplate; overall in exc. wo & g. cond. **N/L** 700 - 1000
209. **SCARCE & EARLY H. HOLLAND S x S PINFIRE SHOTGUN:** 15 bore pinfire cal.; 30" damascus barrels with f. to g. bores, generally bright with some light to moderate pitting in areas; dark plum patina to majority of barrels with some speckled oxidation patch of pits peppering lhs breech; grey patina to locks & action with some trace amounts of case colours in protected areas; top rib with faint **H. HOLLAND. 98 NEW BOND STREET LONDON** address, locks engraved **H. HOLLAND**; London **V & P** proofs to barrel flats & action table; sharply defined acanthus scroll engraving to action, lockplates & hammers; side lever 'slide & drop' action locks up with some minor movement; back action locks with strong springs & crisp sears; beautifully figured walnut stock with some handling marks & peening in areas but retains exc. metal-to-wood fit; chequering to wrist of stock & splinter forend is well-defined, with the exception of bruise to forend; has been fitted with very early gutta percha 3/4" stock extension which chequered butt; overall in g.+ cond. #938 **N/L A nice honest gun built on Harris Holland & Walter Payton's 'slide & drop' action, the first Holland patent, no. 1904 in 1861.** 1500 - 2000
210. **MASSIVE SAMUEL NOCK S/B PERCUSSION SHOT & BALL GUN:** 6 bore; 36 1/2" barrel with decent bore, some light oxidation to surface but doesn't appear heavily pitted; light plum patina to majority of twist steel barrel, scattered small patches of staining to majority, breech with some pitting & heavy peening; London **V & P** proofs to underside of barrel, name & address to top of barrel indistinct; lockplate with well-defined large acanthus scroll engraving & **SAMUEL NOCK**; strong lock spring & sears, original flat side hammer; walnut half stock in p. to f. overall cond., plenty of surface marks & heavier knocks which have been filled, partial crack running along rhs of forewood & surface crack to lhs butt; chequering to wrist is lightly defined where not bruised; missing forewood horn cap; crude replacement ramrod; steel buttplate with long engraved top tang; overall in f. cond. **N/L A massive gun weighing in at 16 lb. Would respond well to some T.L.C.** 800 - 1200
211. **WARD of LONDON S x S PERCUSSION SHOTGUN:** 15 bore; 30 1/4" twist barrels with fair bores, oxidation scale to both, some pitting; grey patina to majority of metalwork, some patchy staining in areas, barrel with faint twist pattern; **WARD. LONDON** engraved to top rib, **WARD** to locks; locks & matching hammers with light coverage of scroll engraving; Birmingham proofs to underside of barrels; back action locks with strong springs & sears; top & bottom ribs are lifting, missing one ramrod pipe; crude replacement ramrod; walnut half stock presents well, ordinary repair to chip on toe of butt, some general handling marks & light bruising; steel buttplate with engraved tang; overall in p. cond. #748 **N/L A nice gun in need of some attention.** 200 - 300
212. **MASSIVE KEEP BROTHERS S/B PERCUSSION FOWLING PIECE:** 16 bore; extensive 59" barrel with full length bottom rib; dark & dirty bore, some patchy oxidation; dark patina to barrel with frosting to entirety; grey steel finish to remainder of metalwork, some minor pitting; lightly engraved back action lock marked **KEEP BROS**; **P** proof to lhs breech; strong lock spring, full cock sear weak; two ramrod pipes, hooked breech; walnut half stock presents well, sharply defined chequering to wrist, horn forewood cap; overall in f. cond. **N/L An impressive wall hanger for the man cave. Measuring over 6 ft 2 inch!** 800 - 1400

213. **MASSIVE REILLY SINGLE BARREL BIG BORE PERCUSSION FOWLER:** .880 cal.(between 7 & 6 bore); 40" twist steel barrel with f. bore, no significant pitting but speckled with oxidation scale throughout; mottled dark plum patina to barrel, some speckled oxidation scale; locks & steel furniture with grey patina & speckled staining; majority of metalwork with some fine pitting; lock engraved **REILLY LONDON**, top of breech marked **REILLY/ OXFORD STREET/ LONDON**; bar action lock, trigger guard & buttplate tang with light coverage of defined acanthus scroll engraving; underside of breech marked with London **V & P** proofs, **W.F 2221**; strip of engraving running up to starburst pattern on top of barrel; v. strong lock spring & sears, breech with silver inlaid band, platinum pressure plug; retains its original 39" ebony ram rod which is missing its brass worm cap; broken nipple & silver front bead sight worn down; bottom rib is lifting & missing one ramrod guide pipe; walnut half stock in g. cond., partial aged crack to lock tail, partial surface crack to both sides of butt; German silver forewood cap; overall in f. to g. cond. **N/L A good quality big bore wild fowler weighing in at 12lb 11oz**
214. **W.J. JEFFERY & Co S/B ROOK RIFLE:** .22 LR cal.; 26" relined round barrel with octagonal breech section; exc. bright bore & sharply defined rifling; strong blued finish to barrel with some finely speckled oxidation, grey patina to remainder of metalwork, action with some areas of strong case colours; **W.J. JEFFERY & Co LTD. 13 KING STREET ST. JAMES'S. LONDON. S.W.** engraved to top of barrel, **J.255. BORE.** to lhs breech; muzzle marked **PARKER FIELD**; British reproofs to barrels; light coverage of fine scroll engraving to action & tangs; sidelever action locks up with some movement w/o forend, tight with forend fitted; automatic ejector strong, g. spring tension & sear to lock; fixed 50yd rear sight with folding 100 & 150 yd leaf's; walnut semi pistol grip stock & splinter forend present v. well, sharply defined chequering to forend & grip, some minor handling marks overall & small section of rhs forewood missing; horn forend cap & grooved butt; overall in vg. wo & cond. **#21779 L/R A quality little rifle in with the benefit of a .22 conversion.**
215. **SWEDISH REMINGTON MOD. 1867 ROLLING BLOCK RIFLE:** 8x58m/mR Danish Krag cal.; 33" round barrel with g. bore, dull & dirty but rifling remains well-defined; original blued finish to barrel is strong, developing a slight dark patina overall; strong case colours to action & tangs; **REMINGTONS** address & patents to top tang, **J.B. JM** marked to top of breech under crown/ **C** proof; serial no. **18607** is marked to woodwork, breech, block, hammer etc.; mechanically strong, locks up tight, strong lock springs & sears; 7 to 16 graduated rear tangent sight; rifle retains steel cleaning rod, sling swivels; woodwork in g. sound cond., some storage & transport dings & bruising but presents well; lhs of stock with large round armourers grafted repair; steel buttplate; overall in vg. wo & g. to vg. cond. **#18607 N/L Has seen very actual use.**
216. **FINE E. CHAMBERLAIN S/B ROOK RIFLE:** .250 CF cal.; 27" octagonal barrel with overall bright bore & well-defined rifling, some patches of frosting & light pitting but g.+ overall; retains strong blued finish to barrel, developing a plum patina on profiles; vivid case colours to much of action & small parts retain strong nitre bluing; **E. CHAMBERLAIN, ANDOVER & BASINGSTOKE.** engraved to top of barrel, **250 CF.** to lhs breech; British proofs to underside of breech; sidelever action locks up with some, automatic ejector strong, g. spring tension & sear to lock; fixed 50yd rear sight with folding 100 & 150 yd leaf's, file cut sections of barrel flat at muzzle & breech ends; well figured walnut semi pistol grip stock & splinter forend present v. well, sharply defined chequering to forend & grip, some minor handling marks overall; horn forend cap, steel grip cap & buttplate; overall in vg. wo & cond. **#4198 N/L Just an all-round lovely example of a British rook rifle.**
217. **I. HOLLIS & SONS SNIDER ACTION ROOK RIFLE:** .442 cal. approx.; 24" octagonal barrel with vg. bore, bright with sharply defined rifling, some minor scattered pits but hard to fault; original blued finish to metalwork has developed a slight dark plum patina but remains strong, case colours on breech & lockplate strong but sharing the same plum patina; some oxidation minor oxidation scale; top of barrel engraved **I. HOLLIS & SONS. LONDON.**; border engraved lockplate with makers name to front; Birmingham proofs to lhs breech; Mk II style small frame action locks up tight, strong lock springs & sears; blade front sight & fixed v-notch rear sight with two folding leaf's are dovetailed to barrel; walnut half stock in vgc. overall, some light handling marks to surface but chequering to wrist & forestock is sharply defined, metal-to-wood fit is exc.; horn forewood cap; rhs stock marked with period ink inscriptions; steel buttplate; overall in exc. wo & vg. cond. **N/L A fine example.**

218. **HISTORICALLY SIGNIFICANT CALISHER & TERRY BREECH LOADING PERCUSSION CARBINE:** 30 bore; 21 1/2" round barrel with bright bore & sharply defined rifling, some light pitting but considered g.+; metalwork bearing fine pitting & a dark patina to most external surfaces, some original blued finish remain in protected areas; top of breech marked **TERRY'S PATENT 30 BORE**, top of barrel ahead of sights engraved **CALISHER & TERRY MAKERS TO H.M. WAR DEPARTMENT.**; border engraved lockplate with makers name / **LONDON**; markings are well-defined; action freely, strong lock springs & crisp sears; std. sights, retains steel cleaning rod &; walnut full stock is in g.+ cond., metal-to-wood fit is vg. overall & butt with only light handling marks; steel buttplate with trap; rhs of stock inlaid with large oval silver plate which is inscribed: **CARBINE/ USED BY THE LATE/ SIR W.J.CLARKE, BART/ MEMBER OF THE/ ROYAL VICTORIAN VOLUNTEER YEOMANRY CAVALRY IN 1855/ AMALGAMATED WITH THE/ ROYAL VICTORIA VOLUNTEER ARTILLERY IN 1861/ AND SUBSEQUENTLY A MEMBER OF THE VICTORIA VOLUNTEER LIGHT DRAGOONS/ MAY 1861**; overall in vg. wo & g.+ cond. #7665 N/L *More on Sir William John Clarke, 1st Baronet can be found on Wikipedia and his statue still remains in Treasury Garden: <https://citycollection.melbourne.vic.gov.au/sir-william-john-clarke/>* 5000 - 8000
219. **IMPRESSIVE BRASS BARRELLED FLINTLOCK BLUNDERBUSS by LONG:** 20 bore approx., flaring to 1 1/4" at the muzzle; 14 1/8" two-stage barrel, octagonal breech third, to wedding band to round remainder; mellow finish to brass barrel & furniture, presents well; dark grey patina to bevelled lockplate, some light pit peppering; border engraved lockplate marked **LONG** beneath pan; lhs breech marked with pair of Birmingham proofs; brass furniture incl. trigger guard & buttplate with light engraving, rosette to trigger guard & floral bouquet to buttplate tang; strong lock springs & sears, roller to frizzen spring; spring loaded bayonet with trigger release ahead of trigger guard; g. blade, some minor pitting in areas; side mount original ramrod with worm, some insect damage to horn tip & body of rod has been broken through & needs repairing; walnut half stock presents well, chequering to wrist is sharply defined and overall metal-to-wood fit is vg.; small chip above lockplate & older crack running up from nose of lockplate; butt has an older scratch running along comb; overall in g. cond. N/L *A well presented piece with some interesting features.* 3000 - 3500
220. **PARISIAN S x S PERCUSSION SHOTGUN by FRANCOIS PRELAT:** 22 bore; 23 3/4" twist steel barrels with f. bores, patchy surface oxidation scale & some moderate pitting in patches; dark plum patina to barrels with well-defined twist pattern, some frosting in areas; dark patina to locks & furniture; both locks inlaid in gold with **PRELAT BTE/ ***A PARIS***** within oval border; both flat sided hammers marked **BREVET D'INVENTION**; strong lock springs & sears, breech with inlaid gold bands; double ramrod pipes, second with slings swivel, addition swivel to underside butt; original ram rod with some insect damage but retains worm; carved walnut half stock presents well, some light handling marks overall, chequering to elongated grip is well-defined; curved steel buttplate; overall in g.+ cond. N/L *A lovely little small bore gun from one of the leading 19th century Parisian gunmakers.* 1200 - 1600
221. **EARLY WINCHESTER MOD. 1886 L/A RIFLE:** .40-82 WCF cal.; full length tube mag.; 26" heavy round barrel with generally bright bore & sharply defined rifling, finely peppered with light pitting but still g. overall; metalwork with a mix of patchy brown patina, scattered light pitting patches & staining overall, majority of pitting confined to barrel; well-defined two-line **NEW HAVEN** address marked to top of barrel, **40-82 WCF** marked to top of barrel at breech; **MODEL 1886** marked to top tang; action cycles freely, strong springs & sears; replacement rear sights, original pinched silver blade front sight; several replacement screws; walnut straight stock & forewood present quite dark, a few light handling marks & bruising; some movement of wood on head of stock; lhs head of stock with subtle filled chip repair; some small filled repairs to toe of butt; shotgun style steel buttplate with some minor staining; overall in g.+ wo & f. cond. #9908 Mfg. 1887 N/L 2000 - 2500

222. **FACTORY NICKEL WINCHESTER MOD. 1892 L/A RIFLE:** .32 WCF (32-20 Win.) cal.; full length tube mag.; 24" octagonal barrel with bright bore & sharply defined rifling, bore is speckled with oxidation scale, should clean up but considered f. to g.; original blued finish to barrel & mag. has developed a dark patina, thinning to a plum patina on profiles; 30% nickel finish to action, tangs & small parts with an even grey patina to the difference; **-MODEL 92- WINCHESTER- 32 W.C.F.-/TRADEMARK-** marked to lhs barrel flat, two line **NEW HAVEN** address marked to rhs; action cycles smoothly, strong springs & sears; semi buckhorn rear sights & pinched silver plate front sight; walnut stock & forewood in sound cond. but bearing handling dings & some significant but small bruises; two notches marked to lhs forewood; crescent steel buttplate; overall in vg. wo & g. cond. **#702640** L/R Mfg. 1913 **700 - 1000**
223. **J.M. MARLIN MOD. 1893 L/A RIFLE:** 38-55 Win. cal.; full length tube mag.; 26" octagonal barrel with g. to vg. bright bore & crisp rifling, bore peppered with some superficial pits but hard to fault; original blued finish to barrel & mag. tube thinning slightly in streaks to a plum patina; action & small parts with defined but thinning case colours, stronger in protected areas; two-line **MARLIN FIRE-ARMS CO. NEW HAVEN** address & patents to top of barrel, **SPECIAL SMOKELESS STEEL.** marked to lhs barrel flat & **38-55** stamped to top of breech; top of receiver marked **MARLIN SAFETY** & top tang marked **MODEL/ 1893**; all factory markings to rifle are crisp; action cycles smoothly, strong springs & sears; semi-buckhorn rear sights & large silver blade front sight; walnut straight stock & forewood both in g. sound cond., majority of handling marks light bruising confined to butt; curved steel buttplate; overall in exc. wo & g. to vg. cond. **#313578** L/R Mfg. c.1905 *A very original example of Marlin's first smokeless cartridge rifle. One for the early Marlin collector.* **1500 - 2000**
224. **WINCHESTER MOD. 1892 L/A RIFLE:** 38 WCF (38-40 Win.) cal.; full length tube mag.; 24" octagonal barrel with g. to vg. bright bore & crisp rifling, bore peppered with some light pits; strong original blued finish to barrel & mag, thinning on profiles & developing a slight plum patina; receiver with mottled grey patina, patches of original finish in protected areas; well-defined two-line **NEW HAVEN** address to lhs of barrel; **38 W.C.F.** marked to lhs barrel; action cycles smoothly, strong springs & crisp sears; semi buckhorn rear sights & pinched silver blade front sight; original screws, some burring to heads & surrounds; walnut straight stock & forewood, some light handling marks & bruising but present well; crescent steel buttplate; overall in exc. wo & g. to vg. cond. **#606648** L/R *Has seen little use.* **700 - 900**
225. **WINCHESTER MOD. 1903 S/A RIMFIRE RIFLE:** .22 Win. auto cal.; 10 rnd. tube mag.; 22" round barrel with near exc., bright bore & crisp rifling; original blued finish has thinned to a plum patina on receiver, still quite strong on barrel; **WINCHESTER** two-line address marked to barrel along with trademarks & calibre to lhs of breech; action cycles smoothly, strong springs & sears; std. front & rear sights dovetailed to barrel; walnut straight stock & forewood bearing a few surface marks but present well; forewood with older graze which has smoothed out with age; crescent steel buttplate with loading spring tube; overall in exc. wo & g.+ cond. **#58027** Cat C L/R **500 - 700**
226. **BOXED WINCHESTER MOD. 94 WELLS FARGO COMMEMORATIVE S.R. CARBINE:** .30-30 Win. cal.; 6 rnd. full-length tube mag.; 20" round barrel with exc. bright bore & crisp rifling, almost certainly unfired; blued finish to barrel, magazine & small parts showing no wear, some oxidation staining & fine pits running along barrel where metal meets forewood; silver finish to action has tarnished to an even grey patina overall; two-line **WINCHESTER** trademark, **NEW HAVEN** address marked to lhs barrel, rhs marked **"Wells Fargo & Co 1852 – 1977"**; stagecoach scene to lhs receiver, **W.F. & CO. 1852 1977** marked to rhs with bank motif; mechanically exc., strong springs & sears, flat top rear sight & pinched blade front; saddle ring to lhs action; nicely figured walnut straight stock & forend, chequering to both is sharply defined; varnished finish to woodwork is 'fracturing' & lifting, only trace amounts of handling marks; rhs stock inlaid with **WELLS FARGO & CO** silver medallion; curved steel buttplate; carbine comes in its original polystyrene packaging & g. cond. cardboard sleeve; overall in exc. wo & g. to vg. cond. **#WFC02065** L/R **1200 - 1500**

227. **VERY RARE CAPPING BREECH-LOADING WILSON CARBINE with TASMANIAN PROVENANCE:** .457 cal.; 20" barrel with f. bore, patchy pitching but bright overall, polygonal rifling is defined; streaky plum patina to barrel, lock & action with dark grey patina; mellow finish to bronze furniture; **T. WILSON'S/ PATENT** marked to top of breech, border engraved lock marked with royal cypher to tail & **1864** to front; **621** stamped to top of breech, twice on bolt; strong lock springs & sears, sliding breech bolt operating freely; retains steel cleaning rod sling bar, & saddle ring to lhs, snap cap on brass chain; 1-4 graduated rear sight, blade front; good profiles and clear markings throughout; vg. to exc. walnut stock, has had a light refinish, bearing only light handling marks overall; butt with **HEBBERT & Co** maker's roundel to rhs & **J. ASTON HYPHE** stamp to lhs (Aston inspected these for the Tasmanian Govt); bronze buttplate with some green oxidation; overall in vg. cond. #c621 **N/L** c.1864 *Only 50 of these carbines were purchased for Tasmania's colonial mounted forces. A very nice example.* 3250 - 3750
228. **BRITISH VOLUNTEER PATTERN 1823 STYLE FLINTLOCK BAKER RIFLE:** .62 cal.; 30 1/8" barrel; bore vg. overall with some fine pit peppering & oxidation in last third but otherwise bright with sharply defined seven-groove rifling; mottled dark patina to majority of metalwork, some light pitting around breech; mellow patina to brass furniture; no visible proofs, border engraved lock marked with **TOWER** to tail, crown/**G.R.** (no Ordnance stamp); strong lock spring & crisp sears; barrel fitted with commercial 3 range rear leaf sights & sword bar at rhs muzzle; complete with swivels & steel ramrod; walnut full stock presents well, dark 'tiger stripe' figuring to walnut on butt, cheek piece to lhs; some handling marks & light bruising overall; rhs of stock stamped with almost indistinct embossed lettering; brass butt with no trap (sometimes the case with Volunteer Baker rifles); butt tang with engraved **60/R** (gun number 60, R Company) & later stamped **72.**; overall in vg. wo & g.+ cond. **N/L** 4500 - 6000
229. **BRITISH PERCUSSION PATTERN 1837 BRUNSWICK RIFLE:** .79 cal.; 30" twist steel barrel with dark, smooth bore, no rifling; some oxidation & patchy pitting internally; mottled plum patina to barrel with g. pattern definition, breech areas, especially around nipple with some heavier pitting; grey patina to lock & mellow patina to brass furniture; back action lock marked with **Rl Manufactory Enfield 1842**, crisp sears & strong springs; no sights or sword bar; 2 x barrel slides replaced, swivels removed, original rod but with head reduced; woodwork in f. to g. cond., long slither of walnut missing to rhs forestock, some rust stains to lock mortice & barrel key holes; throat of rod channel with small, partial crack; woodwork presents well overall, some general handling marks & light bruising; brass buttplate with rhs stock inlaid with brass patch box; overall in f. to g. cond. **N/L** c. 1842 *Thought to have been converted to a fowling piece after being sold out of service.* 2200 - 2700
230. **SCARCE BRITISH FLINTLOCK PATTERN 1800/15 BAKER RIFLE:** .625 cal.; 30 1/4" barrel with g. to vg. bore, some moderate pit peppering in areas but seven groove rifling remains v. well-defined; finely mottled dark grey patina to majority of barrel & lock, some minor pit peppering & peening marks on barrel; bright cleaned finish to regulation brass furniture; lock with **TOWER** to tail & crown over **GR** & acceptance stamp to centre; lock markings showing wear; Ordnance proof stamps to top of breech; ring neck cock with strong springs, sears holding; with correct sights & hook breech; with slings swivels, but replacement ramrod; refinished stock with smooth profiles, wrist has extensive grafted repairs & some filler; general handling marks & light bruising elsewhere; dividing wood absent in patch box compartment; faint storekeeper's stamp to butt rhs; brass wrist escutcheon stamped **47**; brass buttplate with stepped patch box lid to rhs; these rifles were altered in 1815 to take a socket bayonet.; overall in f. cond. **N/L** c.1800/15 3750 - 4500
231. **RARE BRITISH NEW LAND PATTERN SERJEANTS FLINTLOCK MUSKET TYPE II:** .760 cal.; 33" barrel, f. to g. bore with patchy light to moderate pitting throughout; mottled dark patina to barrel varying between dark grey & plum; regulation brass furniture with even patina including scroll trigger guard; 6" lockplate with **TOWER** to tail & crown over **GR** & acceptance stamp to centre; ordnance proof stamps to breech; ring-neck cock, strong springs & sears, with correct front & rear sights; correct swivels but incorrect ramrod (lacks the swell); walnut stock in vg. cond. with original finish, a few scattered light bruises, stable age splits to forewood, butt rhs with 2 x storekeeper's stamps include **B/O** stamp, **12** over **1830** issue date stamp (Dec 1830); unmarked brass buttplate; exc. wo & cond. c. 1805/30 **N/L** *800 New land Pattern Light Infantry Muskets with 'short' locks were taken from Store in 1830 and cut down 6" for Serjeants of battalion companies to replace their polearms. This is one of those muskets. The type 1 muskets have several important differences.* 3250 - 3750

232. **BRITISH INDIA PATTERN FLINTLOCK MUSKET TYPE II:** .758 Cal, 39" barrel with p. bore, dark & caked with oxidation scale throughout; mottled dark grey patina & patches of frosting majority of barrel, even grey patina to lockplate; mellow finish to brass furniture; border engraved lockplate marked **TOWER** to tail & crown over **GR** to centre; ordnance proofs marked to lhs breech; markings all clear & well-defined; strong lock springs & crisp sears, ring-neck cock; complete with swivels & repro ramrod; bayonet lug to top of barrel; walnut full stock presents v. well, general aged handling marks & scattered bruising, retains vg. metal-to-wood fit; plain brass buttplate with mellow patina; overall in vg. cond. **N/L** c.1815 *Presents v. well* 3250 - 3750
233. **BRITISH MFG. PORTUGUESE FLINTLOCK ELLIOT CARBINE by KETLAND:** .69 cal.; 28 1/4" barrel with f. bore, some light patchy oxidation scale & pitting in areas; grey patina to majority of barrel & lock, barrel speckled with dark staining patches; mellow finish to brass furniture; border engraved lockplate with Portuguese crown/ **KETLAND** marked below pan; lhs breech marked with British proofs; swan neck cock, strong springs but half cock sear not holding & full holding precariously; replacement bayonet lug; sling bar to lhs lacking ring, repro steel ramrod; vg. walnut stock, refinished but bearing only v. minor storage marks; brass buttplate; overall in g. to & g. to vg. cond. **N/L** c.1810 1800 - 2200
234. **BRITISH FLINTLOCK PAGET CAVALRY CARBINE:** .65 cal.; 16" barrel with original front sight, bore f. with oxidation scale & some pitting visible; grey patina to majority of metalwork, some patchy staining particularly on barrel; cleaned brass furniture with bright mellow appearance; border engraved lock with **TOWER** marked to tail, crown/ **WR** below pan; ordnance proofs to breech; g. spring tension & strong sears to lock, ring-neck cock; sling bar & ring to lhs forestock, fitted with captive ramrod; walnut stock presents well, bearing honest older handling marks & small bruising to most surfaces; **B/I/O** storekeeper's stamp to butt rhs; unmarked brass buttplate; overall in g. wo. & cond. **N/L** *A late production flintlock carbine, c1835.* 2200 - 2700
235. **BRITISH FLINTLOCK VOLUNTEER'S MUSKET:** .758 cal.; 39" barrel with f. bore, some heavier pits peppering muzzle end of barrel; dark plum patina to barrel, some aged oxidation scale, grey patina to lockplate; dull mellow finish to brass furniture; border engraved lockplate with **TOWER** marked to tail, crown, Ordnance mark & **GR** below pan; large London **V & P** commercial proofs to lhs breech; strong lock springs & crisp sears, ring-neck cock; bayonet lug to top of barrel; complete with replacement swivels & repro ramrod; dark appearance with walnut stock, bearing light handling marks & small bruises to most surfaces; g. overall cond.; brass buttplate; overall in g. wo & vg. cond. **N/L** c.1815 *A good, honest example.* 2500 - 2800
236. **12th REGIMENT marked BRITISH PERCUSSION PATTERN 1842 MUSKET & BAYONET:** .753 cal.; 39" barrel with correct sights; bore dirty but doesn't appear heavily pitted, f. cond. but would grade up; smoky-grey patina to majority of metalwork, breech are with some heavier pitting; dull mellow patina to regulation brass furniture; border engraved lock marked with crown/ **V.R/ TOWER 1848**; strong lock spring but sears not holding; complete with swivels & ramrod; woodwork in g. cond., some handling marks & light bruising overall, older chip missing behind rh head of stock at breech; butt rhs with **B/I/O** storekeepers stamp & issue date; brass buttplate with tang marked **Lt/68/12th Regt**; fitted with period, correct style socket bayonet with matching patina; overall in g. to vg. cond. **N/L** Mfg. 1848 *Elements of the 12th Regt were armed with these muskets at the Eureka Stockade in 1854.* 4500 - 5500
237. **BRITISH PERCUSSION PATTERN 1843 BRUNSWICK RIFLE & BAYONET:** .704 cal.; 30" barrel with fine bore, two-groove rifling is crisp, some superficial oxidation in grooves but hard to fault; original blued finish to barrel presents well, some small cleaned sections & aged oxidation scale; grey patina to lockplate with some staining & faint case colours; mellow finish to brass furniture; border engraved lockplate marked with crisp crown/ **V-R/ TOWER 1846** & ordnance mark; crisp ordnance marks to lhs breech; strong lock springs & crisp sears, complete with snap cap on steel chain, original swivels & ramrod, the latter with a reduced head; correct sights & sword bar; vg.+ stock retaining its original finish, bearing only light scattered handling marks & bruises overall; metal-to-wood fit is exc.; rhs butt marked with **B/I/O** storekeeper's stamp; brass buttplate with tang marked with rack no. **53**, rhs stock inlaid with brass patch box which still contains original cleaning jag, bullet puller & snap cap implements; comes with correct pattern bayonet, pommel stamped **C/ 30** (NSW issue); bayonet with some marks brass & mottled dark patina to blade; overall in exc. wo & vg.+ cond. **N/L** c.1846 *A fine example* 3400 - 3900

238. **19th CENTURY INDIAN FLINTLOCK TORADOR WALL HANGER:** .58 cal.; 45 1/2" octagonal barrel with p. bore, dark & dusty; mottled dark plum-brown patina to majority of metalwork; top of barrel marked **LAZARO LAZARINO**; lock stamped **Vigniat a/ Marseille**; lock sears not holding; hardwood full stock with cracks, losses along forestock barrel channel & general handling marks; overall in p. cond. **N/L**
The barrel & lock maker markings almost certainly spurious but remains a great display piece **450 - 600**
239. **MID 19th CENTURY JAPANESE MATCHLOCK MUSKET WALL HANGER:** .60 cal.; 40" octagonal barrel with p. bore, dark & dusty; dark patina & frosting to barrel & lock, some peening & oxidation scale; silver inlay to trigger guard; brass furniture; makers name inlaid to top of barrel; strong main spring tension but sears not holding; woodwork has been shortened, forestock would have fun to muzzle; brass inlaid rosettes to rhs stock & floral engraved plate; overall in p. cond. **N/L** **500 - 700**
240. **BRITISH VOLUNTEER FLINTLOCK MUSKET:** .702 cal.; 38 3/4" barrel with p. to f. bore, caked with patchy oxidation scale, would grade up with a clean; metalwork has been cleaned up, now with mottled soft brown patina to barrel, presents well; mellow finish to brass furniture; breech marked with Birmingham commercial proofs; rack no. **23** marked to lock tail & tang of buttplate tang; **WARRANTED** to centre of lock; strong lock springs & sears, ring-neck cock missing top jaw; incorrect steel ram rod; woodwork presents v. well overall, general light bruising & handling marks but some heavy borer damage to rhs head of stock above lockplate brings cond. down to f.; brass buttplate overall in g. cond. **N/L**
Presents v. well & would grade up significantly with some minor work. **1100 - 1500**
241. **CONTINENTAL FLINTLOCK MUSKET WALL HANGER:** .715 cal.; 44" round barrel with p. bore, dark & full of oxidation scale; patchy dark patina & fine pitting to majority of metalwork; strong lock spring & sears, retains steel ramrod & primitive sliding barrel bands; woodwork in p. overall cond., butt half of woodwork is peppered with borer holes & area above sideplate is eaten away; some filled repairs; steel buttplate; overall in p. cond. **N/L** **500 - 800**
242. **REMINGTON MFG. ENFIELD P14 B/A SERVICE RIFLE & BAYONET:** .303 cal.; 5 rnd. mag.; 26" barrel with vg. bore, rifling is sharply defined, some superficial frosting on lands; military black painted finish to metalwork presents ordinary, 80%+ remaining but patchy overall, showing handling marks; **ERA/204539** marked to rhs breech; bolt cycles smoothly, strong springs & sears; 2-16 graduated rear sight & std. blade front; retracts sling swivels; woodwork presents well, some surface handling marks & bruising overall; some paint streaks around sling swivels, white painted 3 to lhs butt; steel buttplate with trap; comes with **1916 REMINGTON** marked & mfg. pattern 1913 bayonet in vg. cond.; Australian scabbard; overall in exc. wo & g.+ cond. **#204539** L/R **800 - 1200**
243. **VICTORIAN MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with g. bore, bright overall with sharp rifling but some scattered oxidation scale; unusual brown patina to metalwork, looks to have been reblued or cleaned up previously; full name & **B.S.A.** piled arms trademark to lhs of action, **COMMONWEALTH OF AUSTRALIA/ VIC** to rhs & Kangaroo trademark to top of breech; action locks up well & trigger crisp; std. tangent sights & blade foresight; woodwork is in sound but f. overall cond., has been lightly cleaned back previously but still some older grazes to underside of forestock, general handling dings & marks; defined **VIC COMMONWEALTH MLY FORCES** roundel mark to rhs butt; steel buttplate; overall in vg. wo & f. to g. cond. **#12654** L/R **250 - 400**
244. **LITHGOW SHT.LE No. 2 Mk IV B/A TRAINER RIFLE:** .22 LR cal.; std. 303 mag.; 25" barrel with vg.+ bore & sharply defined rifling; grey military matte finish to metalwork is thinning but presents well; rhs body socket marked with **A** within star/ **LITHGOW/ SHT.LE/III*** within shield/ **1916; .22 NO2** marked to rhs of matching bolt, bolt cycles smoothly; magazine without internals; matching nose cap; std. sights with 2 - 20 graduations; woodwork in g.+ cond., original condition but bearing surface handling marks & some small grazes; rhs of stock marked with **MA / No2 / Mk.IV*/ 2/49**, serial no.; brass buttplate with trap; overall in exc. wo & g.+ cond. **#56152** L/R **900 - 1200**

245. **TASMANIAN MARKED ENFIELD SHT.LE MK. I B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with p. to f. bore, needs a clean as oxidation scale obscuring what could be pitting, rifling defined; thinning blued finish to metalwork has developed a dark patina overall, thinning on profiles; rhs of body socket marked **E.R.** Cypher/ **ENFIELD/ 1904/ SHT. LE/ I**; non-matching bolt cycles freely, sliding charger guide; strong springs & sears; early style 2-20 graduated rear sights with windage adjustment, retains volley sights, mag. cut off, correct style mag. with chain link; woodwork in g. sound cond., walnut has darkened slightly overall & bearing some surface bumps & bruises; rhs butt marked with **R.M. ENFIELD** roundel, **CME/ T**, markings well-defined; steel buttplate without trap; overall in vg. wo & g.+ cond. **#4359** L/R **500 - 700**
246. **SCARCE ENFIELD SHT. LE MK. V B/A RIFLE:** 303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bright bore & sharp rifling, some superficial pin-prick pit peppering; blued finish to metalwork presents v. well overall, has darkened a little; body socket marked with cypher/ **G.R./ ENFIELD / 1922 / SHT LE / V**; breech rhs & bolt marked **601**; mechanically vg., matching bolt cycles freely, strong sears & springs; retains magazine cut off; early design aperture style receiver mounted 'battle sight'; distinctive MK V style nose cap; woodwork in g. to vg., cond., some scattered handling marks & bruising but presents well; small armourers repair to top of handguard; vacant brass disc inlaid to rhs stock, brass buttplate with trap; fitted with period canvas sling; overall in exc. wo & g.+ cond. **#601** L/R **A nice honest example of a relatively scarce rifle.** **1400 - 1800**
247. **NAGOYA ARSENAL ARISAKA TYPE 38. B/A SERVICE RIFLE:** 6.5x50m/mSR Arisaka cal.; 5 rnd. integral mag; 31 1/2" barrel with f. bore, rifling lightly defined, some fine pitting throughout; original blued finish to metalwork has turned to a dark patina with some patchy staining, no heavy pitting; rifle retains all original markings incl. the Chrysanthemum which is still v. distinct on top of breech; action cycles but needs an oil, strong sears; std. sights with 4 – 24 graduations; missing cleaning rod but retains dust cover; two-piece hardwood stock in p. cond., no structural cracks but surface is badly scuffed & bruised; overall in g. wo & f. cond. **#74492** L/R **Would respond well to some sympathetic restoration.** **300 - 500**
248. **LITHGOW S.M.L.E MK. III B/A SERVICE RIFLE:** 303 cal, 10 rnd. mag.; 25 1/4" barrel with dirty bore, rifling is sharply defined, some frosting visible on lands, considered f.; military blued finish to metalwork has darkened, plum patina developing on profiles & thin areas; rhs of body socket marked **MA / LITHGOW / S.M.L.E. /III/ 1941**; serial no. **69881** marked to bolt, rhs breech, nose cap & barrel, the latter also marked **HV./ SC**; bolt cycles well, strong springs & sears; std. military 2 – 20 graduated rear sights; woodwork in g. to vg. overall cond., some heavy bruising around underside of butt; rhs of stock stamped with **MA / LITHGOW** marks, **1941**; brass buttplate with trap; overall in g. wo & g.+ cond. **#69881** L/R **Would grade up significantly with a bore scrub.** **500 - 700**
249. **B.S.A. Co SHT.LE MK. III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bore, sharply defined rifling & bright overall, needs a clean; original blued military finish to metalwork, thinning to a grey patina in areas; rhs of body socket marked cypher/ **G.R. / B.S.A. Co / 1911 / SHT LE / III**; non-matching bolt cycles freely, strong sears; matching nose cap & barrel which is marked **TAYLOR**; early 2 – 20 graduated rear sights with windage; retains front section of volley sights & mag. cut off; woodwork presents well, some scattered handling marks & dings; rhs stock with faint **N.S.W** markings; brass buttplate with trap; overall in exc. wo & g.+ cond. **#81156** L/R **700 - 900**
250. **FINE LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bore, mirror bright with crisp rifling, hard to fault; original matte military presents exc., bearing a few storage marks overall; rhs body socket marked with **MA/ LITHGOW/ S.M.L.E/ III*/ 1944**; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; matching nose cap; woodwork in exc. overall cond., some trace amounts of storage marks overall but hard to fault, **SLAZ 44** marks to forestock, wrist etc all sharply defined; rhs butt marked **D ^ D MAO SMLE/ III*/ 1944 HV & 548**; brass buttplate with trap; fitted with near exc. period canvas sling; overall in exc. wo & cond. **#E90653** L/R **A lovely example in unissued condition.** **1000 - 1500**

251. **L.S.A. Co LEE-ENFIELD MK. I. B/A RIFLE:** .303 cal.; 10 rnd. mag.; 30" barrel with f. to g. bore, rifling sharply defined, some light to moderate pitting; blued finish to metalwork has thinned to a mottled plum patina overall; rhs body socket marked **L.S.A. Co Ld/ 1897/ L.E./ I.**; breech marked with several sets of numbers/ **LEE-SPEED/PATENTS** stamp; mechanically strong, non-matching bolt cycles freely, retains mag. with chain link, cleaning rod, volley sights & mag. cutoff; std. 5 – 12 graduated rear sights; woodwork presents well, some handling marks & light bruising to surface, thin loss to profile of forestock below mag cutoff; nicely figured walnut butt marked **9849**; brass buttplate with mellow patina; overall in vg. wo & g. cond. **#9849** L/R **500 - 700**
252. **N.S.W. MARKED MARTINI-ENFIELD MK. I S/S SERVICE RIFLE:** .303 cal.; 30 1/4" barrel with f. to g. bore, rifling defined but lands peppered with fine pitting; original blued finish to metalwork has darkened, speckled plum patina developing on most surfaces; rhs action marked **VR** cypher **ENFIELD / 1884 / III / 1.**, lhs with **VR** cypher / **ENFIELD / 1900 / ME .303 / 1**; std. tangent sights with 6 to 18 graduations; action cycles smoothly & trigger crisp; no cleaning rod; woodwork presents well overall, general handling marks & dings to stock & forewood but heel of butt is partially split & requires attention; handguard with small partial crack; defined **R.M.ENFIELD**, roundels to rhs of stock with **N.S.W./ VA/ 319** over brass disc; steel buttplate; fitted with period leather sling; overall in g. wo & f. cond. **#941E** L/R **400 - 600**
Would grade up significantly with some straightforward repairs.
253. **VICTORIAN MARKED MARTINI-HENRY ARTILLERY CARBINE:** .577-450 cal.; 21 1/2" round barrel with g. to vg. bright bore & sharply defined Henry rifling, some light pitting; metalwork with a dark plum, mottled patina overall, some oxidation scale on barrel & pit peppering front of action, sides of barrel running along forewood; faint cypher over **V.R. / ENFIELD, 1884, I.C.I.**; **WD** marks & proofs to lhs of action; action operating well, locks up tight, strong sears & springs; 4 to 10 graduated rear sight & blade front sight; retains distressed leather sight cover; retains flared steel cleaning rod; swivel & bayonet lug to front band/ nose cap; woodwork sound, g.+ overall cond., some scattered handling marks & light bruising; rhs stock marked with pair **VIC GOV** roundels either side of a faint **R.M. ENFIELD** roundel, lhs butt marked with **B/ V M R** roundel; large knurled pattern steel buttplate; overall in exc. wo & f. to g. cond. **N/L** **1100 - 1400**
254. **TOWER ENFIELD PATT. 1853 TWO BAND RIFLE & YATAGHAN BAYONET:** .577 cal.; 33 1/4" barrel with f. to g. bore, sharply defined three-groove rifling; dark mottled patina to majority of metalwork incl. lock & iron furniture; some fine pitting & light peening, presents decent; border engraved lock with crown/ **V-R** to tail, **1874/ TOWER** to front; strong lock springs & sears, std. 5 to 9 graduated rear sights; retains steel ramrod; woodwork presents well, some staining around buttplate, general handling marks & light bruising; partial crack running from behind lock tail; steel buttplate; fitted with period leather sling; comes with g.+ cond. Yataghan bayonet, blade with some light staining, no scabbard; ricasso marked **F.H.**; overall in g. cond. **N/L** **1100 - 1500**
255. **VICTORIAN MARKED L.S.A. Co MARTINI-HENRY RIFLE:** .577–450 cal.; 33 1/8" barrel with vg. bore & sharply defined rifling, some fine pitting but bright overall; rifle has been given a military black painted finish presents ordinary but metalwork underneath appears vg., with the exception of some pitting at muzzle end of barrel; rhs of action marked with defined cypher/ **V.R./ L.S.A. Co / 1882.** Board of Ordnance stamp/ **III/ 1.**; mechanically vg., action locks up with strong sears & springs; std. sights with 5 - 12 graduations; bayonet lug & sling swivel to rhs of front barrel band; retains steel cleaning rod; woodwork in g. to vg. cond., some light handling marks overall but presents well; rhs stock marked with pair **VIC GOV** roundels, **LONDON** roundel over **III & 1** (1st class arm); steel buttplate; overall in exc. wo & g. cond. **#13638** N/L *Would grade up to a very nice example with some delicate paint removal.* **700 - 900**
256. **B.S.A. Co SNIDER-ENFIELD MK. I. TWO BAND RIFLE:** .577 Snider cal.; 30 3/4" barrel with bright bore & sharply defined rifling, some pin-prick pitting but vg. overall; grey patina & fine pitting to the majority of metalwork externally, breech & protected areas retain much of their original blued finish; **G. H. DAW & Co** marked to lock, top of breech marked with **B.S.A. Co** with the **SNIDER/ PATENT** mark to rear; action locks up tight, strong lock springs & sears, std. sights; no cleaning rod; woodwork grubby & bearing plenty of surface marks & scuffs; toe of butt with older pinned repair but sound overall; steel buttplate with fine pitting; overall in exc. wo & f.+ cond. **#3569** N/L *One of the best bores on a Snider we've had. Exterior would respond well to some sympathetic cleaning.* **800 - 1200**

257. **LONG BRANCH ENFIELD No.4 MK. I* B/A SERVICE RIFLE & BAYONET:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore & crisp two-groove rifling; strong military blued finish to metalwork, thinning on profiles but presents v. well; **No.4 MKI*/ LONG BRANCH/ 1944** to lhs of action; lhs of body socket marked with **6054/ 12L5330**; matching bolt cycles freely, strong springs & sears; std. 2-13 graduated sights; woodwork in vg.+ cond., some light handling marks overall but presents exc.; sides of handguard with four grooved to either side & strip of v. fine grooving to top centre running through to muzzle; grey alloy butt with trap; comes with vgc. spike bayonet & steel scabbard; fitted with leather sling; overall in exc. wo & vg. to exc. cond. **#12L5330 L/R A great example** **1000 - 1400**
258. **INDIAN INSAFALIS & SONS THREE-BAND PERCUSSION MUSKET:** .693 cal.; 36" round barrel with bright, smooth bore, small protrusion & tooling marks internally; blued finish to metalwork strong; top of barrel marked with makers name, some crude proofing specs & **1972**; Enfield style lock with heavy trigger pull & strong spring; hardwood stock is rudimentary at best, some filler to knots in the wood grain & several handling marks; brass buttplate; overall in g. cond. **#336 Cat B L/R** **50 - 75**
259. **BRASS BARREL BRITISH FLINTLOCK BLUNDERBUSS by BUMFORD:** 5 bore approx., flaring to 16 1/2" brass barrel, flaring to 1 1/3" at muzzle; dusty bore; even mellow patina to barrel & brass furniture; silvery grey patina to lockplate with faint **BUMFORD** marked below pan; lhs breech marked with sunken London **V & P** proofs, **IR** mark; strong lock springs & sears, some minor fine pitting to lock; fitted with modern ramrod; walnut full stock in g. overall cond., presents well; some older repairs to cracks in forewood, small amounts of filler around forewood pins; butt with scattered handling marks & light bruising, some vice marks; brass buttplate with dull mellow patina, top tang border engraved with rosette motif to top; overall in vg. wo & g. to vg. cond. **N/L c. 1790** **2500 - 3500**
260. **B.S.A. Co SHT.LE MK. III* B/A SERVICE RIFLE & BAYONET:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. to vg. bore, sharply defined rifling but needs a clean; strong original blued military finish to metalwork, patchy khaki paint in areas but remains strong under handguard; rhs of body socket marked cypher/ **G.R. / B.S.A. Co / 1917 / SHT LE / III***; serial no. **97573** marked to bolt, rhs breech & barrel, nose cap; matching bolt cycles freely, strong sears; 2 – 20 graduated rear sights; woodwork presents well overall but rhs front section of forestock & handguard has been lightly but obviously sanded back; green painted band to butt before wrist; brass buttplate with trap; comes with 1917 dated bayonet & scabbard, bayonet in g. overall cond., leather scabbard a bit tatty; overall in exc. wo & g.+ cond. **#97573 L/R** **700 - 900**
261. **ENFIELD MFG. LEE-ENFIELD MK. I B/A RIFLE & BAYONET:** .303 cal.; 8 rnd. single-stack mag.; 30" barrel with g. to vg. bore, strong defined rifling, needs a clean; thinning blued finish to metalwork has developed a dark patina overall, some handling marks overall; rhs body socket marked with faint cypher/ **E.R/ ENFIELD/ 1903/ I;** bolt cycles freely, strong springs & sears; 6 – 18 graduated rear sights & blade front; rifling retains volley sights, cleaning rod, mag. cutoff & both bolt dust cover & bolt head dust cover; woodwork has been cleaned back but still bearing some dings & bruising in areas; faint **R.M. ENFIELD** roundel marks to rhs butt; comes with correct style pattern 1888 bayonet; bayonet in g. cond., leather scabbard showing wear; overall in vg. wo & g.+ cond. **#5426 L/R** **1000 - 1400**
262. **FINE WEIHRACH MOD. HW 97K AIR RIFLE:** .177 cal.; 14 1/2" barrel with vg. bore & sharply defined rifling; glossy blued finish to metalwork presents flawless, a few minor storage marks overall; **HW 97 K** marked to top of breech, cal. to lhs; lhs rear of spring housing marked with makers name, address/ **MADE IN GERMANY**; mechanically fine, v. strong springs & sears; fitted with **Nikko Stirling MOUNTMASTER 3-9X50 AO** scope on two-piece mounts, clear optics; walnut stock is in exc. cond., cheekpiece/ raised comb, skip-line chequering to grip & forestock is sharply defined; factory rubber recoil pad; overall in exc. wo & cond. **#1826053 L/R A quality German airgun, suit new gun buyer.** **500 - 700**

263. **KRICO MOD. 300 B/A SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 24 1/2" barrel with exc. bright bore & sharply defined rifling; glossy blued finish to majority of metalwork presents flawless, some trace amounts of storage marks; blacked finish alloy trigger guard with some light wear; lhs barrel marked with **CAL. 222 REM, KRICO** trademark, **GMBH STUTTGART MADE IN W. GERMANY** marked to lhs action; bolt cycles smoothly & retains most of its jewelled finish, crisp trigger; fitted with **SWAROVSKI 3-10x42 HABICHT** scope on **HILLVER** bridge mount; scope with crystal clear optics; walnut stock in g. to vg. cond., some light handling marks & general light wear, chequering to forewood & palm-swell grip is sharply defined; fitted with black ventilated rubber recoil pad & padded **VENATOR** branded leather sling; overall in exc. wo & vg. cond. **#615097 L/R A classic package, ready for the field.** 1500 - 2000
264. **BRNO MOD. 1 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 22 3/4" barrel with exc., bright bore & sharply defined rifling; original blued finish presents well, thinning slightly in areas; **BRNO MOD 1** marked to barrel, **51** proofs to lhs action & breech; bolt cycles freely, crisp trigger; std. front blade (less hood) sight, vacant rear dovetail; fitted with **TASCO 3-9X40** scope on two piece mounts, clear optics; walnut stock is g.+ cond., a few surface marks but presents well; chequering to grip remains sharply defined; retains original plastic buttplate; overall in exc. wo & g.+ cond. **#80290 L/R** 600 - 800
265. **SAKO MOD. A1 B/A SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 26" replacement barrel with bright bore & well-defined rifling, some fine pitting; gloss re-blued finish to metalwork presents well, light handling marks overall; **A1** & serial no. marked to lhs action; bolt cycles freely, strong springs & sears; walnut stock in g. to vg. overall cond., sharply defined chequering to forewood & grip; cheek piece to lhs; some general light handling marks overall; original black plastic buttplate; overall in g. wo & cond. **#D65606 L/R** 300 - 500
266. **TIKKA MOD. T3 B/A SPORTING RIFLE:** 9.3x62m/m; 5 rnd. polymer mag.; 22 1/2" barrel with vg. bright bore & sharply defined rifling; matte finish to stainless steel metalwork, presents well but muzzle half of barrel wrapped in camouflage tape & residue; **CAL. 9.3X62 MADE IN FINLAND** marked to lhs barrel, makers name & model to lhs action; bolt cycles smoothly, crisp trigger; fitted with **LEUPOLD VARI-X II 3-9 x 40** scope on two piece mounts, clear optics; black synthetic stock with factory rubber recoil pad; a few minor handling marks & camo tape to butt; overall in exc. wo & vg. cond. **#448996 L/R** 600 - 800
267. **SAKO MOD. 85M B/A SPORTING RIFLE:** .270 Win. cal.; 5 rnd. mag.; 23" barrel with bright bore & sharply defined rifling, what appears to be a very slight rivel in barrel externally but not visible internally; satin blued finish to metalwork presents well, only trace storage marks overall; **Cal. 270 Win. MADE IN FINLAND** marked to lhs barrel, **SAKO 85 M** & serial no. marked to lhs action; bolt cycles freely, strong springs & sears; walnut stock in vg. overall cond., sharply defined chequering to forewood & palm swell grip; cheek piece to lhs; English style recoil pad; overall in g. to vg. cond. **#D65606 L/R Please note: Vendor advises rifle fired an overloaded cartridge. While we can't see any obvious damage, we suggest rifle be looked over by a gunsmith before firing.** 200 - 400
268. **BRNO MFG. MAUSER ACTION CUSTOM RIFLE:** 7x57m/m cal.; 5 rnd. mag.; 21" barrel with vg. bright bore & well-defined rifling, some frosting in grooves; glossy blued finish to metalwork presents well overall, thinning on mag. floorplate; **MADE IN CZECHOSLOVAKIA**, serial no. marked to barrel, makers full name marked to lhs action; **54** proofs to lhs barrel & breech; spoon handle bolt cycles smoothly, strong springs & sears to double set triggers; vacant rear sight dovetail, blade front on ramp; **Ausinel** bridge mount & rings fitted to action; impressive walnut custom thumb-hole stock in vg. cond., skip-line chequering to grip & forestock is sharply defined as is cheek piece to lhs; bakelite grip & forewood caps; fitted with ventilated rubber recoil pad; overall in exc. wo & vg. cond. **#38481 L/R Like many custom rifles, offered at a fraction of the build & replacement cost.** 700 - 1000
269. **F.A.T CARCANO M.41 B/A RIFLE:** 6.5x52m/m cal.; 5 rnd. integral mag.; 28" barrel with an unusually nice bore, bright with crisp rifling, exc. cond.; original blued finish to metalwork presents exceptionally well, some minor storage marks overall; **FAT/ 42** to top of breech; **S & F** have been etched into lh & rhs of action respectively; bolt cycles well, strong sears; 3- 10 graduated rear sight, retains steel cleaning rod; woodwork in vg. overall cond., some scattered handling marks & light bruising; overall in exc. wo & vg. cond. **#AF8641 L/R Comfortably the best Carcano we've had through our auctions.** 600 - 800

270. **SPANISH MAUSER MOD. 1893 B/A CARBINE:** .308 Win. cal.; 5 rnd. integral mag.; 18" barrel with dirty bore, appears to be vg. & bright with sharply defined rifling; blued finish to metalwork presents well, some minor storage marks but strong overall; faint crest & **OVIEDO/ 1899** marked to top of breech; matching numbers bolt cycles freely, strong springs & sears; std. tangent sights; refinished woodwork presents well, some minor handling marks but vg. overall; steel buttplate; overall in exc. wo & g. cond. **#8700 L/R** *Ideal little scrub gun for the quadbike.* 300 - 500
271. **RADOM ARSENAL MOSIN-NAGANT M.44 B/A CARBINE:** 7.62x54Rm/m cal.; 5 rnd. integral mag.; 21" barrel with p. bore, caked with oxidation & fouling, should grade up with a proper scrub; in stark contrast, the exterior presents v. well with v. strong blued finish, some minor storage marks; top of breech marked with **11** within circle/ **1952/** serial no.; non-matching bolt cycles freely, strong springs and sears; 1 - 10 graduated rear tangent sight, globe front; carbine retains steel cleaning rod & the folding bayonet; hardwood stock presents well, a few minor handling marks but showing little wear; curved steel buttplate; fitted with period canvas sling; overall in f. wo & vg. cond. **#KCO3398 L/R** 300 - 500
272. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. polymer mag.; 24 3/4" barrel with vg. bore, bright with sharply defined micro-groove rifling; blued finish to majority of metalwork, has thinned to a grey mottled patina overall; **BRNO MOD. 2** marked to barrel, **73** proofs to action & breech; strong blued finish to bolt, cycles freely, strong springs & sears; retains factory tangent rear & blade front sight; stock in sound cond. overall, light handling marks, long slither loss to lhs forewood & fine partial crack in front of bolt; overall in exc. wo & f. to g. cond. **#213848 L/R** 400 - 600
273. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 24 3/4" barrel with vg. bore, bright with sharply defined micro-groove rifling; strong blued finish to metalwork, some minor handling & storage marks but presents well; **BRNO MOD. 2** marked to barrel, **74** proofs to action & breech; bolt cycles freely, strong springs & sears; retains factory tangent rear & hooded front sights; stock in g. to vg., sound cond. overall, some scattered handling marks & some surface scuffs; schnabel forewood & nicely figured walnut; overall in exc. wo & g.+ cond. **#213848 L/R** 500 - 700
274. **J.G. ANSCHUTZ MOD. SUPER-MATCH 1813 S/S RIMFIRE TARGET RIFLE:** .22 LR cal.; 27 1/4" heavy barrel with fine bore & crisp rifling; strong original blued finish to metalwork, some minor storage marks but presents exc.; top of barrel marked with makers name & model, lhs action marked **J.G. Anschutz GmbH Ulm West Germany**; bolt cycles smoothly, crisp adjustable hair trigger; fitted with Japan Mfg. **WEAVER 6 – 20 X 40** scope with super fine cross hairs; clear optics on two piece high mounts; target style walnut stock with adjustable comb, buttplate & forewood rest; peened texture to grip; some handling marks & small knocks to profiles but near vgc.; overall in exc. wo & vg. cond. **#218422 L/R** *Has seen very little use, would be a tac driver at the range.* 800 - 1200
275. **WINCHESTER MOD. 9422M L/A RIFLE:** .22 WMR cal.; 10 rnd. tube mag; 24" barrel with bright bore & sharply defined rifling, needs a clean but some frosting visible, g. overall; blued finish to metalwork presents decent, thinning to a grey patina on underside action from handling wear; lhs of barrel marked with **WINCHESTER**, model, calibre & address; mechanically exc., cycles smoothly; incorrect rear sights, blade front; woodwork in g. sound cond., some handling marks & losses to varnish finish; factory plastic **WINCHESTER** marked chequered buttplate; overall in vg. wo & g. cond. **#F297234 L/R** 400 - 600
276. **TURKISH ANKARA MAUSER M. 98 B/A RIFLE:** 8x57m/m cal.; 5 rnd. integral mag; 30" barrel with f. bore, rifling defined but dark & dirty throughout; dark patina to metalwork; **TC** over **AS FA ANKARA 1936** & Turkish crescent moon stamped to top of breech; bolt cycles freely, strong springs & sears; 1-20 graduated tangent sight; woodwork presents well, refinished and bearing some minor handling marks; steel buttplate; retains steel cleaning rod & sling swivels; overall in g. wo & cond. **#18954 L/R** *Would respond well to a bore scrub.* 300 - 500

277. **TERNI CARCANO M.38 B/A SHORT RIFLE:** 6.5×52mm cal.; 5 rnd. integral mag.; 22" barrel with f. bore, dark & dirty, some oxidation scale, considered p. until it has been cleaned; even grey patina to metalwork presents decent; **R. E. TERNI** under crown to top of breech along with **1940 XVIII** stamps to rhs; lhs breech has marked with British **BNP** proofs, & additional proofs to lhs barrel; **CAL 6.5** to top of sight block; bolt cycles well, strong sears; woodwork in vg. overall cond., some surface fine surface cracks to lhs butt; overall in f. wo & g. cond. **#AN9281** L/R **300 - 500**
278. **REMINGTON MOD. 7600 P/A RIFLE:** .308 Win. cal.; 3 rnd. mag.; 23" barrel with vg. bright bore & sharply defined rifling, needs a clean; matte black finish to metalwork presents decent, a few handling & storage marks overall; **ILION** address & makers name to lhs barrel; **Remington Model 7600** marked to lhs receiver; pump cycles freely, strong springs & sears; retains original fixed sights, fitted with picatinny rail to receiver; black polymer stock & pump are in g. sound cond., some surface marks; rubber recoil pad; comes with additional 19" barrel (incl. muzzle brake), pistol grip stock and additional steel 15 rnd. box mag.; overall in exc. wo & g. cond. **#B8577115** L/R **800 - 1200**
279. **SAKO MOD. AII B/A SPORTING RIFLE:** .243 Win. cal.; 5 rnd. mag.; 24" barrel with bright bore & sharply defined rifling, some scattered small patches of frosting towards muzzle, g. to vg. cond.; strong blued finish to barrel & action, presents exc.; **SAKO Cal. 243** marked to top of barrel, **MADE IN FINLAND** to lhs; model & serial no to lhs of action; bolt cycles smoothly, trigger crisp; fitted with **HILVER** bridge mount; walnut stock with right-handed cheekpiece, factory buttplate; woodwork in g.+ overall, some handling marks & scuffs; chequering to grip & forewood well-defined; overall in exc. wo & g.+ cond. **#153489** L/R **700 - 1100**
280. **WINCHESTER MOD. 64 L/A SPORTING RIFLE:** .30-30 Win. cal.; 5 rnd., 2/3 length tube mag.; 24" round barrel with exc. bore & sharply defined rifling; original blued finish to metalwork presents well, some scattered blemishes & rub marks but vg. overall; lhs barrel marked with **NEWHAVEN** address, **WINCHESTER/ TRADEMARK, MODEL 64 -30-30 WIN.-**; action cycles smoothly, strong springs & sears; std. V-notch rear sights & blade front; screw heads all in vgc.; the distinctive semi pistol grip stock with shotgun buttplate & wide forewood are in g. to vg. cond.; some general handling marks to both but presents well & retains exc. metal-to-wood fit; knurled steel buttplate; overall in exc. wo & g. to vg. cond. **#1781264** Mfg. c.1951 L/R **1000 - 1500**
281. **WINCHESTER MOD. 94 XTR BIG BORE L/A RIFLE:** .38-55 Win. cal.; 6 rnd. tube mag.; 20" non-original barrel with vg. bright bore, sharply defined rifling; glossy blued finish to metalwork presents decent, some patchy blemishes; no address marked to barrel, small **PW** Winchester proof to top of barrel at breech; action cycles smoothly, strong sears & springs; std. V-notch rear sights & front (less hood); woodwork in g. cond. overall, some scattered minor handling marks, sharply defined chequering to wrist & forend; factory fitted rubber recoil pad; overall in exc. wo & g. cond. **#BB047247** L/R **300 - 500**
282. **FINE MARLIN MOD. 1892 L/A RIMFIRE RIFLE:** .22 rimfire cal.; full length tube mag.; 24" octagonal barrel with bright bore & sharply defined rifling, some scattered patches of fine pitting; original blued finish to metalwork presents well, some speckles of plum patina developing on receiver; hammer with strong case colours; top of barrel marked with sharply defined **Marlin Firearms Co. NEW-HAVEN, CT. U.S.A./** patents; top tang marked **MODEL '92**; action cycles freely, strong springs & sears; semi buckhorn rear sight & large pinched silver blade front sight; lacquered finish to walnut stock & forewood, presents quite well, some light handling marks overall & runs in finish; small lifting chip to rhs head stock; original **MFA Co** hard rubber buttplate in vgc.; overall in vg. wo & cond. **#356282** L/R **900 - 1200**

283. **F.N. BROWNING MOD. B2 U/O SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated medium top rib, choked approx. full & extra full; exc. bright bores; blued finish to barrels presents well, only minor storage marks; bright finish to action & small parts, some minor speckled staining in areas; gold trigger with some light wear; action with extensive game scene engraving by **F. MARECHAL**, capercaillie calling over three hens to rhs, pheasants to lhs & trio of quail to underside; remainder of action & tangs with light coverage of scroll & border engraving; engraving is sharply defined; **FABRIQUE NATIONALE HERSTAL BELGIQUE & CHROME** to lhs top barrel, rhs barrel marked with **12 GA-SHELLS 2 3/4" – MADE IN BELGIUM – BROWNING'S PATENT**; action loose with forend slid forward, strong ejectors & selective single trigger; walnut stock presents well., handling wear to grip; chequering to semi pistol grip & forend is well-defined; original 14 1/4" LOP incl. ventilated Pachmayr 1" rubber recoil pad; overall in g. wo & cond. #25283 L/R **1500 - 1800**
284. **SKB ARMS Co. MOD. 600 U/O SHOTGUN:** 12G, 2 3/4" chambered; 28" barrels, choked cyl. & cyl. approx.; vg. bright bores, very slight ring bulge in bottom barrel; strong blued finish to barrels thinning slightly around muzzle; flaking silver finish to action with relief scroll pattern to most surfaces; makers name & **MADE IN JAPAN** to lhs barrel; action locks up tight & on face, strong mechanical single trigger & ejectors; ventilated top rib; g. cond. walnut stock with semi pistol grip; chequering to grip & forend is defined, some handling marks overall; 13 1/2" LOP incl. 3/4" rubber recoil pad, slightly perished; overall in g. cond. #CM639273 LR **200 - 400**
285. **WEBLEY & SCOTT B.L.E S x S SHOTGUN:** 12G, 2 1/2" chambered; 30" barrels choked approx. cyl. & full; vg. bright bores, both need a clean; reblued finish to metalwork, presents decent overall, thinning from handling wear on underside of action; **WEBLEY & SCOTT LTD** marked to both sides of action, again to top of rh barrel with **BIRMINGHAM**; top of lh barrel marked **78 SHAFTESBURY AVENUE LONDON**; Birmingham **1 1/8OZ NITRO PROOF** marks to barrels; action locks up tight, strong & well-timed ejectors, automatic safety; walnut straight stock & splinter forend in g. sound cond., some light handling marks to both; 14 1/4" LOP to chequered butt; original forend but looks to have had an older restock; overall in exc. wo & g. cond. #93701 L/R **400 - 600**
286. **LONG BRANCH ENFIELD No.4 MK. I* B/A SERVICE RIFLE & BAYONET:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. bore, sharply defined two-groove rifling some pits peppering before muzzle; strong military blued finish to metalwork, thinning on profiles but presents well; **No.4 MKI*/ LONG BRANCH/ 1942** to lhs of action; lhs of body socket marked with **10L8917**; non-matching bolt cycles freely, strong springs & sears; std. two aperture flip up peep sights; woodwork in g. cond., some light handling marks & staining in areas; small partial crack to handguard & armourers repair to heel of butt; sides of handguard with four grooved to either side; brass buttplate with trap; comes with g. cond. **NO 9 MK 1** bayonet & steel scabbard; overall in vg. wo & g. cond. #10L8917 L/R **600 - 900**
287. **TASMANIAN MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/4" barrel with vg. bore, bright with sharply defined rifling throughout, some frosting; blued finish to metalwork has thinned to a mottled dark patina overall, some spotted staining; **MADE BY THE BIRMINGHAM SMALL ARMS Co. Ltd** to top of barrel & lhs of action, the latter with **TRADE MARKS/ B.S.A.** & piled arms motif; **COMMONWEALTH OF AUSTRALIA/ VIC/ 77443** & an additional **886** to rhs & Kangaroo trademark to top of breech; matching numbers; action functioning well, strong sears & springs; std. tangent sights graduated 100yd – 6; woodwork in vg. cond., refinished with some light handling marks & bruising overall, rhs of stock marked with sharply defined 2/12 **C.M.E/ T / 886**; steel buttplate; fitted with older leather sling; overall in vg. wo & f. to g. cond. #77443 L/R **500 - 700**
288. **TOKYO ARSENAL ARISAKA TYPE 38. B/A SERVICE RIFLE & BAYONET:** 6.5x50m/mSR Arisaka cal.; 5 rnd. integral mag; 31 1/2" barrel with p. bore, rifling defined but dark & peppered with light to moderate pits; metalwork has been polished back, now bearing a glossy blued finish; rifle retains all original markings incl. the Chrysanthemum, some markings are faint; matching numbers bolt cycles, freely, strong springs & sears; std. sights with 4 – 24 graduations; no cleaning rod; hardwood two-piece stock has been refinished, presents well & profiles are still sharply defined overall; some light handling marks; fitted with period bayonet marked with Toyoda Automatic Loom Work trademark to ricasso; reblued scabbard; overall in f. wo & g.+ cond. #71883 L/R **800 - 1200**

289. **D.W.M. MFG. PORTUGUESE MAUSER MOD. 1904 B/A RIFLE:** 8×57m/m Mauser cal.; 5 rnd. integral mag.; 24" barrel with exc. bore, caked with oxidation scale, rifling appears defined; worn blued finish to metalwork now a silver-grey patina; **ESPINGARDA PORTOGUESA 6.5 MOD. 1904** to lhs of breech, crown/ **IC** monogram to top; DWM full name & **BERLIN** to lhs of action; matching bolt cycles smoothly, strong trigger sear; std. tangent sights with 2 – 20 graduations; no cleaning rod; woodwork presents well, bearing some spotted blemishes to surface but only light handling marks; overall in f. cond. **#818 L/R** 700 - 900
290. **FRANCOTTE SMALL FRAME MARTINI TAKE DOWN RIFLE:** .297-230 cal.; 25" barrel, rifling sharply defined with some scattered pitting, f. to g. cond.; original blued finish to metalwork has thinned to a dark patina on barrel & soft plum patina to action; Liege proofs, 297-230 marked to lhs of barrel; rhs of action marked with large scroll **A. Francotte**, lhs stamped with **MACHINE MADE BY/ A.FRANCOTTE & Co/ MAKERS & PATENTEE/ LIEGE-(BELGIUM)**; small lever to rhs of action twirls, allows action to drop out & barrel to be unthreaded; strong sears & springs; 50 -200yd rear sights & fine blade front; missing cleaning rod; woodwork in vgc. overall, only minor handling marks overall exc. metal to wood fit, longer than cadet std. 14 1/4" LOP, steel butt with screw operated trap; overall in vg. wo & g. cond. **#15678 N/L An interesting commercial rifle.** 700 - 900
291. **RHODESIAN RETAILED COGSWELL & HARRISON B/A MAGNUM RIFLE:** .375 H.&H. cal.; 4 rnd. mag.; 26 1/2" barrel with vg. bright bore & well-defined rifling; older reblued finish to metalwork presents well, some thin spots; black coated finish to alloy trigger guard & mag., floorplate with some minor flaking; top of barrel marked **COGSWELL & HARRISON LTD LONDON. 168. PICADILLY.** ahead of sights, **SUPPLIED BY/ T.J. GOLDINGS(PVT) LTD/ GATOOMA** marked to top of barrel before sights; London **P** proof marked to lhs action, **.375" 2.85" 19 TONS** proofs to lhs breech; Mauser action cycles smoothly, strong springs & crisp sears; fixed **100YDS** & folding **200YDS, 300YDS** leaf's on rear sights, hooded front sight; two-position safety; nicely figured walnut stock with right-handed cheekpiece, 1" Silvers style rubber recoil pad; chequering to semi pistol grip & forewood is v. well-defined; fitted with **DINGO** brand leather sling on factory studs to underside barrel & stock; overall in exc. wo & g. to vg. cond. **#68632 L/R A classic Mauser action safari rifle with a bit of African history.** 2200 - 2500
292. **BOXED FINE RUGER NO. 1 FALLING BLOCK SPORTING RIFLE:** .303 Brit. cal.; 22" barrel with exc. bore, bright with crisp rifling; blued finish to metalwork presents flawless; **RUGER, NEWPORT, NH U.S.A.** address marked to top of barrel, **RUGER/ NO 1** marked to top of breech; action cycles smoothly, strong springs & crisp trigger; factory 3/4 express style rib fitted to barrel, Ruger pattern 1" rings; retains original flip up rear sight & blade front; walnut semi pistol grip stock & forewood in near exc. cond., a few minor handling marks overall; chequering to grip & forend is sharply defined; fitted with Pachmayr decelerator; comes in its original carboard box with owner's manuals; overall in exc. wo & near exc. cond. **#134-32104 L/R Vendor advises the rifle has had the trigger worked to 3lb & the top tang safety recessed for improved ejection. Fired less than 100 rnds.** 1800 - 2200
293. **FINE BRNO MOD. ZG47 B/A SPORTING RIFLE:** .270 Win. cal.; 5 rnd. integral mag.; 24" barrel with fine, bright bore & crisp rifling; blued finish to metalwork presents flawless, some trace amounts of storage marks but hard to fault; top of barrel marked **ZG47 CAL 0.270W, CZ** trademark marked to top of barrel, followed by **BRNO MADE IN CZECHOSLOVAKIA** which is marked again to lhs action; **56** proofs marked to lhs breech & barrel; bolt cycles smoothly, strong springs & crisp sears; retains original fixed rear sight & blade front; fitted with correct pattern Brno factory integral QD mounts & period **MEOPTA 4X** scope, optics clear; woodwork presents exc., a few v. minor handling marks overall, one small scuff to rhs forewood chequering; chequering otherwise sharply defined & walnut nicely figured; retains the original grooved black plastic buttplate; overall in exc. wo & near exc. cond. **#06633 L/R Definitely one for the Brno collector.** 2000 - 2500

294. **FINE RUGER NO. 1 FALLING BLOCK SPORTING RIFLE:** 450-400 3" Nitro Express cal.; 24" barrel with exc. bore, bright with crisp rifling; blued finish to metalwork presents flawless; **RUGER, NEWPORT, NH U.S.A.** address marked to top of barrel, **RUGER/ NO 1** marked to top of breech; action cycles smoothly, strong springs & crisp trigger; factory 3/4 express style rib fitted to barrel, Ruger pattern 1" rings; retains original flip up rear sight & blade front; walnut semi pistol grip stock & forewood in near exc. cond., a few minor handling marks overall; chequering to grip & forend is sharply defined; fitted with Pachmayr decelerator; overall in exc. wo & near exc. cond. **#134-27079 L/R** *Vendor advises the rifle has had the trigger worked to 3.5lb & the top tang safety recessed for improved ejection. Fired less than 100 rnds.* **2000 - 2500**
295. **SAKO MOD. L61R FINNBEAR B/A SPORTING RIFLE:** .270 Win. cal.; 5 rnd. mag.; 25" barrel with exc. bright bore & sharply defined rifling; blued finish to metalwork presents well, speckled blemishes on action but otherwise exc.; **FINNBEAR MADE IN FINLAND** marked to lhs barrel; model & serial no to lhs of action; bolt cycles smoothly, trigger crisp; walnut stock in vgc. overall cond., chequering to forewood & grip is sharply defined; some light handling marks to woodwork; overall in exc. wo & vg. to exc. cond. **#83785 L/R** *Early model Finnbear with the third lug at bolt handle, vendor advises rifle has fired less than two hundred rounds and has been bedded & floated.* **1500 - 2000**
296. **BOXED SAKO MOD. AV L61R B/A SPORTING RIFLE:** 9.3x62m/m cal.; 5 rnd. mag.; 23 1/2" barrel with exc. bright bore & sharply defined rifling; blued finish to metalwork presents well, some thin spots on barrel & storage marks; **SAKO CAL 9.3x62 MADE IN FINLAND** marked to lhs barrel; model & serial no to lhs of action; bolt cycles smoothly, trigger crisp; factory front sight with hood; walnut stock in vgc. overall cond., chequering to forewood & palm-swell grip is sharply defined; some light handling marks to woodwork; comes in its original carboard box with owner's manuals; overall in exc. wo & vg. to exc. cond. **#153489 L/R** **2000 - 2400**
297. **SAKO MOD. L461 VIXEN B/A SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 24" barrel with bright bore & sharply defined rifling, some scattered small patches of frosting towards muzzle, g. to vg. cond.; strong blued finish to barrel & action, presents flawless; **SAKO Cal. 222** marked to top of barrel, **VIXEN MADE IN FINLAND** to lhs; model & serial no to lhs of action; bolt cycles smoothly, trigger crisp; fitted with **PECAR 2-7** scope on Hilver bridge mount; clear optics with fine cross hairs; walnut stock with right-handed cheekpiece, factory buttplate; woodwork in exc. overall, some minor handling marks but presents flawless; overall in exc. wo & cond. **#153489 L/R** **800 - 1200**
298. **VERY FINE BRNO MOD. ZKW-465 B/A SPORTING RIFLE:** .22 Hornet cal.; 5 rnd. magazine; 23 1/2" barrel with exc. bore, crisp rifling; glossy original blued finish to metalwork presents exc. only minor storage marks overall; **22 HORNET** marked to top of barrel **ZBROJOVKA BRNO** & address marked to lhs of action; **63** proofs to lhs of breech & barrel; **MADE IN CZECHOSLOVAKIA** to rhs of action; bolt cycles smoothly, double set triggers are crisp; retains original rear sight with fixed 100 & folding 150, 200 yd leaf's, hooded front sight; fitted with period **MEOPTA 2,5** scope with clear optics; scope on bridge mount; woodwork presents exc., some trace amounts of storage marks to stock, chequering to forewood & grip is sharply defined; factory sling swivels to forewood & underside of stock; fitted with **KASSNAR** thin rubber recoil pad but comes with original black plastic buttplate with **Z** trademark; overall in exc. wo & cond. **#19934 L/R** Mfg. 1963 *A well preserved example* **1200 - 1500**
299. **BRNO MOD. ZKK-602 B/A MAGNUM RIFLE:** .375 H.&H. cal.; 3 rnd. integral mag.; 26" barrel with vg. bright bore & sharply defined rifling, needs a clean; matte grey finish to metalwork presents exc., a few minor storage marks overall; top of barrel marked **CAL. 375/ H.&H. MAG.**; markings to top of breech marked **BRNO/ ARMS/ MOD./ ZKK-602; 90** proofs marked to lhs breech & barrel; bolt cycles freely, strong springs & sears; std. express sights with fixed **100**, folding **200, 300**yd leaf's; fitted with Japanese mfg. **HAKKO 1.5-2.5x32** scope on two piece **CZ 550** marked rings; scope clear; sling swivels to barrel & underside of stock; beautifully figured walnut stock with horn forewood & grip caps, cheek piece to lhs butt & sharply defined chequering; some light handling marks & speckled blemishes to surface; perished rubber recoil pad; overall in exc. wo & near vg. cond. **#16416 L/R** *A classic package for your next trip to the N.T.* **1800 - 2200**

300. **LUDWIG LOEWE & Co MFG. MAUSER MOD. 1896 B/A RIFLE:** 7x57m/m cal.; 5 rnd. integral mag.; 30" barrel; g. bore & sharply-defined rifling with fine pitting throughout; original blued finish has thinned to a mottled grey patina overall, some patchy staining in areas; lhs of action marked **MOD. MAUSER 1896 / LUDW. LOEWE & Co BERLIN**; serial no. marked to lhs breech & small parts; non-matching (**B629**) bolt cycles smoothly, strong springs & crisp trigger; military ladder sights with 4 - 20 graduations, blade front sight; steel cleaning rod; woodwork in f. to g. original cond., some vice marks & general battlefield bruising overall, armourers pinned repair to toe of butt; steel buttplate; in in vg. wo & g. cond. **#B6630** L/R **600 - 800**
301. **LONG BRANCH No.4 MK. I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25" barrel with general bright bore & sharply defined rifling, some light oxidation in areas but would grade up, g. cond.; strong military blued finish to metalwork, some handling marks but presents well; **No.4 MKI* / LONG BRANCH/ 1942** to lhs of action; lhs of body socket marked with **5862**; bolt cycles freely, strong springs & sears; std. sights removed & fitted with picatinny mount; **Tasco 3-9x40** scope, clear optics; woodwork in f. to g. cond. overall, one heavy bruise to lhs handguard & two thin gouges to lhs butt, otherwise with only light handling marks; grey alloy butt with trap; overall in vg. wo & g. cond. **#5862** L/R **600 - 800**
302. **ENFIELD LEE-ENFIELD MK. I B/A RIFLE:** .303 cal.; 10 rnd. mag.; 30" barrel with f.+ bore, rifling sharply defined but peppered with fine to moderate pits; re-blued finish to metalwork has developed a v. dark patina overall, pre refinish fine pitting present to most external surfaces; rhs body socket marked cypher/**V.R/ ENFIELD/ 1898/ L.E./ I**; rhs breech & barrel, bolt marked with serial no. **1337M**; matching bolt cycles smoothly, rifle retains volley sights, dust cover & mag. cutoff; 6-18 graduated rear ladder sight; walnut stock presents v. well, has a light clean up, bearing only light handling marks overall; sharply defined **ENFIELD/ WD** roundel mark to rhs stock; brass buttplate with trap, butt tang marked **EFD/ B/ 442**; overall in exc. wo & g. to vg. cond. **#1337M** L/R **700 - 1000**
303. **N.S.W. MARKED ENFIELD MARTINI-ENFIELD MK. II ARTILLERY CARBINE:** .303 cal.; 21" barrel with g.+ bore, sharply defined rifling with some surface oxidation & frosting but bright overall; v. dark patina to metalwork with mixture of inactive oxidation scale & fine pitting peppering majority of external surfaces; cypher/ **V.R, ENFIELD/ 1898/ M.E. 303/ A.C. II.** marked to lhs of action, **ENFIELD 1883. / 1.C.1** marked to rhs; markings are defined but partially obscured by oxidation scale; action cycles freely, strong springs & strong sears; std. 200-500 yd ladder sights; woodwork in generally g. cond., bearing battlefield handling marks & light bruising overall, some staining; period armourers join repair to rear section of butt; rhs butt marked with a number of struck numbers & v. well-defined **ENFIELD** roundel, inlaid with brass disc which is marked **N S W/ 2 01/ C/ 1841**; steel buttplate with some heavy pit peppering; overall in vg. wo & f.+ cond. **#2109 C** L/R **600 - 900**
304. **N.S.W. MARKED ENFIELD MARTINI-ENFIELD MK. I RIFLE:** .303 cal.; 30 1/4" barrel with f. to g. bore, sharply defined rifling with fine pitting; original blued finish to metalwork has turned to a dark patina, some light oxidation staining in areas & thinning on barrel slightly, presents well; cypher/ **V.R, ENFIELD/ 1897/ M.E. 303/ I.** marked to lhs of action, **ENFIELD 1879. / III. / 1/ 2.** marked to rhs; markings sharply defined; action cycles freely, strong springs & sears; std. 200-500 yd ladder sights; woodwork presents well, original finish bearing general handling marks & bruising but retains exc. metal-to-wood fit; rhs butt marked with v. well-defined **ENFIELD** roundel, inlaid with brass disc which is marked **N S W/ 7 98/ MR/ 376**; steel buttplate; overall in vg. wo & g.+ cond. **#8441D** L/R **A good, honest example** **700 - 900**
305. **SPARKBROOK LEE-METFORD MK. I B/A RIFLE:** .303 cal.; 8 rnd. single stack mag.; 30" barrel with f. to g. bore, bright overall & Metford rifling is v. well-defined, some light pitting; thinning blued finish to metalwork, mix of plum patina, oxidation staining & patches of frosting overall; rhs body socket marked cypher/**V.R/ SPARKBROOK/ 1890/ I**; rhs breech marked with serial no. **16649**, barrel marked **1464**; non-matching bolt cycles smoothly, crisp trigger sear; rifle retains volley sights, dust cover for bolt & bolt head, mag. cutoff; 6-18 graduated rear ladder sight; woodwork in sound cond., showing wear to profiles & light handling marks, small bruises overall; lightly defined **SPARKBROOK** roundel marked to rhs butt; no handguard section; steel buttplate with trap; overall in vg. wo & f. to g. cond. **#16649** L/R **1200 - 1500**

306. **ENFIELD LEE-METFORD MK. I* B/A RIFLE:** .303 cal.; 8 rnd. single stack mag.; 30" barrel with f.+ bore, Metford rifling defined but peppered with fine to moderate pits; metalwork has developed a v. dark patina overall, pre refinish frosting present to most external surfaces but presents decent; rhs body socket marked cypher/**V.R/ ENFIELD/ 1890/ L.E./ I***; serial no. **9517/ I** marked to rhs breech & barrel, non-matching bolt marked with serial (no. **8735L**); bolt cycles smoothly, rifle retains volley sights, dust cover to bolt & bolt head, mag. cutoff, correct style mag with chain link; 6-18 graduated rear ladder sight; walnut stock presents decent, some scattered bruising & general handling marks, profiles well-defined; steel disc inlaid to rhs stock; steel buttplate with trap, butt tang marked **EFD/ B/ 442**; overall in exc. wo & g. to vg. cond. **#9517I L/R** **1500 - 1800**
307. **N.S.W. MARKED ENFIELD MARTINI-ENFIELD CAVALRY CARBINE:** .303 cal.; 21" barrel with g. to vg. bore, sharply defined rifling with some surface oxidation & frosting but bright overall; original blued finish to metalwork has turned to a dark patina, some light oxidation staining in areas & thinning on barrel slightly, presents well; cypher/ **V.R, ENFIELD/ 1896/ M.E. 303/ C.C.I.** marked to lhs of action, **ENFIELD 1878. / II/ Z** marked to rhs; markings are sharply defined; action cycles freely, strong springs & strong sears; std. 200-500 yd ladder sights with original leather protective cover; woodwork in exceptionally good condition, retaining exc. wood-to-metal fit & bearing only a few minor handling marks & minor speckled blemishes; rhs butt marked with sharply defined **ENFIELD** roundel, inlaid with brass disc which is marked **N S W/ 10 00/ C/ 1329**; steel buttplate; overall in vg. wo & g.+ cond. **#591 L/R A fine example in what can only considered as 'unissued' condition.** **800 - 1000**
308. **BOER WAR ERA LUDWIG LOEWE & Co MFG. MAUSER MOD. 1896 B/A CARBINE:** 7x57m/m cal.; 5 rnd. integral mag.; 18 1/2" barrel; vg. bright bore & sharply-defined rifling with some light oxidation scale; remains all its original finishes to metalwork incl. strong bluing to majority, has darked & bearing some v. finely speckled oxidation; polished finish to bolt, small parts like mag. lifter & bolt release with nitre bluing; lhs of action marked **MOD. MAUSER 1896 / LUDW. LOEWE & Co BERLIN**; serial no. **812** or abbreviated **12** is matched to every numbered part incl. bolt, mag. floor plate; bolt cycles smoothly, strong springs & crisp trigger; military ladder sights with 4 - 20 graduations, blade front sight; steel cleaning rod; woodwork in g. original cond., metal-to-wood fit is exc. & profiles are sharply defined; some light handling marks overall but lhs butt has some heavy bruising & small chip at heel; saddle ring to rhs butt; steel buttplate some oxidation staining; overall in exc. wo & g.+ cond. **#812 L/R A lovely, honest, matching numbers carbine, right down to the original cleaning rod.** **700 - 1100**
309. **ENFIELD MK. I LEE-METFORD B/A CAVALRY CARBINE:** .303 cal.; 5 rnd. mag, 21" barrel with f. to g. bore; well-defined Metford rifling, light pit peppering throughout; dark patina to metalwork, frosting in areas, some patches of heavier pitting to dust cover; lhs of body socket marked with **V.R** cypher / **ENFIELD / 1895 / L.E.C/ I; VR** proofs lhs of action; serial no. **2324** marked to breech, barrel & bolt; matching bolt cycles smoothly, strong sears & springs; retains dust cover & mag. cut off; 6 – 20 graduated rear sight; woodwork presents well, bearing generla handling marks & light battlefield bruising; faint **R.M. ENFIELD** roundel to rhs of stock, alongside is bras disc marked with **3.96 / ~~7DG~~/ 85**; brass buttplate with trap; overall in vg. wo & g. cond. **#2324A L/R An honest, matching numbers example entering its 130th year.** **1500 - 1800**
310. **BOER ERA D.W.M. MFG. MAUSER MOD. 1896 B/A RIFLE:** 7x57m/m cal.; 5 rnd. integral mag.; 30" barrel with f. bore, some moderate pitting in grooves of lightly defined rifling; mottled grey patina to majority of metalwork externally; strong nitre blueing to mag. follower; D.W.M. full name over **BERLIN** to lhs of action; serial no. **2036** marked to lhs of breech, several small parts, non-matching bolt; mechanically exc. with smooth cycling bolt, g. trigger sears; std. sights with 4 to 20 graduations; blade front sight; missing cleaning rod; woodwork in overall vg. cond., light coloured walnut with only minor scattered handling marks & light bruising; rhs butt carved with ornate initials **C.C.**; steel buttplate; overall in g. wo & g.+ cond. **#2036 L/R** **900 - 1300**

311. **RUGER NO. 1 FALLING BLOCK SPORTING RIFLE:** .308 Win. cal.; 26" barrel with vg. bore, needs a clean but rifling sharply defined; blued finish to metalwork presents exc., some minor storage marks; **STURM RUGER & CO** address marked to top of barrel, **RUGER/ NO 1** marked to top of breech; action cycles freely, strong springs & crisp trigger; factory 3/4 express style rib fitted to barrel, Ruger pattern rings housing a **LEUPOLD 2-7 X 33** scope, clear but some residue on lense; fitted with spring loaded bipod to forewood factory sling stud; walnut semi pistol grip stock & forewood in near exc. cond., a few minor handling marks overall; chequering to grip & forend is sharply defined; factory black rubber recoil pad; overall in exc. wo & near exc. cond. **#133-99668 L/R** 700 - 900
312. **TOWER SNIDER-ENFIELD MK. I SHORT RIFLE:** .577 Snider cal.; 31" barrel with dark bore, caked with oxidation scale, rifling appears defined; silver-grey patina to metalwork, patchy staining to most surfaces; mellow finish to brass furniture; royal cypher marked to lock tail, **TOWER/ 1868** to centre; strong lock springs & sears; top of breech marked **SNIDER/ PATENT**, Birmingham commercial proofs to lhs barrel; std. style sights, no ramrod but retains snap cap with brass chain; walnut stock in vgc. overall, has been refinished but retains vg. metal-to-wood fit, some light handling marks overall; rhs stock with nailed small copper stock tag; brass buttplate; overall in f. wo & g.+ cond. **N/L Would grade up significantly with a good bore scrub.** 500 - 700
313. **CONTINENTAL S/B SCHUETZEN STYLE PERCUSSION TARGET RIFLE by PANCHARD:** .645 cal.; 35" octagonal barrel with dusty bore, rifling is sharply defined & doesn't appear heavily pitted; metalwork with patchy brown residue & some fine pitting to most surfaces, presents ordinary but would clean up well; border engraved lockplate signed **Panchaud a Lausanne**; strong lock springs & sears, front of the double set triggers broken; adjustable rear sight & blade front dovetailed to barrel; retains large period ramrod; walnut full stock in Germanic target style, swan-neck butt with cheek piece to lh; woodwork in sound cond., some light handling marks & bruising overall, large filled repair to rhs forestock before first barrel staple; steel buttplate with finial to heel & elongated toe; overall in f. to g. cond. **N/L Would grade up with some minor work.** 600 - 900
314. **ORNATE 19th CENTURY GERMAN S/B PERCUSSION TARGET RIFLE by W.GERHARDT:** .550 cal.; 30 1/2" octagonal barrel with dusty bore, rifling is sharply defined & doesn't appear heavily pitted; grey patina to majority of metalwork, has been cleaned previously & quite bright on lock; top of barrel engraved with **W. Gerhardt. Schnachenburg**; light coverage of defined floral engraving to lock & tangs, ornate finials; strong lock spring but main sear not holding, double set triggers & nipple isolating safety lever; adjustable rear v. notch sight & silver blade front dovetailed to barrel; retains ramrod; walnut full stock in g. overall cond., some handling marks & stained blemishes overall, forestock with some minor losses along barrel channel; two-piece forestock; chequering to wrist & forestock is defined; cheekpiece to lhs stock with beautiful deep relief deer & floral carvings to rear; German silver buttplate with engraved top tang, sliding carved patch box to rhs; rhs stock marked with nailed small copper stock tag; overall in g. cond. **#2103 N/L** 700 - 1000
315. **FINE 18th CENTURY JAPANESE MATCHLOCK LONG GUN:** .44 cal. approx.; 30" octagonal barrel with dusty bore, appears f.; even dark patina to majority of barrel, bright mellow finish to brass lock & furniture; barrel inlaid with pair of Japanese dragons which run the length of the barrel; appears to have broken or missing main spring, otherwise complete, brass pan cover primitive fixed sights; incorrect ramrod; woodwork in vg. overall cond., split forewood, lhs butt inlaid with silver flowers; rhs butt fitted with copper stock tag but otherwise present v. well; overall in vg. cond. **N/L Great display piece.** 900 - 1400

316. **IMPRESSIVE BRITISH SEA SERVICE STYLE FLINTLOCK IRON BARREL BLUNDERBUSS** 2500 - 3500
by J.FURLONG: approx. 7 bore, flaring to 1 3/4" at flared muzzle; bore dusty & with some patchy oxidation scale but doesn't appear heavily pitted, heaps of wall thickness; lock & iron barrel with silvery grey patina overall, have been cleaned previously but still frosted with fine pitting on most external surfaces; sea service style brass furniture with dull mellow finish; lhs breech marked with London commercial proofs & six crowned ordnance inspection stamps; **J.FURLONG** marked to centre of lockplate; strong lock springs & sears, ring neck cock; walnut stock presents decent overall, 11" inches of forestock is grafted replacement & another grafted section to lhs head of stock between sideplate & top tang; remainder of woodwork with brushed brown refinish, some light handling marks & bruising; brass buttplate with some light peening; overall in g. cond. **N/L Thought to have been made c.1840 using obsolete Ordnance barrels for merchant ship defence against pirates.**
317. **SUPERB L.A. Co PRESENTATION GRADE SNIDER-ENFIELD MK. III RIFLE:** .577 cal.; 36 1/2" 1800 - 2200
barrel with fine bore, bright with crisp three-groove rifling, some minor frosting patches; strong original blued finish to barrel, presents well with only minor speckled plum patina developing in areas bright finish to lock & breech, some pin-prick pitting; mellow finish to brass furniture; lock marked with cypher/ **V.R** to tail, **1861/ L.A.Co**; top of breech marked with Snider trademarks, **SNIDER/PATENT**; London **V & P** commercial proofs to lhs breech and Crown/ **E/1** (signifying rifle was inspected at Enfield; mechanically exc., strong springs & sears to lock, breech locks up tight; 5-8 graduated rear sight, bland front; special period brass cleaning rod with integral jag; vg. cond. walnut full stock, some light bruising & handling marks overall but presents v. well; chequering to wrist & forestock is well-defined; rhs stock marked with well-defined **LONDON ARMS** roundel & inlaid with sterling silver round escutcheon; escutcheon engraved **TUNBRIDGE WELLS/ Won by/ D.F. Thornbury / VICTORIA RIFLES / 1861 / RIFLE CONTEST**; rhs stock marked with nailed small copper stock tag; brass buttplate; overall in exc. wo & vg.+ cond. **N/L A superb example**
318. **BELGIUM MFG. CONTINENTAL STYLE FLINTLOCK INFANTRY RIFLE:** .690 cal. approx.; 43" 700 - 1000
barrel with dusty bore, considered p. to f. until cleaned; heavy dark plum patina to majority of metalwork, some oxidation on barrel & peening around breech; Liege proof marked to top of breech; strong lock springs & sears, ring neck cock; integral blade front sight to brass barrel band; incorrect barrel band to rear, spring mechanism missing; retains steel ramrod; woodwork in f. overall cond., dry with surface cracking on butt, some dark stained areas & general handling marks; steel buttplate; overall in p. to f. cond. **N/L c.1830 Vendor advises musket was captured in Sudan, 1882.**
319. **AUSTRO-HUNGARIAN WANZL LORENZ M.1867 BREECH LOADING RIFLE:** 14x33Rm/m 700 - 900
rimfire cal.; 35" barrel with octagonal breech section; bore in f. to g. cond., patching oxidation throughout but the difference is bright, sharply defined rifling; even grey patina to majority of metalwork, some patchy staining in areas but presents well; strong lock springs & sears, trap-door breech locks up well; flip up ladder rear sight, missing cleaning rod; woodwork in g. overall cond., bearing only light handling marks & bruising overall; rhs butt tacked with small copper stock tag; steel buttplate; overall in vg. wo & g.+ cond. **N/L**
320. **FINE GERMAN SPANDAU MFG. GEW. MOD. 1871 B/A INFANTRY RIFLE:** 11m/m cal.; 33 1/2" 800 - 1200
barrel with vg. bright bore & sharply defined rifling, a little dusty; strong plum finish to barrel, grey patina to action & majority of small parts, brass trigger guard with mellow patina; breech marked with variety of proofs & inspection marks, **SPANDAU** marked to top; serial no. **9293** marked to bolt, breech & action; matching bolt cycles smoothly, strong springs & sears, std. sights & retains steel cleaning rod; vg. walnut stock, with the exception of a few minor bruises, handling marks and a small copper stock tag tacked to rhs butt, would be near exc.; exc. metal-to-wood fit, inspectors marked to rhs butt are sharply defined; steel buttplate; overall in exc. wo & vg. cond. **#9293 N/L**

321. **BRITISH VOLUNTEER PATT. 1853 ENFIELD RIFLE by TOWER:** .577 cal.; 39" barrel with dark & dirty bore, some oxidation scale; barrel has been cleaned back to a silver finish, still bearing pitting to breech end of barrel; lock with dark mottled patina; mellow finish to brass furniture; border engraved lock marked with Cypher/ **V.R.** marked to lock tail, **1857/ TOWER** marked to centre; strong lock springs & sears, std. sights & correct steel ramrod; walnut stock in g. to vg. overall cond., some light handling marks & bruising but presents v. well & retains vg. metal-to-wood fit; **46/ 1132** (46th Regt, rifle 1132) marked to tang of brass buttplate; overall in g. cond. **N/L** **1100 - 1500**
322. **FRENCH MUTZIG MFG. MODEL 1866 CHASSEPOT B/A RIFLE:** 11m/m paper cartridge; 32" barrel with dark bore, patchy oxidation throughout & dusty, rifling remains well-defined; brown mottled patina to barrel, silvery-grey finish to remainder; lhs action marked **MANUFACTURE IMPERIALE/ Mutzig, MLE 1866**; serial marked to lhs breech; matching no. bolt cycles freely, comes with broken rubber/ composite bush collar for bolt; std. sights, missing cleaning rod; woodwork in g. sound, cond., some light handling marks & bruising overall; rhs butt marked with faint original roundel & addition of copper stock tag.; steel buttplate; overall in g. cond. #29207 **N/L** **700 - 1000**
323. **SOUTH AUSTRALIAN MARKED TOWER PATT. 1858 ARTILLERY PERCUSSION CARBINE:** .577 cal.; 24" barrel with sharply defined three-groove rifling, powdery red oxidation throughout but doesn't appear heavily pitted; blued finish to barrel has turned an even dark patina, soft grey patina on lockplate; dull mellow patina to brass furniture; border engraved lock marked with Cypher/ **V.R.** marked to lock tail, **1862/ TOWER** marked to centre; strong lock springs & sears, std. sights but no ramrod; walnut stock in g. to vg. original cond., some light handling marks & bruising overall but presents v. well, crisp **TOWER-LONDON** roundel mark to rhs stock along with addition of copper stock tag.; brass buttplate, tang marked with v. well-defined crown/ **S.A./ 14**; overall in g.+ cond. **N/L A fine example that would only grade up** **1500 - 2000**
324. **ENFIELD SNIDER-ENFIELD MK. II** ARTILLERY CARBINE:** .577 cal.; 21 1/2" barrel with dark & dusty bore, rifling appears v. well-defined but considered f. until cleaned; dark plum patina to majority of metalwork some original blued finish remaining in protected areas; mellow finish to brass furniture; Cypher/ **V.R.** marked to lock tail, **1862/ ENFIELD** marked to centre; strong lock spring but not holding, trigger return spring or main sear needs work; std. sights; retains steel cleaning rod; walnut stock in g.+ sound cond., refinished but still retains clear **ENFIELD** roundel to rhs, some light handling marks overall; brass butt tang marked **No 7.By 12 B.R.A /112** (7 Battery, 12th Brigade Royal Artillery); overall in f. to g. cond. **N/L Would grade up significantly with some straight forward lock work & a bore scrub.** **700 - 1100**
325. **19th CENTURY MIDDLE EASTERN PERCUSSION MIQUELET CARBINE:** .72 cal. approx.; 26" round barrel with flared muzzle; silver-grey patina to metalwork, has been previously cleaned but still bearing pitting to sides of octagonal breech section; miquelet lock, strong springs but sears need work, hammer has trouble releasing; woodwork in f. cond., half stock with some handling marks overall, cracks to lhs forestock; head of stock around top tang & nose of comb with ornate carvings; overall in f. cond. **N/L** c.1860 **700 - 900**
326. **BRITISH VOLUNTEER PATT. 1856 STYLE SHORT RIFLE by TOWER:** .577 cal.; 33" barrel with dark bore, caked with oxidation scale in patches, considered p. until clean; metalwork has been cleaned back previously, still bearing fine pitting & patchy staining in areas; mellow finish to brass furniture; border engraved lock with cypher to tail, **1864/ TOWER** marked to centre; Birmingham commercial proofs marked to lhs breech; strong lock springs & sears, retains snap cap on brass chain; std. sights; no cleaning rod; walnut stock has been cleaned up but presents well, some handling marks & light bruising; brass buttplate with large **6** marked to tang; overall in f. cond. **N/L Would grade up with some minor work** **600 - 900**

327. **SUBSTANTIAL FRENCH PERCUSSION MODEL 1840 RAMPART RIFLE:** 8 bore (.830 cal.); 34" barrel with vg. bright bore, some light oxidation staining towards muzzle but rifling remains sharply defined, g. to vg. overall; smoky-grey patina to barrel, lock with a silvery-grey patina; rhs breech marked with **1842**; back action lock marked *Mre R De/ Chatellerault*; strong lock springs & sears, Delvigne reduced chamber breech; retains large steel ram rod; fixed peep sight with flip up ladder peep sights graduated 300, 400 & 500; sling swivels to underside of stock & barrel band; walnut stock presents dark but in g.+ overall cond., some handling marks & light bruising but retains vg. wood-to-metal fit; rhs butt tacked with small copper stock tag; steel buttplate with extended toe; overall in vg. wo & g. cond. **N/L A good example of these massive wall or rampart guns.** **1200 - 1600**
328. **PRUSSIAN MOD. 1809/1843/1833 PERCUSSION MUSKET:** .72 cal.; 41" barrel with dark & dusty bore, rifling defined but cond. considered f. until cleaned; dark patchy patina & pitting to majority of barrel, presents ordinary; silver-grey finish to lockplate & small parts; mellow finish to brass trigger guard; crown/ **SUHL/ S&C** marked to lockplate; strong lock springs & sears, std. sights but missing ramrod; woodwork in g. overall cond., some handling marks & bruising overall; rhs butt tacked with small copper stock tag; steel buttplate; overall in f. cond. **N/L c.1845** **700 - 900**
329. **BELGIUM MFG. CONTINENTAL STYLE FLINTLOCK INFANTRY RIFLE:** .690 cal. approx.; 41 1/2" barrel with dark & dusty bore, oxidation scale & paper plug half way down; dark grey patina & fine pitting to barrel, lock with silvery-grey patina; Liege proof to top of breech; ring-neck cock is seized, brass pan; French style iron furniture incl. finger grooves to bottom tang; retains iron ramrod; woodwork presents well & with the exception of crack running down from sideplate partially into wrist, would be considered vg.; some light handling marks & bruising; faint roundel mark to rhs butt & tacked with small copper stock tag; steel buttplate with light pit peppering; overall in f. cond. **N/L c. 1820. Presents well, would grade up significantly with some straight-forward repairs.** **600 - 800**
330. **BELGIUM MFG. TRAP-DOOR BREECH LOADING RIFLE:** .56 CF cal.; 30" barrel with dark & dirty bore, rifling is sharply defined; dark patina to barrel, silver-grey steel finish to lock & small parts; breech marked with Liege proofs, lock marked with **1862** & maker mark; serial no. **5227** marked to lock, breech & frame; strong lock springs & sears, Braendlin-Albini style trapdoor action locks up tight; ladder rear sight & blade front; steel ramrod with brass cap; woodwork in g.+ cond., has been refinished in the past, still bearing some handling marked & small bruises; rhs stock along tacked with copper stock tag; overall in g.+ cond. **#5227 N/L** **800 - 1100**
331. **PERCUSSION SHOULDER FIRED HARPOON GUN:** 7 bore; 20" barrel, octagonal breech section; dark bore, some light pitting but g. overall; dark patina to majority of metalwork, some surface oxidation in areas, some light pitting around breech but presents well overall; strong lock springs, sears holding; V-notch rear sight dovetailed to top of breech, brass bead front; large ramrod pipe/ housing; walnut stock in g. overall, dry appearance & some fine surface cracks; toe of stock is chipped; steel buttplate with dark patina & fine pitting; overall in f. to g. cond. **N/L Weighing in at 17lb 5oz, we would prefer that the winning bidder picks the gun up.** **900 - 1200**
332. **AFGHAN FLINTLOCK JEZAIL MUSKET:** .52 cal. approx.; 33 1/2" octagonal barrel with slightly flared muzzle; bore plugged with paper, cond. unknown; dark patina & fine pitting to majority of metalwork; muzzle & breech ends of barrel with silver & copper decorations, some losses to metals; European lock functions; 14 brass barrel bands; woodwork in f. to g. overall cond., some handling marks & chips overall; two-piece stock; wrist & sides of forestock with carved pattern; rhs but tacked with small copper stock tag; overall in f. cond. **N/L** **500 - 700**
333. **AFGHAN MATCHLOCK JEZAIL MUSKET:** .54 cal. approx.; 44" barrel with fluted breech & muzzle ends, muzzle slightly flared; bore plugged with paper, cond. unknown; brown patchy patina to metalwork, some light pitting in areas; matchlock mechanism functions, touch hole is gummed up; retains iron ramrod; woodwork presents decent, decorated with large brass stars on butt & bands to barrel; forestock has separated & needs attention; cracks through wrist have period pinned repairs; rhs but tacked with small copper stock tag; overall in f. cond. **N/L** **500 - 700**

334. **SPENCER MOD. 1860 SADDLE RING REPEATING CARBINE:** .52 rimfire cal.; 7 rnd. tube mag.; 1200 - 1600
22" round barrel with f. bore, patchy surface oxidation scale but rifling appears well-defined, would grade up with a clean; mottled grey patina to majority of metalwork, some light scattered pits on receiver & oxidation scale towards on barrel; top of the receiver is marked **SPENCER REPEATING/ RIFLE CO. BOSTON, MASS./ PAT'D MARCH 6, 1860**; **R** inspectors marks to lhs breech of barrel & receiver, **S** mark to rhs lever; action cycles freely, strong lock spring but trigger is frozen; std. style rear sight, pinned blade front sight; lhs receiver & wrist of stock with saddle ring bar & ring; screw heads vg.; walnut butt & forestock in g.+ original cond., both retaining 70% patchy varnish, some scratches & handling marks; lhs stock tacked with small copper stock tag; curved steel buttplate with magazine tube follower; overall in g. cond. #29266 **N/L A good, honest example, would grade up significantly after that trigger is looked at.**
335. **SHARPS-BORCHARDT MOD. 1878 SADDLE RING CARBINE:** .577-450 cal.; 24" round barrel with 1000 - 1500
f.+ bore, patchy oxidation scale in areas but rifling remains well-defined; mottled dark patina to barrel, silvery grey patina to action & small parts; metalwork with light handling marks/ peening in areas; lhs action marked **BORCHARDT PATENT/ SHARPS RIFLE CO. BRIDGEPORT CONN./ U.S.A.**; top of barrel marked *Old Reliable* & with **BRIDGEPORT** address; London **V & P** proofs to lhs barrel, breech of action; action cycling well, auto safety to trigger is stiff, feels gummed up; rear sights appears to have had ladder broken off; saddle ring to lhs action; walnut stock & forewood in g. sound cond., head of stock with grafted & pinned repair to rhs, pinned repair to lhs; some light handling marks & bruising overall, rhs stock tacked with small copper stock tag; knurled steel buttplate; overall in g. wo & cond. #18098 **N/L**
336. **BRITISH PATT. 1853 ENFIELD TYPE II THREE BAND PERCUSSION RIFLE:** .577 cal.; 39" 1000 - 1300
barrel with p. to f. bore, powdery red oxidation throughout, rifling v. well-defined, would grade up with a clean; mottled brown patina to majority of metalwork, some peening on barrel; dull finish to brass furniture; lock marked with defined Cypher/ **V.R.** to tail, **1858/ ENFIELD** to centre; std. rights; strong lock springs & sears, lock a later replacement, pre-1856 ramrod; woodwork in g. sound cond. overall, some light vice marks, general handling marks & bruising overall; rhs stock marked with defined **PILMICO** roundel & **22**; brass buttplate; complete with original white suede leather sling; overall in g. cond. **N/L**
337. **N.S.W. MARKED PATT. 1858 PERCUSSION ARTILLERY CARBINE by TOWER:** .577 cal.; 24" 1200 - 1600
barrel with dusty & dirty bore, light oxidation scale throughout but three-groove rifling remains well-defined; heavy brown patina to majority of metalwork, some light pitting to barrel; dull finish to brass furniture; border engraved lock with royal cypher/ **V.R** to tail, **1861/ TOWER** to centre; strong lock springs & sears, std. sights; bow of trigger guard stamped **N.S.W.**; missing ramrod; walnut stock in g. to vg. overall cond., some light handling marks overall but presents well, sharp profiles; underside of butt marked with faint **BENTLEY&PLAYFAIR** & lhs stock with painted **1861**; overall in g. cond. **N/L A nice honest example that would grade up.**
338. **BRITISH VOLUNTEER PERCUSSION SHORT RIFLE by WORRALL of CHESTER:** .577 cal.; 700 - 1000
33" barrel, bore is dark & covered in oxidation scale, three-groove rifling is defined, considered p. until cleaned; silvery-grey patina to barrel, fine pitting overall with heavier pitting around nipple, some vice marks to sides of barrel; dull mellow patina to brass furniture; border engraved lockplate with **WORRALL/ CHESTER** to centre; strong lock springs, sears holding, chequered trigger; regulation sights with gold inlaid sighting lines; retains steel cleaning rod; walnut stock is in near vgc. overall, chip to nose of lockplate, some light handling marks overall & bruising but presents v. well; well-defined chequering to wrist & forestock; brass buttplate; overall in g. cond. **N/L Would grade up.**
339. **MASS. ARMS Co. MAYNARD 2nd MOD. BREECH LOADING PERCUSSION CARBINE:** .50 cal.; 400 - 600
20" barrel with octagonal breech; p. bore, heavy pitting in areas & oxidation scale throughout; metalwork with black painted finish on action, grey patina on barrel & other parts, some peening & pitting in areas; lhs frame marked with **EDWARD MAYNARD** patents, rhs frame with **MASS. ARMS CO./ CHICOPPEE FALLS** address; action locks up tight, lock functioning, fitted with brass chamber insert for use as muzzle loader; front & rear sights missing, vacant dovetails; flat sided walnut stock in sound cond., some light handling marks & dings; curved steel buttplate; overall in p. cond. **N/L**

340. **ENFIELD LEE-METFORD MK. I* B/A RIFLE:** .303 cal.; 10 rnd. mag.; 30" barrel with f.+ bore, 800 1200
Metford rifling defined but peppered with fine pits, some oxidation scale; blued finish to metalwork has developed a v. dark patina overall, pre refinish fine pitting present to most external surfaces; rhs body socket marked cypher/V.R/ **ENFIELD/ 1899/ L.E./ I*/ 1.**; rhs breech & bolt marked with serial no. **9302/ E**, B.S.A. marked non-matching barrel; matching bolt cycles smoothly, rifle retains volley sights, dust cover & mag. cutoff; 6-18 graduated rear ladder sight; walnut stock presents well, has a light clean up, bearing only light handling marks overall & speckled staining; defined **ENFIELD** roundel mark to rhs stock; brass buttplate with trap, butt tang marked **EFD**; overall in vg. wo & g.+ cond. **#9302** L/R
341. **WEBLEY MK. VI D.A. REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with 700 - 1000
vg. bore & sharply defined rifling, a little dirty; original blued finish, thinning with subtle patches of plum patina in areas; lhs of the frame marked with broad arrow within **D, WEBLEY MARK VI PATENTS 1919**, lhs of top strap marked **MARK VI**; **GR** proofs to barrel & chambers, broad arrows marked to several parts; action locks up tight, cylinder indexing correctly, strong springs & sears; gutta percha grips present well, some handling marks but chequering remains sharply defined; vg. cond. overall; lanyard ring to butt of backstrap; overall in exc. wo & vg. cond. **#444143** Pre 47' L/R
342. **WEBLEY & SCOTT MK. IV D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 3 1/8" (79m/m) 300 - 500
barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork is strong overall but covered in patchy oxidation staining & some patches of pit peppering to lhs, presents ordinary; **WEBLEY & SCOTT LTD** marked to top strap, lhs frame marked **WAR FINISH**; broad arrow & inspectors marks to rhs frame; cylinder indexing well, action locks up tight; black plastic grips bearing a few handling marks & scuffs but in g. sound cond.; *Webley* to top of both & chequering is defined; lanyard ring to butt; overall in exc. wo & f. cond. **#85003** Post 46' L/R
343. **IVER JOHNSON LARGE FRAME D.A. POCKET REVOLVER:** .38 S.&W. cal.; 5 shot fluted 400 - 600
cylinder; 3 1/4" (82m/m) barrel with g. bore, sharply defined rifling, some minor pitting; 70% nickel finish to metalwork, subtle losses with a silvery-grey patina to difference; top of barrels integral rib marked with two-line **FITCHBURG. MASS** address, crisp patents to butt of backstrap; British **BV** proofs marked to barrel, frame & chambers; action locks up tight, strong springs & sears, cylinder indexing well; original hard rubber grips with owl trademark motif to top & ornate floral bordering to chequering, all v. well-defined; overall in g.+ cond. **#30016** Pre 47' L/R *A nice, honest example. Has seen little use.*
344. **COLT POLICE POSITIVE D.A. REVOLVER:** .32 Colt cal.; 6 shot fluted cylinder; 4" (102m/m) barrel 400 - 600
with bright bore, rifling sharply defined, some pit peppering & marks to muzzle end of barrel; blued finish to metalwork presents well, honestly holster wear to muzzle, developing a plum patina on frame; faint **HARTFORD** address to top of barrel, model & calibre to lhs; defined rampant horse trademark to lhs frame; cylinder indexing well, strong springs & sears; black hard rubber grips present well, some general wear overall but chequering & **COLT** to top of both remains defined; small glued chip repair to rh grip; overall in g. wo & f. to g. cond. **#115600** Pre 47' L/R
345. **HARRINGTON & RICHARDSON SAFETY HAMMERLESS POCKET REVOLVER:** .32 S.& W. 400 - 600
cal.; 5 shot fluted cylinder; 3" (76m/m) barrel with crisp rifling, grooves a little dirty but considered near exc.; blued finish to metalwork, thinning to a dark plum patina on barrel but presents well overall, markings & profiles sharply defined; top rib marked with two-line **WORCESTER** address, cal. to lhs; action locks up tight, strong springs & sears; original grips present well, light wear to both, chequering & shot-target motif tare all well-defined, small partial crack to lh grip butt; overall in exc. wo & g. to vg. **#230629** Pre 47' L/R
346. **HARRINGTON & RICHARDSON MOD. PREMIER D.A. POCKET REVOLVER:** .32 S.&W. cal.; 5 300 - 500
shot fluted cylinder; 3" (76m/m) barrel with f. to g. bore, bright with sharply defined rifling, fine pitting throughout; nickel finish presents well, honest holster wear to muzzle end of barrel & cylinder, some losses on back strap; **WORCESTER** address marked to top of barrel, **H. & R. "PREMIER"** marked to lhs barrel; cylinder indexing well, action locks up tight; original hard rubber grips, chequering & shot target motif to top of both is defined, lh grip with large chip running along backstrap; overall in vg. wo & g. cond. **#485976** Pre 47' L/R

347. **BELGIAN OYEZ ARMS TOP-BREAK D.A. REVOLVER:** .320 CF cal.; 5 shot fluted cylinder; 3 1/4" (82m/m) barrel with f. bore, dirty; **OYEZ ARMS Co LIEGE BELGIUM** marked to top strap; nickel plating to metalwork, patchy losses to underside of barrel, frame; mechanically poor, cylinder not aligning with barrel (sitting too low), cylinder does index; original hard rubber grips in g. cond. **#609** Pre 47' L/R *Suit prop gun.* 25 - 50
348. **HARRINGTON & RICHARDSON MOD. YOUNG AMERICA POCKET REVOLVER:** .22 RF cal.; 7 shot fluted cylinder; 2" (51m/m) octagonal barrel with oxidation staining throughout, defined rifling; patchy nickel finish to metalwork & patches of pit peppering, presents poorly; **WORCESTER** address marked to underside of barrel, **YOUNG AMERICA/ DOUBLE ACTION** marked to top strap; cylinder indexing loosely, spins back, strong springs; crude replacement wood grips; overall in f. cond. **#345064** Pre 47' L/R 50 - 100
349. **HARRINGTON & RICHARDSON MOD. YOUNG AMERICA POCKET REVOLVER:** .22 RF cal.; 7 shot fluted cylinder; 2" (51m/m) octagonal barrel with dusty bore, appears g.+ with sharply defined rifling; bright nickel finish to majority of metalwork, faint case colours to small parts; **WORCESTER** address marked to lhs barrel, **YOUNG AMERICA/ DOUBLE ACTION** marked to top strap; cylinder indexing well, strong springs & crisp sears; original grips, rh grip with large chip to butt, otherwise both showing light wear; overall in vg. wo & g.+ cond. **#100610** Pre 47' L/R 250 - 450
350. **HARRINGTON & RICHARDSON MOD. YOUNG AMERICA POCKET REVOLVER:** .22 RF cal.; 7 shot fluted cylinder; 2" (51m/m) octagonal barrel with dusty bore, appears g.+ with sharply defined rifling; bright nickel finish to majority of metalwork, thinning in areas with a grey patina to the difference; **WORCESTER** address marked to lhs barrel, **YOUNG AMERICA/ DOUBLE ACTION** marked to top strap; cylinder indexing well, strong springs & crisp sears; original grips, both showing light wear but chequering well-defined; overall in vg. wo & g.+ cond. **#219123** Pre 47' L/R 300 - 500
351. **U.S. REVOLVER CO. D.A. POCKET REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 3" (78m/m) barrel with dirty bore, rifling sharply defined, appears to be g. overall; patchy original nickel finish to metalwork, presents ordinary; **U.S. REVOLVER CO./ MADE IN U.S.A** marked to top of rib; missing or broken trigger spring, action not working but locks up tight; original hard rubber grips with **U.S.** trademark to top, chequering defined, graze to bottom lh grip; overall in f. cond. **#35115** Pre 47' L/R *Made under a subsidiary of Iver Johnson.* 150 - 300
352. **COLT NEW HOUSE S.A. POCKET PISTOL:** .38 long Colt cal.; 5 shot fluted cylinder; 2 1/4" (57m/m) barrel with g. bore, rifling sharply defined, some oxidation in grooves; bright nickel refinish to metalwork, acanthus scroll engraving to most surfaces defined; faint two-line **HARTFORD** address to top of barrel, model to lhs barrel indistinct; cylinder indexing well, strong springs & sears to spur trigger; vg. pearl grips; overall in g. cond. **#15290** Pre 1900 L/R *Presents well.* 500 - 700
353. **GERMAN BULLDOG D.A. POCKET REVOLVER:** .320 CF cal.; 6 shot fluted cylinder; 1 3/4" (46m/m) barrel with f. bore, rifling well-defined but brown oxidation throughout; grey patina, light handling marks & frosting to majority of metalwork, some scattered patches of pitting to rhs; German proofs to cylinder & breech; missing or broken trigger spring, needs work; f. cond. walnut grip both showing wear, rh grip with crack running through top to bottom; lanyard ring to butt; overall in f. cond. **#7996** Pre 1900 L/R *Would grade up with minor work.* 50 - 100
354. **COLT MOD. 1877 LIGHTNING D.A. REVOLVER:** .38 long Colt cal.; 6 shot fluted cylinder; 4 1/2" (115m/m) barrel with f. bore, dusty but rifling appears defined, some pitting; reblued finish to metalwork presents OK, strong overall but has been polished off cylinder; defined two-line address to top of barrel, patents & rampant horse trademark to lhs frame; cylinder indexing occasionally, weak hammer sears; original hard rubber grips with defined horse motif to top of both, chequering to rh grip worn; overall in f. to g. cond. **#154547** Pre 47' L/R 500 - 700

355. **BELGIAN S & W STYLE TOP BREAK POCKET REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 3 1/4" (83m/m) barrel with f. to g. bore, bright with well-defined rifling, some patchy oxidation scale; blued finish to metalwork presents poorly, patchy losses overall; straw finish to small parts; Liege proofs to face of cylinder; actin locks up tight, cylinder indexing well; S&W style hard rubber grips with chequered pattern to top of both, g. cond.; overall in g. wo & f. to g. cond. **#187** Pre 47' L/R ***Would grade up with a clean.*** 200 - 400
356. **HOPKINS & ALLEN MOD. X.L.3 POCKET REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 2 3/4" (71m/m) octagonal barrel with f. bore, red oxidation throughout but rifling remains well-defined, would grade up with a clean; 80%+ nickel finish to metalwork, majority of losses on cylinder, some general handling marks; top strap marked with makers name, patents, model & calibre; strong springs & sears, cylinder indexing well; hard rubber grips in vgc., chequering to both sharply defined; overall in g. wo & cond. **#483** Pre 47' L/R 300 - 500
357. **SPANISH RUBY EXTRA D.A. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 5" (126m/m) barrel with a dirty bore, appears g.+ with sharply defined rifling; blued finish to metalwork strong overall, thinning on sides of barrel & bearing general handling marks to most surfaces; makers marks & address to barrel, rhs frame marked with **RUBY/ EXTRA/ TRADE MARK** roundel stamp; cylinder indexing well, strong springs & sears; original walnut grips in f. cond., some partial cracks to both, worn areas on chequering & general handling marks; overall in vg. wo & f. to g. cond. **#595588** Pre 47' L/R 250 - 500
358. **IVER JOHNSON MOD. TARGET SEALED 8 RIMFIRE REVOLVER:** .22 LR cal.; 8 shot fluted cylinder; 6" (152m/m) barrel with dirty bore, appears bright with sharply defined rifling; blued finish to metalwork thinning to a grey patina on barrel & cylinder, otherwise quite strong; model & **FITCHBURG** address marked to top strap; strong springs & sears, cylinder indexing well; weld repair to bottom strap; walnut single piece grip possibly a retro-fit, in g. sound cond.; overall in vg. wo & f. to g. cond. **#N42011** Pre 47' L/R 300 - 600
359. **SAVAGE MOD. 1915 HAMMERLESS S/A PISTOL:** .32 ACP cal.; 10 rnd. double stack mag.; 3 3/4" (94m/m) barrel with g. bore, rifling well-defined but some powder residue & fine pitting in grooves; original blued finish to metalwork thinning on areas, some scattered small patches of pit peppering; makers name, **UTICA** address & patent marked to top of slide, model to lhs frame; slide retracts freely, strong springs & sears; original hard rubber grips present well, some minor losses to edges but chequering & **SAVAGE QUALITY** trademark to centre are sharply defined; overall in vg. wo & f. to g. cond. **#131805** Pre 47' L/R 300 - 500
360. **COLT 1908 ARMY SPECIAL D.A. REVOLVER:** .38 Colt cal.; 6 shot fluted cylinder; 4 1/2" (114m/m) barrel with f. to g. bore, rifling is sharply defined, scattered patches of fine pitting with a bright difference; revolver externally bearing a mixture of strong original blued finish, patchy light to moderate pitting & crudely cleaned patches, presents poor; sharply defined two-line **HARTFORD** address to top of barrel, lhs **COLT ARMY/ SPECIAL. 38** to lhs of barrel partially obscured by fine pitting; mechanically strong, cylinder indexing well, sound sears; original hard rubber grips present v. well, **COLT** to top of both & **C** motif surrounding grip screw; chequering defined, some light storage wear; overall in vg. wo & p. to f. cond. **#329487** Pre 47' L/R ***Has seen very little use but has been poorly stored.*** 400 - 600
361. **FINE MERWIN HULBERT & Co SMALL FRAME D.A. POCKET REVOLVER:** .32 CF cal.; 5 shot cylinder; 3" (76m/m) barrel with bright bore, crisp rifling, some patches of pit peppering; 95%+ original nickel plating to majority of metalwork, some minor surface marks; trigger & hammer with areas of strong case colours; top of integral barrel rib marked with **MERWIN HULBERT & CO. NEW YORK U.S.A./** patents; **32 CAL.** marked to lhs frame; mechanically in fine cond., cylinder indexing exc., strong springs & sears; folding hammer spur; hard rubber grips near exc., a few minor handling marks but chequering & woven pattern motif to top of grips are sharply defined; overall in vg. wo & exc. cond. **#11501** Pre 1900 L/R ***A fine example of the far less common small frame Merwin Hulbert pocket revolvers.*** 1000 - 1500

362. **F.N. BABY BROWNING S/A VEST POCKET PISTOL:** 25 ACP; 6 rnd. mag.; 53m/m barrel with shiny bore & crisp rifling, vg. to exc.; blued finish to metalwork presents exc., some dried grease & minor storage marks; FN full name, Belgian address & **BROWNING'S PATENT DEPOSE** marked to lhs of slide; mechanically exc., slide retracts freely, crisp trigger; matching black plastic grip panels with **FN** monogram to top, **BABY** to bottom; grips in vgc. with sharply defined chequering; overall in exc. wo & vg. cond. **#458171** Post 46' L/R **400 - 600**
363. **BERETTA MOD. 71 S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 3 1/2" (89m/m) barrel with bright bore, sharply defined rifling, vg. overall; blued finish to steel components & blacked finish to alloy frame present well, thinning slightly on profiles but presents decent; makers name, address & cal. marked to lhs slide, **P.B.- MADE in ITALY** to rhs; slide retracts smoothly, strong springs & sears; two-piece plastic grip with a few handling marks but vg. overall; overall in exc. wo & g.+ cond. **#M49181** Post 46' L/R **300 - 500**
364. **SMITH & WESSON MOD. 1917 REVOLVER CONVERSION:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (151m/m) replacement barrel; bore dirty & last 1 3/4" of barrel has been bored out; reblued finish to metalwork presents OK; **SMITH & WESSON** marked to lhs barrel, cal. to rhs; frame markings incl. SW monogram trademark have been almost polished off; cylinder indexing well, strong springs & sears; grip has been crudely adapted to revolver; overall in g. wo & f. cond. **#17647** Pre 47' L/R **A hotchpotch of parts.** **50 - 100**
365. **HIGH STANDARD MOD. SENTINEL IMPERIAL D.A. REVOLVER:** 22 LR cal.; 9 shot fluted cylinder; 6" (152m/m) barrel with vg. bore & crisp rifling, needs a clean; blued finish to barrel, cylinder & small parts, black finish to cast frame with some handling marks; lhs of barrel marked with mod., **HAMDEN** two-line address to rhs of barrel/ cal.; **HI-STANDARD** eagle trademark to lhs of frame, **MADE IN USA** to rhs of frame; cylinder indexing well, strong sears & springs; chequered wood grips in exc. cond.; overall in exc. wo & vg.+ cond. **#1204228** Post 46' L/R **300 - 500**
366. **SMITH & WESSON MOD. 10-5 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 2" (51m/m) snub nose barrel with exc. bright bore & crisp rifling; original blued finish to metalwork presents decent, some minor storage marks overall, thinning slightly on straps; **SMITH & WESSON** marked to lhs barrel, cal. to rhs & four-line **SPRINGFIELD** address to rhs frame with **SW** monogram trademark to rear; action needs work, hammer binds up but will index occasionally; lhs walnut grip in g. cond., some light handling marks, rh. Grip with large gouge/ graze, p. cond.; overall in f. cond. **#D399377** Post 46' L/R **Has seen little use but needs some work.** **100 - 200**
367. **SMITH & WESSON MOD. 53 D.A. REVOLVER:** .22 Remington jet cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with exc. bright bore & crisp rifling; glossy blued finish to metalwork with holster wear to front sides of barrel, light wear to front of cylinder; strong case colours to hammer & trigger; lhs barrel marked **SMITH & WESSON**, rhs marked **22 MAGNUM**; rhs frame marked with **SW** monogram trademark, four-line address; strong springs & sears, cylinder indexing well; double strikers & two position hammer for use with centrefire, rimfire; walnut two-piece grip in g.+ cond., some light wear to finish, general handling marks but chequering remains sharply defined; both grips inlaid with silver SW medallions inlaid to top; overall in exc. wo & g. to vg. cond. **#K439738** Post 46' L/R **1100 - 1400**
368. **COLT MOD. 1889 NAVY D.A. REVOLVER:** .38 long Colt; 6 shot fluted cylinder; 3" (76m/m) barrel with f. to g. bore, patchy frosting & pit peppering but the remainder is bright, rifling is well-defined; thinning original glossy blued finish to metalwork, majority of losses on cylinder & barrel where a mottled grey patina & frosting is present; sharply defined three-line **HARTFORD** address & patents to top of barrel, lhs barrel marked **COLT D.A. 38** & lhs frame marked with rampant horse roundel trademark; cylinder indexing well, strong springs & sears; rhs frame with a bad replacement screw; **COLT** marked grips appear to be plastic reproductions; overall in vg. wo & f. to g. cond. **#71555** Pre 47' L/R **600 - 800**

369. **ENFIELD MFG. WEBLEY MK. VI SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 500 - 700
6" 152m/m barrel with vg. bright bore & sharply defined rifling, some minor staining; blued finish to metalwork presents well, thinning on barrel, some staining; rhs of frame marked **ENFIELD/ Mk (crown) VI/ 1926**, lhs frame marked with defence broad arrow within **D** mark; **GR** proofs to chambers & barrel, matching numbers; markings are v. well-defined; cylinder indexing well, strong springs & sears; hard rubber grips present v. well, sharply defined chequering to both; large **M** marked to bottom of both; lh grip with chip to inner butt; comes with older lanyard; overall in exc. wo & vg. cond. #A7559 L/R 1926 Mfg.
370. **COLT THIRD GEN. SINGLE ACTION ARMY REVOLVER:** .44 Special cal.; 6 shot fluted cylinder; 500 - 700
5 1/2" (140m/m) barrel with vg. bright bore & crisp rifling, could use a clean; blued finish to barrel, cylinder & small parts, bluing worn on barrel & ejector rod housing, both with some light pitting; strong case colours to frame; lhs barrel marked **COLT SINGLE ACTION ARMY .44 SPECIAL**, top marked with single line **HARTFORD C.T. U.S.A.** address; patents & rampant horse trademark to lhs frame; cylinder indexing well, crisp sears & strong spring tension; black plastic grips with rampant horse trademark to top, chequering sharply defined; rh grip with chip to base & glue repaired crack running up to centre screw; overall in exc. wo & f. to cond. #39804SA Post 46' L/R *Still make a great shooter, imperfections are purely aesthetic.*
371. **FINE & ENGRAVED COLT THIRD GEN. SINGLE ACTION ARMY REVOLVER:** .45 long Colt 2000 - 2500
cal.; 6 shot fluted cylinder; 4 3/4" (121m/m) barrel with fine, bright bore & crisp rifling; blued finish to barrel, cylinder & small parts present flawless, trace storage marks to muzzle; vivid case colours to frame; blued parts of revolver with light coverage of crisp Colt pattern scroll engraving incl. on cylinder top of barrel, top strap; lhs barrel marked **COLT SINGLE ACTION ARMY .44 SPECIAL**, top marked with single line **HARTFORD C.T. U.S.A.** address; patents & rampant horse trademark to lhs frame; cylinder indexing well, crisp sears & strong spring tension; black plastic grips with rampant horse trademark to top, eagle motif to bottom of both, chequering sharply defined; overall in exc. wo & fine cond. #S36098A Post 46' L/R
372. **COLT THIRD GEN. SINGLE ACTION ARMY REVOLVER:** .44 Special cal.; 6 shot fluted cylinder; 700 - 1000
5 1/2" (140m/m) barrel with vg. bright bore & crisp rifling, could use a clean; blued finish to barrel, cylinder & small parts, some general holster wear to front of cylinder & muzzle area of barrel; soft case colours to frame; lhs barrel marked **COLT SINGLE ACTION ARMY .44 SPECIAL**, top marked with single line **HARTFORD C.T. U.S.A.** address; patents & rampant horse trademark to lhs frame; cylinder indexing well, crisp sears & strong spring tension; black plastic grips with rampant horse trademark to top, eagle motif to bottom of both, chequering sharply defined; grips with some minor handling marks; overall in exc. wo & g cond. #SA25464 Post 46' L/R
373. **COLT MOD. S.A.A. PEACEMAKER RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 6" 100 - 300
(152m/m) barrel with exc. bore & crisp rifling, muzzle has been poorly re-crowned; blued finish to barrel, cylinder strong case colours to areas of frame, blacked finish to alloy trigger guard & straps; some staining on frame & evidence of weld repairs to lhs, appears to be pitting repairs; model marked to lhs barrel, **HARTFORD** address to top; patents & rampant horse trademark to lhs frame; cylinder indexing well, strong springs & sears; black plastic grips with rampant horse trademark to top, eagle motif to bottom of both, chequering sharply defined; overall in exc. wo & f. cond. #G90259 Post 46' L/R
374. **COLT MOD. S.A.A. FRONTIER SCOUT RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 100 - 300
4 3/4" (121m/m) barrel with exc. bore & crisp rifling; thinning blued finish to barrel lhs, strong finish to cylinder; blacked finish to alloy frame & straps bearing some handling marks & profiled buffed down on top strap; model marked to lhs barrel, **HARTFORD** address to top; rampant horse trademark to lhs frame; cylinder indexing well, strong springs & sears; top strap has been drilled & tapped; black plastic grips with rampant horse trademark to top, chequering sharply defined; overall in exc. wo & f. cond. #168769F Post 46' L/R

375. **COLT MOD. S.A.A. FRONTIER SCOUT RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 4 3/4" (121m/m) barrel with exc. bore & crisp rifling; bright plated finish to metalwork, 95% remaining but majority of metalwork bearing extensive but light surface marks & peening; model marked to lhs barrel, **HARTFORD** address to top; rampant horse trademark to lhs frame; cylinder indexing well, strong springs & sears; back strap has been repaired; smooth walnut grips in g. sound cond., some light handling marks to both; overall in exc. wo & f. cond. #18456K Post 46' L/R **100 - 300**
376. **COLT THIRD GEN. SINGLE ACTION ARMY REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 7 1/2" (190m/m) barrel with vg. bright bore & crisp rifling, could use a clean; blued finish to barrel, cylinder & small parts, some minor holster wear to front of cylinder & muzzle area of barrel; vivid case colours to frame; lhs barrel marked **COLT SINGLE ACTION ARMY .357 MAGNUM**, top marked with single line **HARTFORD C.T. U.S.A.** address; patents & rampant horse trademark to lhs frame; cylinder indexing well, crisp sears & strong spring tension; black plastic grips with rampant horse trademark to top, eagle motif to bottom of both, chequering sharply defined; grips with some minor handling marks; overall in exc. wo & vg.+ cond. #SA11680 Post 46' L/R **A nice honest example in a fun modern calibre.** **1000 - 1400**
377. **COLT NEW LINE S.A. RIMFIRE REVOLVER:** .22 short cal.; 7 shot fluted cylinder; 2 1/4" (56m/m) barrel with dirty & dusty bore, considered p.; 70% original nickel finish to metalwork with dark staining to difference; majority of losses on cylinder, muzzle of barrel; axis pin, hammer & screws retain areas of strong nitre blueing; **COLT NEW 22** marked to lhs barrel, patents to underside & two-line **HARTFORD** address to top; cylinder indexing well, crisp spur trigger; smooth walnut grips in vg. cond., retaining much of their varnish finish, some light wear; overall in g.+ cond. #46591 Pre 1900 L/R **Has seen v. little use.** **500 - 700**
378. **SMITH & WESSON MODEL 1 POCKET RIMFIRE REVOLVER:** .22 short cal.; 7 shot fluted; 3 1/4" (82m/m) octagonal barrel with integral rib; grey patina & some fine pitting to barrel & cylinder; 95% silver plating to brass frame; top of rib marked with faint address, patents marked to cylinder; action locks up with some movement, strong springs & sears to lock but cylinder not indexing; smooth rosewood grip, patchy original varnish to both, some light handling marks; overall in f. to g. cond. #34020 Pre 1900 L/R **300 - 500**
379. **WEBLEY MK. VI BLANK FIRE REVOLVER:** .22 Blank cal.; 6 shot shortened cylinder; 53m/m barrel has been lopped off & rhs breech has been shaved away; blued finish to metalwork has developed a dark patina; std. Webley markings are defined; action locks up with some movement, indexes & dry fires; large walnut two-piece grip is sound but chequering worn; overall in f. cond. #235282 Pre 47' L/R(?) **Check your state regs for licensing.** **50 - 100**
380. **STURM RUGER NEW MOD. BLACKHAWK S.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6 1/2" (167m/m) barrel with exc. bright bore & sharply defined rifling; blued finish to majority of metalwork presents exc., minor storage rub to lhs muzzle & general traces of handling marks; two-line **STURM RUGER** address to lhs barrel, model & cal. marked to lhs frame; cylinder indexing well, strong springs & sears; std. sights; fitted with synthetic horn grips which are both in vgc.; overall in exc. wo & vg. to exc. cond. #33-37186 Post 46' L/R **600 - 800**
381. **ACCLES & SHELVOKE LTD MOD. CASH HUMANE SLAUGHTERING PISTOL:** .32 ACP cal.; 105m/m pistol with angled muzzle & vent port to underside; g. bore; matte finish to metalwork presents well, some minor handling marks; lhs breech marked **CASH/ HUMANE SLAUGHTERING PISTOL / .32 CAL**; lhs barrel marked with British proofs, **BNP** marked again to breech & frame; break open action with side lever release, locks up tight & lock strong; two-piece bakelite grip in vgc.; overall in exc. wo & vg. cond. #4392 Post 46' L/R **150 - 300**
382. **ARMI SAN MARCO 2ND MOD. DRAGOON PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 7 1/2" (190m/m) round barrel with octagonal breech; bore bright with sharp rifling, vg. overall; blued finish to barrel & cylinder, vivid case colours to frame & loading lever; finishes present decent, large worn patch to cylinder; makers mark to lhs frame; cylinder indexing well, strong springs & sears; smooth walnut grip in g. overall cond., some light handling marks to both; overall in vg. wo & g. cond. #6425 Post 46' L/R **250 - 500**

383. **COLT S.A.A. MOD. NEW FRONTIER RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 4 1/2" (112m/m) barrel with exc. bright bore & crisp rifling, a little dusty; strong blued finish to barrel & cylinder, vivid case colours to frame, blacked finish to alloy trigger guards & straps; metal finishes present flawless, trace storage marks; model marked to lhs barrel, **HARTFORD** address to top; lhs frame marked with patents & rampant horse trademark; cylinder indexing well, crisp sears & strong springs; black plastic grips with rampant rose motif to top & eagle to bottom, both in exc. cond.; overall in exc. wo & fine cond. #G217724 Post 46' L/R 500 - 700
384. **A. UBERTI MOD. 1875 REMINGTON S.A. ARMY REVOLVER:** .357 mag. cal.; 6 shot fluted cylinder; 7 1/2" (191m/m) round barrel with exc. bore, sharply defined rifling, a little dusty; vivid case colours to frame & strong blued finish to barrel & cylinder; lhs barrel marked with **MOD. 1875 ARMY CAL.357 MAG.**, top of barrel marked with makers name; cylinder indexing well, strong springs & sears; blade front sight; smooth walnut grips in vg. cond., some minor handling marks; overall in exc. wo & vg. cond. #J14477 Post 46' L/R 600 - 800
385. **COLT OFFICERS MODEL MATCH D.A. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with dirty bore, sharply defined rifling & appears vg.; strong blued finish to metalwork, some v. minor wear on profiles but presents exc.; model marked to lhs barrel/ cal.; rhs barrel marked with single line **HARTFORD** address, lhs frame marked with rampant horse trademark; strong springs & sears; mechanically exc., strong springs & sears, indexing well; original two-piece walnut grip with well-defined chequering, silver **COLT** medallion inlaid to both sides; grip with some light handling marks; overall in exc. wo & near exc. cond. #85982 Post 46' L/R 500 - 700
386. **COLT MOD. TROOPER D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with vg. bright bore & sharply defined rifling, needs a clean; strong blued finish to metalwork, some v. minor wear on profiles but presents well; **HARTFORD** address to rhs barrel, **TROOPER .357/.357 MAGNUM CTG.** to lhs, horse trademark to lhs frame all markings are well-defined; cylinder indexing well, strong springs & sears; std. sights; original two-piece walnut grip with well-defined chequering, silver **COLT** medallion inlaid to both sides; grip with some light handling marks; overall in vg. wo & vg. cond. #82148 Post 46' L/R 600 - 800
387. **A. UBERTI MOD. 1873 COLT S.A. ARMY REVOLVER:** .45 long Colt cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) round barrel with fine bore & crisp rifling, quite possibly unfired; vivid case colours to frame & strong blued finish to barrel & cylinder, minor storage marks overall; with **MOD. 1873 CAL.45 COLT**, top of barrel marked with makers name; cylinder indexing well, strong springs & sears; blade front sight; smooth walnut grips in vg. cond., some minor handling marks; overall in exc. wo & near exc. cond. #U08698 Post 46' L/R 600 - 800
388. **COLT S.A. FRONTIER SCOUT ALAMO MOD. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot cylinder; 4 3/4" (120m/m) barrel with bright bore & crisp rifling, needs a clean but appears exc.; black finish to alloy frame, glossy blued finish to barrel & bright gold finish to small parts, straps; finishes present well, some minor storage marks overall; **ALAMO MODEL** marked to lhs barrel, single-line **HARTFORD** address to top of barrel & model marked to rhs barrel; cylinder indexing is crisp, strong springs & sears; faux ivory grips with large gold star to lhs & gold **COLT** medallions inset to top of both; grips a bit dirty but in vg. overall cond.; overall in exc. wo & vg. cond. #1800A22 Post 46' L/R 500 - 700
389. **F. PIETTA MOD. REMINGTON NEW MODEL ARMY S.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (206m/m) octagonal barrel with exc. bright bore & sharply defined rifling, a little dusty at muzzle; dull finish to brass frame, barrel & cylinder with strong blued finish, some light handling marks; cylinder not indexing, strong springs & sears otherwise, missing one nipple; faux ivory grips in sound cond., some handling marks to both; comes with fitted leather holster; overall in f. wo & g. cond. #215832 Post 46' L/R 100 - 300

390. **WEBLEY MK VI D.A. SERVICE REVOLVER:** 455 Webley cal.; 6 shot fluted cylinder; 4" (105m/m) barrel with f. bore, defined rifling but some patchy pitting; original blued finish has turned a dark patina with fine, patchy oxidation scale to most surfaces, presents ordinary but markings & profiles remain sharp; lhs of the frame marked **WEBLEY / MARKIV / PATENTS**, lhs of top strap marked **MARK "IV"**; **VR** proofs to barrel & chambers; action locks up tight, cylinder indexing ok but sears need work in single action; original hard rubber grips present well, some handling marks but chequering remains well-defined; name has been etched into top of lh grip above chequering, two notches marked to base of rh grip; lanyard ring to butt; overall in f.+ cond. #77748 Pre 47' L/R *Would grade up with minor work.* 400 - 600
391. **AUSTRALIAN RETAILED COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 4" (102m/m) octagonal barrel with g. bore, shiny throughout with sharply defined rifling, some light oxidation; majority of metalwork patchy grey patina, some mottled staining in areas; mottled mellow patina to large brass trigger guard & straps, some traces of original silver plating; well-defined single line **NEW-YORK** address to top of barrel; **COLT'S PATENTS** marked to lhs frame; London **V & P** proofs marked to lhs barrel, chambers; serial no. **212756 E** marked to barrel assembly, frame, trigger guard, butt & **12756** on cylinder; faint stagecoach scene roll stamped on cylinder; cylinder indexing, strong springs & sears; smooth walnut grips with 75%+ original varnish, some handling marks overall; butt flat of lh grip stamped **FROM/ I. CHALLENGER, GUN-MAKER/ SYDNEY** marked to rhs grip; comes in its original fitted leather holster with identical **H. CHALLENGER** markings; holster in sound cond., some surface distress but stitching remains vg.; overall in vg. wo & g.+ cond. #212756 L/R Mfg. 1862 2500 - 3000
392. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .38 WCF (38-40 Win.) cal.; 6 shot fluted cylinder; 4 3/4" (122m/m) barrel with f. to g. bore, sharp rifling throughout but some patches of light frosting & scattered pitting; dull grey patina to metalwork, barrel & trigger guard with 20% original blued finish in protected areas, case colours remains at front of frame, top strap groove; **38 W.C.F.** to lhs of barrel, defined two-line **COLT'S PT. F.A. MFG. Co./ HARTFORD C.T. U.S.A.** stamped to top of barrel; patents & rampant horse trademark to lhs of frame; **189958** marked to frame, trigger guard & butt of backstrap; mechanically fine, cylinder indexing crisp, strong sears & springs; vg. screw heads; original hard rubber grips present v. well, light general wear to both, chequering & rampant horse motif to top of both remains defined; overall in vg. wo & g.+ cond. #189958 L/R Mfg. 1899 *A nice, honest example that's escaped heavy use and repairs.* 1800 - 2200
393. **E. REMINGTON SMOOT NEW MOD. No. 3 POCKET REVOLVER:** .38 rimfire cal.; 5 shot fluted cylinder; 2 1/2" (64m/m) round barrel with oxidation scale in bore, rifling appears well-defined; revolver retains 80%+ original nickel finish, presents well; **E. REMINGTON & SONS ILION** address & patents to top of barrel; smooth action & cylinder indexing, crisp spur trigger; chequered hard rubber grips with only light wear to profiles & some dust in chequering ; overall in g. to vg cond. #20485 Pre 1900 L/R 500 - 800
394. **COLT OPEN TOP POCKET RIMFIRE REVOLVER:** .22 short cal.; 7 shot fluted; 2 1/2" (62m/m) round barrel with f.+ bore, rifling well-defined, some oxidation & light pitting; dark mottled patina to steel parts, even mellow finish to brass frame; top of barrel marked with faint **HARTFORD** address, underside marked **25505**; cylinder indexing loosely, g. spring tension; small hairline crack to rhs frame within loading channel; smooth walnut grips in g. cond., 40% patchy original varnish finish, some light handling marks; overall in f.+ cond. #4463 Pre 1900 L/R 400 - 600
395. **ALOCK & PIERCE WEBLEY No. 5 D.A. REVOLVER:** .360 cal.; 6 shot fluted cylinder; 3 1/4" (78m/m) barrel with g. bright bore & sharply defined rifling, some patches of oxidation staining; original glossy blued finish to metalwork, thinning to a plum patina in areas, some surface marks; **WEBLEY'S/ No5/360CF/** winged bullet trademark to lhs frame, **MADE IN ENGLAND** to rear; top strap engraved **ALOCK & PIERCE./ MELBOURNE.**; mechanically exc., cylinder indexing well, strong springs & sears; walnut single piece grip in g.+ cond., chequering still v. well-defined; steel buttplate with lanyard ring; overall in exc. wo & g.+ cond. #94557 Pre 47' L/R *A nice, honest Australian retailed pistol.* 400 - 600

396. **REMINGTON RIDER PATENT RIMFIRE D.A. POCKET REVOLVER:** .32 rimfire cal.; 5 shot cylinder; 3 1/4" (80m/m) octagonal barrel with f. to g. bore, fine pitting throughout but rifling remains sharply defined; 90% original nickel-plated finish to majority of metalwork, faint case colours to hammer; top of barrel marked **MANUFACTURED BY REMINGTONS ILION. N.Y/ RIDERS. PT. AUG. 17. 1858. MAY 3.1859**; strong springs & sears, indexing well; light brown gutta percha grips in vg. cond., some light handling marks but chequering remains v. well-defined; overall in vg. wo & g. to vg. cond. **#154** Pre 1900 L/R **600 - 800**
397. **MERWIN HULBERT & Co MEDIUM FRAME D.A. REVOLVER:** .32 CF cal.; 7 shot fluted cylinder; 3 1/2" (90m/m) barrel with f. to g. bore, some light pit peppering & dusty at muzzle; 70%+ original nickel plating to majority of metalwork, flaking to a grey steel finish, some staining; top of integral barrel rib marked with **MERWIN HULBERT & CO. NEW YORK U.S.A./ patents; 32 CAL. 7 SHOT** marked to lhs frame; cylinder indexing well, strong springs & sears; folding hammer spur; hard rubber grips in g.+ cond., few minor handling marks, chequering & woven pattern motif to top of grips are well-defined, tow notched or chips to lh grip; overall in vg. wo & g. cond. **#20857** Pre 1900 L/R **800 - 1200**
398. **E. REMINGTON NEW MODEL RIMFIRE POCKET REVOLVER:** .32 rimfire cal.; 5 shot cylinder; 3" (78m/m) octagonal barrel with bright bore & crisp rifling, some minor oxidation patches but vg. cond. overall; 80% original nickel plating to metalwork, flaking to a grey steel finish in the difference; top of barrel marked with patents/ **E. REMINGTON & SONS. ILION** address/ **NEW MODEL**; mechanically fine, strong springs & cylinder indexing crisp, spur trigger; smooth rosewood grips retain 40% patchy original varnish finish; overall in exc. wo & g. to vg. original cond. **#17060** Pre 1900 L/R **A fine little example.** **700 - 900**
399. **RARE REMINGTON MFG. BEALS' PATENT PERCUSSION POCKET REVOLVER:** .30 cal.; 5 shot cylinder; 4" (103m/m) octagonal barrel with f. bore, well-defined rifling but some pitting & oxidation scale internally; smoky-grey patina to metalwork, some scattered patches of pit peppering, lhs barrel with some scoring; top of barrel marked with two-line **BEALS' PATENT** over **REMINGTON** address; cylinder indexing strong springs & sears; original chequered gutta percha grips are in sound cond., some general light wear & small surface chips; overall in p. to f. cond. **#698** Pre 1900 L/R **300 - 500**
400. **COLT THIRD MOD. No. 3 'THUER' S/S DERRINGER:** .41 rimfire short cal.; 2 1/2" (64m/m) barrel with f. bore, clean overall with sharp rifling, band of heavy pit peppering breech end; mottled grey patina with mottled staining to steel parts incl. barrel, mellow patina to brass frame 60%+ original silver plating; screws heads retain faint nitre blueing; **-COLT-** marked to top of barrel, London **V & P** proofs to underside of barrel; serial no. to barrel flat; strong lock spring & sears to spur trigger; silver blade front sight; smooth walnut grips retain 70%+ original varnish finish, some minor handling marks; overall in g+ cond. **#0922** Pre 1900 L/R **600 - 800**
401. **E. REMINGTON SMOOT NEW MOD. No. 3 POCKET REVOLVER:** .32 rimfire cal.; 5 shot fluted cylinder; 2 3/4" (71m/m) octagonal barrel with integral rib; bright bore with sharply defined rifling, some frosting patches; revolver retains 80%+ original nickel finish, losses are from surface scuffs; **E. REMINGTON & SONS ILION** address & patents to top rip; smooth action & cylinder indexing, crisp spur trigger; extractor rod; chequered hard rubber grips with only light wear to profiles, vg. wo & g.+ cond. **#235** Pre 1900 L/R **500 - 800**
402. **HOOD FIREARMS Co S.A. RIMFIRE POCKET REVOLVER:** .32 rimfire cal.; 5 shot fluted cylinder; 67m/m round barrel with f. to g. bore, rifling sharply defined, some minor oxidation scale; 50% original nickel-plated finish, thinning to a plum-brown patina in worn areas; top of barrel marked with sharply defined **HOOD F.A. CO. PAT. APR.6. 1875**; cylinder indexing well, strong springs & sears, crisp spur trigger; smooth rosewood grips in g. to vg. cond., light surface marks to both; overall in g. wo & cond. **#381** Pre 1900 L/R **Looks almost identical to a Colt New Line.** **400 - 600**

403. **WEBLEY MK. IV D.A. POCKET REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 3" (78mm) barrel with exc. bore & sharp rifling; glossy blued finish to metalwork with some light wear profiles, still presents v. well; sharp profiles & markings; ; **MARK IV 38** to lhs top strap, **WEBLEY & SCOTT. LTD** marked to top; serial no. to rhs of frame; **BV** proofs to chambers; **W & S** flying bullet trademark to rhs of breech; action locks up tight, smooth double action & crisp s.a. operation; black plastic grips in vg. cond., sharply defined chequering; overall in exc. wo & vg. cond. **#A39511** Post 46' L/R *Has seen v. little use* **400 - 600**
404. **FINE AUSTRALIAN RETAILED COLT NEW HOUSE S.A. POCKET REVOLVER:** .38 Long Colt cal.; 5 shot fluted cylinder; 2 1/4" (56m/m) barrel with bright bore & crisp rifling, some minor oxidation; 80%+ original blued finish to metalwork presents well, thinning to a dark purple patina on cylinder & barrel; defined two-line **HARTFORD** address marked to top of barrel, faint **COLT HOUSE 38** marked to lhs; London **V & P** proofs marked to underside of barrel & chambers; butt of backstrap marked with original colt serial no. **18843 & J.R.** (James W. Rosier of Melbourne)/ **11793**; cylinder indexing crisp, strong springs & sears; original hard rubber grips are in exc. cond., both with fine & sharply defined chequering **COLT** to top; overall in exc. wo & vg.+ cond. **#18843** L/R Mfg. 1884 *A superb example* **800 - 1200**
405. **BELGIAN D.A. PINFIRE POCKET REVOLVER:** 7m/m pinfire cal.; 6 shot cylinder; 2 1/2" (64m/m) round barrel with vg. bore & sharply defined rifling; 20% thinning original blued finish to metalwork, a mottled brown patina to remainder; cylinder roll **stamped NEW ENGLISH PATTERN PINFIRE PISTOL 7m/m 20 SEPTEMBER 1876**; mechanically strong, cylinder indexing well, strong spring & sears, folding trigger; smooth walnut grips in g. to vg. original cond., only light handling marks; overall in g. to vg. cond. **#3451** Pre 1900 L/R *So rare to see these in good original condition.* **400 - 700**
406. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** 38 WCF (38-40 Win.) cal.; 6 shot fluted cylinder; 4 3/4" (120m/m) barrel; f. to g. bore with some fine to light pitting in areas but rifling remains well-defined; mottled plum-grey patina & fine frosting to metalwork externally, some traces of original finish in protected areas; defined two-line **HARTFORD** address to top of barrel, lhs marked **38 W.C.F.**; lhs of frame with well-defined two-line patents, circled rampant horse trademark; **299937** marked to frame, trigger guard & butt; strong springs & crisp cylinder indexing, sears; original hard rubber grips in f.+ cond., both showing wear but majority of chequering & rampant horse motif to both is defined; overall in vg. wo & g. cond. **#299937** L/R Mfg. 1907 *An honest example.* **1500 - 1800**
407. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .45 Long Colt cal.; 6 shot fluted cylinder; 5 1/4" (134m/m) barrel; bright bore with crisp rifling, vg. overall; metalwork has been polished back, reblued at some stage, now a patchy, mottled grey patina overall; single-line **HARTFORD** address to top of barrel is well-defined, patents & trademark to lhs frame is faint; lhs barrel restamped crudely with **45**; cylinder indexing well, g. spring tension & sears; evidence at muzzle & chambers to suggest revolver has been bored out to a 45 cal. from a smaller calibre; original hard rubber grips are well worn & large chipped sections around butt have subtle filled repairs; overall in vg. wo & p. to f. cond. **#172223** L/R Mfg. 1897 **700 - 1000**
408. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** 32 WCF (32-20 Win.) cal.; 6 shot fluted cylinder; 4 3/4" (121m/m) barrel; f. to g. bore with some fine to light pitting in areas but rifling remains well-defined and generally bright; mottled grey patina & patches of fine pitting to metalwork externally; defined two-line **HARTFORD** address to top of barrel with a small scratch obscuring the start; lhs barrel marked **32 W.C.F.**; lhs of frame with partially worn two-line patents & circled rampant horse trademark; **281850** marked to frame, trigger guard & butt; strong springs & crisp cylinder indexing, sears; original hard rubber grips heavily worn, majority of chequering indistinct or worn away, rampant horse motif only lightly defined; overall in vg. wo & f. cond. **# 281850** L/R Mfg. 1906 *An honest example.* **1400 - 1600**
409. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** 32 WCF (32-20 Win.) cal.; 6 shot fluted cylinder; 4 3/4" (121m/m) barrel; f. to g. bore with some fine to light pitting in areas but rifling remains well-defined and generally bright; metalwork has been cleaned back to a dull steel finish, some blueing remaining in cylinder flutes; metalwork with some light handling marks & fine pitting; defined two-line **HARTFORD** address to top of barrel with a small scratch obscuring the start; lhs barrel marked **32 W.C.F.**; lhs of frame with defined two-line patents & circled rampant horse trademark; **171505** marked to frame, trigger guard & butt; cylinder indexing well, strong sears but weak spring tension; composite faux ivory with horse & cowboy motif, both in g. cond.; overall in vg. wo & f. cond. **#171505** L/R Mfg. 1897 **1400 - 1600**

410. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .41 Colt cal.; 6 shot fluted cylinder; 4 3/4" (120m/m) barrel; f.+ bore, rifling well-defined but patchy fine pitting in areas; metalwork polished back to a bright silver coin finish, some evidence of fine pre-refinish pit peppering in areas; most surfaces have been extensively engraved, crisp relief acanthus scroll covers much of the frame, barrel & straps; butt signed **DW Harris**; two-line **HARTFORD** address to top of barrel, lhs marked **41 COLT**; lhs of frame with two-line patents, circled rampant horse trademark; markings defined but showing wear; **218416** marked to frame, trigger guard & butt; cylinder indexing crisp, strong springs & sears; replacement smooth walnut grips in exc. cond.; overall in g. wo & vg.+ cond. **#218416 L/R Manufactured in 1901, the revolver was embellished by master engraver David W. Harris of Texas in the late 90's or early 2000's** 2000 - 2500
411. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .41 Colt cal.; 6 shot fluted cylinder; 4 3/4" (121m/m) barrel; bright bore with some finely speckled oxidation, rifling remains sharply defined; 30% original blued finish to barrel, cylinder & small parts in protected areas, plum patina to the difference; frame retaining strong case colours to front lhs; defined two-line **HARTFORD** address to top of barrel, lhs marked **41 COLT**; lhs of frame with well-defined two-line patents, circled rampant horse trademark; **176601** marked to frame, trigger guard & butt; strong springs & crisp cylinder indexing, sears; screw heads largely untouched; original hard rubber grips in vg. overall cond., rh grip showing show wear but chequering to both is well-defined, as is the rampant horse to top of both; overall in exc. wo & g. to vg. cond. **#176601 L/R Mfg. 1898 A nice original example that has seen very little use over the last 127 years** 2000 - 2500
412. **COLT BISLEY MOD. S.A.A. REVOLVER:** 44 WCF (44-40 Win.) cal.; 6 shot fluted cylinder; 4 3/4" (122m/m) barrel with f. bore, rifling well-defined but light to moderate pitting in patches; revolver has been refinished, strong case colours to frame, remainder with generally strong blued finish, thinning at muzzle; some v. small patches of pitting to frame still evident; faint two-line **HARTFORD** address to top of barrel, lhs barrel marked **(BISLEY MODEL)/ COLT FRONTIER SIX SHOOTER**; lhs of frame with lightly defined two-line patents, circled rampant horse trademark; strong springs & sears, cylinder indexing well; what appear to be replica grips are in vg. cond., a few minor marks; chequering & rampant horse trademarks sharply defined; overall in g. wo & g. to vg. cond. **#258136 L/R Mfg. 1904** 1200 - 1600
413. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .41 Colt cal.; 6 shot fluted cylinder; 4 3/4" (120m/m) barrel; f.+ bore, rifling well-defined but patchy fine pitting in areas; bright plated finish to majority of metalwork, screws & some small parts with thinning blued finish; most surfaces have been extensively engraved with acanthus scroll which covers much of the frame, barrel & straps; engraving is defined; two-line **HARTFORD** address to top of barrel, lhs marked **41 COLT**; lhs of frame with two-line patents, circled rampant horse trademark; markings faint; **217221** marked to frame, trigger guard & butt; cylinder indexing well, strong sears but spring tension a little soft; what appear to be replica grips are in vg. cond., small glued repair to crack on lh grip but otherwise both in vgc.; chequering & rampant horse trademarks sharply defined; overall in g. wo & g.+ cond. **#217221 L/R Mfg. 1901** 1500 - 2000
414. **BRITISH PERCUSSION S x S POCKET PISTOL:** .45 cal.; 3" (75m/m) turn-off barrels, bores both with some oxidation scale, f. to g. cond.; strong case colours to barrel, & grey patina to small parts; dull finish to brass frame & integral straps; light coverage of sharply defined acanthus scroll engraving to frame & trigger guard; Birmingham proofs to barrels & underside of breech; mechanically exc., strong springs & crisp sears, double triggers; chequered walnut grip in vg. cond., chequering is sharply defined & bearing only minor storage marks; vacant oval silver escutcheon to back of grip; overall in vg. cond. **#1112 Pre 1900 L/R A nice original example.** 400 - 600
415. **UNUSUAL BRITISH R.S. GARDEN TURN BARREL O/U RIMFIRE PISTOL:** .43 rimfire cal.; 4 1/4" (108m/m) barrels with p. bores, rifling is defined but peppered with some heavier pitting & oxidation; dark patina to majority of metalwork, some frosting in areas & heavier pits peppering backstrap; rhs centre rib engraved **R.S. GARDEN. 29 PICCADILLY. LONDON.** & rhs barrels marked with pair Birmingham proofs; border engraved frame with **LONDON No39687** marked to rhs; bottom strap engraved with serial no. **2119**; strong locks & sears, turn barrels with some movement on axis pin; chequered walnut grip panels, both showing wear & general handling marks, chequering remains defined; lanyard stud tomorrow; overall in f. cond. **#2119 Pre 1900 L/R An interesting pistol, would grade up.** 400 - 600

416. **SAVAGE MOD. 1917 S/A PISTOL:** .32 ACP cal.; 10 rnd. double stack mag.; 3 3/4" (94m/m) barrel with g. bore & well-defined rifling, grooves are dirty & look to have some fine pitting; original blued finish to metalwork showing holster wear to front of frame & slide, general dark patina overall; makers name, **UTICA** address & patent marked to top of slide, model to lhs frame; slide retracts freely, strong springs & sears, exposed striker spur; smooth walnut grip panels appear to replacements, some handling marks to both; overall in vg. wo & f. to g. cond. **#251967** Pre 47' L/R **400 - 600**
417. **F.N. BROWNING MOD. 1910 POCKET PISTOL:** .32 ACP; 8 rnd. mag.; 88m/m barrel with vg. shiny bores & sharp rifling, some leading in grooves; original blued finish to metalwork thinning to a an even soft grey on profiles & sides of slide, honest holster wear; sharply defined markings, F.N. full name & Belgian address to lhs of slide over **BROWNING'S PATENT DEPOSE**; slide retracts freely, strong sears & springs; black bakelite grips with **FN** monogram to top of both, grips in sound cond., lh grip with some worn spots to chequering, otherwise both in g.+ cond.; overall in exc. wo & g. cond. **#543108** Post 46' L/R **400 - 600**
418. **HIGH STANDARD MOD. THE SHARPSHOOTER S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) heavy barrel with dirty bore, appears bright bore with crisp rifling; blued finish to metalwork thinning on profiles but presents decent; **THE SHARPSHOOTER** marked to lhs frame; full name & **HARTFORD** address to rhs breech; slide retracts a little stiff & main spring a smidge weak; adjustable rear sight; chequered grip panels, thumb rest to lh grip; grips in g. to vg. cond. but a bit grubby; overall in vg. wo & g.+ cond. **#2411177** Post 46' L/R **Would grade up significantly with a clean & service.** **150 - 300**
419. **STAR MOD. F SPORT S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 148m/m barrel with g. bore, dusty but appears bright with sharp rifling, should grade up; original blued finish to metalwork is thinning on profiles, general holster wear; makers name & Spanish address to lhs slide; slide retracts freely, strong springs & sears; original bakelite maroon grips in g., sound cond., both with general wear & some surface marks; overall in exc. wo & f. to g. cond. **#349454** Post 46' L/R **An honest little pistol to use as is.** **150 - 300**
420. **F.N. BROWNING MOD. 1910 POCKET PISTOL:** .32 ACP; 8 rnd. mag.; 88m/m barrel with g. to vg. shiny bore & sharp rifling, some leading in grooves & minor pit peppering; worn original blued finish to metalwork, thinned to a mottled grey patina on slide, stronger blued finish on frame; F.N. full name & Belgian address to lhs of slide over **BROWNING'S PATENT DEPOSE**; slide retracts freely, strong sears & springs; f. to g. black bakelite grips with **FN** monogram to top of both, grips in sound cond., some worn spots to chequering & scuffs; overall in exc. wo & f. cond. **#520325** Post 46' L/R **300 - 500**
421. **SCARCE & FINE SPANISH CHAROLA y ANITUA MOD. 1897 S/A PISTOL:** 5m/m Charola cal.; 5 rnd. box mag.; 3 1/4" (82m/m) barrel with fine bore, crisp rifling; 95%+ original blued finish to metalwork presents v. well, hammer retains strong case colours; winged bullet **TRADE/MARK** marked to lhs frame, top of frame engraved **CHAROLA**; bolt retracts freely strong springs & crisp sears; smooth walnut grips in vg.+ cond., some minor storage marks; overall in exc. wo & near exc. **#28** Pre 47' L/R **800 - 1200**
422. **BELGIAN FOLDING TRIGGER PINFIRE POCKET REVOLVER:** 7m/m PF cal.; 6 shot cylinder; 3 1/2" (86m/m) barrel with dusty bore, rifling appears well-defined; grey patina to metalwork with some finely mottled staining & fine pitting in areas; Liege proof to cylinder; strong main spring but trigger spring missing or broken, sears not holding without; smooth walnut grips in g. cond., some minor marks but present well; overall in f. wo & cond. **#VM1** Pre 1900 L/R **Would grade up with some minor work.** **200 - 400**
423. **CONTINENTAL S/S SALOON PISTOL:** 9m/m flobert cal.; 209m/m octagonal barrel with f. bore, some light patchy pitting; grey patina & patchy light pitting to majority of metalwork; **PARIS** stamped to top of barrel; action locks up well, strong lock springs & sears; smooth walnut grip in f. to g. cond., wood-to-metal fit is ordinary at head; vacant silver escutcheon to back of grip; overall in g. wo & f. to g. cond. **#19390LSB** Pre 47' L/R **50 - 100**
424. **CONTINENTAL S/S SALOON PISTOL:** .25 flobert cal.; 156m/m shortened octagonal barrel with f. bore, patchy oxidation scale; grey patina, some patchy staining & light pitting to metalwork; British proof stamped to underside of barrel; action locks up with some movement, strong lock springs & sears; no front sight, rear dovetail has been filled; chequered walnut grip in g. cond.; vacant silver escutcheon to back of grip; overall in g. wo & f. to g. cond. **#19391LSB** Pre 47' L/R **50 - 100**

425. **ORNATE BELGIAN FOLDING TRIGGER PINFIRE POCKET REVOLVER:** 7m/m PF cal.; 6 shot cylinder; 3 1/4" (82m/m) octagonal barrel with f. bore, oxidation scale throughout; grey patina to majority of metalwork, some staining; full coverage of light floral engraving to frame, band of scroll to cylinder; action operating decent, strong springs & sears; vg. original hard rubber grips with deep relief floral & winged angel motifs to both, some light handling marks; overall in g. cond. **#SP167** Pre 1900 L/R **300 500**
426. **CONTINENTAL S/S SALOON PISTOL:** .25 flobert cal.; 156m/m shortened octagonal barrel with f. bore, patchy oxidation scale; metalwork has been cleaned back to a silvery-grey patina, some patchy staining; British proof stamped to underside of barrel; action locks up well, strong lock springs & sears; no front sight, rear dovetail has been filled; chequered walnut grip in g. cond.; vacant silver escutcheon to back of grip; overall in g. wo & f. to g. cond. **#19391LSB** Pre 47' L/R **50 - 100**
427. **BELGIAN FOLDING TRIGGER PINFIRE POCKET REVOLVER:** 9m/m PF cal.; 6 shot cylinder; 4" (102m/m) barrel with dusty bore, rifling appears well-defined; grey patina to metalwork, presents well; Liege proof to cylinder; strong main spring but trigger spring missing or broken, sears not holding without; smooth walnut grips in g. cond., some minor marks but present well; overall in f. wo & cond. **#12322** Pre 1900 L/R **200 - 400**
Would grade up with some minor work.
428. **GASSER MODEL 1870 D.A. REVOLVER & HOLSTER:** 11.75m/m Gasser cal.; 6 shot cylinder; 5" (130m/m) barrel with f. bore, powdery red oxidation throughout but rifling is sharply defined, would clean up; metalwork has been cleaned back to a silvery-grey patina overall, still bearing light pitting patches to most surfaces; faint proofs & makers name marked to breech; cylinder indexing but hammer sear not holding; original grips have been crudely refinished & poorly re-chequered; overall in p. to f. cond. **#H133C6** Pre 1900 L/R *Unverified note accompanies revolver stating: revolver was brought back from Europe during WW1 by Australian soldier Leslie Vaughn who served with the Light Horse Brigade.* **500 - 700**
429. **BRITISH PROOFED FOLDING TRIGGER PINFIRE POCKET REVOLVER:** .30 cal. pinfire; 6 shot cylinder; 3 1/2" (88m/m) barrel; bore with powdery oxidation throughout, unknown cond.; finely speckled brown oxidation staining to majority of metalwork, presents ordinary but not heavily pitted; border engraved frame with some light scroll engraving; Birmingham proofs to chambers & barrel; missing or broken main springs; walnut grip panels both in g. cond., chequering well-defined, only minor marks to both; overall in g. cond. **#1023** Pre 1900 L/R **150 - 300**
430. **FACTORY ENGRAVED LEE ARMS Co. RED JACKET No. 4 POCKET REVOLVER:** .32 rimfire cal.; 5 shot fluted cylinder; 2 3/4" (70m/m) octagonal barrel with dusty bore, cond. unknown; metalwork with 70% original nickel finish, dark patina & light pitting to difference; scroll engraving & diamond peened patterns to frame & small parts; top of barrel marked **RED JACKET NO. 4**, top strap marked **THE LEE ARMS CO/ WILKS-BARRE P.A.**; cylinder indexing, strong springs & sears; vg. pearl grips, some minor surface marks but both present v. well; overall in f. wo & g.+ cond. **#26827** Pre 1900 L/R *Has seen v. little work, would grade up significantly with a service.* **400 - 600**
431. **J.R. COOPER PATENT PEPPERBOX PERCUSSION REVOLVER:** 85 bore (.380 cal.); six 3" (76m/m) barrel cluster, all bores with oxidation scale; silvery grey patina to metalwork, some minor staining but presents well; Birmingham proofs to chambers; **J.R. COOPER'S/ PATENT** engraved within scroll banner to lhs side plate; frame & side plates with light coverage of scroll engraving; ring trigger, under hammer action, barrels not indexing but lock is strong; some broken & missing nipples; smooth walnut grips in f. cond., rhs butt has small copper stock tag nailed to top & fine crack to bottom; lh grip in vgc.; overall in f.+ cond. **#207** Pre 1900 L/R *Presents well.* **400 - 600**
432. **CONTINENTAL S x S PERCUSSION POCKET PISTOL:** 85 bore (.380 cal.); 3" (79m/m) turn-off twist damascus barrels; bores with oxidation scale throughout, considered p. to f.; grey patina to majority of metalwork, some brown staining in areas & pit peppering around breech; large acanthus scroll engraving to frame; matching hammers, strong springs & sears to folding triggers; smooth walnut butt with some light handling marks & fine surface crack to lhs; rhs butt has small copper stock tag nailed to top; German silver butt cap with clam shell trap; overall in g.+ cond. **#306** Pre 1900 L/R **500 - 700**

433. **BELGIAN MARIETTE D.A. PEPPERBOX PERCUSSION REVOLVER:** 100 bore (.360 cal.), four 2 3/8" (60m/m) twist damascus turn-off barrels with f. bores, oxidation scale in all, considered p. to f.; brown patina to barrels & breech area, grey patina to action; frame & back strap with full coverage of vine engraving; front strap marked with **MARIETTE/ BREVETE**; Liege proofs to breech; ring trigger action indexing is strong as are springs; carved fluted to walnut grips, some light handling marks & scattered bruises overall, lh grip has small copper stock tag nailed to top; engraved steel butt cap with integral diamond pommel; overall in g. cond. **#303** Pre 1900 L/R **500 - 700**
434. **BRITISH TRANSITIONAL PERCUSSION REVOLVER:** .43 cal.; 6 shot cylinder; 5 1/2" (140m/m) two-stage barrel with octagonal breech half; bore with oxidation scale throughout, rifling v. well-defined, doesn't appear badly pitted; metalwork has been cleaned to a silver grey patina overall, acanthus scroll engraving to frame & straps still well-defined; Birmingham proofs to chambers & underside of barrel; action needs work, strong spring tension but trigger won't pull all the way back; smooth walnut grip in f. cond., refinished, some light handling marks & rh grip has small copper stock tag nailed to top; overall in g. cond. **#375** Pre 1900 L/R **A sound example, would grade up with some minor work.** **500 - 700**
435. **FRENCH LEFAUCHEUX S.A. PINFIRE REVOLVER:** 11m/m pinfire cal.; 6 shot cylinder; 6" (155m/m) octagonal barrel with dusty bore, cond. unknown; silvery-grey patina to metalwork with patchy staining in areas; embossed scroll pattern to barrel flats at breech, rhs frame marked with **LF** trademark & serial no **2101**; hammer frozen & with brazed repair to nose, cylinder rotating freely; belt hook to lhs frame; walnut grip panels with some handling marks, both present well, small brass stock tag nailed to rhs grip; steel butt cap with integral diamond pommel; overall in f. cond. **#2101** Pre 1900 L/R **300 - 500**
436. **CONTINENTAL BULLDOG STYLE D.A. REVOLVER:** .450 CF cal.; 6 shot cylinder; 3 3/4" (97m/m) barrel with p. bore, caked with red oxidation throughout; dark patina & patchy brown oxidation scale to external surfaces; German **R** proof to rhs barrel; cylinder is indexing but springs & sear need an oil; missing trigger guard screw but otherwise appears complete; walnut grips in sound but f. cond., worn chequering to both, some staining & dry appearance; steel butt cap with lanyard stud; overall in p. to f. cond. **#A44851** Pre 1900 L/R **100 - 200**
437. **W. TRANTER MOD. 1868 D.A. REVOLVER:** .450 CF cal.; 6 shot cylinder; 4 1/2" (116m/m) octagonal barrel with f. bore, very dusty, deceased spider to breech end of barrel, rifling is still v. well-defined; metalwork with brown patchy oxidation scale, patina & frosting overall, flashes of original blued finish between; lhs breech marked with **W. TRANTER'S /PATENT** stamp/ **55922**; Birmingham proofs to chambers & underside barrel; cylinder indexing well, retains extractor rod assembly; trigger guard looks like a period, homemade replacement; single piece walnut grip, f. cond. with large chunk to rhs surface, worn down over time; overall in f. cond. **#55922** Pre 1900 L/R **200 - 400**
438. **J.R. COOPER PATENT PEPPERBOX PERCUSSION REVOLVER:** 85 bore (.380 cal.); six 3" (76m/m) barrel cluster, all bores with oxidation scale but don't appear heavily corroded; silvery grey patina to metalwork, some minor staining but presents well; Birmingham proofs to chambers; **J.R. COOPER'S/ PATENT** engraved within scroll banner to lhs side plate; frame & side plates with light coverage of scroll engraving; ring trigger, under hammer action, strong lock & indexing barrel well; one missing nipple; smooth walnut grips in f. cond., lhs butt has small copper stock tag nailed to top; lh grip in g. cond.; overall in g.+ cond. **#314** Pre 1900 L/R **A good, honest example.** **400 - 600**
439. **COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 6" (152m/m) octagonal barrel; defined rifling, peppered with light pitting & oxidation scale, would clean up but considered f.; dark patina to steel parts with patchy oxidation scale & fine pitting, some peening in areas; brass trigger guard retaining 70% original silver plating; two-line **NEW YORK** address to top of barrel, lhs of frame marked **COLT'S/ PATENT**; all matching numbers, **38241** or abbreviations marked to frame, cylinder, loading lever, right down to wedge; cylinder not indexing, strong springs & sears to hammer; locator pins to front of frame have sheared off; smooth walnut grip panels are in near vg. cond. with exception of stock number scribbled to lh grip in text, should clean off; overall in f.+ cond. **#38241** Mfg. 1852 L/R **Would grade up with minor work.** **600 - 800**

440. **BRITISH PROOFED FOLDING TRIGGER PINFIRE POCKET REVOLVER:** .28 cal. pinfire; 6 shot cylinder; 3 1/2" (90m/m) barrel; bore with powdery oxidation throughout, unknown cond.; silvery grey patina to metalwork with fine pitting, brown oxidation staining in areas; Birmingham proofs to chambers & barrel; cylinder indexing & springs strong, could use a service; walnut grip panels both in g. cond., chequering well-defined, only minor marks to both; overall in g. cond. **#A44850** Pre 1900 L/R 150 - 300
441. **ORNATE BELGIAN D.A. PEPPERBOX PERCUSSION REVOLVER:** 120 bore (.330 cal.), five 2 5/8" (68m/m) twist damascus turn-off barrels with f. bores, oxidation scale in all, considered p. to f.; silvery-grey patina to metalwork some light staining in areas, faint damascus pattern to barrels; frame & backstrap with attractive floral & border engraving to entirety, presents well; Liege proofs to breech; ring trigger action indexing is strong as are springs; carved ebony grips, lh grip has small copper stock tag nailed to top resulting in crack, otherwise both vg. & bearing only light handling marks; overall in g. cond. **#307** Pre 1900 L/R *A high quality & attractive little pepperbox, would grade up with minor work.* 500 - 700
442. **T.K. BAKER of LONDON TRANSITIONAL PERCUSSION REVOLVER:** .42 cal.; 6 shot cylinder; 4 3/4" (120m/m) two-stage barrel with octagonal breech third; bore with patchy oxidation but rifling remains v. well-defined, g. overall; silvery-grey patina to barrel, cylinder & small parts; dull finish to German silver frame & straps; **T.K. BAKER/ LONDON** engraved to lhs frame, Birmingham proofs to chambers & barrel; sharply defined & very attractive acanthus scroll to frame & back strap; back strap marked with **No. 1 & PATENT** marks; axis pin needs adjusting, barrel & cylinder assembly wobbly; long spur hammer with strong spring tension & sears but not indexing; smooth walnut grips, both sound but lhs has small copper stock tag nailed to top; overall in f. wo & g. cond. **#376** Pre 1900 L/R 500 - 700
443. **BRITISH SMITH PEPPERBOX PERCUSSION REVOLVER:** 85 bore (.380 cal.); six 3" (76m/m) barrel cluster, all bores with oxidation scale, ranging from heavy to light; dark mottled patina to metalwork, some patchy fine pitting in areas; Birmingham proofs to chambers; **SMITH** engraved within scroll banner to lhs side plate; frame & side plates with light coverage of scroll engraving; ring trigger, under hammer action, strong lock & indexing barrel well; smooth walnut grips present ordinary with a patchy finish, otherwise sound & bearing light handling marks; overall in g. cond. **#U33** Pre 1900 L/R 400 - 600
444. **BRITISH PROOFED TEN-SHOT PINFIRE D.A. REVOLVER:** .44 cal. pinfire cal.; 10 shot fluted cylinder; 6" (155m/m) barrel with f. to g. bore, some light pitting but rifling remains well-defined, needs a clean; mottled smoky-grey patina to majority of metalwork, some patchy frosting & fine pitting but presents well; Birmingham proofs to each of the ten chambers, underside of barrel; mechanically exc., strong springs & sears, cylinder indexing is crisp; some screw heads with burring; chequered walnut grip panels both present dry, showing wear in areas but sound overall; lanyard ring to butt; overall in g. wo & cond. **#U19** Pre 1900 L/R 700 - 1000
445. **EARLY COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .44 WCF (.44-40 Win.) cal.; 6 shot fluted cylinder; 7 1/2" (190m/m) barrel; bore with some light oxidation scale & pitting around v. well-defined rifling, bright difference; externally metalwork is ordinary, mixture of frosting, scattered peening, dark staining & oxidation scale in areas; bottom strap retains 15%+ original nickel finish; faint single line **HARTFORD** address marked to top of barrel, patents to lhs frame; lhs trigger frame marked with **44 CF** & small **44** marked underside of barrel; matching numbers to frame, trigger guard & butt of back strap; most markings are faint but not indistinct; mechanically poor, missing loading gate, main springs, front half of axis pin & the retaining screw; smooth walnut grips in f. cond., some chips to butt edges, surface residue to rh grip; overall in p. to f. cond. **#58549** Mfg. 1880 L/R *While the description may sound harsh, this is still an honest example and is only a few small parts away from operational condition.* 500 - 700

446. **COLT MOD. 1860 ARMY S.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot fluted cylinder; 8" (204m/m) barrel; bore a little dark with some light pitting & oxidation scale, rifling remains sharply defined; grey patina to majority of steel parts, barrel with patches of fine pitting & extensive peening; cylinder with reblued finish; top of barrel marked -**ADDRESS COL. SAML COLT NEW-YORK U. S. AMERICA-**; defined **COLT'S/ PATENT** marked to lhs of frame; defined roll stamped naval engagement scene, clear patents on cylinder; serial no. **89899** marked to barrel, frame, trigger guard, butt of back strap; **9899** marked to cylinder; cylinder indexing loosely, strong springs & sears; some replacement screws & burred originals; smooth walnut grips in sound cond., some handling marks & light bruising, general wear overall; overall in f. to g. cond. #**89899** Mfg. 1863 L/R **1500 - 2000**
447. **SMITH & WESSON MOD. M&P 40 S/A PISTOL:** 40 S.&W. cal.; 15 rnd. mag.; 105m/m barrel with exc. bright bore & sharply defined rifling; matte blued finish to metalwork, some minor wear to profiles & minor staining; **M&P** trademark, **40** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; slide retracts freely, strong springs & sears; all matching numbers; black polymer frame with some minor handling marks; overall in exc. wo & vg. cond. #**DXL0730** Post 46' L/R **500 - 700**
448. **J. STEVENS & CO S/S RIMFIRE 'BICYCLE' GUN:** .22 rimfire cal.; 10" (252m/m) barrel with f. to g. bore, rifling well-defined, some patchy light pitting; dark patina to barrel, nickel finish to action has developed a brown patina & is flaking; makers name/ **CHICOPEE FALLS** address to lhs breech; action locks up tight, lock with strong spur trigger sear but weak spring tension; factory globe front sight & peep rear; walnut grip panels in g.+ cond., only light handling marks; butt of backstrap slotted for wire skeleton stock; overall in g. wo & cond. #**33088** Pre 47' L/R *An interesting little pistol* **100 - 300**
449. **COLT 2nd GEN. 1862 POLICE PERCUSSION REVOLVER:** .36 cal.; 5 shot fluted cylinder; 5 1/2" (140m/m) barrel with exc. bright bore & crisp rifling, almost certainly unfired; strong blued finish to barrel & cylinder, some minor wear to profiles & cylinder drag; vivid case colours to loading lever, frame & small parts; smoky grey tarnished patina has developed on silver plated trigger guard & straps; top of barrel marked with single line **NEW-YORK** address, lhs frame marked with **COLTS/PATENT**; cylinder indexing well, strong springs & crisp sears; smooth walnut grips present well, some minor faking & chips to butt; overall in exc. wo & vg. cond. #**51261** Post 46' L/R **500 - 800**
450. **COLT POLICE POSITIVE SPECIAL MOD. D.A. REVOLVER:** .32 Colt cal.; 6 shot fluted cylinder; 4" (102m/m) barrel with bright bore & sharply defined rifling, vg.+ cond.; original blued finish to metalwork presents well, general holster wear has thinned finish overall, subtle grey patina in areas; **POLICE POSITIVE SPECIAL. 32 POLICE CTG.** to lhs of barrel, one-line **HARTFORD** address to rhs; rampant horse to lhs of frame; markings are all crisp; action indexing correctly, strong springs & sears; chequered walnut grips with silver **COLT** medallion inlaid to top of both, some light handling marks & general wear; overall in exc. wo & vg. cond. #**811727** 1962 Mfg. L/R **500 - 700**
451. **COLT MOD. TROOPER MK. III D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with vg. bright bore & sharply defined rifling, needs a clean; blued finish to metalwork has thinned to a soft grey patina on barrel & front of frame, comparatively strong on frame & cylinder; **HARTFORD** address to rhs barrel, **TROOPER MK III** / cal. to lhs, horse trademark to lhs frame all defined; London proofs marked to underside of barrel; cylinder indexing well, strong springs & sears; std. sights; original two-piece walnut grip with well-defined chequering, gold **COLT** medallion inlaid to both sides; grip with some light handling marks; overall in vg. wo & g. cond. #**L30898** Post 46' L/R **400 - 600**
452. **SMITH & WESSON MOD. 28-2 HIGHWAY PATROLMAN D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with exc. bright bore & crisp rifling; blued finish to metalwork with honest holster wear to cylinder & sides of barrel; **SMITH & WESSON** to lhs barrel, cal. & **HIGHWAY/ PATROLMAN** to rhs; **SW** monogram trademark to lhs frame, address to rhs; cylinder indexing well, strong springs & sears; fitted with wide grip attachment; original grips are in g. to vg. cond., some light wear to finish but chequering is sharply defined, **SW** monogram medallion inlaid to top of both; overall in g. cond. #**N43026** Post 46' L/R **500 - 700**

453. **SMITH & WESSON MOD. M&P 40 S/A PISTOL:** 40 S.&W. cal.; 15 rnd. mag.; 105m/m barrel with exc. bright bore & sharply defined rifling; matte blued finish to metalwork, some minor wear to profiles & minor staining; **M&P** trademark, **40** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; slide retracts freely, strong springs & sears; all matching numbers; black polymer frame with some minor handling marks; overall in exc. wo & vg. cond. **#DXL0730** Post 46' L/R **500 - 700**
454. **DAEWOO MOD. DP51 S/A PISTOL:** 9x19m/m Luger cal.; missing mag.; 101m/m barrel with dirty bore, appears bright with sharply defined rifling; blued finish to slide & small parts, matte grey finish to frame, both with light wear to profiles & some general handling marks; **DAEWOO**, model, cal. & **MADE IN KOREA** marked to lhs slide; chequered black plastic grip panels in vg. cond., some light handling marks to both; overall in exc. wo & vg. cond. **#409755** Post 46' L/R **150 - 300**
455. **NORINCO MOD. 1911 BLANK FIRE PISTOL:** 9x19m/m blank cal.; 125m/m barrel with p. bore, tapers down for use with blanks; obscene flaking bright finish to metalwork, dark patina elsewhere; slide retracts freely, strong springs & sears; mag. with no internals; cracked & chipped grips in p. cond. overall in p. cond. **#609143** Post 46' L/R **25 - 50**
456. **WALTHER MOD. Q5 MATCH S/A PISTOL:** 9x19m/m Luger cal.; 10 rnd. mag.; 5" (125m/m) barrel with dirty bore, appears bright, rifling is sharply defined; matte blacked finish to metalwork presents exc., some light handling marks overall; **WALTHER** trademark banner to lhs slide, **Q5 MATCH** to centre; **MADE IN GERMANY** marked to rhs frame; matching no. to frame, slide & barrel; slide retracts freely, strong springs & sears; fitted with **LEUPOLD DP PRO** red dot sight; black polymer frame with only light handling marks overall; comes with an additional mag.; overall in exc. wo & near exc. cond. **#FCQ4366** Post 46' L/R **600 - 800**
457. **SMITH & WESSON MOD. M&P 40 S/A PISTOL:** 40 S.&W. cal.; 15 rnd. mag.; 105m/m barrel with bright bore & sharply defined rifling, grooves need a scrub; matte blued finish to metalwork, some light wear to profiles & minor staining; **M&P** trademark, **40** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; slide retracts freely, strong springs & sears; all matching numbers; black polymer frame with some minor handling marks; overall in exc. wo & vg. cond. **#DXL1123** Post 46' L/R **500 - 700**
458. **SMITH & WESSON MOD. M&P 9 SHIELD S/A PISTOL:** 40 S.&W. cal.; 7 rnd. mag.; 3" (77m/m) barrel with vg. bright bore & sharply defined rifling, needs a clean; matte blued finish to metalwork presents exc., only trace storage marks overall; **M&P** trademark, **9 SHIELD** marked to front lhs of slide & **SW** monogram to back; slide retracts freely, strong springs & sears; black polymer frame with some minor handling marks; overall in exc. wo & cond. **#HUF2041** Post 46' L/R *A very slim design.* **500 - 700**
459. **F.N. BROWNING HI-POWER S/A PISTOL:** 9x19m/m Luger cal.; 13 rnd. box mag.; 118m/m barrel with vg. bore, bright & sharply defined rifling but grooves with powder residue; blued finish to metalwork thinning to a grey patina on profiles; **MADE IN BELGIUM/ F.N.** full name & address, lhs slide marked with US. & Canadian address; slide retracts freely, strong springs & sears; fitted with Pachmayr chequered black rubber grip; overall in exc. wo & g. cond. **#245PW02313** Post 46' L/R **600 - 800**
460. **WWII ERA COLT MOD. 1911 A1 S/A SERVICE PISTOL:** .45 ACP cal.; 7 rnd. mag.; 125m/m barrel with bright bore & sharply defined rifling, some fine pitting peppering majority of barrel; soft grey patina to slide, frame bearing a darker patina; both frame & slide with fine to moderate pit peppering in patches; lhs slide marked **PATENTED APR 20 1897. SEPT 9.1902 / DEC.19.1905FEB14.1911.AUG.19.1913** with rampant horse trademark in between **COLT'S PT. F.A. MFG. CO. / HARTFORD, CT. U.S.A.**; rhs slide marked **MODEL OF 1911.U.S.ARMY**; lhs frame marked **UNITED STATES PROPERTY** & crossed cannons ordnance mark to rear; **GHD** roundel stamp over mag. release on rhs; markings to pistol are well-defined; slide retracts freely, strong springs & sears; chequered brown bakelite grips present decent, some general wear & handling marks; overall in vg. wo & f. cond. **#1618063** L/R Mfg. 1944 **1200 - 1500**

461. **D.W.M LUGER P08 S/A PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 102m/m barrel with vg. bright bore & sharply defined rifling, some minor speckled surface oxidation & frosting; older reblued finish to metalwork, presents average with holster wear & handling marks in areas; **D.W.M** trademark to top of toggle, serial no. **2403** marked to lhs breech & **1918** to top; non-matching numbers pistol; toggle retracts freely, strong springs & sears; walnut grip panels in f. cond., rh grip with chip to rhs top, chequering to both showing wear & a bit grubby; non matching but period mag.; overall in exc. wo & f. cond. **#2403** L/R Mfg. 1918 **700 - 900**
462. **SAVAGE MOD. 1907 S/A PISTOL:** .32 ACP; 10 rnd. mag.; 3 3/4" (95m/m) barrel with g. bore, rifling sharply defined, fine pitting peppering majority; original blued finish presents well, honest holster wear to profiles, strong case colours remain on trigger; sharply defined two-line **UTICA** address to top of slide, **SAVAGE** to lhs frame; slide retracts freely, strong springs & sears; missing extractor; original black hard rubber grips with defined chequering & **SAVAGE QUALITY** motif to centre are defined, lh grip with large repaired crack; overall in g. wo & cond. **#117535** Pre 47' L/R **300 - 500**
463. **GLOCK MOD. 34 S/A PISTOL:** 9x19m/m Luger cal.; fitted with 10 rnd. polymer mag.; 132m/m barrel with ring bulge before muzzle; matte finish to slide with some minor storage marks & light wear; **GLOCK** trademark, **34**, **AUSTRIA** & **9x19** marked to lhs slide; matching no. marked to slide, barrel & frame; slide retracts freely, strong sears & springs; black polymer frame in exc. cond.; overall in p. wo & vg. cond. **#LRT015** Post 46' L/R *Presents v. well, suit re-barrel or film armourer* **100 - 300**
464. **CHINESE MARKED MAUSER C.96 S.A. PISTOL:** 7.63x25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with p. bore, rifling indistinct; grey patina & fine pit peppering to majority of metalwork, some original blueing remaining in protected areas & scattered patches of heavier pitting; **U** proof to lhs of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & rhs of frame, the latter marked with full **A/ NECKAR**; **50** to **1000** graduated rear tangent sight; lhs frame base marked with trio of Chinese characters & additional pair of peened Chinese characters to rhs breech; mechanically vg., bolt retracts smoothly, crisp sears & strong springs; replacement repro grooved walnut grips in exc. cond.; lanyard ring to butt; overall in f.+ cond. **#875625** Pre 47' L/R Mfg. c. 1932-1934 **1200 - 1500**
465. **CHINESE MARKED MAUSER C.96 S.A. PISTOL:** 7.63x25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) re-barrel with g.+ bore, sharply defined rifling with fine pitting throughout; dark grey patina & fine pit peppering to majority of metalwork, some original blueing remaining in protected areas; **U** proof to lhs of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & rhs of frame, the latter marked with full **A/ NECKAR**; **50** to **1000** graduated rear tangent sight; lhs frame marked with trio of Chinese characters; mechanically vg., bolt retracts smoothly, crisp sears & strong springs; looks to have had a replacement barrel sleeved into original breech; grooved walnut grips with some handling marks, both v. dark; lanyard ring to butt; overall in vg. wo & f.+ cond. **#870572** Pre 47' L/R Mfg. c. 1932-1934 **1200 - 1500**
466. **J.W. ROSIER MARKED EARLY 'CONEHAMMER' MAUSER C.96 S.A. PISTOL:** 7.63x25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with p. bore, rifling indistinct; reblued finish to metalwork has developed a dark patina overall, metalwork still bearing light surface pitting to most surfaces; **U** proof to lhs of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech; back of frame marked with original serial no. **5004** & small **18363/ J.R.** (James. W. Rosier) **1** to **10** graduated rear tangent sight; mechanically vg., bolt retracts freely, crisp sears & strong springs; early long extractor; 23 groove walnut grips are in g. cond., a few handling marks to both but remain sound; lanyard ring to butt; overall in f.+ cond. **#5004** Mfg. c.1897 L/R **1200 - 1500**
467. **WALTHER MOD. P.38 PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 120m/m barrel with vg. bright bore, sharply defined rifling throughout; blued finish to metalwork has thinned to a grey patina overall, some minor staining; blacked finish to alloy frame showing wear to profiles; lhs slide marked with trademark banner, **Carl Walther Waffenfabrik Ulm/Do/ P38 Cal. 9mm**; slide retracts freely, strong springs & sears; black plastic two-piece grip in g. cond., some surface marks & light wear to chequering; overall in exc. wo & g. cond. **#006442E** L/R Mfg. 6/1959 L/R **400 - 600**

468. **WWII WALTHER AC 43 P.38 SERVICE PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 120m/m barrel 1500 - 2000
with vg. bright bore, sharply defined rifling throughout, some speckled frosting; thinning original blued finish to metalwork, some minor pit peppering & frosting; lhs slide marked **P.38**, serial no. **5806n** & **ac 43**; serial no. marked to lhs slide, frame & barrel; **359** Waffenamts to several parts, rhs slide marked with trio; mechanically exc., slide retracts freely, strong springs & sears; two-piece brown bakelite grip in g. to vg., sound cond., some light handling marks but presents well; overall in exc. wo & vg. cond. **#5806n** L/R Mfg. 1943 *A nice honest example.*
469. **WWI ERFURT MFG. LUGER P08 S/A PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel 700 - 1000
with g. bore, sharply defined rifling & relatively bright, peppered with fine pitting; what appears to be a period armourers blued refinish has developed a dark patina overall, some fine pitting present in areas; strong straw finish to small parts incl. trigger, extractor etc.; crown / **ERFURT** marked to top of toggle, **1916** to top of breech; serial no. **9260** marked to toggle, barrel, frame etc.; alloy base of magazine marked with serial no., side marked with **HAENEL** trademark **SCHMEISSER PATENT**; missing main spring, toggle cycles freely otherwise; chequered grip panels present v. well, some light handling marks & wear; overall in g. cond. **#9260** 1916 Mfg. L/R *A nice honest pistol that appears to just need a spring.*
470. **WWI D.W.M MFG. LUGER P08 S/A PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel 1400 - 1800
with g. to vg. bore, sharply defined rifling & bright, peppered with fine pin-prick pitting; blued finish to metalwork presents well, only minor general wear to profiles overall; straw finish to small parts incl. trigger, extractor etc.; top of breech marked **1917**, **DWM** trademark to top of toggle; serial no. **3366** marked to toggle, barrel, frame etc.; rhs barrel marked with British reproofs; slide retracts freely, strong springs & sears; mag. release is sticky; chequered grip panels present well, some handling marks & scuffs to both; overall in exc. wo. & g.+ cond. **#3366** L/R Mfg. 1917
471. **EARLY 'CONEHAMMER' MAUSER C.96 S.A. PISTOL & SHOULDER STOCK HOLSTER:** 2000 - 2500
7.63x25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with g. to vg. bore, bright with sharply defined rifling, some minor pin-prick pitting; blued finish to metalwork all but worn away, flashes remain on frame, mottled brown patina elsewhere with some light patchy oxidation staining; **U** proof to lhs of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech; **50** to **500** graduated rear tangent sight; mechanically vg., bolt retracts freely, crisp sears & strong springs; early long extractor; 23 groove walnut grips are in g. cond., a few handling marks to both but remain sound; comes with period holster stock; stock with period & quality screwed copper band brace repairs, one to lid & pair to stock body which are to repair some large partial cracks; overall in vg. wo & f. to g. cond. **#6493** Mfg. c.1897 L/R *A sound example of an early, 2nd year production Mauser C.96*
472. **TIPPING & LAWDEN SHARPS PAT. PEPPERBOX DERRINGER & HOLSTER:** .28 rimfire cal.; 300 - 500
3" (76m/m) barrels with p. bores, all four with oxidation & moderate pit peppering; 30% original blued finish to steel barrels, staining & plum patina to remainder; 50% nickel finish to brass frame, dull mellow patina to remainder; **TIPPING & LAWDEN/ SHARPS PATENT** roundel stamp to lh frame; British proofs to frame & barrels; action operates freely, rotating striker indexes, strong springs & sears; rh grip & a crudely made replacement, original lh hard rubber rib presents v. well, relief floral & scroll pattern; comes in a distressed but complete period leather holster; overall in f. cond. **#4267** Pre 1900 L/R
473. **FINE MERWIN HULBERT & Co MEDIUM FRAME D.A. REVOLVER:** .38 CF cal.; 5 shot cylinder; 2000 - 2500
5 1/2" (140m/m) barrel with fine bore, mirror & crisp rifling, one speckle of frosting but hard to fault; 90%+ original nickel plating to majority of metalwork, majority of losses on butt of backstrap, some surface marks; trigger & hammer with strong case colours; top of integral barrel rib marked with **MERWIN HULBERT & CO. NEW YORK U.S.A./** patents; **38 CAL** marked to lhs frame; mechanically in fine cond., cylinder indexing exc., strong springs & sears; folding hammer spur; hard rubber grips near exc., a few minor handling marks but chequering & woven pattern motif to top of grips are sharply defined; hemi lanyard swivel to butt; overall in exc. wo & vg.+ cond. **#20458** Pre 1900 L/R

474. **MERWIN & HULBERT LGE. FRAME POCKET ARMY S.A. REVOLVER:** .44 WCF (.44-40 Win.) 1300 - 1500
cal.; 6 shot fluted cylinder; 7" (178m/m) barrel with f. to g. bore, sharp rifling with some fine pitting;
metalwork retaining 40% original nickel finish, grey patina & brown staining in the difference; **MERWIN
& HULBERT Co**, patents marked clearly to top of barrel, lhs of barrel markings partially worn, (indistinct)
& **ALLEN Manufacturing Co. Norwich. Conn. U.S.A.**; lhs of frame marked **CALIBRE/
WINCHESTER 1873**; mechanically vg, action locks up tight, strong springs & sears; original smooth
ivory grips, both showing their age with the distinctive surface 'fracturing' to ivory grain, rhs with aged
crack to bottom; lanyard ring to butt of backstrap; overall in vg. wo & g. cond. #20953 Pre 1900 L/R *A nice
honest example of these engineering works of art.*
475. **J. STEVENS A&T Co. MOD. 35 RIMFIRE PISTOL:** .22 cal.; 15" (380m/m) round barrel with g. bore, 250 - 500
relatively bright with well-defined rifling, some bands of light pitting; thinning blued finish to barrel has
developed a dark patina, dull silvery patina to frame; makers name & **CHICOPEE FALLS** address to top
of octagonal breech; action locks up with minor movement, strong lock springs & sears; ladder rear sight &
globe front; smooth walnut grip panels in vgc., only minor marks to both; overall in vg. wo & g.+ cond.
#33184 Pre 47' L/R
476. **FINE SMITH & WESSON MOD. 14-3 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 6" 700 - 900
(151m/m) barrel with fine bore, crisp rifling; blued finish to metalwork presents flawless, a few trace
amounts of storage marks but hard to fault; vivid case colours to trigger & hammer; **SMITH & WESSON**
marked to lhs barrel, cal. to rhs; rhs frame marked with **SW** monogram trademark & four-line
SPRINGFIELD address; mechanically exc., strong springs & sears; exc. cond. original two-piece walnut
grip, chequering is crisp, silver **SW** monogram medallions inlaid to top of both sides; overall in exc. wo &
fine cond. #8K36085 Post 46' L/R
477. **WW1 BRASS COGSWELL & HARRISON MK. III FLARE PISTOL:** 1 inch cal.; 4" barrel with v. 300 - 500
clean bore; attractive mellow patina to majority of brass metalwork, grey patina to steel small parts; lhs
frame marked with **COGSWELL & HARRISON/ LONDON**, proofs & broad arrow marks to breech &
frame; action functions well, strong lock; smooth walnut grips with some handling marks, both present
well; lanyard ring to butt; overall in g. cond. #69448 N/L
478. **BRITISH S/B PERCUSSION POCKET PISTOL:** .44 cal.; 2 7/8" octagonal turn off barrel with f. bore, 300 - 500
speckled oxidation scale throughout; silvery-grey patina to metalwork, some fine pitting, confined mainly
to barrel; British proofs to underside breech & barrel; well-defined acanthus scroll engraving to action; g.
hammer spring tension, springs not holding; some screw heads burred & trigger guard wobbly; walnut stock
with well-defined chequering, German silver butt cap & escutcheon; overall in f. cond. *N/L Presents well,
sound base for someone who can do some tinkering.*
479. **BRITISH S/B PERCUSSION POCKET PISTOL:** .44 cal.; 2 7/8" octagonal turn off barrel with p. bore, 300 - 500
some v. heavy corrosion; soft grey patina to metalwork, some frosting in areas; British proofs to underside
breech & barrel; CIB 2030 has been stamped to lhs barrel & front of grip below bottom tang; light coverage
of scroll to action; broken main spring but sears are crisp, folding trigger; walnut stock in g. cond.,
chequering is well-defined, some handling marks; vacant square silver escutcheon; overall in f. cond. *N/L*
480. **WINCHESTER MOD. 1904 S/S RIMFIRE RIFLE:** .22 extra long cal.; 21" barrel with vg, bright bore & 150 - 300
sharply defined rifling; reblued finish to metalwork with speckled finishes & some fine pin-prick pitting
externally, presents decent; two-line address markings to lhs barrel well-defined; bolt cycles freely, strong
springs & sears, std. sights; woodwork has been refinished but in g. sound cond. overall; crescent steel
buttplate; overall in exc. wo & g.+ cond. #10882FRA L/R *A good useable example to plink with.*
481. **B.S.A. SPORTSMAN FIFTEEN B/A RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. tube mag.; 25" barrel with 200 - 400
dirty bore, appears bright with sharp rifling; blued finish has thinned to a grey patchy patina overall; makers
name, model & piled arms trademark marked to top of barrel; bolt cycles freely, strong springs & sears; std.
sights; woodwork in g. sound cond., some flaking or varnish finish & general handling marks; **BSA**
trademark embossed to lhs butt; fitted with leather sling; overall in exc. wo & g. cond. #LC27288 L/R

482. **STEVENS S/B HAMMER SHOTGUN:** 12G, 2 3/4" chambered; 30" barrel, choked approx. full; bright bore with some minor frosting, g.+ overall; mottled grey patina to metalwork; **STEVENS/ THE FULLY/ GUARANTEED/ SINGLE GUN** marked to lhs action; action lock up tight, strong lock; woodwork in g.+ sound cond., some light handling marks overall & bruising; overall in vg. wo & g. cond. **#247GO** L/R **100 - 150**
483. **WINCHESTER CANADA MOD. 39 S/S RIMFIRE RIFLE:** .22 LR cal.; 22" barrel with vg. bright bore & sharply defined rifling; original blued finish to metalwork with speckled oxidation overall, presents ordinary; **WINCHESTER** trademark, address & model marked to top of barrel; bolt cycles freely, strong springs & sears; std. sights; hardwood stock in vg. overall cond., a few minor handling marks; original plastic buttplate; overall in exc. wo & g. to vg. cond. **#CT16886** L/R **100 - 200**
484. **WINCHESTER MOD. 1906 P/A RIMFIRE RIFLE:** .22 cal.; 10 rnd. tube mag.; 22 1/4" round barrel with f. bore, largely bright with defined rifling, small band of light pitting towards muzzle & some frosting elsewhere; grey patina to metalwork with mottled brown staining to most surfaces; no makers marks to barrel, looks to have worn off; action cycles freely, strong springs & sears; std. sights, rear missing elevator; woodwork has been cleaned back & refinished, still bearing some handling marks & grazes; head of stock with some movement; overall in f. cond. **#446317** L/R **200 - 400**
485. **LEVEFER NITRO SPECIAL B.L.N.E S x S SHOTGUN:** 20G, 2 3/4" chambered; 27 3/4" barrels choked approx. 1/4 & 3/4; bright bores but lh barrel with significant ring bulge ahead of forcing cones; thinning blued finish to barrels, silver patina elsewhere; makers name & address to top of barrel; action locks up tight & on face, strong springs & sears to double triggers, auto safety; exc. cond. replacement stock, original forend with some light handling marks, defined chequering; 14 1/2" LOP incl. buttplate; overall in p. wo & g. cond. **#270048** L/R *Suit parts or barrel swap.* **100 - 200**
486. **WINCHESTER MOD. 69 RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 25" barrel with vg. bright bore & sharply defined rifling; original blued finish to metalwork presents decent, has developed a dark patina overall with some minor speckled blemishes; two-line **NEW HAVEN** address, makers name & model to lhs barrel; bolt cycles freely, strong springs & sears, mag release to lhs forestock; std. sights; walnut stock bearing a few handling marks & scuffs to surface but in g. to vg. cond.; original maker marked buttplate; overall in exc. wo & g. to vg. cond. **#12351FRA** L/R **200 - 400**
487. **MANNLICHER MOD. 1888 B/A SPORTING RIFLE:** 8x57m/m Mauser cal.; 5 rnd. integral mag.; 24" octagonal barrel with vg. bore & strongly defined rifling, some superficial frosting in grooves; strong blued finish to barrel, some finely speckled staining; vivid case colours to action & mag., 70%+ remaining, brown patina in worn areas; lhs of barrel marked with British **BNP** nitro reproofs, **2,679 GBP/ St. m. G.** marked to lhs of breech; spoon handled bolt cycles butter smooth, double set triggers are crisp; fixed rear sight with folding lead & blade front on ramp; sling swivels; walnut stock with cheek piece & bag style grip in vg. cond., some minor handling marks overall; chequering to grip sharply defined; steel buttplate; overall in exc. wo & near exc. cond. **#S15860** L/R **1500 - 1800**
488. **HARINGTON & RICHARDSON MOD. 1900 S/B SHOTGUN:** 12G, 2 3/4" chambered; 30" barrel choked approx. 3/4; bright bore with some minor pitting, g.+ overall; dark grey mottled patina to metalwork, some minor pit peppering in areas; makers marks to lhs action; action locks up with some movement, strong lock; woodwork presents well, some fine cracks at head of stock but no movement, possibly repaired; overall in g. wo & f. to g. cond. **#64811** L/R **50 - 100**
489. **FEINWERKBAU MOD. 300S AIR RIFLE:** .177 cal.; 20" barrel with exc. bore & sharply defined rifling; original blued finish to metalwork has thinned to a plum patina on much of spring housing & barrel; makers name, **Oberndorf /N** marked to top of breech with trademark, makers name, model, **MADE IN GERMANY** marked to lhs rear of spring housing; g. spring tension & sears; fitted with factory style polymer pepper sight with rubber eyepiece, globe front sight; target style walnut stock with peened textured grip, severe raised comb & alloy mount rail inletted to forewood; woodwork bearing a few minor handling marks but in g. to vgc. overall; plastic grooved buttplate; overall in vg. wo & g. cond. **#340398** L/R **300 - 500**

490. **WINCHESTER MOD. 04 S/S RIMFIRE RIFLE:** .22 extra long cal.; 21" round barrel with dirty bore, appears bright with defined rifling, some patchy light pitting; mottled soft brown patina to metalwork, some staining; two-line address, makers name & model marked to lhs barrel; bolt cycles freely, strong springs & sears; std. sights; walnut stock with several partial cracks to forestock, light handling marks elsewhere; original buttplate; overall in f. to g. cond. **#680** L/R 50 - 70
491. **SPORTCO MOD. 62A B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 23 1/2" barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork presents decent, a few storage marks & staining blemishes; makers name, Australian address & model marked to top of barrel; bolt cycles freely, strong spring & sears; fitted with **4X40 Mark** scope on two-piece mounts, factory rear sights removed; hardwood stock in g. sound cond., a few handling marks & scuffs to surface; original buttplate & grip cap; overall in exc. wo & g. cond. **#RA6166** L/R 200 - 400
492. **SAVAGE No. 4 MK. I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with f. bore, dark & dirty but two-groove rifling is well-defined, would grade up with a clean; matte grey military finish to metalwork presents decent, light reddish patina developing overall; lhs action marked **No.4.MK I***; Savage **S & 30C6681** marked to lhs body socket; **U.S. PROPERTY** marked to lhs action; matching bolt cycles freely, strong springs & sears; std. sights removed, lhs body socket fitted with **Parker Hale MARK VI** side mount peep sight, wood shaved back to suit; woodwork otherwise presents exc., some light handling mark; grooved handguard section; alloy grey buttplate with trap; overall in g. wo & cond. **#30C6681** L/R ***Would grade up with a bore scrub.*** 300 - 500
493. **MAUSER MOD. M12 B/A SPORTING RIFLE:** .270 Win. cal.; 5 rnd. mag.; 21 1/2" barrel with exc., bright bore & sharply defined rifling; exc. matte blued finish to metalwork, some sticky residue in areas, presents fine; **Original/ MAUSER** trademark to top of barrel at breech, **MAUSER M12 MADE IN GERMANY** to lhs action; bolt cycles freely, strong springs & crisp sears; fixed factory express style sights, fitted with offset two-piece Leupold rings & mounts; walnut stock presents v. well, some blemish run down rhs of forestock but otherwise vg., bearing only light storage marks; maker marked factory rubber recoil pad; overall in exc. wo & near exc. cond. **#MC007924** L/R 1800 - 2200
494. **C.G. BONEHILL B.L.N.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & full; bright bores with some minor frosting patches, vg. overall; strong reblued finish to barrels, vivid case colours to action, some frosting present; **C.G. BONEHILL MAKER BIRMINGHAM** engraved to section of file cut top rib; Birmingham **1 3/8 NITRO PROOF** marks to barrel flats; action locks up tight w/ forend, loose w/o; some screws are poorly fitted replacements, action floorplate fitted crooked; woodwork has been refinished & chequered, presents well but metal-to-wood fit at head is p., repaired chip to rhs head; 14 5/8" LOP incl. 1" rubber recoil pad; overall in g. wo & cond. **#612** L/R 400 - 600
495. **SPANISH MAUSER MOD. 1893 B/A CARBINE:** .308 Win. cal.; 5 rnd. integral mag.; 18" barrel with vg. bright bore with sharply defined rifling; blued finish to metalwork presents poorly, streaky removal of blued finish to a grey patina; matching numbers bolt cycles freely, strong springs & sears; std. tangent sights; refinished woodwork presents well, some minor handling marks but vg. overall; steel buttplate; overall in exc. wo & f. to g. cond. **#5959** L/R 250 - 450
496. **LITHGOW MOD. 12 B/A RIFLE:** .22 LR cal.; 10 rnd. mag.; 25" barrel with bright bore & sharp rifling, vg. overall; even thinning blued finish to metalwork; makers name, address etc. marked to barrel; mechanically exc., bolt cycles well, strong sears, original sights; top of action drilled & tapped; woodwork in f. overall cond., patchy finish & what appears to be repaired cracks to forestock, no movement; original buttplate; fitted with leather sling overall in exc. wo & f. cond. **#10095** L/R 50 - 100
497. **BELGIAN S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30" steel barrels choked approx. 1/2 & 3/4; bright bores, exc. cond.; strong original blued finish to barrels, some minor speckled patina in areas but presents well; strong case colours to action & locks; **MADE IN BELGIUM** engraved to lhs barrel, Liege proofs to barrel flats; action locks up tight & on face, strong locks; woodwork in vg. cond., chequering to bag style grip is well-defined, some light handling marks overall; 14" LOP; overall in exc. wo & vg. cond. **#64390** L/R ***An unusually nice example of a solid old working gun.*** 300 - 500

498. **GERMAN ERMA-WERKE MOD. E-M1-22 S/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 18" barrel with bright bore, rifling sharply defined but dirty with powder residue, g. cond.; strong blued finish to barrel, blacked finish to action, some speckled oxidation staining; lhs action marked **Mod. E M1.22 ERMA-Werke Made in Germany**; bolt retracts freely, strong springs & sears; M1 style peep sight; glossy finish to stock bearing a few handling marks but woodwork in vgc.; fitted with canvas sling; pressed steel buttplate with surface oxidation to stop; overall in exc. wo & g.+ cond. **#17723** Cat. C L/R **400 - 600**
499. **BELGIAN COMBLAIN MOD. 1870 FALLING BLOCK RIFLE:** .44WCF (44-40 Win.) cal.; 24" replacement barrel with vg. bright bore & crisp rifling, a little dusty; strong reblued finish to metalwork, some minor speckled oxidation in areas rhs frame marked **COMBLAIN/ BREVETTE/** serial no.; action operates freely, strong springs & sears, fitted with Winchester style semi-buckhorn rear sights; replacement sporterized forestock, original stock retains makers roundel stampings to both sides, some handling marks & bruising; curved steel buttplate with some pitting; overall in exc. wo & g. cond. **#82851** L/R **300 - 500**
500. **CHARLES BOSWELL S.L.E S x S SHOTGUN:** 12G, 2 1/2" chambered; 30" damascus barrels choked approx. 1/8 & full; bores largely bright, some fine pitting in patches & small band of heavier pitting to rh barrel; grey patina to barrels, thinning on sides of breech; grey patina to locks & small parts; top rib engraved **CHARLES BOSWELL. MAKER. 126 STRAND. LONDON. W.C.**; makers name again to lock, London V & P, **NITRO PROOF 1 1/8OZ** marked to barrel flats; carved ball fences; action locks up tight, strong springs to twin triggers, strong ejectors, lh ejector mistimed; gold inlaid cocking indicators & **SAFE** to automatic safety; walnut straight stock & splinter forend, both with some scattered light handling marks but g.+ cond. overall; chequering to wrist & forend & defined but showing wear, wrist with period chequered walnut grip extension; 14" LOP to chequered butt; overall in vg. wo & g. cond. **#13467** L/R **A nice, honest gun that would only grade up with some T.L.C** **1500 - 2000**
501. **SAVAGE MOD. 24H-DL O/U COMBINATION GUN:** .22 LR cal. top barrel & .410 cal., 3" chambered bottom; vg. rifle barrel, shotgun barrel with some heavy pit peppering in breech half, f. cond.; blued finish to barrels worn down to a brown patina, silver finish to action with game motifs marked to both sides; action locks up with movement & additional movement in head of stock; lock strong, retains std. sights; woodwork bearing a few scattered handling marks & scuffs but presents well; original buttplate; overall in f. cond. **#UR33** L/R **100 - 200**
502. **REMINGTON MOD. 16 SEMI-AUTO RIMFIRE RIFLE:** .22 Remington autoloading cal.; 10 rnd. tube mag.; 21 1/2" round barrel with f. to g. bright bore & well-defined rifling, peppered with light pitting; metalwork with even plum-brown patina to most surfaces, some original blued finish remaining in protected areas; two-line **ILION** address & makers name marked to top of barrel, cal. & trademark to breech end of barrel; bolt retracts freely, strong springs & sears; std. sights; woodwork has been finished, presents well, some darkened areas; original curved steel buttplate with loading tube to base, loading port to underside of stock; overall in vg. wo & g. cond. **#3304** Cat C L/R **300 - 500**
503. **C.G. BONEHILL MK. IV MARTINI HENRY RIMFIRE CONVERSION:** .22 long cal.; 30 1/4" barrel with f. bore, rifling well-defined but with some bands of pitting; blued finish to metalwork has developed a dark patina overall, some frosting & handling marks overall; lhs action marked **CONVERTED BY C.G. BONEHILL OF BIRMINGHAM/ FOR THE SOCIETY OF MINIATURE RIFLE CLUBS**; original Enfield markings to rhs butt; strong springs & sears; factory pattern barrel with std. sights; woodwork presents well overall, some scattered bruises & knocks, forestock has separated front remainder under barrel band; underside of stock with filled down from the original long lever; steel buttplate with brass screws; overall in f.+ cond. **#15626** L/R **An interesting rifle that would quickly grade up with some minor work.** **200 - 400**
504. **SIAMESE B.S.A. Co WILD TIGER CORP B/A RIFLE:** 303 cal.; 10 rnd. mag.; 25" barrel with ring bulge 4" from muzzle; dark patina to metalwork, some areas of pits peppering charger bridge & mag.; Siamese characters marked to rhs breech & body socket, the latter with tiger head motif; lhs of body socket marked **B.S.A. Co**, top of breech with BSA piled arms trademark; bolt cycles freely, strong springs & sears; std. military 2 – 20 graduated rear sights; sling swivels to underside of stock & forewood; woodwork refinished, in sound cond., some surface marks & light bruising; brass buttplate with trap; overall in f. cond. **#38719** L/R **200 - 400**

505. **WINCHESTER MOD. 1892 SPORTING RIFLE:** .44 Magnum cal.; 3/4 length tube mag.; 26" replacement octagonal barrel with dusty bore, rifling is sharply defined & appears to be vg.+; strong reblued finish to metalwork, some storage marks & older fine pitting on action still present; **44 MAG** marked to lhs barrel; action cycles freely strong springs & sears; blade front sight & **STAN(?)** marked side mounted peep sight; walnut restock presents well, a few minor handling marks overall; crescent steel buttplate; overall in exc. wo & vg. cond. **#758547** L/R **300 - 500**
506. **RUGER No.3 FALLING BLOCK SPORTING RIFLE:** .38-55 Win. cal.; 22" heavy round replacement barrel with exc. bore & sharply defined rifling; strong blued finish to majority of metalwork, presents exc.; std. **RUGER** markings to top of breech; top of barrel marked **SHOOTERS SUPPLIES MELBOURNE/ 38 55**; action operating smoothly, strong springs & sears; dovetail mounts to top of barrel; original Ruger woodwork in vg. overall cond., some light handling marks but chequering to grip & forestock is sharply defined; retains sling studs & original maker marked rubber recoil pad; overall in exc. wo & near exc. cond. **#130-55116** L/R **500 - 800**
507. **BERETTA SUPER SPORT S/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 20 1/2" round barrel with vg. bright bore & sharply defined rifling, dusty at muzzle; blued finish to metalwork is strong overall, barrel with some patchy blemishes, presents ordinary; **1959** & proofs marked to lhs barrel; lhs receiver with makers name & **GARDONE** address; bolt retracts freely, strong trigger springs; fitted with mount to top of breech, original blade front sight; original walnut stock with some general handling marks & bruising, chequering to grip defined, g. overall cond.; retains original maker marked buttplate; overall in exc. wo & f. to g. cond. **#D3554** Cat C L/R *Comes with three additional 5 round magazines.* **300 - 500**
508. **RUGER No. 3 FALLING BLOCK SPORTING RIFLE:** 22 Hornet cal.; 22" barrel with vg. bore & sharply defined rifling, needs a clean; strong blued finish to metalwork, some minor storage marks but presents exc.; top of barrel marked with **SOUTHPORT** address & makers name, **22 HORNET** to lhs of chamber; action operating smoothly, strong sears & springs; fitted with **LEUPOLD 2-7** scope on original two piece mounts, optics; barrel band to forend; walnut straight stock in g. cond. overall, some light scattered handling marks overall & scuff to underside of forestock; curved steel buttplate; overall in exc. wo & near vg. cond. **#130-64853** L/R *Great little outfit for fox & goat shooters.* **700 - 900**
509. **TASMANIAN MARKED ENFIELD MARTINI-METFORD MK. II RIFLE:** .303 cal.; 30 1/4" barrel with dark bore, Metford rifling defined but pitted with moderate pitting; dark patina & some oxidation scale to metalwork; cypher/ **V.R, ENFIELD/ 1899/ M.E. 303/ II.** marked to lhs of action, indistinct markings to rhs; action cycling well, strong springs & sears; std. sights with 6 to 18 graduations; forestock has been shortened to about 10 1/2", in p. cond.; original stock bearing some scattered bruising & general handling marks; rhs marked with defined **ENFIELD** roundel, **T G/ 627**; steel buttplate; overall in f. cond. **#6214B** **150 - 300**
510. **LITHGOW MOD. 12 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 25" barrel with bright bore & sharp rifling, vg. overall but needs a clean; even thinning blued finish to metalwork has developed a brown patina; makers name, address etc. marked to barrel; mechanically exc., bolt cycles well, strong sears, original sights; woodwork in g. sound cond., some scattered bruises but presents well; original buttplate; overall in exc. wo & g. cond. **#69793** L/R **150 - 300**
511. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal., missing mag.; 24 3/4" barrel with exc. bore, bright with sharply defined rifling; strong blued finish to metalwork, some minor handling & storage marks but presents decent; **BRNO MOD. 2** marked to barrel, **57** proofs to action & breech; bolt cycles freely, strong springs & crisp trigger; retains factory tangent rear but missing front sight blade insert; stock in g.+ cond. overall, some scattered handling dings; original buttplate; overall in g.+ cond. **#61126** L/R **200 - 300**
512. **TASMANIAN MARKED B.S.A. MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/4" barrel with f. bore, well-defined rifling but peppered with pitting; mottled grey patina to metalwork, some handling marks & fine pitting; top of barrel & lhs of action marked with BSA full name, piled arms motif/ **B.S.A.** to lhs action; **COMMONWEALTH OF AUSTRALIA** to rhs & Kangaroo trademark to top of breech; action functioning well, strong sears & springs; std. tangent sights graduated 100yd – 6; blade foresight; refinished woodwork in g. sound cond., some handling marks & bruising; **CMF/ T & 330** marked to rhs butt is defined; steel buttplate; overall in vg. wo & g. cond. **#14810** L/R **200 - 400**

513. **VICTORIAN MARKED B.S.A. MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/4" barrel with g. to vg. bright bore with well-defined rifling throughout, some fine patches of pitting; blued finish to metalwork, some speckled dried grease in areas, would clean up; top of barrel & lhs of action marked with BSA full name, piled arms motif/ **B.S.A.** to lhs action; **COMMONWEALTH OF AUSTRALIA / VIC** to rhs & Kangaroo trademark to top of breech; action functioning well, strong sears & springs; std. tangent sights graduated 100yd – 6; blade foresight; woodwork has been refinished, in g.+ sound cond., some light handling marks & staining; steel buttplate; overall in vg. wo & g. cond. **#12532 L/R** 200 - 400
514. **TASMANIAN MARKED MARTINI-ENFIELD MK. II S/S SERVICE RIFLE:** .303 cal.; 30 1/4" barrel with f. bore, rifling well-defined, a little dirty & with some light pitting; original blued finish to metalwork has developed a dark patina & is spotted with patchy brown oxidation scale; cypher/ **V.R, ENFIELD/ 1899/ M.E. 303/ II.** marked to lhs of action, **ENFIELD 1874** marked to rhs; action cycling well, strong springs & sears; std. sights with 6 to 18 graduations; missing cleaning rod; woodwork in sound original cond., darkened appearance & bearing some light handling marks & bruising; rhs stock marked with sharply defined **R.M. ENFIELD** roundel, **CME/ T & 299;** steel buttplate; retains original leather sling; overall in g. wo & g. cond. **#778 L/R A nice, honest example.** 600 - 800
515. **ENFIELD MARTINI-METFORD MK. I S/S SERVICE RIFLE:** .303 cal.; 30 1/4" barrel with dark bore, Metford rifling defined but peppered with moderate pitting; original blued finish has developed a dark patina overall, thinning on sides of action; cypher/ **V.R, ENFIELD/ 1895/ M.E. 303/ I** marked to lhs of action, **ENFIELD 1879** marked to rhs; action cycles smoothly & trigger crisp; std. sights with 6 to 18 graduations; missing cleaning rod; woodwork is sound, forestock possibly more recent replacement; stock with some handling marks & bruising, some movement at head; vacant brass medallion inlaid to rhs of stock; steel buttplate; fitted with modern leather sling; overall in g. wo & cond. **#7094 L/R** 500 - 700
516. **TASMANIAN MARKED B.S.A. MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/4" barrel with g. bore, well-defined rifling throughout, some fine patches of pitting; blued finish to metalwork, thinning on profiles but presents v. well; top of barrel & lhs of action marked with BSA full name, piled arms motif/ **B.S.A.** to lhs action; **COMMONWEALTH OF AUSTRALIA** to rhs & Kangaroo trademark to top of breech; action functioning well, strong sears & springs; std. tangent sights graduated 100yd – 6; blade foresight; woodwork in g.+ sound cond., some handling marks & bruising; **CME/ T & 651** marked to rhs butt is v. well-defined; steel buttplate; overall in vg. wo & g. to vg. cond. **#2543 L/R A good, honest example.** 400 - 600
517. **TASMANIAN MARKED B.S.A. MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/4" barrel with g. bore, well-defined rifling throughout, some minor pitting; blued finish to metalwork, thinning on profiles but presents v. well; top of barrel & lhs of action marked with BSA full name, piled arms motif/ **B.S.A.** to lhs action; **COMMONWEALTH OF AUSTRALIA** to rhs & Kangaroo trademark to top of breech; action functioning well, strong sears & springs; std. tangent sights graduated 100yd – 6; blade foresight; woodwork in g.+ sound cond., some handling marks & bruising; **CME/ T & 740** marked to rhs butt is v. well-defined; steel buttplate; overall in vg. wo & g.+ cond. **#4072 L/R** 400 - 600
518. **LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE:** 303 cal., 10 rnd. mag.; 25 1/4" barrel with g.+ bore needs a clean but rifling remains well-defined, no heavy pitting; original military finish has thinned to a grey patina overall, presents decent; rhs of body socket marked **MA / LITHGOW / S.M.L.E. /III*/ 1944;** non-matching bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sight; woodwork in sound cond., some extensive surface grazes to rhs forestock, otherwise just general handling marks & light bruising; **LITHGOW** markings to rhs stock are defined; brass buttplate with trap; fitted with period canvas sling; overall in f. cond. **#E91756 L/R Make a great shooter, would grade up.** 500 - 700
519. **W.R. LEESON S/B ROOK RIFLE:** .22 Hornet; 28" octagonal barrel with dirty bore, appears g.+ with sharply defined rifling; brown patina to metalwork, some frosting on action; lhs action marked with **W.R. LEESON/ GEORGE ST. ASHFORD. KENT.;** action locks up with some minor movement, more movement in stock at head; strong lock springs & sears, original barrel was relined & re-chambered; two additional vacant dovetails have been put on barrel, third housing fixed original style sights; fitted with Nikko Stirling scope on bridge mount; original stock presents well, some chips to forend but otherwise bearing only light handling marks, chequering sharply defined; overall in g. cond. **#D456 L/R Has had some poorly executed modifications but could be brought back to a classic sporting rifle.** 300 - 500

520. **REMINGTON MOD. 14 1/2 P/A RIFLE:** .44 Rem. cal.; full length tube mag.; 21 3/4" barrel with dirty bore, appears bright with sharply defined rifling, considered g.; blued finish to metalwork has thinned to a dark plum patina overall, some handling marks & handling marks; **REMINGTON ARMS** trademarks & address marked to top of barrel but last section obscured by breech, suggests original barrel has been rechambered & shortened; underside of frame marked with serial no. & /T C broad arrow mark; pump cycles freely, strong springs & sears; lhs action fitted with **WILLIAMS** peep sight, blade front sight dovetailed to barrel & rear sight dovetails are vacant; woodwork in g. sound cond., stock looks like a replacement, original pump with some light handling marks; overall in vg. wo & f. to g. cond. **#31185** L/R **300 - 500**
521. **PARKER-HALE VOLUNTEER PERCUSSION RIFLE:** .451 cal.; 33" barrel with bright bore & sharply defined rifling, some superficial frosting but vg. overall; strong blued finish to barrel with some minor speckled staining, vivid case colours to lock; brass furniture with bright finish; **PARKER-HALE LTD. BIRMINGHAM ENGLAND** marked to top of barrel, **P-H** crown & **Parker-Hale** marked again to border engraved lock; strong hammer springs & sears; walnut full stock presents v. well, some minor handling marks overall but chequering to wrist & forestock is sharply defined; brass buttplate; retains steel cleaning rod; overall in exc. wo & vg.+ cond. **#428** L/R **700 - 900**
522. **TASMANIAN MARKED MARTINI-ENFIELD MK. II S/S SERVICE RIFLE:** .303 cal.; 30 1/4" barrel with p. to f. bore, rifling defined but peppered with moderate to heavy pitting; original blued finish to metalwork has developed a slight dark patina overall & barrel spotted with oxidation; top of breech & lhs action with some peening & scattered pitting; cypher/ **V.R. ENFIELD/ 1899/ M.E. 303/ II.** marked to lhs of action, indistinct markings to rhs; action cycling well, strong springs & sears; std. sights with 6 to 18 graduations; missing cleaning rod; woodwork in sound original cond., missing handguard & bearing some light handling marks & bruising; rhs stock marked with defined **R.M. ENFIELD & COMMONWEALTH OF AUSTRALIA, TASMANIA** roundel; steel buttplate; overall in g. cond. **#100** L/R **500 - 700**
523. **TASMANIAN MARKED MARTINI-ENFIELD MK. II S/S SERVICE RIFLE:** .303 cal.; 30 1/4" barrel with p. to f. bore, rifling defined but peppered with moderate to heavy pitting; original blued finish to metalwork has developed a slight dark patina overall & barrel spotted with oxidation; cypher/ **V.R. ENFIELD/ 1899/ M.E. 303/ II.** marked to lhs of action, **ENFIELD 1874** marked to rhs; action cycling well, strong springs & sears; std. sights with 6 to 18 graduations; missing cleaning rod; woodwork in sound original cond., missing handguard & bearing some light handling marks & bruising; rhs stock marked with **R.M. ENFIELD & COMMONWEALTH OF AUSTRALIA, TASMANIA** roundel; steel buttplate; modern leather sling fitted; overall in g. cond. **#151** L/R *Presents well.* **500 - 700**
524. **BELGIAN CENTAURE FLINTLOCK HALF STOCKED FOWLER:** 20G; 36" round barrel with g. bore, dusty but appears bright; strong blued finish to barrel with some scattered light oxidation; silver finish to polished lockplate; **CENTAURE LIEGE BELGIUM** marked to top of barrel, **MADE IN BELGIUM** to rhs; strong lock springs & sears; walnut half stock with patchy varnished finish, presents ordinary but in g. sound. cond. overall in exc. wo & g. cond. **#8430** L/R c.1970's **150 - 300**
525. **EUROARMS PERCUSSION PAT. 1861 ARTILLERY CARBINE:** .58 cal.; 24" round barrel with bright bore & sharply defined rifling, dusty but appears vg. overall; strong blued finish to barrel & bands, vivid case colours to lockplate & dull finish to brass furniture; some light oxidation speckled staining; makers name marked to top of barrel; lockplate marked **LONDON ARMOURY Co.**; strong lock springs & sears; std. style sights; hardwood stock in vg. overall cond., some minor handling marks overall but presents well; brass buttplate; overall in exc. wo & vg. cond. **#3509** L/R **400 - 600**
526. **BELGIAN NATIONAL ARMS Co S/B POACHERS HAMMER SHOTGUN:** 410 cal., 2 1/2" chamber; 24" barrel, g. bore some shallow pitting; brown patina to metalwork; top of barrel marked with makers name, Liege proofs to underside of breech; action locks up tight, side lever, strong hammer spring & sear; folds in half for easy transport; woodwork in g. sound cond., walnut straight 'skeleton stock' with worn chequering to wrist, slither of wood missing from rh edge of forend; overall in g. wo & cond. **#104** L/R *At 3lb 2oz, you would forget you're carrying it.* **300 - 500**

527. **SPANISH NORICA MOD. 56 S/S AIR RIFLE:** 22 cal.; 16" barrel with vg. bore; blued finish to metalwork is strong, spotted with oxidation staining; make & model to spring housing; strong spring tension & g. seals, adjustable rear sight & globe front; stock in g. to vg. cond., some scattered handling marks; overall in exc. wo & g. cond. **#J60380** L/R **100 - 150**
528. **HAENEL MOD. 310 AIR RIFLE:** .177 cal.; 15 1/2" barrel; exc. blued finish to metalwork, no wear, some storage marks; spring housing marked with **Modell 310/ SUHL** trademark, **HAENEL/ MADE IN GDR;** bolt action operating exc., strong springs & sears, missing mag.; std. sights, globe front; woodwork in overall exc. cond., presents flawless; overall in exc. wo & near exc. cond. **#534740** L/R **200 - 400**
529. **J. STEVENS MOD. FAVORITE FALLING BLOCK RIFLE:** 25 Stevens rimfire cal.; 24" rmd. barrel, g. bore with strongly defined rifling, some light pitting; worn blued finish to metalwork, brown patina & patches of staining overall; two-line **MASS.** address to top of barrel; **TRADE MARK/ FAVORITE/** patents to top of breech; mechanically vg. action locks up well, strong sears; std. sights dovetailed to barrel; woodwork in g. sound cond., presents v. well, small chip to toe of stock; steel buttplate; overall in vg. wo & f. to g. cond. **#988** L/R **400 - 600**
530. **CHIAPPA LITTLE RABBIT FOLDING BARREL S/S SPORTING RIFLE:** 22lr Cal; 18.5" barrel; blued finish to metal presents as exc. with minor storage marks; **Chiappa Firearms Dayton, OH** stamped on left hand side of the action; **Little Rabbit – Italy** and serial no. stamped on right hand side of the action; picatinny rail for mounting optics and accessors at rear end of barrel; rear peep sight and front blade; wireframe stock; overall exc. wo. & vg. cond. **#18N02635** L/R **200 - 250**
531. **ANSCHUTZ MOD. 1386 S/S RIFE:** 22 LR cal.; 21 1/2" round barrel with bright bore & sharp rifling, vg. overall; blued finish to metalwork thinning on barrel, g. otherwise; makers name, address & model marked to barrel; bolt cycles freely, strong springs & sears; fitted with **MARK** scope on two-piece rings, dusty optics; woodwork in g. sound cond., some scattered handling marks; overall in exc. wo & f. to g. cond. **#874106** L/R **150 - 200**
532. **WINCHESTER MOD. 1892 RIFLE:** 32 WCF (32-20 WIN); full length tube magazine; 23 3/4" barrel, shortened; bore in in g. cond., strong rifling & bright, some fine pitting; mottled plum patina to metalwork, light to moderate pitting to action; well-defined **WINCHESTER** two-line **NEW HAVEN** address & **32 W.C.F.** marked to lh flat of barrel; Winchester markings to top tang are worn as is serial no. to underside of action; mechanically good, action cycles freely, could use an oil; magazine ring is loose on factory dovetail & magazine tube is loose in housing; std. semi buckhorn rear sight, crude replacement front sight dovetailed to barrel; forend cap missing screw; woodwork presents OK, filled crack repair to forend, stock has been refinished, metal sitting well proud of woodwork; crescent steel buttplate; overall in g. wo & f. to g. cond. **#776369** L/R **300 - 500**
533. **B.S.A MARTINI CADET S/S RIFLE:** 310 cal.; 25 1/4" barrel with g. to vg. bore with sharp rifling throughout, some frosting & fine pitting; original blued finish to metalwork, thinning in areas and bearing a grey patina; **MADE BY THE BIRMINGHAM SMALL ARMS Co. Ltd** to top of barrel & lhs of action, the latter with **TRADE MARKS/ B.S.A.** & piled arms motif; **COMMONWEALTH OF AUSTRALIA/ VIC/ 8023** to rhs & Kangaroo trademark to top of breech; matching numbers; action functioning well, strong sears & springs; std. tangent sights graduated 100yd – 6; blade foresight; woodwork in vgc. cond., no markings, possibly a restock; steel buttplate; overall in vg. wo & g. to vg. cond. **#18146.** L/R **400 - 600**
534. **STOEGER MOD. CLASSIC S/B SHOTGUN:** 410 cal., 3" chambered; 24" barrel with dirty bore, appears exc.; strong blued finish to metalwork with some speckled oxidation & handling marks; makers name & address marked to rhs of action, **BERETTA** import marks to rhs barrel; action locks up tight, strong lock; woodwork in sound cond. but bearing some significant scratches to surface; fitted with rubber recoil pad; overall in exc. wo & f. to g. cond. **#U404253-16** L/R **200 - 400**

535. **WINCHESTER MOD. 1892 L/A RIFLE:** 32WCF (32-20 Win.) cal.; half-length tube mag.; 24" rnd. barrel, bright bore sharply defined rifling, some light scattered pitting but g. to vg. overall; original blued finish worn 20% remining in protected areas; defined two-line **NEW HAVEN** address & **32 W.C.F.** marked to barrel; action cycles smoothly, crisp sears & strong springs; flat top rear sights & blade front sight dovetailed to barrel; woodwork in g. to vg. sound cond., water model stock fitted with combs to flute; hard rubber **WINCHESTER** buttplate; overall in g. wo & f. cond. **#857049** L/R **400 - 600**
536. **WINCHESTER MOD. 100 S/A SPORTING RIFLE:** 243 Winchester cal.; 4 rnd. mag.; 22" barrel with a vg. bore & sharply defined rifling; blued finish to metalwork presents v. well, some minor speckled staining to barrel in areas, small patch of fine pitting & staining to back of action; **-WINCHESTER- MODEL 100 CAL. 243 WIN.-** over **-TRADEMARK- MADE IN U.S.A.- WIN. PROOF STEEL -**; lhs of receiver marked with serial no. **84701**; bolt retracts smoothly, original **WINCHESTER** marked steel mag.; std. flip up rear sight & hooded front; sling swivels to underside of forewood & stock; woodwork in vg. cond., refinished with some light handling marks & runs to oiled finish; defined pressed basket weave 'chequering' to grip & forewood with oak leaf pattern; white banded black plastic buttplate & grip cap; overall in exc. wo & g. to vg. cond. **#84701** Cat D L/R Mfg. 1963-1964 **500 - 700**
537. **ROSSI M. 92 L/A SPORTING RIFLE:** 44-40 Win. cal.; 2/3 length tube mag.; 26" replacement stainless steel barrel with bright bore & sharp rifling, vg. overall; bright finish to barrel, glossy blued finish to action & small parts; **R.D.T** over **44/40** marked to barrel; action cycles freely, trigger sear a bit stiff; fitted with **LYMAN 66A** peep sight to lhs of action, no foresight; woodwork in g. sound cond., some handling marks overall, curved steel buttplate with some surface oxidation; overall in vg. wo & g. cond. **#N001246** L/R **300 - 500**
538. **SPORTERIZED LITHGOW SHT.LE B/A RIFLE:** 303-22 cal.; 10 rnd. mag.; 20" heavy barrel with shiny bore, rifling well-defined but some frosting/ fine pitting; dark patina to action, thinning brown patina to barrel with some blemishes, presents ordinary; **1919 SHT.LE** marks to rhs body socket; non-matching bolt cycle well, strong sears & springs; fitted with cadet style rear sight & blade front; original military woodwork has been refinished, chequering to forewood; presents well with only light handling marks overall; brass buttplate; overall in vg. wo & f. cond. **#3466** L/R **200 - 400**
539. **B.S.A. Co LEE-ENFIELD MK. I* B/A RIFLE:** 303 cal.; 10 rnd. mag.; 30" barrel with f. bore, dark & rifling only lightly defined fine pitting throughout; thinning blued finish to metalwork, mottled on barrel, some minor oxidation staining in areas; rhs of body socket marked cypher/ **E.R./ B.S.A. Co/ 1903/ L.E./ I***; top of breech marked with **B.S.A.** piled arms trademark; matching bolt cycles freely, crisp trigger; retains magazine cut off & dust cover; 6 – 19 graduated rear sights; woodwork in g. cond., has been cleaned & refinished but still bearing some handling marks; brass buttplate with trap; overall in g. wo & cond. **#C3557** L/R **700 - 1000**
540. **EARLY WINCHESTER 1890 SOLID FRAME P/A RIFLE:** 22 short cal.; 10 rnd. cal.; 24" octagonal barrel with f.+ bore, rifling well-defined, fine pitting throughout; reblued finish to metalwork as developed a dark patina overall, some patched of fine surface oxidation in areas & older fine pitting patches; **WINCHESTER** address & cal. markings are faint; action cycles freely, strong springs & sears; retains pinched silver blade front sight, fixed rear & fitted with period **LYMAN** marked tang mounted peep sight; some replacement screws; pump woodwork in g. cond., only minor handling marks; stock with two large chips to underside of head, otherwise in g. cond.; crescent steel buttplate; overall in vg. wo & f. cond. **#5225** L/R **300 - 400**
541. **VERY RARE BRITISH PATTERN 1792 DUKE OF RICHMOND MUSKET by H. NOCK:** .73 Cal; 28" round barrel, smooth bore; g bore; hook breech with Ordnance proofs; mottled brown patina to barrel; **H NOCK** engraved & Ordnance marked screwless, crisp lock; fitted with modern flash guard; regulation brass furniture for this pattern musket; o/a vg walnut stock with repair to middle of forewood and near lock tail; stable age split below lock; clear 1786 storekeeper's stamp to RHS of butt'. o/a vg wo & cond. c. 1795. *Barrel reduced from 42", with rod & stock also reduced accordingly. A great arm deserving of restoration project. One of only 7 known examples.* N/L **4000 - 6000**

542. **ARISAKA TYPE 38. B/A SERVICE CARBINE:** 6.5x50m/m SR Arisaka cal.; 5 rnd. integral mag; 19 1/4" barrel with p. bore, caked with build-up, rifling is visible but appears worn; metalwork has developed a dark grey patina overall with patches of light to moderate pitting externally; some original blued finish to mag. follower; rifle retains all original markings incl. the Chrysanthemum which is still v. distinct on top of breech; bolt cycles correctly, safety working; std. sights with 4 – 20 graduations; retains steel cleaning rod; woodwork in g. to vg. cond., some v. light handling & storage marks overall, fine aged crack to top of handguard section; steel buttplate with some light pitting; sling swivel to lhs of stock & barrel band; overall in f. wo & g. cond. **#73394 L/R A good honest rifle that would grade up with a clean** 700 - 900
543. **BRNO MOD. 602 B/A SPORTING RIFLE:** .460 Weatherby Mag. cal.; 4 rnd. mag.; 26" barrel with exc. bore & strongly defined rifling; reblued finish to metalwork presents exc., some minor oxidation spots; makers marks have been polished off, faint 75 Czech proof to lhs of action; barrel appears to be replacement; bolt cycles freely, strong springs & sears; fitted with **TASCO** scope on bridge mount, clear optics but missing caps; stock in g. overall cond., some minor handling marks; sharply defined chequering to grip, horn forend cap; overall in vg. wo. & g. to vg. cond. **#7552606425 L/R** 1500 - 2000
544. **PERAZZI MX8 U/O SPORTING SHOTGUN:** 12G, 2 3/4" chambered; 29" barrels with ventilated ribs, choked approx. 3/4 & full; exc. bores; blued finish to metalwork presents exc., trace amounts of storage marks; makers name & Italian address marked to lhs of top barrel over gold inlay **MX8**; mechanically exc., locks up tight, strong ejectors; walnut stock in near exc. cond., some minor handling marks, sharply defined chequering to grip & forend; 14 1/2" LOP incl. rubber recoil pad; overall in exc. wo & cond. **#51633 L/R Suit new gun buyer.** 2000 - 2500
545. **ARISAKA TYPE 38. B/A SERVICE RIFLE:** 6.5x50m/mSR Arisaka cal.; 5 rnd. mag; 31 1/2" barrel with f. to g. bore, dirty & showing wear; dark patina to metalwork with speckled surface oxidation in areas; rifle retains all original markings incl. the Chrysanthemum which is still v. distinct on top of breech; serial no. & arsenal marks to lhs of action; **S & F** has been marked to top of dust cover, only finish deep; bolt cycles well, strong sears; retains dust cover to bolt & steel cleaning rod; std. sights with 4 – 24 graduations; woodwork in sound cond., scattered surface handling marks, heavy bruise to lhs of forestock above mag.; two-piece stock has dark staining; steel buttplate with surface pitting; overall in g. wo & f. to g. cond. **#57066 L/R** 700 - 900
546. **DUTCH GEWEER M.1895 B/A SERVICE RIFE:** 6.5x53mmR; 5 rnd. mag.; 32" barrel with f. bore, dark & caked with oxidation, rifling appears defined; v. dark patina to metalwork with coverage of fine to heavy pitting to most metal surfaces, excluding non-matching bolt; lhs of action marked **HEMBRUG 1919**, top of breech marked **6785C**; bolt cycles freely, strong sears; 3 – 20 graduated rear sight; woodwork in sound original cond., bearing plenty of surface marks & bruising; rhs of stock inlaid with small brass plate marked **1-Ku./232**; steel buttplate; overall in f. wo & cond. **#67856 L/R Would grade up.** 600 - 800
547. **REMINGTON MFG. MOSIN NAGANT MOD. 1891 B/A SERVICE RIFLE:** 7.62x54m/mR; 5 rnd. integral mag.; 32" barrel with dark bore, strongly defined rifling, last 1" of barrel honed out to remove rifling; blued finish to metalwork with dark patina, covered in patches of dried grease; top of breech marked **REMINGTON/ ARMORY/ 1917**, markings lightly defined; ~~43697~~ marked to bolt & stamped with additional **261664** which is also marked to breech; std. style sights with struck graduations to lhs; bolt cycles freely, strong sears & springs; woodwork sound, dry appearance & bearing scattered bruises, surface cracks; retains sling swivels & steel cleaning rod; steel buttplate; overall in g. wo & f. cond. **#261664 L/R Would clean up well.** 500 - 700
548. **SCHMIDT-RUBIN MOD. 1911 STRAIGHT PULL RIFLE:** 7.5x55m/m Swiss cal.; 6 rnd. mag.; 30 1/2" barrel with vg. bore, sharp rifling; blued finish to metalwork thinning on edges of mag., strong to action; Swiss cross mark to several parts incl. mag., bolt sights etc.; matching mag.; matching straight pull bolt cycles smoothly, ring cocking piece with crisp sears; 3 – 20 graduated rear sight; woodwork in g. cond., some handling marks & light bruising in areas; fitted with period leather sling, brass & steel muzzle/ sight protective cap; steel buttplate; overall in exc. wo & g.+ cond. **#360839 L/R Presents well** 800 - 1400

549. **WESTLEY RICHARDS & Co S x S B.L.N.E CAPE GUN:** 30" barrels; 12G, 2 1/2" chambered rh barrel, 500-450 cal. lh barrel; shotgun barrel bright with some oxidation patches, g. overall, circular 'scratch' ahead of chamber; rifle barrel with sharply defined henry rifling, vg. overall; browned finish to barrels now a mottled patina with some patches of oxidation & dark staining; faint case colours to action & 20% original blueing to floorplate, tangs etc; **WESTLEY RICHARDS & Co** marked to top rib ahead of sights, **LEFT BARREL.450 BORE. CHAMBERED FOR WR No 2 MUSKET CASE. HENRY RIFLING** before sights; border engraved action with makers name to both sides; action locks up right & on face, dolls head extension with third bite; manual safety; top rib dovetailed with blade front sight, four folding leaf express sights from 100 – 400 yds, & 5 – 10 graduated ladder sight; each leaf & ladder with platinum sighting lines; walnut stock with back style grip, tear drops, heel & toe plates; sharply defined chequering to grip, butt & splinter forend; professional repair to partial crack at wrist; woodwork bearing some handling marks & wear to finish; horn forend tip; sling studs to underside of barrel, stock; 14 1/8" LOP, 10lb 3oz weight; overall in vg. wo & g. cond. **#D6432** L/R **1500 - 2000**
550. **REMINGTON MFG. ENFIELD P.14 B/A SERVICE RIFLE:** .303 cal.; 5 rnd. integral mag.; 26" barrel with vg. bore, rifling sharply defined, some minor frosting; blued finish to metalwork has turned to a dark patina, thinning on breech; top of breech marked with **R E** oval; rhs of breech marked with **408141**; mechanically vg., matching bolt cycles smoothly, strong trigger sear; rear sights with 2 – 16 graduations; steel sling swivels to barrel band & underside of stock; woodwork in g. cond. overall, some minor handling marks & bruising, has been cleaned up previously; sound armourers repair to wrist of stock; steel buttplate with trap; overall in vg. wo & g. cond. **#408141** L/R **700 - 1100**
551. **BRNO ZKW-465 B/A SPORTING RIFLE:** 22 Hornet cal.; 5 rnd. magazine; 23" barrel with vg. bore & sharp rifling; blued finish to metalwork presents well, some handling marks & minor blemishes; makers name marked to lhs of action, model to lhs breech; **55** proofs to lhs of barrel & breech; mechanically g., bolt cycles freely, double set triggers with crisp sears; fitted with **BUSHNELL 6X** scope with clear optics; vacant rear sight dovetail; woodwork in g. cond., some minor surface marks, sharply defined chequering; fitted with platted leather sling; overall in exc. wo & g. to vg. cond. **#36474** L/R **600 - 800**
552. **B.S.A. MARTINI TARGET RIFLE:** .22 LR cal.; 21" heavy barrel with exc. bore & crisp rifling; blued finish to metalwork thinning on areas of barrel but presents decent; makers name & address marked to top of barrel, piled arms trademark to lhs of action; action locks up well, crisp trigger; crudely milled dovetail mounts machined into barrel, four additional drilled & tapped mounts on top; woodwork in g. sound cond., some light handling marks; original BSA marked buttplate; overall in vg. wo & f. cond. **#P75123** L/R **200 - 300**
553. **WINCHESTER MOD. 1890 P/A RIFLE:** 22 Short cal.; 15 rnd. tube mag.; 24" octagonal barrel with v. slight ring bulge towards muzzle; thinning plum patina to metalwork, some patches of oxidation staining; **WINCHESTER** address & patents to lhs of barrel; **W** crudely marked to lhs surface of action; action cycles but needs an oil; woodwork in g. sound cond., some light handling marks & bruise to grooved pump; crescent steel buttplate; overall in f. cond. **#545233** L/R *Plenty of good parts* **100 - 200**
554. **SPANISH MAUSER 98 B/A RIFLE:** 7.92×57m/m Mauser; 5 rnd. integral mag.; 24" barrel with g. bore, some fine pitting with defined rifling, some wear; brown patina to majority of metalwork with some traces of blued finish remaining in protected areas; cal. **7.92, P R** proofs to lhs of breech, Spanish Civil Guard crest to top of breech; bolt cycles smoothly, g. trigger; std. tangent sights with 1 -20 graduations; retains steel cleaning rod; steel sling swivel to lhs and underside of barrel band and stock; woodwork in f. overall cond., sound & free from cracks but dirty with some staining to comb; steel buttplate; overall in g. wo & f. cond. **#W4384** L/R **400 - 600**
555. **SPORTCO OMARK MOD. 44 B/A S/S TARGET RIFLE:** 7.62m/m cal.; 26 1/2" barrel with vg. bore & crisp rifling; blued finish to metalwork, some storage marks, thinning on action; **SPORTCO MODEL 44/ MADE IN AUSTRALIA BY OMARK/** serial no. & **7.62mm. CAL** marked to lhs of action; strong trigger sear & springs but bolt falls out when cycled; no rear sight & globe front sight; sling swivels; woodwork in g. overall cond. with some scattered handling marks; original buttplate & leather sling; overall in g. cond. **#SD0917** L/R **200 - 400**

556. **T. BLAND & SONS S.L.N.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 29" twist damascus barrels, choked approx. 1/4 & 1/2; vg. bright bores with only fine pitting in areas; dark plum patina to barrels, pattern faint; dark patina to remainder of metalwork; **THOMAS BLAND & SONS**, indistinct address marked to top rib, Birmingham proofs to barrel flats; makers name to plain locks; action locks up tight, strong springs & sears, double triggers, auto safety; walnut straight stock & splinter forend, both dark & with spotted blemishes to surface; chequering worn & some filled knots in walnut to lhs butt, small partial crack behind rh lock tail; 14 1/4" LOP incl. perished 1" ventilated rubber recoil pad; overall in vg. wo & f. to g. cond. #15804 L/R *Would grade up significantly with a light clean & oil.* 400 - 600
557. **BRNO MOD. ZKK-601 B/A SPORTING RIFLE:** .243 Win. cal.; 5 rnd. mag.; 24" barrel with g. bright bore & sharply defined rifling, some frosting throughout, confined mainly to grooves; strong blued finish to metalwork overall, some light surface oxidation in areas; matte finish to action; **CAL./ 243W** marked to top of barrel at breech; 77 proofs to lhs breech & barrel; bolt cycles freely, strong springs & sears; retains std. folding rear sight & blade front; fitted with period **3-9x40 Tasco** scope on bridge mount, scope optics dusty but appear clear; walnut stock with right handed cheekpiece in g. overall cond., some light handling marks & bruising overall; chequering to grip & forestock is well-defined; wood forestock & grip cap; fitted with 1" Decelerator rubber recoil pad; overall in vg. wo & g.+ cond. #18738 L/R 500 - 700
558. **I. HOLLIS & SONS S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30" twist damascus barrels with dirty bores, appear to be f. to g., some small dings; grey patina to metalwork, some patchy staining in areas; faint marks to barrel, makers name to locks; action with some defined scroll & game scene engraving; action loose, rh hammer with repair but strong locks; walnut straight stock in g. sound cond., a bit dark & grubby; splinter forend worn, chips to edges; overall in p. cond. #35749 L/R 25 - 50
559. **SCARCE BELGIAN S/B 32 GAUGE HAMMER SHOTGUN:** 32G, approx. 2 1/2" chambered; 27 3/4" barrel with octagonal breech section; bore dirty, a few patches of moderate pitting, f. to g. overall; blued finish to barrels has turned to a dark patina, grey steel finish to remainder of metalwork; no makers name, Liege proofs to barrels; Tranter style side lever action locks up with movement, strong sears, weak mainspring; woodwork in g.+ sound cond.; some light handling marks overall, chequering to petite forend & straight stock is defined; retains original hard rubber buttplate; overall in g. wo & cond. N/L 300 - 500
560. **ENFIELD PERCUSSION SHOTGUN CONVERSION:** 20 bore approx.; 30 1/2" barrel with f. bore, dark but not heavily pitted; dark patina to metalwork with red surface oxidation to majority of barrel; British proofs to lhs breech; Enfield lock with strong lock spring & sears; ramrod pipes brazed to underside of barrel; original woodwork been converted to a half stock with brass forewood cap, staple barrel release; woodwork in decent cond., partial crack behind lock tail & poor finish; brass buttplate missing heel screw; overall in f. cond. N/L *Suit wall hanger* 200 - 400
561. **19th CENTURY EUROPEAN GUN CANE:** 9m/m cal.; 28" barrel with bright smooth bore, some patchy oxidization in areas; wood barrel & action shroud presents well, some wear to finish & handling marks overall with an aged crack to action section; outer chamber stamped with German proof; action closes with g. spring tension, rotating brass colour reveals trigger; retains brass muzzle insert; horn grip/ handle with surface cracking; overall in g. cond. N/L *A good complete example.* 700 - 1000
562. **MARLIN GLENFIELD MOD. 20 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 22" barrel with exc. bore, bright with crisp micro-groove rifling; original blued finish to metalwork presents decent, some spotted blemishes; makers name & marks to top of barrel; **no bolt**; std. sights, polymer trigger guard; hardwood stock in vg. overall cond., a couple of marks to finish; embossed grooves & squirrel motifs to grip are sharply defined; original black plastic buttplate; overall in vg. cond. #20723136 L/R 25 - 50
563. **ENFIELD SHT. LE. MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with p. bore, defined rifling but caked with oxidation scale; reblued finish to metalwork has turned to a dark patina; rhs body socket marked **G.R.** Cypher/ **ENFIELD / 1916/ SHT.LE/ III***; markings are faint; serial no. & struck set of numbers to rhs breech; bolt cycles freely, strong springs & sears; no rear sights but fitted with **RAWSON** marked side mount to lhs body socket, woodwork shaved back to suit; woodwork in f.. cond., has been heavily refinished & lacquered, metal-to-wood fit is ordinary; brass buttplate; overall in f.+ cond. #4799 L/R 300 - 500

564. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 24 3/4" barrel with vg. bore, bright with sharply defined micro-groove rifling; strong blued finish to metalwork, some minor handling & storage marks but presents exc.; **BRNO ARMS MOD. 2** marked to barrel, 77 proofs to action & breech; bolt cycles freely, strong springs & sears; retains factory tangent rear & hooded front sights; missing sling swivels; stock in vg.+ cond. overall, some minor handling marks & spotted blemishes to finish; schnabel forewood & nicely figured walnut; overall in exc. wo & vg. cond. **#248607** L/R **600 - 800**
565. **R.O.F. MALTBY No. 4 1/3 B/A SERVICE RIFLE:** 303 cal.; 10 rnd. mag.; 25" barrel with exc. bore, crisp rifling throughout; black military painted finish to metalwork, presents well, some minor finish flaking; lhs of action marked **F T R 1954 No. 4 Mk. 1 / 3 / A17221**; top of breech marked **ENGLAND, OK** marked to rear of action & rhs of breech; matching bolt cycles well, strong sears & springs; std. peep rear sight & front; woodwork in vg. overall cond., some minor handling marks but presents exc.; .303 broad arrow marked to rhs of stock; fitted with canvas sling; alloy buttplate with trap; overall in exc. wo & vg cond. **#A17221** L/R **1500 - 2000**
566. **WINCHESTER MOD. 1903 S/A RIFLE:** .22 Win. auto cal.; 10 rnd. mag.; 20" rnd. barrel with vg.+ bright bore, sharply defined rifling; original blued finish has developed a plum patina on receiver, stronger on remainder of metalwork; crisp **WINCHESTER** two-line **NEW HAVEN** address & patents to lhs of barrel along with cal.; std. sights; action cycles smoothly, strong trigger sear; woodwork has been refinished and is bearing surface handling marks & scuffs overall; crescent steel buttplate with loading tube; overall in exc. wo & g.+ cond. **#96388** Cat C L/R **600 - 800**
567. **WINCHESTER MOD. 1907 S/A RIFLE:** 351 Winchester self-loading cal.; missing magazine; 20" barrel with exc. bore & crisp rifling; blued finish to metalwork presents exc., some minor wear around profiles of action; crisp **WINCHESTER** two-line **NEW HAVEN** address to lhs of barrel along with **-MODEL. 07 - 351 CAL.-**; top of breech & barrel with **PW** proofs; serial no. marked to frame & receiver; mechanically exc. cocking rod to underside of barrel, strong springs & crisp trigger; std. flat top rear sight & blade front sight; sling swivel to underside of stock & steel forend cap; woodwork in exc. cond., some trace amounts of storage marks overall; original knurled steel buttplate; overall in exc. wo & vg. cond. **#54228** Cat D L/R **1300 - 1500**
568. **WINCHESTER MOD. 1885 LOW WALL RIMFIRE RIFLE:** .25 RF cal.; 26" octagonal barrel with f.+ bore, rifling is well-defined, some moderate pitting throughout; 70% original blued finish to barrel, thinning to a plum patina overall; grey mottled patina to action with trace amounts of case colours; top of barrel marked with sharply defined two-line **WINCHESTER** address, **.25 RF**; action locks up tight, strong springs & sears; flat top rear sight & silver 'pinched' blade front sight; walnut stock has been given a refinish, presents well & maintains g. metal-to-wood fit; some scattered bruising but bearing only light handling marks overall; crescent steel buttplate; overall in vg. wo & g. to vg. cond. **#86411** L/R **800 - 1200**
569. **W.J. JEFFERY SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 1/2" chambered; 28 1/4" barrels choked approx. 1/4 & full; bright bores with some light pitting around forcing cones & scattered patches of frosting; blued finish to barrels presents well, a few minor storage marks; top of rib engraved **W.J. JEFFERY & Co. 13. KING STREET ST. JAMES ST. LONDON, London V & P NITRO PROOF 1 1/8OZ** proofs to barrel flats & action table; lockplates engraved with **W.J. JEFFERY & Co** within banner; action, locks, first section of rib & tangs with extensive coverage of acanthus scroll engraving, pair of dogs to both locks, dog head motif to underside of action with rose bouquet & another dog to trigger guard; gold inlaid 2 to rib & top lever; action locks up tight & on face, auto safety with gold inlaid **SAFE**, strong lock springs & sears; ejectors are mistimed; restocked, English straight stock & splinter forend present well, a few minor handling marks overall; sharply defined chequering to forend, wrist & butt; 14 1/4" LOP & 6lb 15oz weight; overall in g. wo & g.+ cond. **#12590** L/R **2500 - 3000**

570. **COMMERCIAL F.N. MAUSER B/A SPORTING RIFLE:** .270 Win. cal.; 5 rnd. integral magazine; 24" barrel with exc. bore & strongly defined rifling; blued finish to metalwork, a few patches of finish wear to barrel, carrying wear to magazine floorplate & trigger guard; thin nitre blued finish remaining on bolt release, bright steel finish to bolt, magazine lifter; lhs of action marked **FAB NAT D'ARMES DE GUERRE HERSTAL – BELGIQUE**; lhs of barrel marked with **CHROME VANADIUM STEEL, MADE IN BELGIUM** to rhs; Belgian proofs marked to lhs of breech & barrel, serial no. marked to bolt, rhs of breech & barrel; mechanically exc., bolt cycles smoothly, fitted with a crisp Timney trigger; three position safety to rear of bolt; original express style rear sight with fixed 100yd & folding 200yd, 300yd leaf's; front ramp & blade sight with hood; fitted with U.S. mfg. **LEUPOLD VARI -X 2 – 7** scope with clear optics; walnut stock in g. to vg. sound cond., free from cracks, cheekpiece to lhs, some surface marks overall, small chip to rhs edge of grip; sharply defined chequering to semi pistol grip & forewood; plastic grip cap, sling studs to underside of stock & forewood; retains original grooved horn buttplate with **FN** monogram trademark to centre, some insect damage; overall in exc. wo. & g. to vg. cond. **#27179 L/R A lovely, classic factory Mauser sporting rifle.** **1500 - 1800**
571. **WESTLEY RICHARDS B.L.E. S x S DOUBLE RIFLE:** 470 Nitro express cal.; 25" barrels with g. to vg. bright bores & well-defined rifling, showing wear after throat; older reblue to barrel, floorplate & trigger guard, all with light wear; polished steel finish to action with slight brown patina; concave rib engraved with **WESTLEY RICHARDS & Co LONDON**, top of left barrel engraved **.470 NITRO EXPRESS**; border engraved action with **WESTLEY RICHARDS & Co** to both sides; Birmingham **CORDITE** proofs to barrel flats; action locks up tight & on face, dolls head extension with third bite; ejectors are well times & strong; manual safety with gold inlaid **SAFE**; quarter express rib has been drilled & tapped for 5 screws; rib dovetailed with original fixed 100 express sight, folding 200, 300, 400 & 500 leaf's with platinum sighting lines; blade front sight with folding night bead; walnut stock with semi pistol grip & horn cap, vacant silver escutcheon, 14" LOP incl. 3/4" recoil pad.; woodwork in g. sound cond. overall, patchy finish & some handling marks overall, partial aged crack to lhs forend; chequering to grip & splinter forend defined; overall in vg. wo & g. cond. **#T10652 L/R** **15000 - 18000**
572. **CZ MOD. 550 SAFARI CLASSIC B/A SPORTING RIFLE:** .375 H.& H. cal.; 3 rnd. integral mag.; 26" barrel with g.+ bore, sharply defined rifling but dirty; satin blued finish to metalwork present exc. with only minor storage marks; makers name & Czech address to top of barrel, **CAL. 375H&H/ MAG.** to lhs of barrel breech; lhs of breech marked **MADE IN CZECH REPUBLIC**; lhs action marked **CZ 550 SAFARI CLASSIC** & US address; bolt cycles freely, strong springs & sears; express style sights with fixed **100yd** & folding 200, 300yd leaf's, hooded front sight; sling stud to underside forestock & butt; walnut stock in vgc., some minor storage residue spotting & scattered handling marks; chequering to grip & forewood sharply defined; horn forewood cap, cheekpiece to lhs stock; fitted with rubber recoil pad & steel grip cap; overall in exc. wo & near exc. cond. **#A205229 L/R** **1500 - 1800**
573. **BRITISH PATT. 1853 D/B SMOOTHBORE PERCUSSION CARBINE:** .65 cal.; 25 3/4" barrels with p. to f. bores, shallow but extensive pitting throughout both barrels; mottled brown patina to barrels & matching hammers, some v. minor staining in areas of barrels; silver steel patina to back action locks, mellow finish to brass trigger guard & buttplate; crown over **3** over **B** inspection marks to both breeches; lockplates bearing crown & broad arrow, **V.R.** cipher over Tower **1854**, v. clear to rh lock, faint on lh; both locks with strong springs & sears; sling bar to lhs with ring; captive steel ramrod; wood to metal fit vg. to exc. other than buttplate, rh of stock with mitigated, but stable, damage; woodwork in p. to f. overall cond., some light vice marks to both sides; presents well; Set-up contractor Swinburn & Son to bottom of stock; overall in f. to g. wo & cond. **N/L** **1400 - 1800**
574. **EUROARMS 1841 MISSISSIPPI PATTERN PERCUSSION RIFLE:** .58 cal.; 33" barrel with vg. bright bore & crisp rifling; strong plum finish to barrel, thinning at muzzle end slightly; vivid case colours to lock & mellow finish to brass trigger guard, brass patch box to rhs stock with some surface marring; lock marked with eagle motif/ **US**, makers name to top of barrel; strong lock springs & sears; std. fixed sights, missing steel ramrod; dark walnut stock presents decent, a few minor handling marks & two holes in wrist from vacant peep sight mount; overall in exc. wo & g. cond. **#23445 L/R** **500 - 700**

575. **ARMI SPORT S/S SHARPS 1874 SPORTING RIFLE:** .45-70 Govt. cal.; 32" octagonal barrel with exc. bore, crisp rifling; strong glossy blued finish to barrel, presents exc.; vivid case colours to action, lock & tangs; **AC** logo **ARMI SPORT/ ITALY CAL 45/70 U.S. GOV.** stamped to lhs of breech; patents & Italian proofs to side of receiver; std. ladder rear & silver blade front sights dovetailed to barrel; action locks up tight, double set trigger crisp; woodwork in overall vg. cond., some surface marks; curved steel buttplate with vibrant case colours; overall in exc. wo & vg. cond. **#SH9850 L/R** **900 - 1400**
576. **BELGIAN GRAS STYLE B/A SHOTGUN:** 12G; 30 1/2" barrel, choked approx. 1/4; bore dirty with some patchy frosting but in g. overall cond.; worn blued finish to metalwork now a mottled grey patina; Liege proofs to barrel & bolt, **MADE IN BELGIUM** to top of barrel; bolt cycles freely, strong springs & sears; rudimentary style stock is in sound cond., bearing plenty of handling marks & scuffs but free from cracks; overall in vg. wo & f. cond. **#W117 L/R** **100 - 200**
577. **BRITISH PATTERN 1839 INFANTRY PERCUSSION MUSKET:** .758 cal.; 39" round barrel with f. to g. bore, light to moderate pitted in areas; even plum-brown patina to majority of metalwork some speckled staining; dull finish to brass furniture; lock marked with crown/ **V.R/ ENFIELD, 1842**; good crisp lock function, repaired replacement hammer; complete with correct swivel, steel ramrod, fitted with original & scarce type of bayonet catch; regulation front & rear sights; woodwork in g. cond. overall, expertly executed & subtle grafted walnut repair to butt rhs, minor bruises, lightly varnished; overall in vg. wo. & cond. **N/L** **1800 - 2200**
578. **WILLIAM POWELL B.L.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 1/2 & 3/4; exc., bright bores; blued finish to barrels overall g. with some storage wear to lh barrel; vivid case colours to action, some carrying wear to underside; file cut rib, **Wm POWELL & SON Ltd**, to top of rh barrel, **35. CARRS LANE BIRMINGHAM ENG.** to top of lh; **BNP 3 1/4** tons nitro proofs to barrel flats; 70% coverage of acanthus scroll engraving to action, makers name to either side; side clips to fences, action locks up tight; manual safety; woodwork overall in vg. to exc. cond., v. minor handling marks to English style walnut restock; with fluted comb; sharply defined chequering to wrist & splinter forend; 14 3/8" LOP & 8lb weight; overall in vg. wo & cond. **#15213 L/R** **1000 - 1400**
579. **ARMI SPORT 1853 ENFIELD PATTERN THREE-BAND MARKET:** .58 cal.; 39" barrel with bright bore & crisp rifling, exc. overall; strong blued finish to barrel overall but thinned patch tat muzzle; vivid case colours to bands & lock, brass trigger guard & buttplate; **AC** logo **ARMI SPORT/ ITALY** stamped to lhs of breech, **1853 ENFIELD** marked to lockplate; strong lock springs & sears; std. sights, retains steel ramrod; walnut stock presents well, a few minor handling marks; overall in exc. wo & g. to vg. cond. **#E18492 L/R** **700 - 900**
580. **BRITISH INDIA PATT. 'BROWN BESS' TYPE 1 FLINTLOCK MUSKET:** 10 bore; 39 1/4" barrel with f. bore, dark & dirty, pitting visible; even dark plum patina to metalwork, some patches of cleaned pitting on barrel & some deep scoring externally; neck of cock, lockplate & breech with patchy pitting; dull patina to brass furniture; border engraved, rounded lock, marked **TOWER** to tail; crown/ **GR** to centre is partially obscured by fine pitting; lhs breech marked with Ordnance proofs stamps; lock with strong spring tension, sears holding; correct cock, pan shape & shoulder for type 1; bayonet stud/ foresight; lacking swivels, incorrect short ramrod; walnut stock in f. to g. cond., glued repairs to forewood rhs, losses at nose cap to both sides & to rear rhs barrel pin hole; general handling marks & moderate bruises; f. to g. cond. overall. **N/L C.1805** **2000 - 2500**
581. **I. HOLLIS & SONS B.L.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 3/8 & 3/4; g. to. vg. bright bores with some light pitting; strong reblued finish to barrels & small parts, action with some traces of case colours; **I. HOLLIS & SONS. LONDON.** engraved to section of file cut top rib; Birmingham **1 1/4 NITRO PROOF** marks to barrel flats; action locks up with some movement, ejectors time reasonably well; original walnut stock in g. cond., chequering to bag style grip is defined; 14" LOP incl. 1" ventilated recoil pad; replacement walnut forend with crack to bottom, p. metal to wood fit; overall in g. wo & cond. **#48652 L/R Would grade up with minor work.** **600 - 800**

582. **ENGLISH SAXTON S x S SHOTGUN:** 12G, 2 1/2" chambered; 30" twist steel barrels choked approx. 1/2 & full; dirty barrel but appear f.+; plum patina to barrels with g. twist pattern; makers name & address to top rib; light scroll & game bird engraving to locks, matching crescent hammers; action loose, needs attention; locks are strong; walnut stock & splinter forend are in f. cond., some handling marks, light bruising & chips here and there, generally worn; large partial crack to forend; overall in p. to f. cond. **#26087** L/R 50 - 150
583. **WINCHESTER MOD. 1902 S/S RIMFIRE RIFLE:** .22 short cal.; 18" barrel with bright bore & sharp rifling, some fine pitting; dark plum patina to metalwork; makers marks, **NEW HAVEN** address etc to lhs barrel are well-defined; bolt cycles freely, strong springs & sears; std. sights; hardwood stock presents well, repaired cracks running along forewood; std. butt; overall in vg. wo & f. to g. cond. **#31796PD** L/R 50 - 150
584. **TAIYO JUKI No. F B/A RIMFIRE RIFLE:** .22 LR cal.; 22 1/2" round barrel with g. to vg. bore, a bit dusty but rifling is sharply defined; strong blued finish to metalwork with some minor oxidation to surface & dust overall, would clean up well; **TAIYO JUKI MADE IN JAPAN NO. F**, serial no. marked to barrel; bolt cycles freely, manual cocking piece; std. sights; plastic trigger guard; hardwood stock in vgc., unusual grain to woodwork; overall in vg. wo & g. cond. **#1451A** L/R *Will grade up with a quick wipe over.* 150 - 300
585. **CHAPUIS CLASSIC X4 B.L.E S x S DOUBLE RIFLE:** 9.3x74Rm/m cal.; 22" barrels; exc. bores with sharply defined rifling; gloss blued finish to the barrels presents in exc., satin silver finish to action; makers name marked lightly to top of express quarter rib; action with extensive acanthus scroll engraving & boars head motif to underside; action locks up tight & on face, retains factory jewellery on breech face; single mechanical trigger; express style fixed sights; blade & white bead front sight; nicely figured walnut stock & semi-beavertail forend, chequering to both is sharply defined; palm swell grip & cheekpiece to lhs; 15" LOP incl. chequered walnut buttplate; woodwork bearing a few light storage marks; overall in exc. wo & cond. **#211646** L/R 4500 - 6000
586. **WINCHESTER MOD. 1892 L/A RIFLE:** 44-40 cal.; 1/2 length tube magazine; 23 1/2" octagonal barrel with poor bore, ring bulge just after fore sight; thick brown patina to metalwork, patina evenly thinning around action screws; well-defined two line **HAVEN** address to lhs of barrel, **44 W.C.F.** to lhs of barrel ahead of breech; **WINCHESTER** markings to top tang; action jams, missing extractor, std. buck horn sight missing elevation ramp; woodwork completely stuffed & missing all the screws; overall in v. poor cond. **#635726** L/R *Strip it down for parts* 50 - 100
587. **I. HOLLIS & SONS S x S HAMMER COACH GUN:** 12G, 2 1/2" chambered; 18" barrels, choked cyl. & cyl.; bright bores, some patchy oxidation & frosting; grey patina to metalwork; makers name marked to locks, top rib; Birmingham proofs to flats; strong locks, action locks up with some movement & additional movement in head of stock; woodwork in generally sound cond., some light handling marks & general surface wear, forend with chips; overall in f. cond. **#83265** L/R 100 - 200
588. **F. DUMOULIN S/B SMALL BORE BICYCLE SHOTGUN:** .410 cal., 2 1/2" chambered; 30" two-stage barrel with octagonal breech section; g. to vg. bright bore; mottled dark patina to metalwork presents decent; **F. DUMOULIN LIEGE** marked to top of barrel; action locks up tight & on face, strong lock; walnut straight stock in g.+ cond., defined chequering to wrist; steel buttplate; overall in vg. wo & g.+ cond. **#2630** L/R 300 - 500
589. **HECKLER & KOCH MOD. HK 41 SEMI-AUTOMATIC BATTLE RIFLE:** 7.62m/m NATO cal.; 20 rnd. box mag.; 20" barrel incl. flash hider; exc. bright bore with sharply defined rifling; blacked finish to metalwork presents well, some handling marks & wear; lhs of mag. well-marked **HK 41 10C 136** over **6/66**; British proofs to lhs of breech; mechanically vg., strong main spring & sears; rear rotary peep sight & globe front; comes with **HENSOLDT WETZLAR** scope with clear optics, on quick release base; folding swivel bipod; polymer grip, handguard & butt have some handling scuffs but free from structural damage; fitted with period leather sling; comes with three additional box magazines; overall in exc. wo & g.+ cond. **#10C136** Cat D L/R 4000 - 6000

590. **CROSMAN TYRO S/S AIR RIFLE:** .177 Cal; 16" barrel; matte black finish to barrel in vg condition with minor storage marks; model no. calibre & serial no. stamped on rhs of barrel, **CROSMAN TYRO** stamped on rhs of action; illuminated rear and front sights; synthetic stock with ventilated comb; overall in exc. wo & vg. cond. #D1800021 L/R 200 - 400
591. **WINCHESTER MOD. 1892 L/A RIFLE:** 32WCF (32-20 Win.) cal.; half-length tube mag.; 24" octagonal barrel has been relined; bore exc. cond., rifling sharp; dark patina to barrel, silver steel finish to action & small parts with some staining; metalwork with some peening; defined **WINCHESTER** markings to barrel; action cycles well, strong sears & springs; flat top rear sight & pinched blade front sight dovetailed to barrel; woodwork in g. cond., some handling marks overall, refinished & metal now sitting slightly proud of woodwork; crescent steel buttplate; overall in exc. wo & g. cond. #383530 L/R 300 - 500
592. **KEEP BROS S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 29 1/2" barrels choked approx. 1/4 & 3/4; g. bright bores, both could use a clean; black re-blued finish to barrels, scattered pit peppering to majority; **KEEP BROS LONDON & BIRMINGHAM** engraved to top rib, makers name & game birds engraved to locks; action locks up with some movement, strong locks, one replacement hammer; walnut stock & splinter forend in sound cond., chequering defined & bearing only general light handling marks but presents dull; small hairline crack behind lock tail; overall in f. to g. cond. #7 L/R *Would grade up significantly with some minor work.* 150 - 300
593. **WINCHESTER MOD. 1892 SADDLE RING CARBINE:** .32WCF (32-20 Win.) cal.; half-length tube mag.; 20" round barrel is stuffed, bent and twisted towards muzzle; grey patchy patina to majority of metalwork; action cycles smoothly, strong springs & sears, std. carbine sights missing screws; crude replacement screw to rhs action; woodwork in g. overall cond., forend & butt bearing some handling marks & bruising; curved steel buttplate; overall in f. cond. #908913 L/R *Suit parts.* 50 - 100
594. **MARLIN GLENFIELD MOD. 20 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 22" barrel with exc. bore, bright with crisp micro-groove rifling; original blued finish to metalwork presents exc., some minor storage marks; makers name, **NORTH HAVEN** address & cal. markings to top of barrel; bolt cycles freely, strong springs & sears; std. sights, polymer trigger guard; hardwood stock in vg. overall cond., a couple of marks to finish; embossed grooves & squirrel motifs to grip are sharply defined; original black plastic buttplate; overall in exc. wo & vg.+ cond. #19736979 L/R 300 - 500
595. **BOITO S/B SMALL BORE SHOTGUN:** .410 cal., 3" chambered; 28" barrel, choked approx. full; dirty bore but appears to be g.+; strong blued finish to metalwork, speckled with oxidation in areas; makers name & address etc marked to action; action locks up tight, strong lock; hardwood stock & wide forend both in vgc., a few minor handling marks; overall in exc. wo & vg. cond. #521647 L/R *A handy little gun coming into summer* 150 - 300
596. **WINCHESTER MOD. 67 S/S RIMFIRE RIFLE:** .22 LR cal.; 27" barrel with bright bore & sharply defined rifling, some minor frosting in areas; thinning blued finish to metalwork, has turned to a plum-brown patina; nickel finish to bolt; **WINCHESTER** trademarks, **NEW HAVEN** address etc. marked to lhs barrel; bolt cycles freely, strong springs & sears; std. sights; woodwork in g. sound cond., some light handling marks & bruising but presents well; **TSB** marked to rhs stock; original maker marked buttplate; overall in exc. wo & g. cond. #2621FRA L/R 150 - 300
597. **MARLIN GLENFIELD MOD. 20 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 22" barrel with exc. bore, bright with crisp micro-groove rifling; original blued finish to metalwork presents decent, thinning to a grey patina on barrel; makers name, **NORTH HAVEN** address & cal. markings to top of barrel; bolt cycles freely, strong springs & sears; std. sights, polymer trigger guard; hardwood stock in vg. overall cond., a couple of marks to finish; embossed grooves & squirrel motifs to grip are sharply defined; original black plastic buttplate; overall in exc. wo & g. to vg. cond. #20725344 L/R *Has seen very little use.* 250 - 400
598. **HARRINGTON & RICHARDSON MOD. 1908 S/B SHOTGUN:** 12G, 2 3/4" chambered; 30" barrel with f. bore, peppered with some pits & dirty; brown patina & patchy surface oxidation to metalwork; makers marks to lhs action; action locks up loose, strong lock; woodwork poor, crude replacement stock cracking; overall in p. cond. #614093 L/R 20 - 50

599.	BRITISH PATT. 1845 NAVAL BOARDING CUTLASS: 29" slightly curved blade in vg cond. with lightly mottled patina, ordnance stamp to ricasso & MOLE to edge; vg cond. hilt & sheet bowl guard retains 90% original black finish; complete g cond. original brown leather scabbard. <i>A great example</i>	400	700
600.	RARE BRITISH PATT. 1816 RIFLEMAN'S SWORD – MARKED NSW/TAS CONVICT GUARD: 22" curved saw-back blade in g cond., 3 small notches to back edge; ricasso stamped crown/1 & partial T.CRAVEN maker's stamp; brass Lion's head hilt in g cond., guard has undergone period repair, reducing its size & its use as a saw-handle, grip of ribbed brass; one chappe engraved 47 , the other exhibits faint remnants of known NSW C ?? (NSW C company & number). No scabbard. Initially made for British Riflemen these swords were soon put into Store & issued elsewhere. <i>A rare opportunity to acquire an arm issued to Royal Veteran Companies working as convict guards in NSW & Van Dieman's Land in the 1830s (ref: Pioneers & Pisspots – NSW Royal Veteran Companies)</i>	600	1000
601.	BRITISH PATT. 1845 NAVAL BOARDING CUTLASS: 29" slightly curved blade in vg cond. with lightly mottled patina, ordnance stamp to ricasso & MOLE to edge; vg cond. hilt & sheet bowl guard retains 90% original black finish; complete g cond. original brown leather scabbard. <i>A great example</i>	500	800
602.	BRITISH PATT. 1908 CAVALRY TROOPER'S SWORD: 35" straight blade in vg cond., ricassos with Ordnance stamps, WILKINSON , & issue date 5 '15 ; v g cond. sheet steel bowl guard with original brown painted finish; g cond. original reddish dermatite grips; complete with correct steel scabbard with patchy brown patina & ordnance stamps below rear ring-mount. <i>Hard to find a better example!</i>	650	900
603.	BRITISH PATT. 1796 LC STYLE MYSORE HORSE CAVALRY OFFICER'S SWORD: 33" curved blade in vg. to exc. cond., etched both faces with clear decorative designs including stand of arms and MYSORE HORSE , ricasso with ROBT MOLE & SON MAKERS BIRMINGHAM ; stirrup hilt in g cond., rayskin grips show only light wear; complete with steel mounted black leather scabbard in g cond.	450	600
604.	BRITISH PATT. 1796 LIGHT CAVALRY TROOPERS SWORD: 33" curved blade in g cond., a few tiny nicks to edge; blade stamped with ordnance stamp remnant, back edge stamped by maker DAWES BIRMM ; hilt in f to g cond., grips re-covered & stirrup-guard moved back slightly long ago; complete with correct original wood-lined steel scabbard with dk patina & small shallow dent	450	600
605.	SCARCE NSW COLONIAL ISSUED BRITISH PATT. 1845 NAVAL BOARDING CUTLASS: 28.7" slightly curved blade in g cond. except numerous nicks to fighting edge, ordnance stamp to ricasso & maker's name to edge; g cond. hilt & sheet bowl guard retains 25% original black finish & is stamped with broad arrow & N.S.W.G (New South Wales Govt). No scabbard.	400	700
606.	BRITISH PATT. 1796 LIGHT CAVALRY TROOPERS SWORD: 33" curved blade in f to g cond., a score of small nicks to fighting edge; blade stamped with clear B/I/O & crowned arrow, back edge stamped by maker GILL ; hilt in f to g cond., even light rust & small areas of wear to grip wrap; complete with correct original wood-lined steel scabbard, very lightly rusting & will clean well, marked to Yeomanry Cavalry Regt D-Y-C / F / 44 ; <i>a good outfit that would grade up readily</i>	550	800
607.	BRITISH PATT. 1853 CAVALRY TROOPERS SWORD: 35.4" slightly curved blade in vg cond., small area of patina at ricasso, ordnance inspectors stamps, back edge with REEVES ; light rust dusting to 3-bar hilt, one bar connection cracked through, a little age split one leather grips & a little minor shrinkage; comp with correct original steel scabbard, lightly dusted with rust but the whole would clean up well.	350	500
608.	BRITISH PATT. 1821 LIGHT CAVALRY TROOPERS SWORD: 35.2" slightly curved blade in f to g cond., a score of v small nicks to fighting edge, even mottled patina throughout; back edge stamped DEAKIN ; hilt & guard in g cond., one bar missing, 50% wood grip's original wrap remains; unusual & expert armourer to hilt backstrap; cross part stamped F.DEAKIN ; <i>a historic sword widely issued during Australia's colonial penal & gold rush era</i>	350	500

609. **BRITISH PATT. 1796 HEAVY CAVALRY TROOPERS SWORD:** 35" hatchet point blade in g cond., few light blemishes, Ordnance inspectors stamp & back edge with **JOS H. REDDELL & Co**; g cond. hilt & guard, g cond. wood grips with small short age split; this example retains its languets & fill disc hilt. *A great example* 700 1100
610. **US CIVIL WAR Model 1860 LIGHT CAVALRY SABRE:** 35" blade in vg cond. with v light stains; broad fullers; U.S., J.M. and 1864 to obverse side of ricasso; **Emerson & Silver/Trenton/NJ** (faded) to reverse side; **JM/W** to pommel cap; exc. cond. leather grip and grip wire; original leather blade washer; vg cond. steel (undented) scabbard with v light staining; **Gaylord Sword Knot** (missing tassles); "Jeb Stuart" type sword hanger strap with "WH" inspection stamp. overall in vg cond. *M1860 Sabres were used throughout the Civil War and Indian Wars. "JM" was US Inspector John Maggs.* 1400 - 1700
611. **MODEL 1850 FOOT OFFICER SWORD:** 30" very clean blade, profusely etched, no identifying markings; g. to vg. leather grips and wire; hilt shows the flattened pommel cap and leather grip wrap of **Henry Sauerbier N.J.(?)** whose swords were often unmarked; g cond. leather scabbard with flex point between mounts. overall g. to vg. cond. *A good example of the standard company grade officer's badge of rank and combat sword.* 1000 - 1200
612. **RARE MODEL 1840 LIGHT ARTILLERY SABRE:** 32 1/4" blade, g cond. but polished, v minor stains; flat, brass handle; f to g cond. black leather grip with some damage, brass wire; '3' to pommel cap & scabbard throat; vg cond. steel scabbard with **S & K** to drag, indicating made by **Schnitzler & Kirschbaum**. overall g plus cond. *Light or Mounted Artillery Sabre is a scarce example of the US Government 2nd Contract Order of 1847 when the government was importing sabres for use as patterns for their own contract manufacturing.* 950 - 1100
613. **RARE Model 1840 NCO SWORD:** 32" vg. cond. blade with minor staining; reverse ricasso marked **S&K (Schnitzler & Kirschbaum)**; with clamshell guard that was adopted by US but has a wooden hilt with brass wire wrap g. to vg. cond) whereas the US version had a solid brass hilt cast to resemble wire wrap; '1' to pommel cap and rear of d-guard; g. cond. leather wrapped wooden scabbard with some surface 'peeling' of leather and stitching damage; leather scabbards were phased out beginning in 1868. overall g. to vg. cond. *This very scarce NCO sword is one of forty trial swords ordered by the US Ordnance Department in 1839 which were the model for the US Model of 1840 NCO sword. This sword was the subject of an article published in the Company of Military Historians journal of Winter 2015, a copy of which will be provided to the buyer.* 1000 - 1200
614. **SCARCE US Model 1860 STAFF & FIELD OFFICER'S SWORD:** 31" profusely etched diamond-shaped blade with significant staining; markings to ricassos too faint to read; exc. cond. sharkskin grip and brass wire; folding counterguard with 40% remaining gilt on elaborately cast guard; black steel scabbard in g. to. vg cond. with v light dents & marks, with gilt mounts, missing scabbard drag. overall g. plus cond. *Scarce Civil War manufactured M1860, identified by the folding counterguard and two rather than three scabbard mounts, by the premier maker, Ames. Most of the M1860 S & F swords on the market are post Civil War* 850 - 1000
615. **FRENCH NAPOLEONIC HORSE GRENADIERE SABRE:** 35" slightly curved, flat back blade in vg cond., 2 fullers to both sides, lightly etched both sides for 3/4 length; single brass knuckle bow with 4 branches and a **grenade** set to side branches; g. cond. steel scabbard with some dents & staining, 2 hooks. overall g. to vg. cond. 3800 - 4200
616. **US Model 1841 U.S. NAVY CUTLASS:** 21" dark blade with multiple edge nicks and staining; obverse ricasso marked **USN/1846** (faint); reverse ricasso marked **N.P. Ames/Springfield** (faint); **JL** (in circle) and **RC** to either side of quillon; cast brass hilt with fish scale grip; **Federal Eagle** cast into both sides of pommel.; no scabbard. overall g cond. *The M1841 Cutlass is much more difficult to find than its more common successor, the M1860 Cutlass.* 800 - 1000

617. **US Model 1850 FOOT OFFICER'S SWORD:** 30.5" blade; profusely etched blade with v light stains; obverse ricasso etched **Ames Mfg. Co./Chicopee/Mass**; vg cond. sharkskin grip and brass wire; hilt with 90% of the original gilt; vg. to exc. cond. leather scabbard with original gilt on both scabbard mounts, **Ames Mfg. Co./Chicopee/Mass** to reverse side of side of locket, brass tip protector; perfect gilt sword knot. overall in vg cond. **Ames was the premier American sword maker and the M1850 was the standard sword for combat company grade officers who were required to purchase their own equipment.** 2800 - 3200
618. **RARE US Model 1860 CAVALRY OFFICER'S SABRE:** 31.5" vg cond. blade with profuse etching; obverse ricasso with **W.H./Horstmann & Sons/Philadelphia** (very faint); blade spine with **IRON PROOF** at ricasso; g cond. but worn from use sharkskin wrapped grip with gilded copper wire; vg cond. steel scabbard with couple of light dents. **Horstmann M1860 Cavalry Officer's Sabres are very rare, even among scarce Cavalry Officer's Sabres in general.** 1600 - 1800
619. **IMPORTED BRITISH Model 1821 CAVALRY SABRE:** 35" vg. cond. blade with some light staining & polish marks; obverse ricasso marked **Tiffany & Co.** and **Star/TC**; spine of blade marked **R.M. & S.B. (Robert Mole & Sons Birmingham)**; iron hilt with p cond. leather wrap & some grip wire; 3 branch guard; vg cond. steel scabbard with good patina. overall g. to vg. cond. **Very interesting sabre not only bears the desirable Tiffany marking from the 1861 contact with the US government, but also the Star/TC marking it as possibly linked to a Confederate Importer in Louisiana to whom Tiffany may have onsold the sabre.** 1000 - 1200
620. **US M1860 NAVAL CUTLASS:** 25.5" slightly curved, polished blade with light marks; vg. cond. brass Cutlass Bowl Guard with light marks; obverse ricasso marked **USN/DR/1862**; reverse ricasso blank (Ames marking polished off); pommel cap with **DR**; quillion of bowl guard marked **20M/315** (serial No. 20,315); g cond. leather grip with wire removed (as per standard Naval practice); f cond. leather scabbard (may be a replacement) with tip missing. overall g cond. **"DR" was USN Inspector Daniel Richards. Standard issue Cutlass to Seamen for boarding, repelling and landing parties.** 900 - 1200
621. **PATTERN 1796 LIGHT DRAGOONS SABRE:** 33" blade; g+ cond. with v. light stains & some nicks; made by **GILL**; distinctive increase in width near the point; **GILL** to back of blade at cross guard; stirrup type hilt; dark wood grip in g+ grip with some bruising; g. cond. iron scabbard with no internal liner and some dents; light stains & 2 suspension rings; overall in g to vg cond. **N/L Renowned for its effectiveness in combat, particularly the Napoleonic wars, to the extent that the French lodged complaints about the severe wounds it inflicted** 1800 - 2000
622. **U.S. CIVIL WAR PRESENTATION SWORD:** 35" vg cond. blade with profuse etching and light staining; obverse ricasso marked **WH HORSTMAN & SONS PHILADELPHIA; PLURIBUS UNUM** (translates as 'out of many, one') to middle of rh side of blade, **US** to middle of lh side; grotesque head to rear side of pommel; eagle over shield to base of guard; vg cond. steel scabbard, decorated silver upper & lower hooks, silver tip protector with miliary figures on both sides; inscription between upper & lower hooks on obverse side reads '**Capt Louis Johnes Lambert A.A.G. N.Y. Vol. for Gallantry in the field July 4 1868 by his friends**'. overall vg. to exc. cond. **LAMBERT, LOUIS JOHNES, born France 1840. N Y. Capt. AAG vols 29 Jan 1862; bvt. maj. vols 13 Mar 1862 for repeated acts of gallantry on the field; It col vols 13 Mar 1865 for long and faithful service and repeated acts of gallantry on the field and col vol 13 Mar 1865 for gallant and meritorious service at the battles of Chickamauga GA and Chattanooga TN; honorably mustered out 12 June 1866; 1st Lt 17th US infantry 28 July 1866; bvt capt 2 Mar 1867 for gallant and meritorious service in the battle of Chickamauga GA; maj 2 Mar 1867 for gallant and meritorious service at the battle of Chattanooga TN and Lt col 2 Mar 1867 for gallant and meritorious service the battle of Pocotaligo River SC; died 13 Sept 1867.** 3500 - 4000
623. **EASTERN MILITARY DRESS SWORD:** 25" g. cond. polished blade with fullers both sides; decorated brass guard; sword lock; steel scabbard with significant surface rust, plaited leather strap (possibly original on single hook. overall f. to g. cond. 300 - 400

624.	NAPOLEONIC YEAR 11 LIGHT CAVALRY SWORD: 35" slightly curved, flat back blade in vg. cond.; deep, shallow fullers to both sides; French inscription to back of blade, ending in Mai 1813 (May 1813); brass 3 slot loop guard with inspection marks; exc. cond. leather grip and wire; g. to vg. blacked steel scabbard, with some black peeling, 2 hooks. overall vg. to exc. cond.	2200	-	3000
625.	NAPOLEONIC YEAR 11 LIGHT CAVALRY SWORD: 35" slightly curved, flat back blade in vg. cond.; deep, shallow fullers to both sides; French inscription to back of blade, ending in Mai 1813 (May 1813); brass 3 slot loop guard with inspection marks; exc. cond. leather grip and wire; g. to vg. blacked steel scabbard, with some black peeling, 2 hooks. overall vg. to exc. cond.	2500	-	3000
626.	RARE FRENCH NAVAL CUTLASS: 23 1/2" curved, flat back blade in vg. cond., minor stains to both sides, M & R BORER to obverse side; solid brass single loop guard and grip with inspection marks to obverse and 7 to reverse side of hilt; vg. dark leather scabbard, with brass mouthpiece and protector tip, 109 to mouthpiece. overall vg. cond.	3250	-	3750
627.	RARE FRENCH NAVAL CUTLASS: 23 1/2" curved, flat back blade in vg. cond., minor stains to both sides, M & R BORER to obverse side; solid brass single loop guard and grip with inspection marks to obverse and 7 to reverse side of hilt; vg. dark leather scabbard, with brass mouthpiece and protector tip, 109 to mouthpiece. overall in vg. cond.	3250	-	3750
628.	PATTERN 1796 LIGHT DRAGOONS SABRE: 33" blade; g+ cond. with v. light stains & some nicks; made by GILL ; distinctive increase in width near the point; GILL to back of blade at cross guard; stirrup type hilt; dark wood grip in g+ grip with some bruising; g. cond. iron scabbard with no internal liner and some dents; light stains & 2 suspension rings; overall in g to vg cond. <i>N/L Renowned for its effectiveness in combat, particularly the Napoleonic wars, to the extent that the French lodged complaints about the severe wounds it inflicted</i>	1800	-	2000
629.	1880/85 SPANISH ARTILLERY SWORD: 35" blade in vg cond., full length fullers to both sides, obverse side has indistinct markings ending in ?? NACIONAL to base with 10984 to reverse side at hilt; vg cond. wood blackened, checkered wood grip; ¾ black basket guard; vg. cond. steel scabbard with v light stains, single hook with ring. overall vg. cond. <i>Probably made in Toledo.</i>	600	-	700
630.	FRENCH NAPOLEONIC HORSE GRENADIER SABRE: 35" slightly curved, flat back blade in vg. cond., 2 fullers to both sides, lightly etched both sides for ¾ length; single brass knuckle bow with 4 branches and a grenade set to side branches; g. cond. steel scabbard with some dents & staining, 2 hooks. overall g. to vg. cond.	3250	-	3750
631.	EUROPEAN SOCKET BAYONET: 23" triform blade & 2.7" socket, all vg cond. No scabbard	150	-	250
632.	SCARCE P/1840 DB CONSTABULARY CARBINE SWORD BAYONET: 17" blade in exc. cond., no ricasso stamps; dark mellow brass grip with circular mortice slot; complete with correct original brass mounted black leather scabbard in f. to g. cond.	400		600
633.	BRITISH P/1860 YATAGHAN SWORD BAYONET: 22.9" blade in g cond., ricasso with Knight's Head symbol & viewer stamp; g cond. o/a with clean blade and lightly worn grips; etched museum No. on blade. No scabbard.	300		400
634.	RARE P/1871 MARTINI HENRY CUTLASS BAYONET: 25.6" blade in vg cond., ricasso with WD & Enfield stamps & 6/80 issue date; bowl guard & hilt in vg cond., worn grips, pommel stamped B26 ; no scabbard; <i>a good example of a hard to find bayonet</i>	700		1000
635.	BRITISH P/1853 SOCKET BAYONET: 17.2" blade in f cond., ricasso with ordnance stamp; socket in g cond., stamped 21ST 504 (21 st Regt, rifle 504), locking ring screw broken; no scabbard	100		150
636.	CRANK-HANDLED TRENCH KNIFE by DEMAG OF DUISBERG: 6" double edged blade in g cond., grip retains 30% original green finish; ricasso with maker's roundel & D.R.G.M ; complete with black metal scabbard in g cond., leather loop detached.	450	-	550

637.	CRANK-HANDLED TRENCH KNIFE by DEMAG OF DUISBERG: 6" double edged blade in g cond., grip retains 40% original green finish; ricasso with maker's roundel & DRGM ; complete with black leather scabbard in g cond.	450 -	550
638.	BRITISH VOLUNTEER P/1839 MUSKET TYPE SOCKET BAYONET: 17" blade with 3" socket; fair to g cond. o/a, no markings.	100	150
639.	BRITISH P/1888 MkI TYPE 2 BAYONET: 12" blade in g cond., ricassos with ordnance stamps & 3 '98 date; wood grips in f to g cond., with carved initial A to each; complete with original steel mounted brown leather scabbard in g cond. & original brown leather frog in f to g cond.	250	350
640.	RARE SOUTH AUSTRALIA COLONIAL MARKED P/1853 SOCKET BAYONET: 17" triangular blade with British French contractor's inspectors stamp to ricasso; elbow with setter-up mark & collar with B over 10 South Australia's rack numbering; complete with correct 1 st type scabbard in exc. cond., frog stud stamped 862 , ordnance stamps to leather; <i>South Australia received 2,000 French contract P/1853 Rifles, their bayonets are today very rare</i>	400	500
641.	MOSIN NAGANT MODEL 1891 SOCKET BAYONET: 16.8" cruciform blade in vg. cond., stamped 750502, g. cond. o/a with 90% original finish. No scabbard.	100 -	200
642.	EUROPEAN SOCKET BAYONET: 15.5" blade & 2.6" socket, g cond.	150 -	200
643.	ITALIAN M.1891 CARCANO BAYONET: 11.8" blade in vg to exc cond., hilt & wood grips in similar condition, 90% original finish to all; complete with correct original brass mounted black leather scabbard & brown leather frog.	250 -	350
644.	BRITISH P/1907 SMLE BAYONET: 16.7" blade in f cond., 3mm of tip missing, marked 1907 7'18 WILKINSON ; wood grips poorly replaced; c/w vg cond. scabbard, brown leather, tear-drop stud.	100	150
645.	AUSTRIAN M1873 WERNDL BAYONET: 18.6" vg cond. blade, vg con hilt & wood grips, cross guard with unit markings 79.LSt. B. 2155 . No scabbard.	250 -	350
646.	SOUTH AUSTRALIA COLONIAL ISSUE P/1888 MkI TYPE 2 BAYONET: 12" blade in vg cond., ricassos with numerous ordnance stamps & dates; cross-guard with S.A 32 (South Aust rack no.), wood grips in g cond.; complete with original steel mounted black leather scabbard in vg cond. with <u>matching number 32</u> .	250	350
647.	FRENCH CHASSEPOT M1866 BAYONET: 22.6" g cond. blade, vg cond. brass grips. No scabbard.	200 -	300
648.	TURKISH MAUSER M1903 BAYONET: 20.5" g cond. blade, g cond. wood grips; blade & hilt with Turkish script. No scabbard	250 -	350
649.	NSW COLONIAL MARKED ALEXANDER HENRY SAW-BACK BAYONET: 18" blade in vg cond., ricasso with King's Head symbol; cross-guard stamped L1 ; light to mod wear to grips; complete with correct original iron mounted black leather scabbard in g to vg cond.;	450	600
650.	BRITISH P/1856 Type VOLUNTEER BAR-ON-BARREL YATAGHAN SWORD BAYONET: 22.9" blade in g cond., no markings; g cond. o/a except leather grips have perished. No Scabbard	200	300
651.	AUSTRIAN LORENZ M1854 SOCKET BAYONET: 19" g cond. cruciform blade & socket, light patina; unit markings to elbow; complete with correct original scabbard in f to g cond., missing its chape.	200 -	300
652.	BRITISH P/1859 CUTLASS BAYONET: 26.8" in vg cond., ricasso with Knight's Head symbol & viewer stamp; g cond. o/a with vg blade and only v. lightly worn leather grips; pommel stamped 147 near spring, pommel cap stamped 479; complete with correct original iron mounted leather scabbard in vg cond. & with faint Insp stamp to leather; <i>these were issued in several of Australia's colonies</i>	800	1200

653.	FRENCH M.1874 GRAS BAYONET: 20.6" blade in exc cond., wood & brass grip & hilt all in vg cond., markings to cross guard include 33992 ; complete with vg cond. original sheet metal scabbard with 90% original black finish & matching 33992 stamp.	250 -	350
654.	JAPANESE ARISAKA TYPE 30 BAYONET: 15.75" blade in vg cond.; hilt & wood grips in g cond.; complete with g. cond. sheet steel scabbard.	200 -	300
655.	GERMAN M1898/05 'BUTCHER' BAYONET: 14.5" blade in g cond.; g cond. grips & hilt; without flash-guard & with high ears, one damaged; complete with g cond. correct original sheet steel scabbard.	250 -	350
656.	GERMAN M1898/05 'BUTCHER' BAYONET: 14.2" blade in f to g cond., wood grips in f cond., hilt with flash guard, bruising to pommel. No scabbard.	150 -	250
657.	PRUSSIAN M1809 SOCKET BAYONET: 18.8" triform blade & 3" socket in g cond.	150 -	250
658.	BRITISH P/1858 Type VOLUNTEER BAR-ON-BAND YATAGHAN SWORD BAYONET: 22.9" blade in g cond., ricasso with BM logo; vg cond. o/a with clean blade & vg grips; faintly etched museum No. on blade. No scabbard.	350	450
659.	FRENCH CHASSEPOT M1866 BAYONET: 22.6" vg cond. blade, g cond. brass grips; complete with g cond. correct original sheet steel scabbard, no matching numbers.	300 -	400
660.	MAUSER SEITENGEWEHR M1871 BAYONET: 18.5" vg cond. blade with maker's name & arsenal stamps; vg to exc cond. hilt & brass grips, cross bar with unit markings 107.R.7.129 ; complete with brass mounted black leather scabbard in vg cond. also stamped 107.R.7.129 .	450 -	550
661.	FRENCH CHASSEPOT M1866 BAYONET: 22.6" vg cond. blade, g cond. brass grips, stamped M 17749 ; complete with g cond. correct original sheet steel scabbard, with matching stamp M 17749 .	350 -	450
662.	BRITISH P/1873 MARTINI HENRY SOCKET BAYONET: 17.2" triangular blade in g cond., ricasso with ordnance stamps & 10/73 date; gc socket, locking ring missing; no scabbard	100	150
663.	BRITISH P/1907 SMLE BAYONET: 17.1" blade in g cond., marked 1907 9'18 WILKINSON ; vg wood grips with deep inspectors stamps; no scabbard.	100	150
664.	SCARCE SOUTH AUSTRALIA ISSUED P/1879 MARTINI HENRY ARTILLERY CARBINE SAW-BACK BAYONET: 25.8" blade in vg cond., ricassos with ordnance stamps & 11/82 date; arrow over SA stamp it tang edge; moderate wear to grip leather; no scabbard.	500	700
665.	BELGIUM FN FAL BAYONET: 8" blade, exc. cond.; vg wood grips; vg cond. original. steel scabbard. overall vg. to exc. cond.	150 -	250
666.	FRENCH SEA CONTRACT BAYONET: 7" blade, exc. cond.; exc. original plastic scabbard with canvas frog. overall exc. cond.	150 -	250
667.	BRITISH MARTINI HENRY P/1876 SOCKET BAYONET: 21.6" blade in vg to exc cond.; socket retains 90% original blue finish, stamped 564 ; complete with vg cond. correct original brass mounted black leather scabbard, stud from with matching number 564 .	200 -	300
668.	BRITISH MARTINI ENFIELD P/1895 SOCKET BAYONET: 21.6" blade in g cond., some patina to lower half; socket retains 50% original blue finish; complete with vg cond. correct original brass mounted black leather scabbard, stud with number 566 .	150 -	250
669.	CONTINENTAL HANGER SWORD: 23.2" curved deeply fullered f to g cond. blade with several very small nicks to main edge, one-piece brass hilt.	150 -	200

670.	AUSTRALIAN Mod 1907 SMLE BAYONET: 17" blade vg. cond., lightly sharpened; MA over 1907 over 1 over 44 over 12 to blade at hilt; vg wood grips; g leather scabbard with light surface wear, stitching vg; o/a g to vg cond.	250	350
671.	TURKISH 1943 KNIFE BAYONET: 9.5" blade g to vg cond., light surface marks; no markings to metal; g cond. wood grips with light damage, 32319 and AS.F? to pommel; f cond. steel scabbard with dents & crease: o/a g cond.	150	200
672.	GERMAN 89/05 BUTCHER BAYONET: 14" blade, g cond., light surface marks; CARL EICKHORN to blade at hilt, 17 to spine; g cond. wood grips; dg cond. blackened steel scabbard with no visible markings: o/a g cond.	400	450
673.	SPANISH 1894 SWORD BAYONET: 16" blade g to vg cond., light surface marks; 29767 to blade at hilt; vg wood grips; g to vg black leather scabbard and frog, 5542 and 29767 stamped to frog: o/a g to vg. cond.	200	250
674.	BRITISH SOCKET BAYONET (PATT UNKNOWN): 14.5" blade f to g cond., light stains, light 'pockmarks' (cleaned up); no marks to metal: f to g cond.	200	250
675.	BROWN BESS SOCKET BAYONET (PATT UNKNOWN): 16" blade, g cond., light stains, JOHN GILL to blade: no other markings: g cond.	200	250
676.	PATT 1853 SOCKET BAYONET: 17" blade vg cond., v light staining; ROE to blade at hilt; g leather scabbard with light surface wear, stitching vg; 794 to frog stud: o/a g to vg cond.	200	250
677.	SCARCE 'TROMMELMAGAZIN' TM-08 LUGER/ MP18 SNAIL DRUM MAGAZINE: 32 rnd. capacity to suit 9m/m Luger; majority of metalwork with a plum brown patina, patchy oxidation scale & light to moderate pits peppering most surface; marked 12, 17, 27, 32 & serial no. 212432 ; appears complete, good spring tension; overall in g. original cond. N/L A fair but functional example	1000 -	1500
678.	REPRO PRICHARD-GREENER REVOLVER BAYONET: 8 1/2" blade, clean overall with some staining; brass grip & guard with dull patina; marked PATENT/ No17143/16 to rhs guard; comes with steel scabbard & leather frog; overall in g. cond. N/L	200 -	300
679.	SCARCE 'TROMMELMAGAZIN' TM-08 LUGER/ MP18 SNAIL DRUM MAGAZINE: 32 rnd. capacity to suit 9m/m Luger; original blued finish to metalwork has turned to a dark patina, some light patchy oxidation scale, presents well; marked 12, 17, 27, 32 & serial no. 45736 ; appears complete, good spring tension; comes with protective dust cover; overall in g. original cond. N/L A nice, honest example of these distinctive and hard to find WW1 era magazines.	1750 -	2500
680.	U.S BINGHAM LTD. Mfg. TAYLOR MK. I .45 DRUM MAGAZINE: 28 rnd. capacity to suit .45 ACP & the 1911 pistol; strong blued finish to metalwork strong overall with patch of loses & light pitting to face; marked TAYLOR MKI.45 BINGHAM LTD ATLANTA marked to outer rim on face, TAYLOR MK. I .45 marked to inner; appears to be in g. working order, strong springs & winds freely; complete with sleeve loading tool; overall in g. wo & g.+ cond. N/L	1500 -	2000
681.	STERLING SILVER COLT RING: 14gm weight, inner marked 925 ; medium sized ring with relief eagle motif to lhs, rampant horse to rhs & Colt in trademark style to top; comes presented in a small velvet case. <i>While unverified, this is thought to be a promotional gift distributed to Colt dealers in the mid 20th Century.</i>	150 -	250

682. **IMPRESSIVE LONDON VOLUNTEERS HORSE HOOF BAROMETER:** 180 x 95m/m dimensions approx., 1 lb 11oz weight; real horse hoof construction set in ornate brass horse hair with swivel lid; barometer set to top looks to be working well, face marked **Howell James & Co/ 5,7&9 Regent St. / London**; mercury thermometer ranging from **20 – 130** Fahrenheit, barometer ranging from **Stormy, 28 to Very Dry, 31**; front of lid before hinge engraved **1869**; front of hoof fitted with brass scroll banner with blue enamel **VOLUNTEER** inlay; underside with brass horse shoe; spur to back appears to be missing a rowel & may be missing a protective cover for barometer; overall in vg. cond. *A beautiful collectable for the display cabinet. Hard to find anything to compare it to.* 1200 - 1500
683. **EXCEPTIONAL EAST INDIA Co. CASED PRESENTATION NAVAL POCKET SEXTANT:** approx. 70 x 30m/m dimensions approx., weighing 10oz; brass construction is bright, some minor speckled tarnishing but presents v. well; silver scale & vernier with magnifier, telescope, two filters; lip of base with small dent but doesn't affect thread; **Troughton & Simms, London** marked above scale; sextant comes in its original carry case; large sterling silver convex escutcheon to lid is engraved: ***Presented at the Public Examination/ on the 8th June 1854/ to Gentleman Cadet, William Jeffreys/ by the Honble Court of Directors/ of the East India Company/ as a mark of the Courts approbation/ of this attainments in Military Surveying/ while at the Military Seminary.***; case with some handling marks & losses to finish but presents well; blue velvet lining to interior; overall in vg. cond. *A tremendous little display of mid 19th century engineering with some interesting history to go with it.* 1500 - 2000
684. **WWII GERMAN K.98 RIFLE CLEANING KIT:** pressed steel case, 135m/m case; case contains the chain pull through, two bore brushes & oiler bottle; lit marked **G.Appel** & with **WaA67** Waffenampt mark; overall in vg. cond. 25 - 50
685. **COLT BORE GAUGE & SCREWDRIVER:** comes with **COLT** marked three sided multi-tool/ screw driver; **COLT** marked brass bore gauge with calibre to lhs ranging from **.332 to .476**, rhs marked with **.310 to .650.**; no guarantee of authenticity but an objectively handy little pair of utensils. 25 - 50
686. **BRITISH STYLE BRASS .303 BORE SCOPE:** 80m/m overall length approx.; brass construction, slightly dull patina; protective cap on chain; angled mirror with crack down centre; looks to be a reproduction; overall in g. cond. 25 - 50
687. **'JACKY JACKY' FOLDING BOWIE KNIFE:** blade 11" when open, 6.5" when closed; o/all open length 17"; blade in o/a vg cond. with minor stains & minor chips to blade on one side; when folded, the cross guards become the pommels and vice versa when opened; **JOHN BAGSHAW PENKNIFE AND RAZOR MAKER 500 CHURCH STREET LIVERPOOL** to base of blade; opened pommel engraved **J.M.A. 1842. JACKY JACKY**; vg cond. staghorn grips with minor repairs; vg cond. leather sheath that appears correct for period. o/a in vg cond. *Jacky Jacky was the alias for Australian bushranger William Westwood. He committed a number of robberies, was captured and sent to Darlinghurst jail, Cockatoo Island and then Port Arthur, all of which he escaped from multiple times. Eventually sent to Norfolk Island, he was hanged on 13 October 1846, aged 26 years, after a prisoner mutiny in which 3 men were killed. J.M.A was John Macquarie Antill, who it is surmised, the knife was stolen from. A very important piece of Australian bushranger history with provenance.* 4500 - 5000
688. **SCARCE GERMAN WWI INERTKARABINGRANATE M 1914 RIFLE GRENADE:** retains range cup; 450m/m rod with pitting. p. to f. overall cond. N/L *A good talking piece* 500 800
689. **BRITISH P/1879 ARTILLERY CARBINE SAW-BACK SWORD BAYONET:** 25.8" blade in g cond., ricassos with ordnance stamps & dates include **9/83**; leather grips in g cond., light wear; complete with correct original steel mounted black leather scabbard, leather has lost rigidity. 500 - 700
690. **BRITISH MARTINI HENRY P/1887 Mk. III SWORD BAYONET:** 18.3" g cond. blade with small patches of patina; leather grips showing minor to moderate wear, blade with ordnance stamps, hilt & scabbard with Nepali unit script; complete with correct original iron mounted black leather scabbard in f to g cond. 300 - 450

691. **BRITISH VOLUNTEER P/1860 STYLE YATAGHAN BAYONET:** 23" blade in vg cond. except recent light rust to 50% of one face; leather grips in exc cond. Would grade up well. No scabbard. **300 - 400**
692. **BRITISH P/1859 CUTLASS BAYONET:** 26.6" in f to g cond., ricasso with makers logo & viewer stamp; hilt in f to g cond., leather grips & spring screw replaced, bowl guard repair near pommel; pommel stamped **206** near spring; complete with correct original iron mounted leather scabbard in g cond. except chape is missing. **500 - 700**
693. **TURKISH M1903 MAUSER BAYONET:** 20.5" f to g cond. blade, f to g cond. wood grips; blade & hilt with Turkish script. No scabbard **200 - 300**
694. **CONTINENTAL INFANTRY HANGER SWORD:** 23.5" curved unfullered p. to f. cond. blade with 5 nicks to main edge, foreign roundel to ricasso area; one-piece brass hilt & guard in f cond. **150 - 200**
695. **BRITISH VICTORIAN ERA RIFLE OFFICERS SWORD:** 31" curved blade, tip slightly bent; even dk brown patina with small spots of pitting, no markings; nickel plated 3-bar hilt with crown over strung bugle emblem; grip of dk stained wood, wire binding complete but loose. **150 - 300**
696. **AUSTRIAN M.1867 WERNDL-HOLUB BAYONET:** 17.7" shortened & roughly sharpened blade in p cond.; hilt with perished leather grips, press stud cap missing, no scabbard. **50 - 100**
697. **REPRODUCTION ARGENTINE M.1891 BAYONET:** 15" blade, brass grips, very light & thin rust to blade & hilt, will clean readily; complete with good cond. scabbard. **50 - 100**
698. **FINE CASED WILLIAM EVANS B.L.N.E S x S SHOTGUN:** 12G, 2 1/2" chambered; 30" barrels, choked approx. 1/2 & 3/4; exc. bright bores; strong original blued finish to barrels presents exc., some minor storage wear from case; blued finish to action floorplate, bottom tang with some wear; action retains 80%+ vivid case colours; top rib engraved **WILLIAM EVANS, 63 PALL MALL, St JAMES'S LONDON**; makers name again to both sides of action, action, tangs & breech section of rib with 70% coverage of sharply defined scroll engraving; London **V & P 1 1/8OZ NITRO PROOF** marks to barrel flats & action tables; action locks up tight & on face, dolls head extension with hidden third bite; auto safety with gold inlaid **SAFE**; walnut straight stock presents exc., sharply defined tear drops, flat-top chequering to wrist of stock & splinter forend, forend with bruise to lhs; silver escutcheon to underside of stock engraved with **GJL**; 14 1/2" LOP incl. 1" rubber recoil pad; 6lb 9oz weight; comes in its original brass-cornered leather case with **WILLIAM EVANS** gold embossed trade label, cleaning rod; overall in exc. wo & vg. to exc. cond. **#10270 L/R** **2000 - 2500**
699. **CASED C. COWLES of SYDNEY S x S PERCUSSION SHOTGUN:** 14 bore; 30" damascus barrels with exc. bright bores; barrels with a plum brown finish & v. strong pattern definition, frosting to majority of barrel; soft grey patina to locks & small parts with traces of case colours in protected areas; **C. COWLES SYDNEY N.S.W.** engraved to top rib, London **V & P** proofs, **9006** marked to each barrel; locks with **C. COWLES**, border & light coverage of acanthus scroll engraving; matching flat sided hammers, strong springs & crisp sears; walnut half stock in near exc. cond., metal-to-wood fit is exc., chequering to wrist & forewood is sharply defined; vacant silver escutcheon to underside of stock, original steel buttplate; comes in tatty but period tarred canvas motor case, relined in green felt; overall in exc. wo & vg. cond. **#9006 N/L** **A good, sound, Australian delivered percussion fowler.** **1200 - 1500**
700. **CASED SABATTI CLASSIC BIG FIVE MOD. S x S EXPRESS DOUBLE RIFLE:** .500 Nitro Express cal.; 24" barrels with exc. bright bores & sharply defined rifling, factory test fired only; gloss blued finish to barrels is exc.; action & sideplates with satin silver finish; makers name & address, **Mod. CLASSIC BIG FIVE Cal. 500 N.E.** marked to top lh barrel, importer marks to rh barrel; acanthus scroll engraving to action, with lion to lhs, buffalo to rhs & elephant to underside of action; arcaded carved fences; action locks up v. tight, strong ejectors; double triggers; quarter rib dovetailed with express sights, unmarked fixed & two folding leaf's; exc. cond. walnut stock, semi pistol grip with skeleton grip carp, semi beavertail forend with Schnabel style tip; cheekpiece to lhs stock; 15" LOP inc. the much needed 1" rubber recoil pad; comes in its original maker marked hard plastic carry case; overall in exc. wo & new cond. **#139070 L/R Suit new gun buyer.** **11000 - 13000**

701. **CASED COGSWELL & HARRISON AVANT TOUT BLE S x S SHOTGUN:** 12G, 2 1/2" chambered; 30" barrels choked approx. 1/4 & 1/2; dirty bores but both appear g. to vg. with only scattered patches of fine pitting; blued finish to metalwork presents well, thinning on action & tangs to a plum patina, some minor oxidation speckling on barrel; top rib engraved **COGSWELL & HARRISON LTD. THE AVANT TOUT. H1 NEW BOND ST. & 226 STRAND. LONDON**; action with 70% coverage of acanthus scroll engraving, makers name to both sides; London **V & P NITRO PROOF 1 1/8OZ** marks to barrel flats; assisted opening action locks up with v. minor movement (w/o forend), strong & well-timed ejectors, mechanical single trigger, auto safety; original splinter forend in g. cond., some minor handling marks, straight English style re-stock, nicely figured walnut & sharply defined chequering to wrist; 14 3/8" LOP incl. 3/4" black buttplate; comes in original leather case with **COGSWELL & HARRISON** paper trade label, red baize lining; top of case lid embossed with **T. M.**; overall in vg. wo & g.+ cond. #24824 L/R **2000 - 2500**
702. **BERETTA MOD. 686 ONYX O/U SPORTING SHOTGUN:** 12G, 3" chambered; 30" barrels with ventilated top rib, interchangeable chokes; strong blued finish o barrels, action with silver bright brushed & jewelled finish; some minor staining on breech jewellery; **SPORTING/** makers name & **GARDONE** address to lhs top barrel; underside of action marked with trademark/ **BERETTA/ 686 Onyx**; action locks up tight, strong ejectors & selective single trigger; manual safety; walnut semi pistol grip stock & forend in vg. cond., chequering well-defined, some light handling marks to both; fitted with **BERETTA** marked adjustable comb; 14 5/8" LOP incl. factory 1/2" rubber recoil pad.; comes it its original hard shell blue plastic case with four additional chokes, wrench & owner's manual; overall in exc. wo & vg. cond. #N07527S L/R **1200 - 1500**
703. **CASED WESTLEY RICHARDS & Co BLE S x S SHOTGUN:** 12G, 2 1/2" chambered; 29 3/4" barrels choked approx., 1/2 & full; g. to vg. bright bores, some superficial frosting; blued finish to barrels thinning to a grey patina from handling wear at breech end, grey patina to action with traces of case colours; **WESTLEY RICHARDS & Co LONDON** engraved to top rib, name engraved again to border engraved action; top of action above top lever engraved **WESTLEY RICHARDS/ EJECTOR; 1 1/8OZ** Birmingham **NITRO PROOF** marks to barrel flats; action with dolls head extension locks up with some minor movement w/o forend, tight when fitted; strong & well timed ejectors; manual safety; walnut English style straight stock & splinter forend present well, some light handling marks to both but chequering to wrist & forend remains well-defined; 14 5/8" LOP incl. original grooved buffalo horn buttplate; comes in period tropical canvas case with **R.G. BOWDITCH** stencil painted onto the lid; overall in vg. wo & g. to vg. cond. #D9278 L/R **1500 - 2000**
704. **CASED COGSWELL & HARRISON B.L.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 3/4 & 3/4; exc. bright bores; strong blued finish to barrels, areas of strong case colours to action with a silvery patina to remainder; top of rh barrel marked with makers name, lh barrel marked with **168 PICADILLY LONDON ENGLAND**; British 3 1/4 TON nitro proofs to barrel flats; action & tangs with mixture of sharply defined game bird, scroll engraving, **COGSWELL & HARRISON LTD** engraved to both sides; action locks up tight, assisted opening with strong, well timed ejectors; auto safety; walnut semi pistol grip stock & splinter forend, both in vg. cond., only light handling marks overall; sunken chequered side panels with tear drops to tails, chequering to grip & forend also well-defined; 14 1/4" LOP incl. 1/2" rubber recoil pad; comes in 70's faux leather carry case with facsimile **COGSWELL & HARRISON** trade label; overall in exc. wo & vg. cond. #68985 L/R *Quite a late production and very useable English side by side shotgun.* **1000 - 1500**
705. **BOXED YILDIZ MOD. SPZ-ME O/U SMALL BORE SHOTGUN:** .410 cal., 3" chambered; 28" barrels with ventilated ribs, interchangeable chokes; dirty bores but appear exc.; strong matte blued finish to barrels, satin silver coin finish to action & small parts; makers name & cal. specs to lhs barrel; action locks up tight, strong ejectors, mechanical single trigger; walnut stock & forend, both in near exc. cond., some trace amounts of storage marks; 14 1/2" LOP incl. black plastic buttplate; comes in original makers cardboard & polystyrene packaging; overall in exc. wo & cond. #79-H22UU-022363 L/R **400 600**

706. **CASED RIZZINI MOD. ROUND BODY CLASSIC O/U SHOTGUN:** 20G, 3" chambered; 30" barrels with ventilated game rib, interchangeable chokes; exc. bright bore; strong glossy blued finish to barrels, presents exc.; case colours on action with handling wear to underside, otherwise vivid; lhs **Rizzini Marcheno V.T. Italy** marked to lhs barrel, **Steel Shot** marked to rhs; **RIZZINI** gold inlay to both sides of action, **ROUND BODY/ CLASSIC** to underside; action with light coverage of floral & scroll engraving; action locks up tight, strong ejectors, single selective trigger; beautifully figured walnut stock & forend, both in vgc., only light handling marks; chequering to bag style grip & forend is sharply defined; 6lb 8oz & 14 1/2" LOP incl. factory walnut grooved buttplate, makers name & trademark to centre; comes in its original makers hard shell carry case with additional chokes & wrench; overall in exc. wo & vg.+ cond. **#82163 L/R** **1500 - 1800**
707. **CASED & FINE WEBLEY & SCOTT MOD. 700 B.L.E S x S SHOTGUN:** 16G, 2 3/4" chambered; 28" barrels, choked approx. cyl. & 3/4; exc. bright bores; blued finish to barrels & small parts present flawless, some traces storage marks but hard to fault; action retains 90%+ vivid case colours; **WEBLEY & SCOTT LTD** marked to sides of action, top of rh barrel, top lh barrel marked **BIRMINGHAM**; Birmingham **BNP 3 1/4 TONS** nitro proofs to barrel flats; action locks up v. tight & on face, strong springs & sears, ejectors well timed, automatic safety; woodwork presents flawless, light coloured walnut straight stock & splinter forend, crisp English flat-top chequering to wrist & forend; vacant silver escutcheon to underside of stock; 5lb 14oz weight & 14 1/2" LOP to grooved butt; comes in quality canvas case with leather straps & protective canvas cover; overall in exc. wo & fine cond. **#128715 L/R** *Vendor advises the gun has only been fired once and the condition well & truly supports that. A lovely light little game gun or collectors piece.* **1800 - 2200**
708. **HOLLAND & HOLLAND NITRO EXPRESS HAMMER DOUBLE RIFLE:** 450-400 Nitro Express cal.; 26" barrels with g. to vg. bores, rifling well fined, fine pin-prick pitting throughout; strong blued finish to barrels, thinning slightly at muzzle end of barrel but presents well; silver-grey patina to remainder of metalwork with faint case colours to action, stronger in protected areas; top of rh barrel engraved **HOLLAND & HOLLAND. 98. NEW BOND STREET, LONDON.**, lh barrel marked with **WINNERS OF ALL THE "FIELD" RIFLE TRIALS, LONDON.**; makers name marked again to locks; barrel flats marked with London **V & P**, **CORDITE 400EX** proofs, **V & P** proofs marked again to action table; with serial no.; action, tangs & small parts with Hollands Royal pattern border & acanthus scroll engraving; engraving is sharply defined; underside of action engraved **CHARGE/ 60 GRAINS CORDITE/ BULLET 400 GRAINS/ .450/400 / CASE 3 1/4 INCHES**; Jones underlever action locks up v. tight & on face, strong springs & sears to back action locks; matching flat sided hammers; extended reinforced top tang running through wrist onto comb; steel grip cap with engraved trap lid; three quarter express style rib with fixed **100** & folding **200, 300** leaf's; blade front sight with flip up moon sight; sling swivels to bottom rib & underside of stock; walnut semi-pistol grip stock in vg. overall cond., bearing some minor handling marks overall but retaining exc. metal-to-wood fit; cheek piece to lhs, chequering to grip & splinter forend all sharply defined; vacant gold escutcheon to underside of stock; 10lb 9oz weight & 14 1/2" LOP incl. replacement 1" rubber recoil pad; comes in 1980's carry case; overall in exc. wo & vg. cond. **#19121 L/R** **40000 45000**
709. **CASED PAIR of WILLIAM EVANS S.L.E. S x S SHOTGUNS:** 12G, 2 1/2" chambered; 28" barrels, both sets choked 1/4 & 1/2, with vg. bright bores, free from bulges, some minor frosting in chambers; blued finish to barrels, thinning, with handling wear sounding forend's; silver steel finish to actions, trigger guards & top levers with some handling wear to blued finish; 50% coverage of sharply defined rifling scroll engraving to actions, lockplates & tangs; **WILLIAM EVANS** engraved to lockplates; top of game ribs engraved **WILLIAM EVANS 63. PALL MALL. St. JAMES'S, LONDON.**; gold 1 & 2 numberings to guns inlaid to top ribs, top levers & forend irons; both guns lock up with some movement in action, w/ forend's fitted; dolls head extensions with third bites; ejectors are well timed, auto safety's with gold inlaid **SAFE**, crisp locks with g. springs; woodwork in g. to vg. overall cond., walnut straight stocks with some light handling marks & scattered dings to both; well-defined chequering to wrist & splinter forend's, butts; silver escutcheons to underside of stocks with griffin crest to both; 14 3/4" LOP & 6lb 7oz weights for both; comes in fitted brass cornered, solid leather fitted case with maroon baize; case in g. overall cond., gold embossed **WILLIAM EVANS** trade label, four **WILLIAM EVANS** marked snap caps & two leather hand guards; overall in vg. wo & g. to vg. cond. **#15028 & #15029 L/R** **5750 - 6500**

710. **CASED F.N. BROWNING MOD. C2 U/O SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated top rib choked approx. 3/4 & full; exc. bores; blued finish to barrels presents v. well, some light wear to profiles; polished finish to action & small parts; action with extensive game scene engraving by **R.DEWIL**, capercaillie calling over three hens to lhs, pheasants to rhs & trio of quail to underside; remainder of action & tangs with light coverage of scroll & border engraving; engraving is sharply defined; **FABRIQUE NATIONALE HERSTAL BELGIQUE** to lhs top barrel, rhs barrel marked **MADE IN BELGIUM**; mechanically strong, action lock up tight & on face, strong ejectors & selective mechanical single trigger; walnut stock semi pistol grip stock, sharply defined tear drops, chequering to bag style grip & forend; has been fitted with adjustable comb, 14 3/4" LOP incl. 1 7/8" of spacers & rubber recoil pad; comes in a period generic case; overall in exc. wo & vg. cond. **#8K3RP 7050** L/R **1500 - 2000**
711. **CASED F.N. BROWNING MOD. B1 U/O SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated wide top rib, choked approx. 3/4 & full; exc. bright bores; blued finish to barrels presents exc., only minor storage marks; bright polished finish to action & small parts, some minor speckled staining in areas; gold trigger with some light wear; action with crisp scroll engraving, floral bouquets to sides & underside of action; **FABRIQUE NATIONALE HERSTAL BELGIUM** to lhs top barrel, rhs barrel marked with **12 GA- SHELLS 2 3/4" – MADE IN BELGIUM – BROWNING’S PATENT**; action locks up very tight & on face, strong ejectors & selective single trigger; nicely figured walnut stock presents exc., a few very minor handling marks overall, chequering to semi pistol grip & forend is sharply defined; 14 1/2" LOP incl. **F.N. HERSTAL** marked factory 1" ventilated rubber recoil pad; comes in a period **BROWNING** leather & woolly lined case; overall in exc. wo & cond. **#44854** L/R *Has seen extremely limited use. A fine example that has avoided modifications.* **1500 - 2000**
712. **CASED WINCHESTER MOD. 501 GRAND EUROPEAN U/O SHOTGUN:** 12G, 2 3/4" chambers, 30" barrels, choked approx. 3/4 & full, ventilated top & bottom rib, ported barrels; vg. bright bores; blued finish to barrels presents well, some light handling marks; silver steel finish to action with full coverage of floral & scroll engraving; *Grand/ European* marked to underside of action; top of file cut rib marked *Grand European*, makers name, gauge, **MADE IN JAPAN** marked to top barrel; action locks up with some movement, ejectors strong & well-timed; selective single trigger; woodwork in g. to vg. cond., well figured American walnut stock, semi pistol grip & tear drops; well-defined chequering to grip & forend; glued crack to lhs forend, presents ordinary; 14" LOP incl. 3/4" rubber recoil pad; comes in original leather case, corduroy lining; overall in g. cond. **#K440164** L/R **500 - 800**
713. **CASED FABARM MOD. ELOS BLACK DIAMOND U/O SPORTING SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated top rib, extended chokes fitted; exc. bright bores; strong blued finish to metalwork, some minor storage marks overall but presents exc.; **FABARM S.p.A.-ITALY-12M3"-TRIBORE- HP** marked to rhs top barrel; makers name & model marked to underside of action; action with acanthus scroll engraving to lh & rhs; action locks up tight, strong ejectors, selective single trigger; nicely figured walnut stock with adjustable comb; woodwork in g. to vg. overall with some light handling marks overall; sharply defined chequering overall with exception of small bruise to rhs forend; 14 7/8" LOP incl. 1" black rubber recoil pad; 8lb 4oz weight; comes in original makers soft carry case with additional chokes & socks for barrel, action; overall in exc. wo & near vgc. **#E16202** L/R **1800 - 2000**
714. **BOXED TURKISH SARSIMILAZ MOD. 512 SP-XS O/U SHOTGUN:** 12G, 3" chambered; 30" barrels with ventilated ribs, interchangeable chokes; exc. bright bores; strong blued finish to metalwork, presents as new; makers name marks to lhs action, model to rhs; makers name & address marked to lhs barrel; action locks up tight, strong ejectors, single selective trigger; black synthetic stock exc., factory rubber recoil pad; comes in its original blue cardboard packaging with additional chokes; overall in exc. wo & as new cond. **#15A10220** L/R **400 - 600**
715. **BOXED TURKISH SARSIMILAZ MOD. 512 TRAP O/U SHOTGUN:** 12G, 3" chambered; 30" barrels with ventilated ribs, interchangeable chokes; exc. bright bores; strong blued finish to metalwork, presents as new; makers name marks to lhs action, model to rhs; makers name & address marked to lhs barrel; action locks up tight, strong ejectors, single selective trigger; walnut stock & forend in exc. cond., laser etched chequering is sharply defined; 14 1/2" LOP incl. thin rubber recoil pad; comes in its original blue cardboard packaging with additional chokes; overall in exc. wo & as new cond. **#15A10223** L/R **400 - 600**

716. **CASED MIROKU MOD. 6000SP-1 U/O SHOTGUN:** 12G, 2 3/4" chambered; 28" barrels with ventilated top rib, choked approx. 1/2 & 3/4; exc. bright bores, both need a clean; strong blued finish to barrels, only minor storage marks overall; **MIROKU FIREARMS MFG Co**, address to lhs barrel, underside of action marked **B.C. MIROKU/ 6000SP-1**; silver coin finish to action with light coverage of sharply defined, hand-cut scroll engraving; action locks up tight, strong ejectors, single selective trigger; walnut stock is in vgc., some minor handling marks; chequering to semi pistol grip & schnabel style forend is sharply defined; 7lb 9oz weight & 14 1/4" LOP incl. 3/4" ventilated rubber recoil pad; comes a generic rounded edge carry case with bright green lining; overall in exc. wo & vg. cond. **#80248PX** L/R **700 - 1000**
717. **BOXED MIROKU MOD. 3800 U/O SHOTGUN:** 12G, 2 3/4" chambered; 26" barrels with ventilated top rib, choked approx. 1/4 & 1/4 (skeet & skeet); exc. bright bores; strong blued finish to metalwork is v. strong with only a light surface scratch to lhs action & some light handling wear to underside; **MIROKU FIREARMS Co**, address to lhs barrel, underside of action marked **B.C. MIROKU**; action locks up very tight, strong ejectors, single selective trigger; woodwork in near vg. cond. with exception of small chip to toe of stock & plastic buttplate, otherwise bearing only minor handling marks overall; 7lb 6oz weight & 14 1/4" LOP incl. original makers marked buttplate; comes its original cardboard & polystyrene packaging; overall in exc. wo & g. to vg. cond. **#30149PZ** L/R *Doesn't appear to have fired more than a slab of crackers. A great field gun with choking suitable for steel shot.* **700 - 1000**
718. **FINE & SCARCE B.C. MIROKU MOD. SL-120 SIDELOCK S x S SHOTGUN:** 12G, 2 3/4" chambered; 28" barrels with Briley thin wall interchangeable chokes; exc. bright bores; blued finish to barrels & small parts present exc., a couple of small storage marks overall; bright coin finish to lockplates & action with 80%+ coverage of crisp rose & scroll hand cut engraving which extends to ball fences, tangs & forend iron; **MIROKU FIREARMS MFG Co., KOCHI JAPAN** to lh barrel; **B.C MIROKU** engraved to underside action; action locks up tight & on face, strong springs & crisp sears to double triggers; auto safety; walnut straight stock & splinter forend, some minor handling marks but near exc. overall; sharply defined teardrops to lock tails, chequering to wrist & forend; 6lb 10oz weight, 14 3/8" LOP incl. original maker marked plastic buttplate; comes with its original cardboard & polystyrene packaging and a period leather carry case; overall in exc. wo & vg. cond. **#2201016** L/R *A lovely example of these seldom seen sidelocks. The Lexus of Japanese shotguns.* **3000 - 4000**
719. **BOXED WINCHESTER MOD. 94 L/A RIFLE:** .44 WCF (44-40 Win.) cal.; full length tube mag.; 20" round barrel with vg. bright bore & sharply defined rifling, some finely speckled oxidation; blued finish to metalwork exc. overall; **WINCHESTER**, cal. & **NEW HAVEN** address to lhs barrel; action cycles freely, strong springs & sears; std. v-notch rear sight & hooded front; screw heads untouched; woodwork in near flawless cond., a few v. small storage marks overall; original black plastic buttplate; comes in its original blue, white & red carboard packaging; overall in exc. wo & cond. **#4436309** L/R *Vendor advises rifle is unfired.* **700 - 900**
720. **FINE BOXED WINCHESTER MOD. 94 ANTIQUE L/A RIFLE:** 30-30 Win. cal.; 6 rnd. tube mag.; 20" round barrel with exc. bright bore & crisp rifling, looks to be unfired; all metal finishes present flawless & bear no signs of use; vivid case colours to action with light scroll pattern to both sides; blued finish to barrel, mag & some small parts; straw loading gate; lhs barrel marked with **WINCHESTER** trademark, model/ **NEW HAVEN** address; strong springs & sears, screw heads appear untouched; walnut stock & forewood present flawless; original plastic buttplate; comes in its original maker marked carboard packaging with owner's manuals & even the original tags still on the lever; overall in exc. wo & new cond. **#5373359** L/R **900 - 1200**
721. **BOXED MIROKU MK-60 SPORT U/O SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated ribs, interchangeable chokes; chrome lined bores are exc. but need a clean; blued finish to barrels exc. overall with two small storage rubs on lhs barrels; silver coin finish to action with extensive acanthus & floral pattern scroll engraving; pair woodcock to lhs action, pair partridge to rhs; makers name & address to lhs top barrel, underside of action marked **B.C. MIROKU/ MK-60 Sport**; action locks up tight, strong ejectors, single selective trigger; nicely figured walnut stock & schnabel style forend are in g. overall cond., some minor handling marks overall; small handling dent to rhs head of stock with resulting surface crack; chequering to grip & forend sharply defined; 7lb 13oz weight & 14 1/4" LOP incl. 1" rubber recoil pad; comes with its original cardboard & polystyrene packaging; overall in exc. wo & g.+ cond. **#45204NR** L/R **600 - 900**

722. **BOXED MIROKU MOD. 9000 U/O SHOTGUN:** 12G, 2 3/4" chambered; 29 1/2" barrels with ventilated ribs & interchangeable chokes; exc. bright bores; strong blued finish to barrels, only minor storage marks overall; **MIROKU FIREARMS Co**, address to lhs barrel, underside of action marked **B.C. MIROKU/ 9000-V**; silver coin finish to action with sharply defined, hand-cut acanthus & floral scroll engraving to majority; action locks up tight, strong ejectors, single selective trigger; nicely figured walnut stock is in vgc., some minor handling marks; chequering to palm-swell semi pistol grip & schnabel style forend is sharply defined; 7lb 9oz weight & 14 1/4" LOP incl. original makers marked ventilated rubber recoil pad; comes its original cardboard & polystyrene packaging with a variety of additional chokes; overall in exc. wo & near exc. cond. **#72506NZ** L/R **1400 - 1600**
723. **CASED MIROKU MOD. 6000 GAME U/O SHOTGUN:** 12G, 2 3/4" chambered; 28" barrels with ventilated top rib, fixed chokes, approx. 1/2 & full; exc. bright bores; blued finish to barrels & small parts present exc., a few minor storage marks overall; silver coin finish to action with light scroll engraving; lhs top barrel marked with **MIROKU FIREARMS MFG. CO KOCHI JAPAN**; makers name again to underside of action with **6000 GAME/ GRADE-I**; action locks up tight & on face, strong ejectors, single selective trigger & auto safety; 14 1/4" LOP incl. 7/8" ventilated rubber recoil pad; comes in period synthetic carry case; overall in exc. wo & near exc. cond. **#82001PYGA1** L/R **A great entry level shotgun for the new shooter, decades of shooting left in it.** **700 - 1000**
724. **BOXED MIROKU MK-10 SPORT U/O SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated ribs, interchangeable Invector chokes; chrome lined bores are exc. but need a clean; blued finish to barrels exc. overall with two small storage rubs on lhs barrels; silver coin finish to action with extensive acanthus pattern scroll & pair of ducks to either side; makers name & address to lhs top barrel, underside of action marked **B.C. MIROKU/ MK-10 SPORT**; action locks up tight, strong ejectors, single selective trigger; nicely figured walnut stock & schnabel style forend are in vg. overall cond., some minor handling marks overall; chequering to palm-swell grip & forend sharply defined; 7lb 12oz weight & 14 1/4" LOP incl. 1" ventilated rubber recoil pad; comes with its original cardboard & polystyrene packaging which contains the additional chokes; overall in exc. wo & vg.+ cond. **#42736NR** L/R **900 - 1200**
725. **CASED MERKEL B.L.N.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 1/4 & 1/2; original blued finish to barrels presents exc., some minor storage marks; action retains 90%+ of its original & vivid case colours, light coverage of scroll engraving is sharply defined; **GERR MERKEL SUHL/ MADE IN GDR** to lh barrel; action lock up tight, strong springs, strong double trigger sears, manual safety; brass cocking indicators to sides of action; walnut forend & semi pistol grip stock in vg. overall cond., some minor speckled blemishes but in retains exc. metal-to-wood fit & sharply defined chequering; 7lb 3oz weight & 15" LOP incl. 3/4" ventilated rubber recoil pad; comes in older faux leather case with green baize lining; overall in exc. wo & vg.+ cond. **#614100** L/R **700 - 900**
726. **CASED B.C. MIROKU S x S B.L.E SHOTGUN:** 12G, 2 3/4" chambered; 28" barrels choked approx. 1/2 & full; exc. bright bores; glossy blued finish to metalwork presents exc., some minor storage marks overall; lh barrel marked with makers name, **B.C. MIROKU** marked to underside of action; action with some light coverage of scroll engraving; action locks up tight & on face, strong ejectors, mechanical single trigger & auto safety; walnut stock with glossy finish, some minor handling marks overall but presents v. well; sharply defined chequering to grip & forend; 6lb 15oz weight & 14 1/2" LOP incl. 1 1/8" ventilated rubber recoil pad; comes in older faux leather case with green baize lining; overall in exc. wo & vg. cond. **#M455116** L/R **800 - 1200**
727. **CASED MIROKU MK-38 U/O SPORTING SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated top rib, fixed chokes approx. 3/4 & full; exc. bright bores; strong original blued finish to barrels & small parts presents exc., some minor storage marks; silver coin finish to action which bears 80% coverage of sharply defined acanthus & floral hand cut engraving; lhs top barrel marked with **MIROKU FIREARMS MFG. CO KOCHI JAPAN**; makers name again to underside of action; action locks up tight, strong ejectors & selective single trigger; walnut stock with a few minor surface marks overall but presents exc.; chequering to grip & forend remains sharply defined; 8lb 1oz weight & 14" LOP incl. period 1" ventilated rubber recoil pad; comes in a Browning fabric carry case; overall in exc. wo & near exc. cond. **#80203PZ** L/R **A lovely example of an early hand engraved Miroku.** **1200 - 1500**

728. **CASED AUSTRALIAN BUILT RUGER RED LABEL DOUBLE RIFLE & SHOTGUN SET:** .45-70 Govt. cal. 22 1/4" rifle barrels; vg. bright bores with sharply defined rifling; 28" shotgun barrels in 20G, 3" chambering, ventilated ribs & **BRILEY** thin wall chokes fitted, exc. bores; blued finish to metalwork presents well, some minor storage marks & finely speckled oxidation in areas; underside of action marked with **STURM RUGER & SOUTHPORT** address; top rib of barrels marked **RON WEBB & CO. QUEENSLAND AUSTRALIA 45-70** with load markings etched to underside of bottom barrel; action locks up tight & on face, strong ejectors; barrels are of monoblock design; 3/4 express style file cut rib, dovetailed with fixed V-notch rear sight & blade front; nicely figured walnut stock with sharply defined chequering to pistol grip & schnabel style forend; tear drops to head of stock, grip cap with Ruger trademark; 14" LOP incl. 1" rubber recoil pad; comes cased in an older leather case with bright green felt lining; overall in exc. wo & vg. cond. **#40003248 L/R A beautifully balanced & slender little double rifle in an easy to feed calibre.** 2000 - 3000
729. **CASED RENATO GAMBA MOD. CONCORDE U/O SPORTING SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated ribs, fixed chokes, approx. 3/4 & full; exc. bright bores; strong blued finish to barrels & small parts, coin finish to action; lhs top barrel **S.A. RENATO GAMBA – GARDONE V.T. BRESCIA ITALY**; border engraved action with makers name to rhs, Concorde to underside; action locks up tight, strong ejectors & single mechanical trigger; walnut semi pistol grip stock with palm swell; sharply defined chequering to grip & forend; some minor handling marks but presents exc.; 7lb 11oz weight, 14 1/4" LOP incl. 1/2" ventilated rubber recoil pad; comes in maker marked plastic carry case with user manual & long handle hex head tool; overall in exc. wo & near exc. cond. **#24611 L/R Has seen very little use** 1400 - 1800
730. **SCARCE & FINE CASED MIROKU PRESIDENT GRADE 13 O/U SHOTGUN:** 12G 2 3/4" chambered; 28" barrels with ventilated top rib, chokes approx. 1/2 & full; vg. bright bores with a few minor marks; original blued finish to metalwork presents exc., bordering on flawless, some v. minor speckled blemishes overall; action, top lever & tangs with full coverage of impressive floral & vine relief engraving; lhs of action with paid of gold inlaid pheasants, rhs with gold inlaid ducks, both sets of game birds within gold inlaid borders; gold **B.C. MIROKU/ PRESIDENT** to underside of action, address to rhs barrel, **STIRLING** to lhs; action locks up tight & on face, strong well-timed ejectors, knurled trigger with gold finish; medium rib with mid bead & mother-of-pearl front bead; walnut semi pistol grip stock & forend both in vg.+ cond., some minor handling marks to both; chequering to grip & forend remains sharply defined as are the tear drops to head of stock; diamond bone inlays to grip cap & forend; vacant silver shield escutcheon to underside of stock; 7lb 5oz weight & 14 1/2" LOP incl. 1" Pachmayr rubber recoil pad; comes in period generic leather case; overall in exc. wo & vg. to exc. cond. **#1189053 L/R Only 1000 presidents were made ranging from grades 11, 12 & 13, this being the rarest. A rare gun that has seen very little use.** 7000 - 10000
731. **FABARM MOD. GAMMA LUX U/O SPORTING SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated ribs, interchangeable chokes; vg. bright bores, both need a clean; blued finish to metalwork presents ok, some surface oxidation to bottom barrel at muzzle, handling wear to action; makers name & address stamped to lhs barrel, name & model again marked to sides of action, **FABARM/ BRESCIA ITALY** marked to underside of barrels; action locks up tight, single selective trigger, strong ejectors; walnut semi pistol grip stock & forend in g. overall cond., some light handling marks overall, minor finish losses & mud in otherwise sharply defined chequering; 7lb 8oz weight & 14 1/2" LOP incl. ventilated 3/4" rubber recoil pad; comes in its original blue maker marked carry case with additional chokes; overall in exc. wo & g. cond. **#193921 L/R A good sound gun still showing signs of its last duck hunt.** 800 - 1200

732. **CASED W.W. GREENER B.L.N.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 1/2 & full; vg. bright bores; blued finish to barrels & small parts, presents well with some minor storage marks overall; action retains some strong case colours in protected areas of action, soft plum patina to remainder; action, tangs & breech with coverage of sharply defined acanthus scroll engraving; top rib engraved with **W.W. GREENER. MAKER. 68 HAYMARKET LONDON. WORKS ST MARY'S SQUARE BIRMINGHAM;** Birmingham 1 1/4 OZ NITRO proofs to flats along with elephant trademarks; action locks up with some minor movement w/o forend fitted, strong springs & sears; unusual angled rear hook & bites to suit; Greener cross bolt & manual side safety; walnut straight stock & splinter forend present v. well, some light bruising & handling marks, vg. metal-to-wood fit; repaired cracks running through wrist, looks to have been a good, sound repair; well-defined chequering to wrist & forend; horn forend tip; vacant silver escutcheon; 14 3/4" LOP incl. 1" recoil pad; 7lb 3oz weight; comes in leather brass cornered case with **W.W. GREENER** gold embossed trade label, emerald green felt lining; case contains some period accessories incl. snap caps, oil bottle & three-piece cleaning rod; overall in vg. wo & g. to vg. cond. #64108 L/R **1200 - 1600**
733. **FINE BOXED WINCHESTER MOD. 1300 P/A SHOTGUN:** 20G, 3" chambered; 28" barrel with ventilated top rib, interchangeable choke; dirty bore but appears exc.; blacked finish to action & blued finish to barrel, small parts all presents exc., trace amounts of storage marks; **WINCHESTER** trademark, model, **NEW HAVEN** address; pump cycles freely, strong springs & sears; woodwork presents exc., a couple minor marks but hard to fault; 13 7/8 LOP incl. 3/4" original rubber recoil pad; comes in its original cardboard packaging with two additional chokes; overall in exc. wo & cond. #L3132802 Cat C L/R **700 - 900**
734. **CASED HOLLAND & HOLLAND S/B ROOK RIFLE:** .360 CF cal.; 27" octagonal barrel with overall bright bore & well-defined rifling, some patches of frosting & light pitting but g.+ overall; original blued finish to barrel has thinned to an even plum-brown patina overall, action with some faint case colours but mainly a grey patina; **HOLLAND & HOLLAND. 98 NEW BOND STREET. LONDON** engraved to rhs barrel flat, **WINNERS OF THE FIELD "RIFLE" TRIALS LONDON** to lhs; British proofs to underside barrel; border engraved action with light coverage of fine scroll engraving; sidelever action locks up with some, automatic ejector strong, g. spring tension & sear to lock; fixed 50yd rear sight with folding 100 & 150 yd leaf's, file cut sections of barrel flat at muzzle & breech ends; walnut semi pistol grip stock & splinter forend present decent, sharply defined chequering to forend & grip, rhs grip with bruising; period silver staple crack repair to rhs forend horn cap, crack continues along into woodwork; steel grip cap & grooved butt; comes in its original fitted tropical canvas case with large **HOLLAND & HOLLAND** paper trade label; red baize lining with some moth damage; overall in g. wo & g. cond. #13775 N/L **1500 - 1800**
735. **CASED ADAMS & Co S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 29 3/4" damascus barrels, unchoked; bright bore with scattered pit peppering; soft plum patina to barrels with g. pattern definition, some staining; **ADAMS & CO 9 FINSBERRY PLACE SOUTH LONDON** to top rib, **ADAMS & CO** to both locks, London **V & P** proofs to barrels; locks & action with 60% coverage scroll engraving; side lever action is loose, non-rebounding back action locks with strong springs & crisp sears; matching hammers, carved percussion fences; walnut straight English style stock & splinter forend with staple fastener, both with worn chequering; woodwork with some handling marks, small chips to forend but overall in g., sound cond.; 14 3/8" LOP; comes in the original tarred canvas case with green baize lining, case tatty but retains **ADAMS & CO** paper trade label & loading label; overall in f. to g. cond. #11039 L/R *An honest, untouched example. Would respond well to some T.L.C* **500 - 800**
736. **CASED FABARM MOD. MAX 3T U/O SPORTING SHOTGUN:** 12G, 3" chambered; 30" barrels with ventilated ribs, interchangeable chokes; dirty bores but appear exc.; blued finish to barrels & small parts only bearing a few minor storage marks, vivid case colours to action with trio of gold inlaid clay targets to both sides; border engraved action with makers name to both sides, underside; **TRIBORE** marked to lhs top barrel; action locks up tight, strong ejectors, gold single trigger; walnut semi pistol grip stock with adjustable comb, palm swell grip; some minor handling marks overall but presents exc.; 8lb 2oz weight & 14 1/2" LOP incl. 3/4" ventilated rubber recoil pad; comes in its original maker marked soft carry case with plastic hard shell inside; comes with four additional screw in chokes, & a manual; overall in exc. wo & near new cond. #2026705 L/R **1600 - 2000**

737. **IMPRESSIVE CASSED LUIGI FRANCHI IMPERIAL S x S S.L.E SHOTGUN:** 12G, 2 3/4" chambered; 27 3/4" barrels choked approx. 3/4 & full; bores bright & exc.; blued finish to barrels & small parts present exc., a few minor handling marks overall; **S. p A. LUIGI FRANCHI BRESCIA MADE IN ITALY** engraved to lh barrel; underside of barrels marked with Italian proofs & engraved **ACCIAIO BOHLER ANTINIT DEMIBLOC**; even silver finish to action & lockplates which bear extensive & fine scroll engraving to 90%+; makers name & **BRESCIA** engraved to underside of action; **IMPERIAL MONTE CARLO EXTRA** marked to action table; action locks up tight & on face, strong ejectors & single trigger, manual safety; walnut straight stock & splinter forend are in exc. cond., some trace amounts of minor handling marks; chequering to wrist & forend are sharply defined, tear drops to lock tails; 7lb 3oz weight & 14 1/2" LOP, to chequered butt; comes in maker marked leather carry case with green fabric lining; overall in exc. wo & cond. #14973 L/R **7000 - 9000**
738. **ENFIELD No. 4 MK.I T B/A SNIPER RIFLE & CRATE:** .303 cal.; 10 rnd. mag.; 25" barrel with g. to vg. bore, rifling well-defined, some fine pitting to grooves; matte black military finish to metalwork, presents well, some light handling marks; **M47/ 1944/ 33018/ TR** marked to lhs of body socket; bolt with blued finish, stamped **G33018**; bolt cycles freely, strong sears & springs; retains std. no. 4 sights; woodwork in vg.+ sound. cond., has been cleaned back & refinished; grooved handguard section, fitted with raised cheekpiece; polished brass buttplate; incorrect stock, underside of wrist stamped with faints **SL/ N/ 4** marks; top of grip has had one set of numbers peened, **19038** stamped below; rifle fitted with L42A1 scope on side mount; scope in & mount with have been refinished, still bearing some light pit peppering in patches to both; fitted with scope marked **TEL. STG. /No.32 Mk.3. /O.S. 2039 A. No.19309**; optics clear, post & cross hair reticule with some v. slight 'fuzz'; scope comes in pressed steel case, stamped **CASE SIGHTING TELESCOPE/ NO 8 MKI/ SGC 1955/ OS 906A**, lid with stencil painted **33018 19309**; fitted with contemporary leather sling; rifle comes in original style shipping crate, has been repainted & stencilled markings **CHEST. S.A. No.15. MK. I** painted to front; chest contains a **B.C./ LTD/ & CO** marked spotting scope & leather cover, a variety of leather contemporary slings; overall in exc. wo & vg. cond. #33018 L/R **5000 - 7000**
739. **SCARCE AND FINE CASSED SCOTTISH RETAILED TRANTER PERCUSSION REVOLVING RIFLE:** 32 bore; 5 shot cylinder; 23" octagonal twist damascus barrel with bright bore & sharply defined rifling, some minor oxidation scale in grooves; silvery grey patina to majority of frame & small parts, some flashes of original blued finish to trigger guard & faint case colours to top strap; some minor staining & small patches of pin-prick pitting; barrel with strong original browned finish, v. well-defined twist pattern; top of barrel engraved **ALEXR THOMSON. 16. UNION PLACE. EDINBURGH**; border engraved frame marked **W. TRANTERS. PATENT. No16802. T**; London **V & P** proofs to chambers & lhs barrel; **W. TRANTER'S/PATENT** stamp to loading lever & second trigger; mechanically exc., third model style action with double trigger, strong indexing & sears, nipples all in vgc.; hammer shroud; fixed V-notch 50yd rear sight with folding 100yd & 200yd leaf's, rear sights retain much of their nitre blueing; conical silver front sight dovetailed to barrel; sling stud to underside of barrel & stock; nicely figured walnut straight stock in g. to vgc., some minor handling marks & bruising overall but presents v. well, chequering to wrist is sharply defined, metal-to-wood fit is exc. & retains 90%+ original varnish finish; rifle comes presented in period oak case which is externally bearing some large but partial cracks; internally case has been relined in green felt, sound partitions; case contains a second cylinder which is in equally vg. cond., some original accessories incl. **W. TRANTER'S** Lubricating Composition tarred tin, **W. TRANTER/ PATENT** marked double brass bullet mould, **SYKES PATENT** powder etc.; overall in vg. wo & cond. #16802T N/L C. 1864 *An extremely scarce rifle, even rarer to find in this fine, original condition.* **9000 - 13000**

740. **EARLY CASED JAMES PURDEY S x S PERCUSSION CONVERSION FOWLER:** 13 bore; 30 1/8" 4000 - 5000
twist damascus barrels with f. bores, dark with some marks; brown finish & frosting to majority of barrels, grey patina to locks & small parts; top rib with lightly defined **J. PURDEY. PRINCES ST. LEICESTER SQRE LONDON.** engraved address, London **V & P** proofs & **244** marked to underside of each barrel; locks defined acanthus scroll & border engraving, **PURDEY** marked to bottom of both with **PATENT** to tails below exposed grip-safety style exposed sear; trigger guard with serpent engraving; locks still bear remnants of the original flintlock configuration with dovetailed sections to top of lock & filled holes for the frizzen spring assembly; flat sided hammers with strong springs & g. external sears; hooked breech with platinum pressure plugs; replacement front ramrod pipe finial; retains original ebony ram rod with worm but no cap; walnut half stock has been refinished & presents v. well, sharply defined recut chequering to forestock & wrist, tear drops to lock tails; forestock with some fine partial cracks & two grafted walnut sections above either lock; vacant silver escutcheon to underside of stock & the original steel buttplate; buttplate tang with acanthus scroll & serpent engraving; comes in period oak case; internally relined & partitioned for the gun, some period shot, powder flasks & some contemporary tools; brass hemi handle to lid with inscribed escutcheon to centre reading **CAPTn FENWICK, / 76th Regt.**; overall in g. cond. #244 N/L
741. **CASED BERETTA MOD. S3 EL S.L.E O/U SHOTGUN:** 12G, 2 3/4"; 28" barrels choked approx. 1/2 & 3/4; bores are bright, some powder fouling but vgc. overall; strong blued finish to barrels, some minor storage marks but presents well; silver-grey finish to locks & action with full coverage of flowing vine & floral engraving; top of lh barrel engraved with **P. BERETTA – GARDONE V.T./ MADE IN ITALY;** makers name & address engraved again to underside of action; action locks up tight & on face, strong ejectors, crisp sears to twin triggers; English style straight stock with attractively figured walnut, sharply defined tear drops & chequering to wrist, forend; 15 1/2" LOP incl. 1" rubber recoil pad; 7lb 4oz weight; vacant gold escutcheon to underside of stock; comes in contemporary canvas & leather case; overall in exc. wo & vgc. #9672 L/R C. 1976 Mfg. 4000 - 6000
742. **HISTORICALLY SIGNIFICANT CASED WESTLEY RICHARDS PINFIRE SHOT & BALL GUN:** 20 bore pinfire cal.; 25" twist damascus barrels with f. bores, patchy fine to moderate pitting throughout; original browned finish to barrels has thinned to a soft plum patina overall with g. pattern definition, small blemish to rhs barrels; soft grey patina to action & locks with traces of case colours in protected areas; top rib engraved **WESTLEY RICHARDS & Co. 170 NEW BOND ST LONDON.;** makers name marked again to plain lockplates; Birmingham proofs marked to barrels & action table along with **37** marked to both; Jones underlever action locks up tight, strong back action lock springs & sears, matching hammers; sling stud to underside of barrel & butt; nicely figured walnut straight stock & splinter forend, woodwork bearing a few surface marks & light bruising while retaining 80%+ of its original varnished finish; metal-to-wood fit is exc.; horn forend tip; steel buttplate; rhs butt with convex, ovate silver escutcheon engraved: **Presented to/ R. H. D. White Esq./ By the/ Queensland Government/ June 23rd 1868;** comes presented in a full length period oak case marked **J. EBENSTON/ MAKER/ BRISBANE;** case with sound partitions, blue baize lining with some insect damage; case contains a variety of original accessories incl. two piece loading press, **JAMES DIXON & Co** marked 20 bore pinfire roll crimper & capping tool, powder dippers & period ball mould; overall in vg. cond. N/L *An exceptional outfit which was presented to N.S.W. Bank manager Captain Robert White for 'gallantry' after a shootout with five bushrangers at the Currie Hotel in Gympie, QLD. The Rockhampton Bulletin Tuesday 23rd June 1868 quotes the Colonials Secretary's Office, Brisbane: "it affords me very great pleasure to present to you, on behalf of the Queensland Government, a double-barrelled needle gun with ammunition and necessary implements as a token of their high appreciation of conduct so meritorious". A great piece for the Australian collector.* 8000 - 12000

743. **IMPRESSIVE WINCHESTER MODEL 1866 LEVER ACTION RIFLE:** .44 rimfire cal.; full length tube mag.; 24" octagonal barrel with bright bore & sharply defined rifling, muzzle end of barrel peppered with some light to moderate pits; original blued finish to barrel, mag. & small parts bearing little wear, some inactive surface oxidation in patches to barrel & mag., lever with plum-brown patina; even, finely mottled mellow patina on brass frame, some green oxidation where tangs meet woodwork; loading gate retains much of its original nitre blueing, under some brown scale; top of barrel marked with defined roll stamped **WINCHESTER'S-REPEATING ARMS. NEW HAVEN. CT. / KING'S-IMPROVEMENT-PATENTED-MARCH 29.1866. OCTOBER 16.1860.** after sights; **44 CAL** marked to top of barrel at breech and again to underside brass lifter; serial no. **165178** is marked to bottom tang; lhs action is period engraved **Presented to/ J. Fenwick/ on his 21st Birthday. March 16th 1893/ BY HIS FRIEND/ E.R. STERLING;** original Winchester markings, action engraving & profiles are all sharply defined; mechanically exc., action cycles smoothly, strong springs & sears; semi buckhorn rear sights & pinched silver blade front sight which is bearing no wear; original screw heads with some minor burring; walnut straight stock & forend present v. well, some surface marks & subtle speckled blemishes; woodwork retains 90%+ original varnish finish & exc. metal-to-wood fit; crescent steel buttplate with some brown oxidation scale to surface; sliding brass trap houses a four-piece cleaning rod; overall rifle is vg. wo & g.+ cond. **#165178 N/L Rifle is accompanied by a 1970 dated Winchester letter to the current owner confirming it "is listed as a rifle, with octagon barrel. It was shipped from our warehouse on November 18, 1887.". One of the finest 66' Winchesters offered at auction in Australia for some time.** **14000 - 16000**
744. **HISTORICALLY SIGNIFICANT CASED GEORGE H. DAW S x S PERCUSSION DOUBLE RIFLE:** 32 bore; 24 1/4" twist damascus barrels; bores with patchy surface oxidation, four-groove rifling is still sharply defined; silver-grey patina to majority of metalwork, barrels bearing fine pin-prick pitting to most surfaces, some fine but scattered pitting on small parts; top rib engraved **GEORGE H. DAW** before rear sights, **57 THREADNEEDLE ST LONDON.** after sights which is followed by **EDWARD HENTY PORTLAND, N.S.W.;** underside of barrels marked with London **V & P** proofs, **32 & 3313;** plain border engraved locks engraved **G.H. DAW;** strong lock springs & sears; silver front sight dovetailed to top rib, ladder rear sight with folded 100yrd & 400 – 10 graduated ladder; sling studs to ramrod pipe & underside of stock; missing screw to bottom tang after trigger guard; vg. walnut half stock, chequering to wrist & forewood is sharply defined, metalwork-to-wood fit is vg. overall; plain patch box to rhs butt, steel buttplate; comes presented in its original fitted mahogany case; paper **George H. Daw** trade label; sound partitions with green baize lining; comes with period brass mould, powder flask, spring vice & other accessories; overall in g.+ cond. **#3313 N/L This rifle was owned by Edward Henty, regarded as the first permanent settler of Victoria and the founder of the Victorian wool industry. Another incredible piece of Australian History offered to our collector clientele.** **8000 - 10000**
745. **FINE CASED JOHN HALL S/B PERCUSSION SHOTGUN:** 13 bore; 32" damascus barrel, transitioning from an octagonal breech, to 16 sided to wedding band to a round remainder; vg. bright bore, some light pitting; strong plum refinish to barrel with exc. & fine twist pattern definition; grey steel patina to remainder of metalwork; **JOHN HALL MAKER** engraved to top of barrel has been recut; pair British proofs to underside of barrel; sharply defined acanthus scroll & ornate border engraving to lock, tangs & buttplate tang; ornate pineapple finial; makers name engraved to lockplate; strong lock springs & crisp sears; walnut half stock presents v. well, gloss refinish bearing only minor handling marks overall; sharply defined chequering to wrist, vacant rectangular silver escutcheon to wrist below top tang; horn forend cap; comes in period brass-cornered oak case with green baize, **Wm Moore & Wm Grey** paper trade label; case in g. overall cond., some partial cracks to woodwork externally but partitions are sound; case with period shot & powder flasks, ebony ram rod & some contemporary tools ; overall in vg. wo & cond. **N/L** **1500 - 1800**
746. **SECTIONALISED S.M.L.E B/A TRAINING RIFLE:** .303 cal.; professionally shortened 9" barrel with crowned barrel; blued finish to metalwork, sectionalised sections with red painted highlights; lhs of mag. with three cutaway sections, small inspection cutaways to action & bolt; bolt cycles freely & trigger releases; std. stock with sling swivel & alloy buttplate; overall presents very well **#966 B cat. L/R** **200 - 400**
747. **SECTIONALISED SAVAGE No.4 MK I B/A TRAINING RIFLE:** .303 cal.; 8 1/4" barrel; blued finish to metalwork, sectionalised sections with red painted highlights; sectionalised action, breech, bolt, mag. & lhs of stock; bolt cycles freely & trigger releases; std. Savage markings to lhs action & body socket; woodwork presents well, some scattered chips; overall in g. cond. **#SKN1230 B cat. L/R** **200 - 400**

748.	SECTIONALISED LITHGOW S.M.L.E B/A RIFLE: .303 cal.; professionally shortened 6 1/2" barrel; re-blued finish to metalwork, std. LITHGOW markings to rhs body socket, top of breech marked 7.7 X 54 / JMC ; sectionalised breech section with red painted highlights; standard magazine, bolt cycles freely & trigger releases; charger bridge & breech have been drilled & tapped; std. stock with sling swivel & brass buttplate; presents well #4094 B cat. L/R	200 -	400
749.	LARGE LOCKAWAY BRAND GUN SAFE: D550 x W950 x H1600 m/m dimensions; safe bearing a few minor marks to exterior from moving but in exc. unused condition. Electric key pad with manual key back up; Still on factory password setting	500 -	750
750.	LARGE LOCKAWAY BRAND GUN SAFE: D550 x W950 x H1600 m/m dimensions; safe bearing a few minor marks to exterior from moving but in exc. unused condition. Electric key pad with manual key back up; Still on factory password setting	500 -	750
751.	CMI SAFE Co MOD. HG2+ SMALL GUN SAFE: D535 x W635 x H645 m/m dimensions; safe bearing a few minor marks to exterior from moving but in exc. unused condition. 30 min fire rating, weighs 161kg.	500 -	750
752.	HOLLAND & HOLLAND TROPICAL CANVAS DOUBLE GUN CASE: 790L x 230W x 85H (m/m) dimensions, to suit S x S shotgun; partitioned for 28" barrel incl. dolls head extension; green baize lining in g. cond.; large HOLLAND & HOLLAND paper trade label & additional paper NOTICE label with extractor information; overall in g. sound cond., canvas a little dirty but stitching remains g., some replacement leather work but straps remain a little distressed; overall in g. cond. N/L	300 -	500
753.	19th CENTURY ENGLISH LEATHER-BOUND OAK DOUBLE GUN CASE: 830L x 230W x 75H (m/m) dimensions, to suit S x S shotgun or double rifle; 'English style' exposed top, oak partitions for 31" barrels and most likely an underlever gun; red baize lining removed from lid & otherwise ravaged by insects; externally leather bearing general handling marks & scuffs but presents quite well; brass corners & vacant escutcheon to lid; missing straps & one of the swivel locking hooks; overall in f. cond. N/L A top quality case which would have housed a London best.	300 -	500
754.	LOT of FOUR COLT PEACEMAKER BOOKS by KEITH COCHRAN: vg. overall cond., some minor marks to protective dust jackets; books are COLT PEACEMAKER BRITISH MODEL, COLLECTOR, ENCYCLOPEDIA volumes I & II ; all by Keith Cohran.	150 -	300
755.	COLT FIREARMS FROM 1836 HARD COVER BOOK by JAMES E. SERVEN: vg. to exc. cond., supple faux leather cover with gold embossed lettering to front & rear cover; 400 pages.	150 -	300
756.	THE BOOK OF COLT FIREARMS by R. L. WILSON: overall in vg. cond., faux leather protective sleeve with some marks, book cover exc.; gold embossed COLT MANUFACTURING COMPANY trademark motif to front cover; 604 pages; Bordering on a necessity for the Colt collector.	200 -	400
757.	JAMES PURDEY & SONS TWO HUNDRED YEARS OF EXCELLENCE by DONALD DALLAS HARD COVER BOOK: vg. condition. Some minor storage marks to dust jacket but as new internally; 472 pages; A great encyclopedia for one of London's best makers.	150 -	300
758.	HOLLAND & HOLLAND 'THE ROYAL' GUNMAKER, THE COMPLETE HISTORY by DONALD DALLAS HARD COVER BOOK: vg. condition. Some minor storage marks to dust jacket but as new internally; 300 pages; A great encyclopedia for London's most renowned makers.	150 -	300
759.	COLT 1911 FITTED OAK CASE & MAG.: 250L x 180W x 60H (m/m) dimensions; green felt lining, sound partitions; facsimile COLT trade label; comes with unmarked magazine, oil bottle & Colt pattern multi tool; some handling marks externally but presents well. N/L	100 -	150
760.	19th CENTURY BRASS BODY POWDER FLASK: 7 1/2" overall length; slightly dull finish to brass, some green oxidation; body with several dents but seam still holding; missing release spring; overall f. cond. N/L Suit display	25 -	50

761.	JAMES DIXON & SONS 19th CENTURY BRASS POWDER FLASK: 8" overall length, mellow patina overall with some mottled staining, green oxidation; body bearing scattered light dings; marked with maker's name; overall in f. to g. cond. N/L	100 - 150
762.	19th CENTURY COPPER BODY POWDER FLASK: 7" overall length; v. dark patina & some green oxidation in areas to copper body, bearing some light handling marks; overall in g. sound cond. N/L	50 - 80
763.	G. & J. HAWKSLEY 19th CENTURY OVER-SHOULDER LEATHER SHOT FLASK: 23" overall length, laid out; brass funnel marked with makers name, spring loaded release to shot measure; leatherwork showing its age, some surface cracks but still relatively supple, stitching is sound; overall in g. cond. N/L <i>An interesting little display piece.</i>	150 - 300
764.	19th CENTURY LEATHER SHOT FLASK: 9" overall length; leatherwork in g. cond., sound stitching & bearing only light handling marks; neck of leatherwork is loose on brass measuring funnel; mechanism working well; overall in f. to g. cond. N/L	50 - 80
765.	CONTEMPORARY COPPER BODY POWDER FLASK: 7" overall length; dull patina to body, bright finish to brass funnel; overall in g. cond. N/L	20 - 50
766.	19th CENTURY LEATHER SHOT FLASK: 8 1/2" overall length; leatherwork in vg. cond., sound stitching & some v. light handling marks; neck of leatherwork with some repairs; brass funnel wobbly in thread; mechanism working well; overall in g. cond. N/L <i>Presents well</i>	75 - 150
767.	G. & J. HAWKSLEY 19th CENTURY BRASS POWDER FLASK: 7 3/4" overall length; mellow patina to brass body, ornate pressed pattern; dent to bottom has split seam; faint makers name to funnel; overall in f. cond. N/L <i>Still presents v. well.</i>	75 - 100
768.	JAMES DIXON & SONS 19th CENTURY BRASS POWDER FLASK: 8" overall length, a few minor handling marks overall & patchy, flaky finish but in g. sound cond. marked with makers name & IMPROVED PATENT; N/L	100 - 150
769.	PAIR OF MERWIN HULBERT & Co BARREL & CYLINDER ASSEMBLY'S: both in .44 cal.; metalwork showing age, scattered pitting to both ranging from moderate to heavy, profiles worn; 4 1/2" #2418 later model assembly, 5 1/4" #3377 early barrel; both sets bordering on relic condition externally but function well; N/L (In VIC) <i>A couple of interesting little talking pieces.</i>	150 - 300
770.	J.W. ROSIER RETAILED TRANTER MOD. 1872 D.A. REVOLVER: .320 CF cal.; 5 shot cylinder; 3 3/4" (96m/m) octagonal barrel with f. to g. bore, sharply defined rifling with some scattered pits; dull patina to brass frame, plum patina to majority of steel parts, some small parts with nitre blued finish; JAMES W. ROSIER. MELBOURNE. engraved to top of barrel, W. TRANTER'S/ PATENT stamp to lhs breech/ serial no.; Birmingham proofs to chambers & underside barrel; frame with 40% coverage of sharply defined scroll engraving; mechanically exc., cylinder indexing well, strong springs & sears; vg. screw heads; single piece walnut grip in g. overall cond., some light handling marks but chequering remains well-defined; overall in g. to vg. cond. #35133 Pre 1900 L/R <i>Just an all-round lovely Australian retailed revolver.</i>	600 - 800
771.	ETHAN ALLEN & CO SIDE HAMMER REVOLVER: 32 Rimfire cal.; 6 shot cylinder; 4 3/4" (123m/m) octagonal barrel; bore is near exc., bright with crisp rifling, some superficial surface oxidation; original blued finish with 30% remaining in protected areas, brown mottled patina to remainder; strong case colour to hammer; crisp two-line ETHAN ALLEN & CO. WORCHESTER. MASS. over ALLEN'S PAT'S. SEPT. 7 NOV 9 1858. SEPT. 24. 1861 marked to barrel; serial no. 459 marked to underside of barrel, cylinder, 455 marked to axis pin; mechanically exc., cylinder indexing crisp, strong sears & springs; German silver front blade sight, grooved top strap rear sight; smooth walnut grips present well, some minor handling marks, both retain 90% original varnish finish; overall in vg. wo & vg. cond. #459 Pre 1900 L/R	700 - 1000

772. **'RED BARON' COLT NEW SERVICE REVOLVER;** .455 cal.; 5½" barrel; 6 shot fluted cylinder; vg. bore, sharply defined rifling; metal grey barrel, cylinder, straps and action with staining; **COLT** two-line name, address & date to top of barrel; **NEW SERVICE 455 ELEY** to lhs of barrel; mechanically exc., action locks up tight, cylinder indexing correctly & strong springs; vgc. hard rubber grips with sharply defined chequering & **COLT** name; lanyard swivel to butt of back strap; o/a exc. wo & g to vg. cond. **#130804** Pre 47. L/R *The 'Red Baron' was shot down and killed on 21 April, 1918. A number of military personal claimed to be the one/s who shot him down. Amongst those was the crew of an Australian Vickers machine gunners. One of this crew was Rupert Weston who was carrying this pistol on the day. After the war Weston returned to Australia Weston with the pistol & eventually passed gave it to a friend. From there it was passed down before being acquired by the current owner. Documents supporting the claim by the Australian gunners are included with this lot.* **3500 - 4500**
773. **DEANE ADAMS & DEANE D.A. DRAGOON PERCUSSION REVOLVER;** 38 bore (.497 cal.); 5 shot cylinder; 7 1/2" (190m/m) octagonal barrel; bore f. with pits peppering the sharply defined rifling; metalwork bearing a mottled brown patina & oxidation staining in areas; top strap engraved **DEANE ADAMS & DEANE. 30 KING WILLIAM ST T LONDON BRIDGE.**; London **V & P** proofs to chambers & lhs barrel; frame with acanthus scroll engraving; markings & engraving only lightly defined; cylinder indexing but with some slop; Rigby style rammer to lhs frame; single piece walnut grip with sharply defined chequering, g. to vgc. overall; engraved steel butt cap with trap; overall in g.+ cond. **#8257R** Pre 1900 L/R **1200 - 1400**
774. **FRENCH MILITARY SB PERCUSSION PISTOL;** 75 cal.; 200m/m barrel with dark plum patina & some surface marks; **249 & C de 17, 6A** & other marks to lhs of barrel; dark plum finish to hammer & lockplate; crisp action not holding on 1/2 cock; missing hammer screw; brass band to forend, with brass trigger guard & round buttplate (with ring); steel ramrod; **Mre R de Tulle** on lock; g to vg cond. wooden butt stamped with **17** and **MUTZIG**; Mutzig was at that time the location of the Imperial Arsenal in France. o/a g to vg wo & cond. c.1840 N/L **1200 - 1500**
775. **RARE HARVEY'S PATENT 1854 D.A. HAMMERLESS PERCUSSION REVOLVER;** 54 bore (.448 cal.); 6 shot cylinder; 5 1/4" (134m/m) octagonal barrel; f. bore, oxidation scale & pitting evident; silver patina to metalwork with soft mottled staining, some fine pitting in patches; **HARVEY'S PATENT/ 4024** engraved to cylinder, again to barrel which is followed by **BREECH LOADING REVOLVING PISTOL**; frame sides, straps & trigger guard with defined acanthus scroll; Birmingham proofs to chambers & barrel; d.a. only trigger pull is strong & cylinder indexes well; elongated walnut grip with well-defined, fine chequering, some bruising to lhs; replacement steel butt cap with trap, vacant silver escutcheon to back of grip; overall in g. cond. **#4024** Pre 1900 L/R *An interesting collection of patents in this transitional revolver.* **1000 - 1500**
776. **ASTRA CADIX D.A. REVOLVER;** 22 LR cal.; 9 shot fluted cylinder; 4" (102m/m) barrel with exc. bore & crisp rifling, some powder fouling; blued finish to metalwork strong overall with holster wear to muzzle, front of frame & cylinder; rhs of barrel marked **ASTRA-CADIX**, trademark to rhs frame/ **SPAIN**; cylinder indexing well, strong springs & sears; two-piece walnut grip in g. cond., some handling marks, chequering well-defined; overall in exc. wo & f. to g. cond. **#R272519** Post 46' L/R **400 - 600**
777. **HAMMERLI MASTER AIR PISTOL;** 177 cal.; 6 1/2" (165m/m) barrel with exc. bore; blued finish to metalwork presents exc. overall; **Hammerli Master** marked to lhs action; mechanically vg. pop up breech, cocking 'bolt' above trigger; adjustable rear sight & blade front; single piece walnut thumb rest grip in vg. cond., only minor handling marks, chequering sharply defined; overall in exc. wo & near exc. cond. **#061335** Post 46' L/R **300 - 500**
778. **EUROARM MFG. NEW MODEL ARMY S.A. PERCUSSION REVOLVER;** 44 cal.; 6 shot cylinder; 8" (203m/m) octagonal barrel; exc. bore with sharp rifling; blued finish to metalwork presents well, some minor storage marks in areas; makers name to lhs of barrel, model to top of barrel; mechanically exc., cylinder indexing correctly, strong sears & springs; smooth walnut grips with some minor handling marks; overall in vg. wo & cond. **#104533** Post 46' L/R **300 - 400**

779. **SMITH & WESSON MOD. 11 D.A. REVOLVER:** .38 S.&W cal.; 6 shot fluted cylinder; 4" (100m/m) barrel with shiny bore & sharply defined rifling; reblued finish to metalwork presents well, some handling marks overall; **SMITH & WESSON** to lhs barrel, **38 S & W CTG 178 GR.** to rhs; rhs frame marked with **SW** monogram, four line address; cylinder indexing well, strong springs & sears; walnut grips in sound but f. cond., showing wear to chequering, have been refinished; overall in exc. wo & g. cond. **#C570795** Pre 47' L/R **300 - 500**
780. **FACTORY ENGRAVED MOORE'S PAT. TEAT-FIRE POCKET REVOLVER:** 32 cal. teat-fire; 6 shot cylinder; 3 1/4" (82m/m) round barrel with shiny bore & crisp rifling, some powdery oxidation but would clean up, g. overall; mottled plum patina to barrel, cylinder retains 70%+ original blued finish, vivid case colours to hammer; sharply defined factory acanthus scroll engraving to brass frame, 70%+ original silver plating with a mellow patina to difference; top of barrel marked **MOORE'S PAT. FIREARMS CO. BROOKLYN, N.Y.**, cylinder marked **D.WILLIAMSON'S PATENT JANUARY 5, 1864**; mechanically fine crisp cylinder indexing & strong springs; smooth rosewood grips with some light storage wear to finish on profiles; overall in vg. wo & cond. **#8393** Pre 1900 L/R **1000 - 1400**
781. **COLT MOD. 1894 D.A. REVOLVER:** .38 long Colt cal.; 6 shot fluted cylinder; 4 1/2" (115m/m) barrel with f. to g. bore, sharply defined rifling with some patches of frosting, fine pitting; 80% original thinning blued finish to metalwork, majority of losses on muzzle & straps now with a silvery patina; lhs of barrel marked **COLT. D.A. 38**, top marked **COLT'S PT.F.A. MFG. CO/ HARTFORD CT. U. S. A./** patents; rear lhs frame with rampant horse roundel stamp; markings & profiles are sharply defined; **918** marked to cylinder arm, frame & cylinder release, **73/159** marked to butt; cylinder indexing well, strong springs & sears; hard rubber grips in near exc. cond. if not for small scuff to rh grip, chequering to both remains sharply defined, **COLT/** rosettes & rampant horse motif/ **1894** to top of both; overall in vg. wo & g. to vg. cond. **#918** Mfg. 1892 L/R **1000 - 1400**
782. **SMITH & WESSON MOD. 36 D.A. REVOLVER:** 38 Special cal.; 5 shot fluted cylinder; 1 7/8" (47m/m) barrel with exc. bore & crisp rifling; strong blued finish to metalwork, presents well with only minor handling marks; makers name & calibre marked to barrel, four-line address to rhs of frame; mechanically exc., strong sears & springs; fitted with Pachmayr chequered pattern rubber grip; overall in exc. wo & vgc. cond. **#J594735** Post 46' L/R **300 - 500**
783. **F.N. BROWNING MOD. 1910 POCKET PISTOL:** .380 ACP; 6 rnd. mag.; 88m/m barrel with vg., shiny bore & sharply defined rifling; original blued finish to metalwork thinning overall, developing a grey patina on slide; F.N. full name & Belgian address to lhs of slide over **BROWNING'S PATENT DEPOSE**; slide retracts freely, strong springs & sears; hard rubber grips with well-defined FN monogram & chequering to both, some handling marks; overall in exc. wo & g.+ cond. **#504568** Post 46' L/R **400 - 600**
784. **ENFIELD No.2 MK I D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (127m/m) barrel; dirty bore, sharply defined rifling, appears vg.+; black painted finish to metalwork presents well, thinning on profiles & flaking on cylinder, trigger guard; **DI** star to rhs of frame; mechanically exc., action locks up tight, cylinder indexing well; grooved plastic grips with some handling marks; overall in exc. wo & g. cond. **#Q7733** 1932 Mfg. L/R **500 - 700**
785. **COLT 1877 LIGHTNING D.A. REVOLVER:** .38 Long Colt cal.; 6 shot fluted cylinder; 4 1/2" (115m/m) barrel with g. bore, bright with fine pitting in patches, rifling remains sharp; thinning blued finish to barrel & cylinder has turned a plum patina, areas of strong case colours to frame; two-line **COLT'S HARTFORD / DEPOT 14. PALL MALL LONDON.** address to top of barrel, faint **COLT. D.A.38** to lhs; patents marked to lhs of frame along with rampant horse roundel; **17027** to frame, **20992** marked to trigger guard & butt; London **V & P** proofs to barrel & chambers; cylinder indexing occasionally, trigger return spring has tension but feels gummed up; blade front sight & grooved top strap; knurled section of axis pin with damage from plyers; hard rubber grip panels in vg.+ cond., sharply defined chequering & rampant horse to top of both; overall in vg. cond. **#17027** Mfg. C.1879 L/R **Presents well.** **900 - 1200**

786. **COLT MOD. 1878 D.A. REVOLVER:** .45 Long Colt; 6 shot fluted cylinder; 7 1/2" (191m/m) barrel with vg. bore, bright with sharply defined rifling, some minor speckles of frosting but hard to fault; 60%+ thinning original blued finish to metalwork, majority of losses to lhs barrel & back strap, a mottled grey patina to worn areas; top of barrel marked with clear **COLT'S PT.F.A. MFG. Co HARTFORD CT. U.S.A.**, lhs barrel marked **45 COLT**; lhs frame marked with small rampant horse trademark roundel; action exc., cylinder indexing correctly, strong springs & sears; sharp profiles & markings; original birds head hard rubber grips with well-defined chequering & rampant horse trademark motifs to top of both; grips present well, bearing only light handling marks, one small worn spot to lh grip chequering; lanyard swivel to butt; overall in exc. wo & vg. cond. **#37564** Mfg. 1897 *A nice original example.* **1600 - 1800**
787. **COLT ARMY SPECIAL D.A. REVOLVER:** .41 long Colt cal.; 6 shot cylinder; 4 1/2" (115m/m) barrel with shiny bore, some patchy frosting but rifling remains sharply defined; mottled & spotted patina to metalwork, has been cleaned previously; stampings to barrel almost indistinct; cylinder indexing well, strong springs & sears; smooth walnut grips have been refinished, g. sound cond. with silver **COLT** medallions inlaid to top of both; overall in vg. wo & f. to g. cond. **#305290** 1908 Mfg. L/R **300 - 500**
788. **COLT THIRD MOD. DRAGOON S.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 7 1/2" (191m/m) round barrel with dirty bore, oxidation scale throughout but rifling remains well-defined; metalwork with an even grey patina to most parts, some fine frosting/ pin-prick pitting, scattered handling marks but presents well; dull mellow patina to brass trigger guard & straps; top of barrel flat marked with defined **-ADDRESS SAML COLT NEW-YORK CITY-**, small **3** marked to bottom lhs of barrel assembly; cylinder retains a faint Ranger & Indian fight scene, indistinct in patches; lhs frame marked **COLTS/ PATENT**; serial no. **14019** is marked to barrel assembly, frame, trigger guard, butt of backstrap & cylinder, **4019** marked to loading lever; cylinder indexes well, strong springs & sears, some light corrosion on original nipples; German silver blade front sight worn; a few replacement screw heads; smooth walnut grips with some scattered handling marks, small chip to rh grip but both present well, retain g. wood-to-metal fit; overall in g.+ cond. **#14019** Mfg. c.1855 *A nice honest example of these desirable & exceedingly scarce behemoths.* **4250 - 6000**
789. **RUGER REDHAWK D.A. REVOLVER:** .44 Mag. cal.; 6 shot fluted cylinder; 7 1/2" (190m/m) barrel with exc. bore & sharp rifling; stainless steel metalwork presents well, some superficial surface marring & handling marks; **.44 MAGNUM CAL** to rhs of barrel, **STURM RUGER** address & user warnings stamped to lhs; **RUGER** Redhawk & trademark to rhs of frame; action is smooth in d.a., crisp sears in s.a.; std. adjustable foresight; Pachmayr grips in g. cond.; overall in exc. wo & vg. cond. **#500-02971** Post 46' L/R **700 - 900**
790. **WEBLEY MK VI D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with g.+ bore & sharply defined rifling, some frosting; metalwork bearing a strong reblued finish which has turned to a dark patina, fine pitting to mots external surfaces; lhs of the frame marked with indistinct patents, lhs of top strap marked **MARK VI**; **GR** proofs to barrel & chambers, broad arrows marked to several small parts; action locks up tight, cylinder indexing correctly, strong springs & sears; brown hard rubber grips, lh grip with well-defined chequering & **M** marked to bottom, rh grip worn & large chip to butt; lanyard ring to butt; overall in vg. wo & f.+ cond. **#409553** Mfg. 1915 L/R **500 - 700**
791. **SMITH & WESSON MOD. M&P 9L S/A PISTOL:** 9x19m/m Luger cal.; 10 rnd. mag.; 4" (103m/m) barrel with exc. bright bore & sharply defined rifling; matte black finish to metalwork, some minor surface marks; **M&P** trademark, **9L** marked to front lhs of slide, **STAINLESS** to centre & **SW** monogram to back; serial no. marked to slide; slide retracts freely, strong springs & sears; fitted with **9MM** marked mag.; mag. release set up or left hander; black polymer frame with some handling marks overall but presents well; overall in exc. wo & g. to vg. cond. **#MRJ5039** Post 46' L/R **500 - 700**
792. **SMITH & WESSON MOD. 2206 S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 6" (150m/m) barrel with vg. bore & sharp rifling, needs a clean; satin silver finish to stainless metalwork, some minor storage marks; **SMITH & WESSON** marked to lhs of frame, address to rhs; mechanically exc., slide retracts smoothly, crisp trigger; adjustable rear sight; black polymer grips in vg. cond.; overall in exc. wo & vg. to exc. cond. **#TFD7555** Post 46' L/R **400 - 600**

793. **SMITH & WESSON D.A. TOP BREAK REVOLVER:** 38 S & W; 5 shot fluted cylinder; 5" (128m/m) barrel with integral rib; bright bore with crisp rifling; thinning original blued finish to metalwork, 40% remaining which transitions to a plum patina in thin areas, grey steel finish to worn areas on barrel & cylinder; crisp two-line **SPRINGFIELD** address to top of barrel, **38 S. & W. CTG** to lhs of barrel; **SW** trademark monogram to rhs of frame; action locks up tight, sound sears & springs, cylinder indexing well; gutta percha grips present decent, worn areas to chequering but free from cracks or losses; overall in vg. wo & g.+ cond. #444623 Pre 1900 L/R **600 - 900**
794. **SMITH & WESSON HAND EJECTOR 1st MOD. D.A. REVOLVER:** 44 S & W Special cal.; 6 shot fluted cylinder; 6 1/2" (164m/m) barrel with exc. bore & sharply defined rifling; bronze tinged reblued finish to barrel with some super fine frosting, action bearing 95%+ of what could be its original glossy blued finish; lhs of barrel marked **44 S. & W. SPECIAL CTG.**, top of barrel marked with two-line **SPRINGFIELD** address; rhs of frame marked with **SW** monogram trademark; sight groove to top strap; mechanically exc., cylinder indexing well, strong sears & springs; two-piece walnut grips with **SW** monogram medallion inlaid to top of both, well-defined chequering, some handling minor marks; overall in exc. wo & g.+ cond. #10643 Pre 47' L/R **1200 - 1700**
795. **RUGER BLACKHAWK S.A. REVOLVER:** 357 Mag. cal.; 6 shot fluted cylinder; 6 1/2" (165m/m) barrel with exc. bore & sharp rifling; thinning blued finish to barrel & cylinder, silver finish to trigger & straps; **STURM RUGER** address to lhs of barrel; **RUGER .357 CAL/ BLACKHAWK** to lhs of frame beside Ruger trademark; action works well, indexing correctly, strong springs & sears; adjustable rear sight; f. cond. faux ivory grips with some handling marks & crude elephant motif etched to rh grip; overall in exc. wo & f. cond. #30-32439 Post 46' L/R **200 - 400**
796. **CUSTOM SMITH & WESSON MOD. 64-6 D.A. REVOLVER:** .38 cal.; 6 shot fluted cylinder; 148m/m heavy barrel fitted, bore exc. with crisp rifling; polished finish to stainless steel metalwork presents well, some surface marring; **CUSTOM PISTOL SMITHING/ PERTH WEST AUSTRALIA** marked to lhs of barrel, address & trademarks to frame; double action only action with bobbed hammer, butter smooth; fitted with **ARISTOCRAT** sight/rib to top of barrel, frame; integral spur to backstrap, fitted with walnut thumb groove two-piece grips, stippled texture; overall in exc. wo & vg. cond. #CCS7058 Post 46' L/R **600 - 800**
797. **COLT MOD. DETECTIVE SPECIAL D.A. POCKET REVOLVER:** 38 Special cal.; 6 shot fluted cylinder; 2 1/2" (55m/m) barrel with exc. bore & crisp rifling; strong blued finish to metalwork, some minor storage marks; model marked to lhs of barrel, address to rhs; rampant horse trademark to lhs of frame; cylinder indexing well, strong sears & springs; fitted with factory rubber grips, chequered texture with **COLT** silver medallion to centre of both; overall in exc. wo & vg. cond. #D4247R L/R Mfg. 1995 **500 - 700**
798. **SMITH & WESSON MOD. 36 D.A. REVOLVER:** 38 Special cal.; 5 shot fluted cylinder; 2" (50m/m) barrel with vg bore & crisp rifling, a little dirty; blued finish to metalwork, thinning in small patches; makers name & calibre marked to barrel, four-line address to rhs of frame; mechanically exc., strong sears & springs; fitted with Pachmayr chequered pattern rubber grip; overall in exc. wo & g. cond. #J828526 Post 46' L/R **300 - 500**
799. **SMITH & WESSON MOD. 36 D.A. REVOLVER:** 38 Special cal.; 5 shot fluted cylinder; 2" (50m/m) barrel with fine bore & crisp rifling; strong blued finish to metalwork, thinning slightly around muzzle; makers name & calibre marked to barrel, four-line address to rhs of frame; mechanically exc., strong sears & springs; fitted with Pachmayr chequered pattern rubber grip; overall in exc. wo & vg. cond. #AVY3929 Post 46' L/R **400 - 600**
800. **COLT 1911 NIGHT COMMANDER S/A PISTOL:** 45 ACP cal.; 7 rnd. mag.; 108m/m barrel with vg. bore, sharply defined rifling, needs a clean; blued finish to metalwork with polished sides of slide, frame, matte elsewhere; lhs of slide marked **NIGHT COMMANDER/ COLT 45 ACP** rhs of slide marked **LIGHTWEIGHT COMMANDER MODEL**; address & serial no. to rhs of frame; slide retracts freely, strong sears & springs; factory rubber grips with silver trademark medallions to centre of both; overall in exc. wo & near exc. cond. #NC095 Post 46' L/R **700 - 900**

801. **St ETIENNE MOD. 1892 D.A. REVOLVER:** 8x27m/m French Ordnance cal.; 6 shot fluted cylinder; 118m/m barrel with dirty bore, rifling defined, considered g.; blued finish to metalwork turned to a dark patina some handling marks & finely speckled oxidation; **MLE 1892** marked to top of barrel, **St Etienne** to rhs frame, **Acier Forge** to lhs; mechanically vg., cylinder indexing correctly, strong sears & springs; chequered walnut grip panels present well, some minor handling marks; lanyard ring to butt of backstrap; overall in g. wo & f. comd. #NSW42919 Pre 1900 L/R *Would grade up* 600 - 900
802. **SMITH & WESSON D/A TOP-BREAK REVOLVER:** 32 S.&W. cal.; 5 shot fluted cylinder; 75m/m barrel with g. bore & sharp rifling; vg original nickel finish to all metalwork; **32 S&W CTG** to lhs of barrel; **S&W** trademark to rhs of frame; action exc; cylinder indexing correctly, crisp sears & strong spring; exc cond. hard rubber grips; overall in exc. wo & f. cond. #299572 Pre 47 L/R 300 - 400
803. **ALLEN & WHELOCK ARMY MOD. S.A. PERCUSSION REVOLVER:** 44 cal.; 6 shot cylinder; 7 1/2" (192m/m) barrel; small patch of surface oxidation scale has developed in bore, otherwise in fine cond., mirror internally with crisp rifling; soft brown patina to majority of metalwork, some traces of original blued finish remain in protected areas; lhs flat of barrels octagonal section marked two-line **ALLEN & WHELOCK. WORCHESTER. MASS. U.S. over LEN'S PT'S. JAN.13.DEC.15.1857.SEPT.7.18.** address, markings are crisp but has been a factory double stamp; serial no. **34** marked to lhs of frame under grips, rh grip internally, cylinder, loading lever & axis pin; mechanically in fine cond., crisp cylinder indexing & sear, strong springs; distinctive loading lever doubles as trigger guard, operates smoothly; nipples in vg. cond.; g. screw heads; blade front sight dovetailed to barrel, V-notch rear sight to nose of hammer; smooth walnut grips with patchy varnish finish, some handling marks; lh grip with subtle repaired section; overall in exc. wo & g. to vg. cond. #34 Pre 1900 L/R 1000 - 1400
804. **J.P. SAUER & SON MOD. 1913 S/A POCKET PISTOL:** 32 ACP; 7 rnd. mag.; 80m/m barrel with f. bore, defined rifling but dusty & dirty; original blued finish to metalwork scattered small patches of pits peppering frame & action; **J.P. SAUER & SOHN, SUHL.** & trademark marked to top rib of frame, **PATENT** to lhs of receiver, **CAL. 7.65** to rhs; bolt retracts freely, g. trigger; hard rubber chequered grip panels with **S & S** to top of both, grips in vg. cond., chequering sharply defined; overall in g.+ wo & f. to g. cond. #39123 Pre 47' L/R *Would grade up with an oil & clean* 400 - 600
805. **EARLY COLT MOD. 1908 VEST POCKET PISTOL:** 25 ACP; 6 rnd. mag.; 54m/m barrel with dirty bore, in need of a clean; reblued finish to metalwork presents OK, holster wear to front of slide; **HARTFORD** address & **PATENTS** to lhs of slide, **COLT AUTOMATIC/ CALIBRE 25;** markings defined but varying in sharpness; slide retracts freely, strong springs & sears; hard rubber grips with well-defined chequering, **COLT** to top & early rampant horse over **C** to both; comes with fitted leather holster; overall in g. cond. #42880 Mfg. C.1911 500 - 800
806. **BELGIAN S/S RIMFIRE DERRINGER:** 22 cal.; 2 1/2" (65m/m) barrel; with dark & dirty bore; metalwork with bright polished finish, still bearing plenty of pits; action doesn't lock, main spring broken; grips in f. cond. & loose; comes in period fitted leather holster which is in g. cond.; overall in p. cond. #19114LSB Pre 47' L/R *Best used as a stepping stone for your Cat 2 collectors license...* 25 - 50
807. **WEBLEY & SCOTT MK. III TARGET PISTOL:** 22 LR cal.; 250m/m barrel with dirty bore, appears vg. with sharply defined rifling; blued finish to metalwork presents well, matte on barrel, polished action; **WEBLEY & SCOTT** marked to lhs of frame, model & cal. marked to lhs of breech; action locks up tight, strong sears & springs; replacement thumb rest wood grips & forewood in g. sound cond.; overall in exc. wo & g. cond. #N4087 Pre 47' L/R 200 - 400
808. **WALTHER MOD. PPK S/A PISTOL:** 22 LR cal.; 10 rnd. mag.; 100m/m barrel with slight ring bulge; worn blued finish to metalwork with a grey mottled patina overall; **WALTHER** banner trademark & address marked to lhs of slide; slide retracts smoothly, g. springs & sears but needs a clean, service; black plastic **WALTHER** marked chequered grips, both in g. cond., some handling marks & scuff; overall in f. to g. cond. #12264LR Post 46' L/R 200 - 300

809. **CZ MOD. VZ 27 S/A SERVICE PISTOL:** 32 ACP cal.; 8 rnd. mag.; 3 1/2" (90m/m) barrel with vg. bore, well-defined rifling throughout; original blued finish to metalwork, some honest wear to profiles & surface marring; **CZ** full name marked to top of slide, matching no. marked to barrel, slide & frame; **28** proof to rhs of frame; slide retracts freely, strong springs & sound sears; single piece smooth good grip in g. to vg. cond., some minor handling marks; lanyard swivel to butt; overall in exc. wo & g. to vg. cond. **#69136** Pre 47' L/R **600 - 800**
810. **COLT DOUBLE EAGLE S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 125m/m barrel with dirty bore, appears g.+ with sharply defined rifling; stainless steel metalwork with polished finish to sides of slide & frame, matte finish elsewhere; lhs of slide marked **COLT DOUBLE EAGLE/ SERIES 90** along with double eagle motif; rhs of slide marked **COLT DOUBLE ACTION**, rh of frame etched with **HARTFORD** address & serial no.; slide retracts smoothly, strong springs & sears; black polymer grips with **Colt** trademark to centre of both; overall in vg. wo & cond. **#DA14052** Post 46' L/R **700 - 900**
811. **WWII ERA COLT MOD. 1911A1 S/A SERVICE PISTOL:** 45 ACP cal.; 7 rnd. box mag.; 5" (125m/m) barrel with vg.+ bore, rifling sharply defined, grooves are a little dirty; parkerized finish to metalwork presents exc., only trace handling marks overall, 98%+ remaining; lhs of slide marked with two-line patents, rampant horse trademark, **COLT'S PT.F.A. MFG. CO/ HARTFORD. CT. U.S.A.**; lhs of frame with **FJA** inspection mark slide release, rhs marked **UNITED STATES PROPERTY/ NO. 948637/ SA & M 1911A1 U.S.ARMY**; mechanically exc., slide retracts smoothly, strong sears & springs; correct parkerized mag. fitted; brown chequered plastic grips in exc. cond., trace amounts of handling marks; overall in exc. wo & cond. **#948637** 1943 Mfg. L/R **2500 - 3000**
812. **STURM RUGER MOD. 22/45 S/A PISTOL:** 22 LR cal.; 10 rnd. ag.; 130m/m round barrel with vg. bore & sharply defined rifling, a little dirty; satin finish to barrel & action assembly presents well, some handling marks; address to lhs of barrel **RUGER 22/45** & cal. to lhs barrel; bolt retracts freely, strong sears & springs; polymer frame presents decent, some handling marks & scuffs; comes with additional mag.; overall in exc. wo & g. cond. **#220-33289** Post 46' L/R **300 - 500**
813. **RUGER OLD ARMY PERCUSSION REVOLVER:** 44 cal.; 6 shot cylinder; 7 1/2" (192mm) round barrel with dull bore, sharp rifling, needs a clean; reblued metalwork presents ordinary & still bearing plenty of surface pits to most surfaces; std. markings well-defined; action not indexing; crude homemade lh grip, f. cond. rh grip; overall in p. to f. cond. **#140-43404** Post 46' L/R *Few redeeming features...* **100 - 200**
814. **F.N. BROWNING MOD. 1905 VEST POCKET PISTOL:** 25 ACP cal.; 6 rnd. mag.; 53m/m barrel with f. bore, sharply defined rifling but dark & dirty, needs a clean; original blued finish to metalwork presents well, some minor holster wear to profiles & minor speckled staining; lhs of slide marked with FN full name & Belgian address/ **BROWNING'S PATENT DEPOSE**; mechanically exc., slide retracts smoothly, strong sears & springs; gutta percha grips with well-defined **FN** monogram & chequering to both, some handling marks; overall in g. cond. **#510676** Pre 47' L/R **300 - 500**
815. **WEBLEY MK IV D.A. REVOLVER:** 38 S.& W. cal.; 6 shot fluted cylinder; 3" (75m/m) barrel with fine bore & crisp rifling; blued finish to metalwork presents v. well, some v. minor holster wear around muzzle & on cylinder; lhs of top strap marked **MARK IV .38**, top marked **WEBLEY & SCOTT LTD/ BIRMINGHAM**, rhs marked **MADE IN ENGLAND**; British proofs to lhs of barrel, chambers; mechanically exc, strong sears & indexing, locks up tight; black bakelite grips with **Webley** to top of both; grips in vgc., some minor storage marks; overall in exc. wo & vg. cond. **#A39367** Pre 47' L/R **400 - 600**
816. **SMITH & WESSON MOD. 60 D.A. REVOLVER:** 38 Spl. cal.; 5 shot fluted cylinder; 48m/m barrel with dirty bore, appears vg.+ with sharp rifling; polished stainless finish to metalwork bearing some handling marks & surface marring; some surface oxidation where backstrap meets grips; makers name & calibre marked to barrel, four-line address to rhs of frame; mechanically exc., strong sears & springs; chequered grips in f. cond., some handling scuffs & minor chips; overall in exc. wo & f. to g. cond. **#621944** Post 46' L/R **300 - 500**

817. **REMINGTON MOD. 1871 ROLLING BLOCK PISTOL:** .50 cal.; 8" barrel with smooth bore, some tooling marks, f. overall; grey steel patina to barrel with cylindrical tooling marks externally, dark patina to action & remainder of metalwork; no markings to barrel, lhs of frame marked with two-line address & patents, **P S**; strong springs & sears, pinched blade front sight, V-notch sight to top of block; forewood in g. sound cond., walnut stock has been refinished, some surface handling marks & light bruises; **C R S** boxed inspectors cartouche to lhs of grip; back strap has partially reblued to cover a repair; overall in f. cond. #688 Pre 1900 L/R 700 - 1000
818. **ENGLISH QUEEN ANN SB FLINTLOCK HOLSTER CANNON BARREL PISTOL:** .78 Cal; 9.25"; 4-stage cannon barrel, unusually long for this type of pistol; g to vg bore with minor pitting; London Guild proof marks; **J. DAYKIN NOTTINGHAM** to lhs of barrel; action positive; g grey steel patina to barrel & ramrod pipes with minor surface marks; wooden ramrod with steel head; steel furniture, trigger guard & silver butt cap with ogre mask; vg grip with vg chequering to top of grip and at head on both sides; blank silver escutcheon to wrist; o/a vg wo & cond. c.1760. N/L 2500 - 3000
819. **ITALIAN S/B FLINTLOCK PISTOL by NICCOLLA MOTETTI:** .57 cal.; 9" three stage round to octagonal barrel with slightly swamped muzzle, bore in p. cond. with deep pitting; metalwork has been clean previously, barrel still bearing pits peppering sides, grey mottled patina to lock; lock marked **Nicolla Motetti**; breech flats profusely adorned with gold and silver foliate floral & vine inlay; stepped lock with faceted pan, swan neck cock has a fracture midway, weak springs, does not hold at half cock; steel furniture includes side plate, rods pipes, long eared butt cap & trigger guard, tailpipe tang is absent; elegant burl walnut stock with minor bruising, light wear to profiles, fitted with horn nose cap and profusely decorated with silver wire inlay, 80% remaining; complete with a horn tipped worming & loading rod; overall in g. cond. N/L c. 1840 1500 - 2000
820. **WOGDEN FLINTLOCK DUELLING PISTOL:** approx 56 Cal; 11" round barrel with wooden rod; good + bore; dark plum colour to barrel, trigger guard & bottom strap; British proofs to lhs of of breech with **RW** between them; **Wogden LONDON** to top of barrel; **Wogden** to lockplate; gold cover on touch hole; safety catch; gold band at base of breech; steel t/guard, trigger & bottom strap; good profiles; g to vg cond. stock with light marks; vg chequering to bulbous butt; silver finish to lockplate & lock fittings; lock holds well; all complete; g to vg. wo & cond. N/L 2250 - 3000
821. **PAIR OF TURKISH FLINTLOCK SB HOLSTER PISTOLS:** approx. .57" Cal; 11.5" 2-stage round barrels with f bores with pitting; crisp action European locks & barrel made for Middle East market; wooden ramrods; full length wood in vg cond.; all wood and metal parts profusely decorated with silver inlay of Middle Eastern designs & motifs incl stars & crescent moons; small gold makers inlay at breech; bulbous silver butt with decoration; high grade officer's pistols; o/a g to vg wo & cond. c.1800 N/L 4000 - 5000
822. **TOWER FLINTLOCK PATTERN 1801 SEA SERVICE PISTOL:** 58 Cal; 12" round barrel with replaced wooden rod ; Tower private proof marks to breech; good bore; grey patina to barrel, good action, frizzen spring at fault ; brass t/guard, ramrod pipe, bottom tang, bulbous butt & decorative side plate; Crown over **GR** royal cypher & crown/arrow to lockplate with **TOWER** at rear; repo belt hook to lhs; 10 to lhs of butt; walnut full stock with raised apron; arrow over BO at rear of apron; o/a in fair cond. & wo. Circa 1800 N/L 2250 - 2750
823. **CHARTER ARMS CORP. MOD. TARGET BULLDOG D.A. REVOLVER:** 357 Magnum cal.; 5 shot fluted cylinder; 4" (103m/m) barrel with vg. bore & sharp rifling, dirty; blued finish to frame & cylinder, blacked finish to barrel surround, both with minor handling marks; lhs of barrel marked **TARGET BULLDOG .357 MAG.**, rhs marked with makers name & **STRATFORD, CONN.**; action working well, indexing correctly; walnut grips in g. cond., partial crack to top of lh grip; overall in exc. wo & g. to vg. cond. #556181 Post 46' L/R 400 - 600
824. **SMITH & WESSON MOD. 36 D.A. REVOLVER:** 38 Special cal.; 5 shot fluted cylinder; 2" (50m/m) barrel with exc. bore & crisp rifling; blued finish to metalwork, thinning at muzzle, some handling marks; makers name & calibre marked to barrel, four-line address to rhs of frame; mechanically exc., strong sears & springs; fitted with Pachmayr chequered pattern rubber grip; overall in exc. wo & g. cond. #J297905 Post 46' L/R 300 - 500

825. **P. WEBLEY & SON R.I.C. D.A. REVOLVER:** 442 Cal; 6 shot cylinder; 4 1/2" (114m/m) barrel with g. bore, some scattered patches of oxidation scale, rifling remains crisp; silver steel finish to metalwork with fine pin prick pitting in areas, scattered spots of staining; lhs of frame marked with the **W & S** flying bullet trademark over **R.I.C./ No.1.442CF**; British proofs to chambers & barrel; top strap marked **W. RICHARDS / LIVERPOOL**; broken trigger return spring, main spring strong, cylinder indexing; single piece walnut grip is in f. cond., chequering is well-defined, chip to rhs; steel butt cap with lanyard ring; overall in f. cond. **#16220** Pre 1900 L/R **400 - 600**
826. **STEVENS MOD. 35 S/S PISTOL:** .44 cal.; 12" (305m/m) barrel with bright smooth bore, vg. overall; blued finish to barrel thinning slightly with a plum patina developing in areas; bright nickel finish to frame presents decent, bubbling in areas; **J.S. STEVENS A. & T. Co/** address to top or octagonal breech, **44 50/ 26447** to lhs of breech; action locks up tight, strong lock springs & sears; brass bead front sight; smooth walnut grips with only minor handling marks overall; butt of backstrap dovetailed for should stock attachment; overall in exc. wo & g.+ cond. **#26447** Pre 1900 L/R **400 - 600**
827. **RUGER SUPER BLACKHAWK S.A. REVOLVER:** .44 Magnum cal.; 6 shot cylinder; 10 1/2" (267mm) barrel with exc. bore & sharp rifling; stainless steel metalwork presents well, some handling marks & surface marring overall; **STURM RUGER** address & user warnings to lhs of barrel; **RUGER .44 MAGNUM CAL** over **NEW MODEL SUPER BLACKHAWK** to lhs of frame; action indexing soundly, crisp trigger; std. sights with adjustable foresight; fitted with **Pachmayr PRESENTATION** model grips; overall in exc. wo & vg. cond. **#85-07365** Post 46' L/R **700 - 900**
828. **St ETIENNE MOD. 1892 D.A. REVOLVER:** 8x27m/m French Ordnance cal.; 6 shot fluted cylinder; 118m/m barrel with g., dusty but rifling sharply defined; 80% coverage of thin black coated finish to metalwork, dark patina to difference; thinning straw finish to small parts; top of barrel marked **Mle 1892**, lhs of frame marked **Mle d'Armes/ St ETIENNE**; mechanically vg., cylinder indexing correctly, strong sears & springs; chequered walnut grip panels present decent, some minor handling marks; lanyard ring to butt of backstrap; overall in vg. wo & g. cond. **#L19129** Pre 47' L/R **600 - 800**
829. **MASSACHUSETTS ARMS WESSON & LEAVITT S.A. PERCUSSION REVOLVER:** 40 cal.; 6 shot cylinder; 7" (180m/m) rnd. barrel with g. bore, bright, sharply defined rifling with scattered fine pitting patches towards muzzle; blued finish to metalwork largely replace with a soft plum patina, some flashes of original finish, majority found on back strap; mellow finish to brass trigger guard; well-defined **MASS ARMS CO** over **CHICOPEE FALLS** stamped to top strap, **WESSON & LEAVITT'S PATENT** to lock; strong lock spring & solid sears, action locks up with some slide movement; nipples corroded; brass blade front sight & integral v notch to top strap; sooth walnut grips in f. to g. cond., retaining much of the varnish finish, some chips & dings to both; overall in g. wo & cond. **#257** Pre 1900 L/R *One of the estimated 1000 Wesson & Leavitt revolvers produced between 1850 & 1851 before Samuel Colt's lawsuit against Massachusetts Arms Company halted production.* **1200 - 1600**
830. **LLAMA S/A VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 60m/m barrel with crisp rifling, greasy but appears exc.; g. blued finish to metalwork, some light wear to profiles; makers name & Spanish address to lhs slide, **"LLAMA" ESPECIAL** to rhs; slide retracts smoothly, exposed hammer with strong sears & springs; faux mother of pearl grips with **LLAMA** medallion inlaid to both; overall in exc. wo & g. cond. **#260989** post 46' L/R **300 - 500**
831. **THIRD GEN. 1862 COLT POLICE PERCUSSION POCKET REVOLVER:** .36 cal.; 5 shot fluted cylinder; 5 1/2" (140m/m) barrel with exc. bore; strong blued finish to barrel & cylinder, vivid case colours to frame & hammer, silver plating to straps & trigger guard have tarnished slightly; single line **HARTFORD** address to top of barrel, **COLT'S/ PATENTS** to lhs frame; all matching no.; action indexing well, strong springs & sears; smooth walnut grips with dark finish, some small marks to finish; overall in exc. wo & vg. cond. **#49326** Post 46' L/R **500 - 700**
832. **BRITISH FLINTLOCK POCKET BOXLOCK PISTOL:** 41 Cal; 2 1/4 round turn-off barrel in white; g bore; London Guild proofs to breech; steel boxlock action in the white with central lock in crisp working order; action lhs engraved **BALK**; **RHS** engraved with stand of arms; slab-sided walnut grip in g cond. o/a vg wo & cond. **C 1800. N/L** **1000 - 1400**

833. **RWM WALMAN AMERICAN S/A POCKET PISTOL:** 32 ACP cal.; 8 rnd. mag.; 82m/m barrel with f. to g. bore, sharply defined rifling, some frosting in areas; original blued finish to metalwork has developed a ark patina, thinning on straps, some scattered patches of fine pitting; **AMERICAN AUTOMATIC PISTOL WALMAN PATENT** marked to lhs of slide; slide a little stiff to retract, dry fires & appears complete; perished **WALMAN** marked hard rubber chequered grips, both cracking & flaking; overall in f. cond. #10503 Pre 47' L/R 150 - 300
834. **SLAVIA VEST POCKET S/A PISTOL:** .25 ACP cal.; 6 rnd. mag.; 2" (52m/m) barrel with g. bore & sharp rifling; worn blued finish, now bearing a smoky grey patina with some mottled staining; "**SLAVIA**", 6.35 & Czech proof, 34 to lhs of slide; slide retracts smoothly, crisp trigger; matching **SLAVIA** marked chequered bakelite grip panels present well, minor surface marks; overall in exc. wo & f. to g. cond. #73984 Mfg. 1934 L/R 300 - 500
835. **RUGER MOD. SPEED SIX D.A. REVOLVER:** 357 Mag. cal.; 6 shot fluted cylinder; barrel shortened to 77m/m, bore dirty; polished finish to stainless steel metalwork bearing some surface marring; calibre & address marked to barrel; **RUGER SPEED-SIX** & crudely etched serial no. to rhs of frame; action functioning well; poor grips, cracked & chipped; overall in p. cond. #155-21256 Post 46' L/R *Suit parts* 50 - 100
836. **BRITISH FLINTLOCK NEW LAND PATTERN CAVALRY PISTOL:** .66 cal.; 9" barrel with g. bore, some light oxidation but free from heavy pitting; grey patina to lock & barrel, some frosting & oxidation staining to both; mellow finish to brass furniture; lockplate marked with well-defined **TOWER** to tail & crown over **GR** to centre; pair ordnance proofs to lhs breech; strong lock springs & sears, flat-sided, ring-neck cock & captive ramrod; walnut stock in g. cond., some general light handling marks & bruising overall, heavier small graze to underside under trigger guard; defined storekeepers stamp to wrist; overall in g. wo & cond. N/L c.1810 2200 - 2800
837. **HENRY NOCK S/B PERCUSSION CONVERSION TRAVELLING PISTOL:** 20 bore (.660 cal.); 9" twist damascus barrel; bore dusty & dirty, appears to be f.; plum patina to barrel with vg. pattern definition, some reddish surface oxidation; lock has been cleaned, silvery grey finish & some oxidation staining; bevelled lockplate with stepped tail, border engraved with **H. NOCK** to centre; underside of hooked breech marked with two sunken **V & P** London proofs; strong lock springs & sears; has had a flintlock to percussion conversion, flat sided hammer platinum pressure plug to breech; fitted with correct style but contemporary ramrod; top of barrel engraved with starburst motif, pineapple finial; walnut full stock presents v. well, mainly light handling marks overall but underside of forestock with aged crack running along ramrod channel; smooth flat sides to grip with chequered back & front; overall in g. cond. N/L c.1800 1500 - 1800
838. **BRITISH FLINTLOCK NEW LAND PATTERN 1836 CAVALRY PISTOL:** .67 cal., 8 3/4" barrel with g.+ bore, some patchy oxidation & frosting but would clean up well; silvery-grey patina to metalwork some minor staining on barrel; mellow finish to brass furniture; border engraved lock marked *Enfield* to tail & crown over **WR** to centre; ordnance proofs to breech; strong locks springs & sears, ring neck cock with replacement top jaw & screw; captive ramrod; walnut stock presents well, has had an older light refinish but still bearing **B /I\ O** storekeepers stamp to wrist; stock bearing some scattered handling marks & light bruising, filled screw mounting hole through wrist; brass butt cap with some minor marks; overall in g. wo & cond. N/L *A good example of the last ordnance flintlock pistol, c.1836.* 2250 - 2750
839. **COMPOSITE BRITISH FLINTLOCK PATTERN 1738 STYLE LAND SERVICE PISTOL:** .64 cal., 12" barrel with f.+ bore, some oxidation scale but not heavily pitted; grey patina to barrel & lock, barrel with fine pitting to entirety; bright finish to brass furniture, patchy tarnishing; replacement lock marked **FARMER 1744** to tail & crown over **GR** to centre, no proofs to barrel; older restock in exc. cond., metal to wood fit is exc.; brass butt cap with elongated spurs; overall in vg. wo & g. cond. N/L 800 - 1200

840. **BRITISH CAVALRY OFFICER FLINTLOCK PISTOL by WILLIAMS:** .67 cal.; 9 1/8" round barrel with f.+ bore, some oxidation scale but would clean up well; grey patina to lock, barrel with dark plum finish & frosting to majority; dull patina to brass furniture; border engraved bevelled lockplate with stepped tail, marked *Williams* under pan; lightly defined pair of commercial proofs to lhs breech; strong lock springs & sears, flat-sided swan neck cock & roller to frizzen spring; complete with original steel ramrod; walnut full stock presents well, some light handling marks & darkened areas; two fastening staples to forestock; brass butt cap; overall in g. wo & cond. **N/L c.1810** **1600 - 2200**
841. **BRESCIA PERCUSSION CONVERSION of FRENCH MOD. AN XIII PISTOL:** .675 cal.; 8" round barrel with f. bore, some oxidation scale & light pitting but would grade up with a clean; silvery-grey patina to barrel & lock, speckled with light patches of dark staining; dull mellow patina to brass furniture; lockplate marked *Brescia/ ab Pans c Compag*, lhs breech marked with **M F** cartouche mark; strong lock springs & sears, retains steel cleaning rod; walnut stock in g. original cond., some general handling marks & light bruising; defined rack no. **14 & 3 C** roundel mark to lhs stock are v. well-defined; small loss below lock tail; brass butt cap; overall in g. cond. **N/L c. 1830** **1400 - 1800**
842. **BRITISH VOLUNTEER LIGHT CAVALRY FLINTLOCK PISTOL:** .65 cal.; 9" barrel with dusty bore, appears f. to g. with no heavy pitting; barrel & lock have with bright polished finish, some minor staining; dull patina to brass furniture; border engraved lock marked with **TOWER & crown/GR &** Ordnance crowned arrow stamp; London commercial **V & P** proofs marked to lhs breech; strong lock springs & sears, ring neck cock; fitted with correct style repro ramrod; walnut full stock in vg. cond., some general light handling marks & to moderate bruises to rhs grip, looks to be original finish; brass butt cap; overall in vg. wo & cond. **N/L c.1810** **1500 - 2000**
843. **COMPOSITE BRITISH SEA SERVICE STYLE FLINTLOCK PISTOL:** .70 cal.; 12" round barrel with bright bore, vg.; dark patina & light pitting to majority of steel metalwork, mellow patina to brass furniture; lock cast with **TOWER & crown/ GR** style markings; no poofs to barrel; strong lock springs & sears, frizzen stiff to operate; belt hook to lhs; retains repro ramrod; has been restocked, presents decent some light handling marks; overall in g. cond. **N/L A non-ordnance pistol** **600 - 900**
844. **FRENCH MODEL XIII FLINTLOCK SERVICE PISTOL:** .69 cal.; 8" barrel with f. bore, some oxidation scale; metalwork has been cleaned back to a bright polished finish but still bearing pit peppering to most surfaces; bright finish to brass furniture; lock marked to factory at *Maubeuge*; g. spring tension, ring neck cock with sound sears; brass pan & original ram rod; belt hook to lhs; walnut stock with some general light handling marks; brass butt cap with some light handling marks overall in f. to g. cond. **N/L c.1810** **1300 - 1600**
845. **BRITISH PATTERN 1801 SEA SERVICE FLINTLOCK PISTOL:** .57 cal.; 12" round barrel; g. cond. bore, some minor oxidation scale but would grade up with a clean; silvery-grey patina to majority of steel parts, some minor staining on barrel but presents v. well; mellow patina to brass furniture; border engraved bevelled lock marked with **TOWER & crown/GR &** crowned arrow stamp; pair of clear ordnance marks to lhs barrel; strong lock springs & sears; complete with original ramrod & belt hook; g. cond. walnut full stock, has been cleaned up light but retains well-defined profiles, Ordnance storekeeper & viewer stamps; woodwork bearing some older scattered handling marks & subtle grafted slither repairs to rhs forestock; brass butt with some minor peening; overall in g.+ cond. **N/L c.1810 A very nice example of these iconic pistols** **2500 - 3000**
846. **FRENCH CHARLEVILLE PERCUSSION CONVERSION SERVICE PISTOL:** .69 Cal; 8" round barrel with p. bore, dark & caked with oxidation; silvery-grey patina to barrel & steel parts, some moderate pitting around breech; mellow finish to brass furniture; brass lockplate/ frame with faint *Charleville* marked under hammer; lock bearing the filled frizzen & spring holes from conversion; strong lock spring & sears, retains steel ramrod; walnut stock presents decent, lhs with grafted chip repair to bottom & small loss to rhs head; brass butt cap with some handling marks overall in f. to g. cond. **N/L c.1850** **800 - 1100**

847. **BELGIUM S/B PERCUSSION BOOT PISTOL:** .45 cal.; 3 1/2" fluted turn-off barrel, f. bore with defined rifling, dusty throughout; grey patina to majority of metalwork barrel with some patchy staining & pit peppering towards muzzle, acid etched damascus pattern is defined; Liege proof to lhs breech, action with coverage of well-defined acanthus scroll engraving; strong springs & sears, folding trigger; ebonized stock with carved floral pattern to head & fluting throughout to steel grip cap; overall in g. cond. **N/L** c.1850 **300 - 400**
848. **BRITISH PATT. 1858 EAST INDIA GOVT PERCUSSION SERVICE PISTOL:** .66 Cal; 8" sighted barrel; f. bore, light surface oxidation throughout; dark patina & fine pitting to majority of steel parts, dull mellow patina to brass furniture; lock tail marked with crown/ broad arrow/ **E I C, BIRMINGHAM/ 1869** to centre; strong lock springs, sears holding; captive ramrod; walnut stock has been refinished but presents well, some light handling marks overall; brass butt with lanyard stud; overall in f. to g. cond. **N/L** **1200 - 1500**
849. **BLUNT & SYMS D.A. S/B PERCUSSION BOOT PISTOL:** .32 cal.; 5" two stage barrel with octagonal breech half; f. bore, rifling is defined but patchy oxidation scale throughout; mottled grey patina to majority of metalwork, some patches of light pitting to rhs barrel & frame; **B & S/ NEW-YORK/ CAST STEEL** stamped to top of breech; strong lock springs & sears, d.a. only; smooth walnut grips in g. cond., both with some minor handling marks; overall in g. cond. **N/L** c.1840 **300 - 400**
850. **ITALIAN S/B PERCUSSION PLAINS PISTOL:** .45 cal.; 11" (282m/m) octagonal barrel with g. to vg. bore, needs a clean but appears shiny & rifling is sharply defined; metalwork appears to have been deliberately given a patina, mottled finish & some fine pitting overall, presents old; strong lock spring & sears; solid steel ramrod; blade front sight dovetailed to barrel; maple half stock presents well, silver forewood cap; woodwork with some minor handling marks overall, small hairline crack to lhs near lock retaining screw; overall in vg. wo & g. cond. **#1992** Post 46' L/R **200 - 400**
851. **FRENCH FLINTLOCK CAVALRY PISTOL:** .71 cal.; 7 1/2" barrel with f. bore, caked with oxidation; grey patina & pit peppering to majority of iron metalwork; mellowly finish to bras furniture; lock marked with makers name, appears to be *Mre Rle detutte*; strong spring but sears need work, ring neck cock, brass pan; integral blade sight to barrel band/ forewood cap; woodwork in f. overall cond., some light handling marks in areas but cracks running through grip, some minor losses & another crack to forestock; has small copper stock tag nailed to rhs behind lock tail; brass butt cap; overall in p. to f. cond. **N/L** **600 - 900**
852. **PARKER FIELD & SONS S/B PERCUSSION CAVALRY PISTOL:** .731 cal.; 9" iron barrel with greased bore, needs a clean but appears g.+ cond.; smoky grey patina to steel parts, breech end of barrel with light to moderate pitting; dull mellow patina to brass furniture; border engraved lock marked **PARKER FIELD & SONS**, top of barrel marked **233 HOLBORN LONDON**, London **V & P** commercial proofs to lhs; strong lock springs & sears, replacement nipple; captive ramrod; refinished woodwork presents decent, glued slither to lhs forewood along barrel channel, some general handling marks & light bruising; overall in vg. wo & g. cond. **N/L** **1000 - 1400**
853. **BRITISH PATT. 1844 S/B PERCUSSION CAVALRY PISTOL:** .560 cal.; 6" barrel with what appears to be a vg. bright bore, has been greased; metalwork has been cleaned back to a silvery patina, some staining to lock; mellow patina to brass furniture; border engraved lock with crisp cypher/ **V-R/ TOWER - 1844**; several military proofs to top & side of barrel; strong lock springs & sears, bevelled lock with stepped tail; captive ramrod & lanyard stud to butt; walnut stock with handling marks & bruising overall, chipped losses around lock & forewood; overall in f.+ cond. **N/L** **800 - 1000**
854. **CONTINENTAL FLINTLOCK TRAVELLING PISTOL:** .60 cal.; 7" two-stage barrel with octagonal breech; brown patina to metalwork with fine pitting to most surfaces externally; lockplate & breech end of barrel with faint floral & scroll engraving, partially worn proof to lhs breech; markings & engraving faint, bordering on indistinct in areas; flat sided hammer, grooved frizzen; hardwood full stock possibly a replacement, wood-to-metal fit is poor, patchy refinishes; overall in p. cond. **N/L** **500 - 800**

855. **BRITISH S/B UNDER HAMMER PERCUSSION BOOT PISTOL:** .445 cal.; 3 1/2" round turn-off iron barrel, f.+ bore with some minor pitting & oxidation; grey patina & some patchy pitting to barrel, small parts; brass breech & frame; Birmingham proofs marked to lhs breech & barrel; simple action with mainspring acting as hammer; flat sided walnut stock, g. overall cond., some light handling marks & has small copper stock tag nailed rhs head; overall in g. cond. **N/L** **300 - 500**
856. **ORNATE CONTINENTAL FLINTLOCK TRAVELLING PISTOL:** .60 cal.; 8 1/2" octagonal barrel with unknown bore cond., plugged with cloth; grey patina to metalwork with patchy surface oxidation staining; top of barrel marked with trio of faint proofs, another to lhs; faint engraving to lockplate; missing lock retaining screw, brass sideplate sitting out; lock holds but needs work, top jaw a crude replacement; ornate brass barrel bands with floral motifs & scroll pattern to both; walnut full stock in p. cond., borers have eaten away a lot of the lhs around side plate; bulbous butt cap with extended side spurs; small copper stock tag nailed to rhs forestock; overall in p. cond. **N/L** ***A high end pistol that would respond well to some straight forward restorations.*** **500 - 800**
857. **VERY FINE BRNO MOD. ZKW-465 B/A SPORTING RIFLE:** .22 Hornet cal.; 5 rnd. magazine; 23 1/2" barrel with exc. bore, crisp rifling; glossy original blued finish to metalwork presents exc. only minor storage marks overall; **22 HORNET** marked to top of barrel **ZBROJOVKA BRNO** & address marked to lhs of action; **63** proofs to lhs of breech & barrel; **MADE IN CZECHOSLOVAKIA** to rhs of action; bolt cycles smoothly, double set triggers are crisp; retains original rear sight with fixed 100 & folding 150, 200 yd leaf's, hooded front sight; fitted with period **MEOPTA 2,5** scope with clear optics; scope on bridge mount; woodwork presents exc., some trace amounts of storage marks to stock, chequering to forewood & grip is sharply defined; factory sling swivels to forewood & underside of stock; fitted with **KASSNAR** thin rubber recoil pad but comes with original black plastic buttplate with **Z** trademark; overall in exc. wo & cond. **#19934** L/R Mfg. 1963 ***A well preserved example*** **1200 - 1500**
858. **CHARLES OSBORNE S/B PERCUSSION BELT PISTOL:** 17 bore; 5" octagonal barrel with f. bore, powdering orange oxidation throughout, some patchy light pitting; dark patina to majority of metalwork with some patchy staining in areas; **CHAs OSBORNE LONDON** engraved to top of barrel, British proofs to lhs breech & barrel; addition of serial no. **Z0063S** stamped to rhs barrel; light coverage of acanthus scroll engraving to lock & frame; strong lock springs & sears, captive ramrod, belt clip to lhs; g. walnut stock, grafted walnut chip repair to lhs head, v. fine chequering is showing wear but still defined, some light bruising; vacant square silver escutcheon to spine of stock, steel grip cap with engraved trap lid; overall in g. cond. **N/L** **600 - 800**
859. **FRENCH S/B PERCUSSION PISTOL by S.J. BOVY:** .40 cal.; 10 1/2" octagonal barrel with unknown bore cond., filled with wax; honest silver patina to majority of metalwork, some v. minor staining but presents v. well; barrel retains sharply defined acid-etched damascus pattern; **3** engraved to top of barrel, top tang & breech, makers name stamped to lhs breech; back action border engraved lock with strong springs, sears holding; V-notch rear sight & silver blade front sight dovetailed to barrel; French walnut half stock presents well, some general handling marks & light bruising, chequering to grip still defined; has small copper stock tag nailed to rhs forestock below breech; overall in g.+ cond. **N/L** **800 - 1400**
860. **VERY ORNATE FLINTLOCK HOLSTER PISTOL:** .60 cal.; 12" two-stage barrel with octagonal breech section; unknown bore cond., has been plugged with cloth; silvery grey patina to metalwork, some light staining overall but presents well; fine border & scroll engraving to bevelled lockplate, scroll pattern engraved to top of barrel is showing wear; strong lock spring & sears, grooved frizzen; ornate brass furniture incl. side plate & trigger guard; walnut stock unfortunately is missing front portion of forestock; remaining woodwork is ornately carved & inlaid with v. fine silver wire patterns; back of butt inlaid with large silver diamond shaped escutcheon which is inlaid with stones, few remaining; bulbous brass butt cap with elongated spurs; small copper stock tag nailed to rhs forestock; overall in p. cond. **N/L** ***Has suffered some significant damage to forestock but still displays some incredible workmanship elsewhere.*** **500 - 800**

- 861. ORNATE FLINTLOCK HOLSTER PISTOL:** .60 cal.; 11" barrel with unknown bore cond., plugged with cloth; metalwork has been lacquered, yellowish appearance overall; brass furniture with mellow patina; lock & breech third of barrel with Spanish style patterns, sunken cartouche/ proof mark to top of breech; strong lock spring & sears, grooved frizzen; walnut full stock with some insect damage & light handling marks overall; head of stock carved & with silver wire inlaid patterns, bordering; bulbous brass butt cap with octagonal pommel, elongated side spurs; overall in f. cond. **N/L** **500 - 800**
- 862. JAMES RODGERS COMBINATION KNIFE PERCUSSION PISTOL:** .31 cal.; 3" octagonal barrel with dusty bore; German silver barrel with dull patina; blades & other metal parts with mottled dark staining & surface marring from sharpening; **JAMES RODGERS SHEFFIELD** marked to both blades; Birmingham proofs to barrel; strong lock sears, main spring tension weak; small of the two blades broken in half; pinned horn grip panels are in f. to g. cond., some small chipping to base & handling marks overall; missing the tweezers, mould; overall in f. cond. **N/L** **500 - 800**
- 863. BAKER STYLE FLINTLOCK CAVALRY CARBINE by TATHAM & EGG:** .652 cal. approx.; 14 ½" barrel with f. bore, dusty & dirty but rifling remains v. well-defined; metalwork has been cleaned in the past, now with a silver-grey finish, some patchy brown staining & fine pit peppering; brass furniture with mellow patina; **TATHAM/ & / EGG** marked to lockplate; strong lock springs & sears, ring-neck cock; vacant rear sight dovetail; walnut half stock with loose, grafted forewood section; forewood in p. cond. & missing forestock cap, with homemade ramrod & bras braced section ahead of lock; butt in g. overall cond. with vg. metal-to-wood fit, Baker style buttplate with joining patch box to rhs; rhs stock marked with nailed small copper stock tag; overall in f. cond. **N/L** *Appears to be a shortened commercial Baker rifle* **1000 - 1500**
- 864. AUSTRIAN AUGUSTIN TUBE LOCK MUZZLE LOADING CAVALRY CARBINE:** .72 cal. approx.; 14 1/2" barrel with f. bore, oxidation scale in areas but rifling remains sharply defined; metalwork with silvery-grey patina overall & some plum staining in areas, presents well; top of barrel marked **CARL HEISER**; tube lock mechanism with reduced chamber breech, strong springs & sears; blade front sight; side plate extends through to wrist with saddle ring loop & two rings; walnut half stock with cheek piece to lhs, g. to vg. overall cond., some light handling marks & bruising; rhs stock marked with nailed small copper stock tag; steel buttplate with some light staining; overall in vg. cond. **N/L** **800 - 1200**
- 865. MORTIMER S/B PERCUSSION BELT PISTOL:** .640 cal.; 5" octagonal fine-twist damascus barrel with f. to g. bore, breech end packed with paper; soft plum finish to barrels, thinning in areas but retains vg. pattern definition; faint case colours to frame & small parts; **MORTIMER LONDON** engraved to top of barrel, lhs breech & barrel marked with Birmingham proofs; frame & straps with light coverage of crisp acanthus scroll & border engraving; strong lock spring & sear, unfortunately original hammer has broken its spur; captive ram rod, belt clip to lhs, V-notch rear sight & German silver blade front sight is dovetailed to barrel; missing top & bottom tang screws; walnut stock in vg. overall cond., chequering sharply defined & metal-to-wood fit is exc.; vacant silver escutcheon to spine, rhs has small copper stock tag nailed to top; steel butt cap, trap lid engraved with scroll swirl pattern; overall in g. cond. **N/L** *A fine little pistol held back by a few missing screws & the hammer spur.* **400 - 600**
- 866. FRENCH S/B PERCUSSION PISTOL:** .660 cal.; 7 1/2" twist damascus barrel, octagonal & flaring towards muzzle; g. bore, dirty but sharply defined & fine micro-groove rifling throughout; metalwork has been cleaned, silvery grey patina overall; **JJB & E/ b** marked to underside of barrel; lock with primitive eagle motif to tail, floral leaf engraving to remainder; ornate floral finial, bord motif to trigger guard; strong lock springs, sears holding; V-notch rear sight & bead front sight; missing ram rod; walnut half stock in g.+ overall cond., feather pattern carving to forestock tip, sharply defined chequering to grip & carved border to oval butt; engraved oval butt cap; overall in g.+ cond. **N/L** **700 - 1000**

- 867. FRENCH S/B PERCUSSION PISTOL:** 15 bore; 7 1/2" octagonal barrel with f. bore, light oxidation scale throughout, rifling appears well-defined but needs a clean-up; patchy brown staining to otherwise grey patina on majority of metalwork; lock, breech & trigger guard with light coverage of sharply defined scroll & border engraving; strong lock springs & sears, hammer a little wobbly on shank, crude period repair to broken hammer spur; V-notch rear sight & blade front sight dovetailed to barrel; iron 'ramrod'; walnut half stock presents well, carved fluted through grip continue to a steel butt cap with diamond pommel; woodwork with some fine cracks to lhs breech & general handling marks but retains exc. metal-to-wood fit; has small copper stock tag nailed to rhs forestock below breech; overall in g. cond. **N/L** **600 - 800**
- 868. BELGIAN S/B PARLOUR PISTOL:** 9m/m Flobert cal.; 9 1/2" (241m/m) barrel with f.+ bore, some light oxidation scale & fine pitting; original blued finish to barrel, thinning to a plum patina in streaks, faint case colour to frame & some small parts; lhs breech marked with **JA&C** stamp & Liege proof; mechanically exc., rolling block with strong springs & sears; walnut half stock in g. overall cond., carved flutes to grip coming down to steel grip cap with diamond pommel & extended steel finial; wood work with come heavy aged scratches to rhs, f. to g. cond.; overall in vg. wo & g. cond. **#327 Pre 1900 L/R** **300 - 500**
- 869. FRENCH M.1763 FLINTLOCK CAVALRY PISTOL:** .70 cal.; 8 3/4" barrel, dirty bore, patch of heavy pitting visible; silvery-grey patina to metalwork, has been cleaned at some stage but still bearing fine pitting to most surfaces incl. iron furniture; markings to barrel indistinct, lock marked **Mre de/ Libreville** in script; strong springs & sears to lock, flat sided ring-neck cock; forend cap & band brace is an ordinary fabrication, missing ram rod; walnut stock has been refinished, still bearing plenty of light handling marks & some peening, small losses; iron butt cap; overall in f. to g. cond. **N/L** **700 - 1000**
- 870. BELGIAN S/B PERCUSSION BAYONET POCKET PISTOL:** .44 cal.; 3 1/2" octagonal barrel with p. bore, caked with oxidation scale; plum-brown patina to metalwork with patchy staining & oxidation scale in areas; Liege proof to lhs breech, **VC/159** marked to underside of barrel; coverage of sharply defined large scroll engraving to frame & straps; strong springs & sears to lock, spike bayonet; smooth walnut grip with chip to head, right of top tang, otherwise in g. cond.; overall in g. cond. **N/L** **300 - 500**
- 871. BOXED COLT MOD. 1911 100th ANNIVERSARY S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 125m/m barrel with exc. bore & crisp rifling; gloss blued finish to metalwork presents exc; lhs of slide inlaid with 24 kt. gold **1911** Rampant horse **2011** motif; rhs of slide inlaid with gold **100 YEARS OF THE MODEL 1911**, gold inlaid **Colt** to lhs rear of slide, rampant horse to rhs; light coverage of crisp acanthus scroll engraving to both sides of slide; rhs of frame marked with **HARTFORD** address & serial no.; mechanically exc., slide retracts freely, strong sears & springs; std. sights; screw heads untouched; smooth walnut grips in exc. cond., trace amounts of storage marks, **C100** gold medallions inlaid to both; comes boxed in all its original packaging with additional mag. still in wrapping; overall in exc. wo & cond. **#J19110209** Mfg. 2011 **2000 - 2500**
- 872. DAVIS INDUSTRIES MOD. D38 O/U DERRINGER:** 38 Special cal.; 70m/m barrels with vg. bores, a little dirty; bright plated finish to metalwork with only trace amounts of storage marks overall; lhs of top barrel marked with makers name & USA address, rhs marked **MODEL D38 CAL. 38 SPL.**; action locks up tight, strong springs & sears; original polymer grips with leather texture; comes in original cardboard box; overall in exc. wo & cond. **#D059780** Post 46' L/R **400 - 600**
- 873. BOXED ERMA – WERKE MOD. EP 552 S/A PISTOL:** 22 LR cal.; 10 rnd. mag.; 73m/m barrel with exc. bore & crisp rifling; blued finish to metalwork presents exc., trace amounts of storage marks; lhs of slide marked **ERMA – WERKE/ Mod. EP 552S Kal..22 Lr.** & German proofs; rhs of slide marked **Made in Germany**; mechanically exc., slide retracts smoothly, crisp sears; plastic grip in exc. cond., **ERMA** marked to both sides, sharp chequering; comes in original cardboard box with user manuals & an **ERMA** pin; overall in exc. wo & cond. **#014443** Post 46' L/R **700 - 900**

874. **CASED PERCUSSION POCKET PISTOL by JNo MANTON & SON:** 53 bore; 1 3/4" octagonal turn-off barrel with f. to g. bore; grey patina to majority of metalwork, thinning blued finish to barrel; majority of action covered in sharply defined & ornate acanthus scroll & border engraving, presents exceptionally well; muzzle with band of border engraving; *Jno Manton & Son* engraved to top of barrel in script, faint London **V & P** proofs to breech; strong lock spring & crisp sears, folding trigger & sliding safety; walnut stock with super fine & well-defined chequering, silver butt cap & vacant silver oval escutcheon to spine of grip; walnut with some handling marks & light bruising; comes in period but repurposed oak case, now fitted for pistol; overall in vg. cond. *N/L A delightful little pistol.* **800 - 1400**
875. **BOXED SMITH & WESSON MOD. 53 D.A. REVOLVER:** .22 Remington jet cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with exc. bright bore & crisp rifling; re-blued finish to metalwork is strong, darkened slightly but bearing only light storage marks overall; lhs barrel marked **SMITH & WESSON**, rhs marked **22 MAGNUM**; rhs frame marked with **SW** monogram trademark, four-line address; strong springs & sears, cylinder indexing well; double strikers & two position hammer for use with centrefire, rimfire; walnut two-piece grip in vg. cond., some light wear to finish, general handling marks but chequering remains sharply defined; both grips inlaid with silver **SW** medallions inlaid to top; comes in its original maker marked carboard box with the six original alloy chamber inserts, additional matching no. cylinder for .22 WMR; overall in exc. wo & g. to vg. cond. **#K463660** Post 46' L/R **1600 - 2000**
876. **BOXED PAF MOD. JUNIOR S/A VEST POCKET PISTOL:** 25 ACP; 6 rnd. mag.; 53m/m barrel with g. bore & sharp rifling, needs a clean; blued finish to metalwork presents exc, some minor storage marks; both sides of slide marked with **PAF** crossed bullet trademark, lhs slide marked with "**JUNIOR**" & **SOUTH AFRICA** address; slide retracts freely, strong sears; matching grip panels with **PAF** & crossed bullet trademarks to top of both; grips in vg. cond., well-defined chequering; comes in original carboard box, marked with serial no.; overall in exc. wo & vg.+ cond. **#A1528** Post 46' L/R *These interesting little pistols were the first commercially manufactured firearm to come out of South Africa.* **700 - 1000**
877. **BOXED MANURHIN MOD. SPORT S/A PISTOL:** 22 LR cal.; 10 rnd. mag.; 6" (150m/m) barrel with bright bore & sharply defined rifling, needs a clean but appears exc.; strong blued finish to metalwork, presents well overall, light holster wear to front of slide; lhs of slide marked with French address, trademarks & licenses; slide retracts freely, strong springs & sears; std. adjustable sights, threaded muzzle with knurled cap; two-piece brown bakelite grips with well-defined chequering, **MANURHIN** trademark embossed to both grips; comes in the original crocodile skin textured carboard box, retains owner's manuals; overall in exc. wo & vg. cond. **#62711C** Post 46' L/R **250 - 500**
878. **BOXED NORTH AMERICAN ARMS D.A. BLACK WIDOW POCKET REVOLVER:** 22 WMR cal.; 5 shot cylinder; 50m/m barrel with exc. bore & sharp rifling; stainless steel metalwork with satin finish, some minor surface marks; **22LR/MAG. PROVO. UTAH** etched to lhs of barrel, **BLACK WIDOW** to rhs; rhs of frame marked with makers trademark roundel; mechanically exc. with strong springs & crisp sears; adjustable rear sight; rubber grip in vg. cond.; comes in original maker marked box with suede belt-clip holster, black soft carry case & addition cylinder; overall in exc. wo & cond. **#R3555** Post 46' L/R **500 - 700**
879. **BOXED SMITH & WESSON MOD. 53 D.A. REVOLVER:** .22 Remington jet cal.; 6 shot fluted cylinder; 8 3/8" (212m/m) barrel with exc. bright bore & crisp rifling; original blued finish to metalwork is strong, , bearing only light storage marks overall; vivid case colours to hammer & trigger; lhs barrel marked **SMITH & WESSON**, rhs marked **22 MAGNUM**; rhs frame marked with **SW** monogram trademark, four-line address; strong springs & sears, cylinder indexing well; double strikers & two position hammer for use with centrefire, rimfire; walnut two-piece grip in g. cond., some light wear to finish, general handling marks & darkened appearance but chequering remains sharply defined; both grips inlaid with silver **SW** medallions inlaid to top; comes in a maker marked carboard box, non-matching & too short for barrel length; box contains the six original alloy chamber inserts, additional unnumbered cylinder for .22 WMR; overall in exc. wo & g. to vg. cond. **#K451111** Post 46' L/R **1500 - 2000**

- 880. BOXED COLT MOD. COBRA D.A. POCKET REVOLVER:** 38 Special.; 6 shot fluted cylinder; 3" (77m/m) barrel with exc. bore, sharp rifling; blued finish to barrel, cylinder & small parts, blacked finish to alloy frame; finishes bearing holster wear, especially on cylinder, edges of bottom front of frame rounded; lhs of barrel marked **COBRA/ .38 Special CTG.**, rhs marked with two-line address; lhs of frame marked with rampant horse, all markings to revolver are crisp; mechanically exc., strong sears & springs; chequered grips in g. cond., a few superficial handling marks & wear to bottom of both, silver **COLT** medallions inlaid to both; comes in original **COLT** marked cardboard box; overall in exc. wo & vg. cond. #A97925 L/R Post 46' L/R **600 - 800**
- 881. BOXED MELBOURNE RETAILED F.N. BROWNING MOD. 1910 POCKET PISTOL:** 32 ACP; 7 rnd. mag.; 88m/m barrel with g. bore & well-defined rifling, some fine pits in grooves; original blued finish to metalwork presents decent, light general wear; F.N. full name & Belgian address to lhs of slide over **BROWNING'S PATENT DEPOSE**; rhs slide engraved **ALCOCK & PIERCE MELBOURNE**; slide retracted but now jammed; hard rubber grips with well-defined **FN** monogram & chequering to both, some handling marks & elastic band residue to lhs grip; comes in tatty carboard FN marked packaging with manuals; overall in f. wo. & g. cond. #322439 Pre 47' L/R *Needs some tinkering* **100 - 300**
- 882. BOXED SMITH & WESSON MOD. 36 D.A. REVOLVER:** 38 Special cal.; 5 shot fluted cylinder; 2" (48m/m) barrel with exc. bore & crisp rifling; original blued finish to metalwork presents flawless, vivid case colours to hammer; makers name & calibre marked to barrel, four-line address to rhs of frame, **SW** monogram trademark; mechanically exc., strong sears & springs; original chequered walnut grips in exc. cond., **SW** monogram medallion inlaid to both; comes in original S & W box & paper wrapping; overall in exc. wo & as new cond. #69J6 Post 46' L/R **500 - 700**
- 883. CASED SIG SAUER MOD. P229 S/A PISTOL:** .40 S.&W. cal.; 12 rnd. mag.; 3 3/4" (90m/m) barrel with exc. bright bore & sharply defined rifling; matte blued finish to metalwork, some light holster wear to front of frame; **SIG SAUER P229 STAINLESS** marked to lhs slide, **MADE IN GERMANY** marked to rhs frame; slide retracts freely, strong springs & sears; fixed sights; two-piece polymer grip with **P229** marked to both sides; comes in original maker marked plastic carry case with an additional mag. & owner's manuals; overall in exc. wo. & cond. #AD31046 Post 46' L/R **500 - 700**
- 884. BOXED SMITH & WESSON MOD. 39-2 S/A PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 4 1/2" (116m/m) barrel, 1" un-rifled barrel extension(?); bore bright with crisp rifling, a little dusty but considered exc.; strong blued finish to steel slide & small parts, blacked finish to alloy frame equally fine; **SMITH & WESSON** marked to lhs slide, rhs frame marked with **SW** monogram trademark; slide retracts freely, strong springs & sears; chequered walnut grip panels with **SW** gold medallions inlaid to top of both, some v. minor storage marks but both in near exc. cond.; comes in original S&W marked blue carboard box with spare genuine mag. & another generic; overall in exc. wo & fine cond. #A305871 Post 46' L/R **600 - 900**
- 885. BOXED SMITH & WESSON MOD. 28-2 HIGHWAY PATROLMAN D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 4" (101m/m) barrel with exc. bright bore & crisp rifling; blued finish to metalwork with v. minor wear to sides of muzzle & v. fine speckled oxidation; **SMITH & WESSON** to lhs barrel, cal. & **HIGHWAY/ PATROLMAN** to rhs; **SW** monogram trademark to lhs frame, address to rhs; cylinder indexing well, strong springs & sears; fitted with wide grip attachment; fitted with composite faux wood, finger groove grips; both in exc. cond.; comes in original S&W marked blue carboard box; overall in exc. wo & vg. cond. #N31856 Post 46' L/R **700 900**
- 886. CASED WALTHER PPK. S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 84m/m barrel with g. bore, rifling sharply defined, some dark build up in grooves & light pit peppering at muzzle; original blued finish to metalwork, patchy grey patina & thinning to slide; lhs of slide marked with **WALTHER** trademark banner, full name & address/ **Walthers Patent Cal. 7.65m/m; N** proofs to rhs of slide & rhs of barrel at breech; **767427** marked to rhs of slide & frame; slide retracts freely, strong springs & sears; vgc. brown bakelite chequered grip presents well; **WALTHER** banner trademark & chequering to both sides of grip are well-defined, small chip to top of lhs; comes in wooden truite **WALTHER** marked case with a spare mag & **PP** manual; overall in vg. wo & g. cond. #767427 Pre 47' L/R **1200 - 1500**

- 887. CASED COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 6" (152m/m) octagonal barrel with f. bore, shiny throughout with sharply defined rifling, some oxidation scale in grooves but would grade up; majority of metalwork bearing a mottled plum & grey patina, barrel retaining traces of original blueing in protected areas; trigger guard & straps with 60%+ original silver plating, dull brass patina to difference; some handling marks & scratches around wedge but profiles remain sharp; sharply defined two-line **NEW-YORK** address to top of barrel, **COLT'S/ PATENT** to lhs frame; serial no. **68154** marked to barrel assembly, frame, trigger guard, butt & cylinder; sharply defined stagecoach scene roll stamped; cylinder indexing exc., crisp sears & strong springs; smooth walnut grip retain 80% varnish, some handling marks & light wear to profiles but present well; initials **TD** have been lightly marked to butt of backstrap; nicely presented in fitted, contemporary oak case with maroon felt lining; case comes with period **COLT** marked brass mould, period powder flask, cap tin & paper cartridges; overall in g. to vg. cond. **#68154** L/R Mfg. 1853 *A lovely, honest example. One of the better 49' pockets to come through our auctions.* **2250 - 3000**
- 888. CASED WALTHER MOD. SP22 M2 S/A PISTOL:** .22LR cal.; 10rnd. mag.; 155m/m barrel with exc. bright bore & crisp rifling; matte silver finish to frame, small parts are blued & grip is black polymer; finishes present exc., trace storage marks; **WALTHER** banner trademark to both sides of front of frame, **SP22 M2** to rear; makers full name & **Made in Germany** to lhs frame; bolt retracts freely, crisp trigger, could use an oil; adjustable rear sight; grip in exc. cond.; comes in original maker marked black plastic carry case, no accessories but retains user manuals; overall in exc. wo & cond. **#HP001215** Post 46' L/R **400 - 600**
- 889. CASED FEINWERKBAU MOD. 65 S/S TARGET AIR PISTOL:** .177 cal.; 190m/m barrel with bright bore & exc. rifling, small patch of scale; blued finish to steel parts & blacked finishes to alloy frame present decent, some handling wear & scratches overall; Feinwerkbau address, calibre & model to lhs of frame; vg. seals & spring tension; thumb rest walnut with stuck on grip texturing, presents ordinary, some handling marks; comes in big solid homemade carry case with polystyrene partitioning; overall in vg. wo & g. cond. **#22738** Post 46' L/R **150 - 300**
- 890. TANFOGLIO MOD. P23L S/A PISTOL:** .38 Super cal.; missing mag.; 4 3/4" (120m/m) barrel with bright bore & sharply defined rifling, dirty grooves, needs a scrub; satin silver finish to metalwork, only minor handling marks overall but present exc.; **TANFOGLIO** laser etched to lhs slide, model to rhs; Italian proofs to rhs frame with serial no.; slide retracts freely, strong springs & sears; factory soft rubber grip panels with only minor wear; comes in its original maker marked maroon plastic carry case with foam lining; overall in exc. wo & near exc. cond. **#V05348** Post 46' L/R **250 - 500**
- 891. CASED SMITH & WESSON MOD. 22A S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) barrel with vg. bore & sharply defined rifling, needs a clean; black coated finish to metalwork presents decent, some flaky losses to profiles; monogram trademark, **MODEL 22A/** serial no marked to lhs frame, name & address to lhs barrel; slide retracts freely, strong springs & sears; adjustable rear sights on dovetail rib; black polymer grip with soft rubber sections; comes in blued S&W marked carry case with foam lining; overall in exc. wo & g. to vg. wo. **#UAW7573** Post 46' L/R *Has seen very little use.* **250 - 500**
- 892. WALTHER MOD. PPS S/A POCKET PISTOL:** .40 S. & W. cal.; 6 rnd. mag.; 3" (78m/m) exc. bore & crisp rifling, first half is dusty; matte black finish to metalwork presents exc., some minor surface marks to rhs of slide; lhs of slide marked with **WALTHER** banner trademark, **PPS**; matching no. marked to barrel, frame & slide; **Carl Walther Ulm/Do./ Made in Germany** marked to lhs of polymer frame; slide retracts freely, two stage trigger, strong sears & springs; grip/ frame in exc. cond., some superficial handling marks; comes in the original maker marked plastic carry case with additional mag. & grip attachment; overall in exc. wo & cond. **#AG5757** Post 46' L/R *A compact little pistol that'd pack a punch.* **600 - 800**
- 893. SMITH & WESSON MOD. 329 PD D.A. REVOLVER:** .44 Magnum cal.; 6 shot fluted cylinder; 4 1/8" (104m/m) barrel with vg. bore & crisp rifling; grey satin finish to cylinder with some powder burn to front of cylinder; alloy frame with matte blacked finish to surface, some handling marks & scuffs, presents well overall; makers name & calibre marked to barrel; address & **Air Lite PD** marked to rhs of frame; strong springs & sears, cylinder indexing well; fitted with **CTC** rubber grip with grip activated laser to rhs; comes in original blue plastic carry case; overall in exc. wo & g. cond. **#DBF5541** Post 46' L/R **600 - 800**

894. **CASED WALTHER MOD. PPQ S/A PISTOL:** 9x19m/m Luger cal.; 15 rnd. mag.; 110m/m barrel with bright bore & sharply defined rifling, some leading in grooves but appears exc.; matte bronze finish to slide, matte blacked finish to barrel & other steel small parts; finishes present exc., trace storage marks overall; **WALTHER** banner trademark to lhs slide **PPQ** below port; makers name & **MADE IN GERMANY** marked to black polymer frame; slide retracts freely, strong springs & sears; threaded muzzle with cap; fitted with **WALTHER** marked laser sight under barrel; polymer frame in exc. cond.; comes in original plastic carry case with an additional 15 rnd. mag and five additional 10 rnd. mags; overall in exc. wo & cond. **#FAK4171** Post 46' L/R **900 - 1400**
895. **BOXED HIGH STANDARD MOD. SUPERMATIC S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) heavy barrel with dusty bore, appears bright bore with crisp rifling; blued finish to metalwork presents decent, some minor wear to barrel; **SUPERMATIC** marked to lhs frame; full name & **HARTFORD** address to rhs breech; slide retracts freely, strong springs & sears; adjustable rear sight; near exc. chequered grip panels, thumb rest to lh grip; pistol comes in incorrect maker marked box & polystyrene packaging; overall in exc. wo & vg.+ cond. **#ML64499** Post 46' L/R **300 - 500**
896. **CASED STURM RUGER VAQUERO S.A. REVOLVER:** .45 long Colt cal.; 6 shot fluted cylinder; 4 3/4" (120m/m) barrel with exc. bore & sharply defined rifling; blued finish to metalwork presents flawless, slight cylinder drag but hard to fault; makers name & address to lhs barrel, **RUGER VAQUERO/.45 CAL.** to lhs frame; cylinder indexing well, strong springs & sears; exc. cond. smooth laminated grips, trademark medallion inlaid to top of both; comes in original maker marked grey plastic carry case with owner's manuals; overall in exc. wo & cond. **#513-078646** Post 46' L/R *Suit new gun buyer.* **700 - 900**
897. **WWII MAUSER BYF 44 P.38 SERVICE PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 120m/m barrel with g.+ bright bore, sharply defined rifling throughout, some pin-prick pits in grooves; period armourers refinish presents well, strong blueing to all metalwork, some pre-refinish fine pitting in areas; lhs slide marked **P.38, byf / 44**; serial no. **2821q** marked to lhs slide, frame & barrel; **WaA135** Waffenamts to several parts, rhs slide marked with trio; struck **4732K** marked to base of mag., which is also marked with **P38** & Waffenamts; mechanically exc., slide retracts freely, strong springs & sears; two-piece brown bakelite grip in vg., sound cond., some light handling marks; comes in wooden case with post war P1 Walther holster, P38 mag. & generic mag; overall in exc. wo & vg. cond. **#2821** L/R Mfg. 1944 **1500 - 2000**
898. **CASED BERETTA MOD. 8000F S/A PISTOL:** 9x19m/m Luger; 15 rnd. mag.; 3 1/2" (90m/m) barrel with vg. bright bore & sharply defined rifling, some powder residue; satin grey finish to stainless steel slide, matte silver finish to frame; **PIETRO BERETTA**, address, **MADE IN ITALY** marked to lhs slide, model & U.S. address marked to rhs slide; slide retracts freely, strong springs & sears; std. sights; chequered walnut grip panels in vgc., some light handling marks to both but showing no obvious wear; comes in original makers marked blue plastic carry case with foam lining; overall in exc. wo & vg. cond. **#081455MC** Post 46' L/R **700 - 900**
899. **CASED BROWNING ARMS Co. 1911 22 BLACK LABEL PISTOL:** .22 LR cal.; 10 rnd. mag.; 4 1/4" (108m/m) barrel with vg. bright bore & crisp rifling, a little dusty; blacked finish to metalwork presents flawless; makers name & **MORGAN, UT. U.S.A.** address to lhs slide, model marked to rhs slide; slide retracts freely, strong springs & sears; threaded muzzle with cap; grooved polymer black & white grip panels are in exc. cond.; comes in original maker marked black plastic carry case with trigger lock; overall in exc. wo & as new cond. **#51EYX51007** Post 46' L/R **500 - 700**
900. **CASED HIGH STANDARD MOD. THE VICTOR S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) heavy barrel with exc. bright bore & crisp rifling; strong blued finish to barrel & slide, stainless frame with satin finish to sides, matte elsewhere; **THE VICTOR** marked to lhs barrel, lhs frame ; full name & **HOUSTON** address to rhs frame; slide retracts freely, strong springs & sears; adjustable rear sight; near exc. chequered grip panels, thumb rest to lh grip; pistol comes with additional mag. in hard plastic carry case; overall in exc. wo & near exc. cond. **#2602878** Post 46' L/R **400 - 600**

901. **F.N. BROWNING HI POWER S/A PISTOL:** 30 Luger cal.; 13 rnd. mag.; 4 3/4" (119m/m) barrel with exc. bore & crisp rifling; blued finish to metalwork presents flawless, trace amounts of handling marks overall; lhs of slide marked **BROWNING ARMS COMPANY MORGAN, UTAH & MONTREAL P.Q.**, rhs of slide marked with FN full name; slide retracts smoothly, strong springs & sears; fixed sights; black plastic chequered grips present exc., some minor handling marks to both; comes in tatty original carboard & polystyrene packaging with cleaning rod, additional mag.; overall in exc. wo & exc. cond. **#245PY18090** Post 46' L/R **1000 - 1400**
902. **TANFOGLIO MOD. P23L S/A PISTOL:** 9x19m/m Luger cal.; missing mag.; 4 3/4" (120m/m) barrel with bright bore & sharply defined rifling, dirty grooves, needs a scrub; satin silver finish to metalwork, only minor handling marks overall but present exc.; **TANFOGLIO** laser etched to lhs slide, model to rhs; Italian proofs to rhs frame with serial no.; slide retracts freely, strong springs & sears; factory soft rubber grip panels with only minor wear & **UNCLE MIKE'S** protective slip on rubber grip skin; comes in its original maker marked maroon plastic carry case with foam lining; overall in exc. wo & near exc. cond. **#AB37955** Post 46' L/R **250 - 500**
903. **CASED HECKLER & KOCH MOD. USP S/A PISTOL:** .45 ACP cal.; 12 rnd. mag.; 4 1/4" (108m/m) barrel with dirty bore but rifling remains sharply defined; satin silver finish to slide, blued finish to barrel & small parts; finishes metalwork presents well, some handling marks; **HK USP** & cal. marked to lhs slide, **Heckler & Koch** to rhs polymer frame/ **Made in Germany**; slide retracts freely, strong springs & sears; section of bobbed hammer 'spur' is chipped off; polymer frame/ grip with some light handling marks; comes in H & K marked plastic carry case with additional mag.; overall in exc. wo & vg. cond. **#25-028258** Post 46' L/R **300 - 500**
904. **CASED RUGER SINGLE SIX S.A. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with exc. bore & crisp rifling; bright brushed finish to metalwork presents exc., a few superficial storage marks overall; lhs barrel marked with **SOUTHPORT** address, trademark & model marked to lhs frame; cylinder indexing well, strong springs & sears; smooth walnut grips with trademark silver medallion inlays to top of both; comes in the original grey makers plastic carry case with owner's manuals & additional .22 **WINCHESTER MAGNUM** cylinder; overall in exc. wo & near exc. cond. **#263-65591** Post 46' L/R **500 - 700**
905. **CASED PARA ORDNANCE MOD. P18-38S S/A PISTOL:** .38 Super cal.; 10 rnd. double stack mag.; 125m/m barrel; bore with some speckled oxidation & powder residue, needs a v. good clean but rifling appears sharply defined; bore considered f. until cleaned; the not-so-stainless, stainless steel metalwork is speckled finish fine oxidation overall, presents poorly but not pitted; **Para 38 Super** motif to lhs slide, model to rhs; rhs frame marked with Canadian address & serial no.; slide retracts freely, strong springs & sears; adjustable rear sights; original black plastic chequered grip panels are vg., some minor handling marks; comes in the original maker marked plastic carry case with an additional mag.; overall in g. wo & f. cond. **#P127336** Post 46' L/R *Has been neglected but with its relatively robust construction, should clean up and grade up exponentially.* **250 - 500**
906. **CASED PARA ORDNANCE MOD. P18-9 S/A PISTOL:** 9x19m/m Luger cal.; 10 rnd. double stack mag.; 125m/m barrel; bright bore with sharply defined rifling, needs a clean ; stainless steel metalwork bright brushed finish to sides of slide & matte elsewhere, presents well, some handling scuffs; **Para-Ordnance** motif to lhs slide, model to rhs; rhs frame marked with Canadian address & serial no.; slide retracts freely, strong springs & sears; adjustable rear sights; fitted with **HOGUE GRIPS** marked soft rubber, finger contoured grip; comes in the original maker marked plastic carry case; overall in exc. wo & g. to vg. cond. **#P125157** Post 46' L/R **500 - 700**

907. **STURM RUGER NEW MODEL SINGLE-SIX S.A. COMMEMORATIVE REVOLVER:** 22LR & 22 WMR cal.; 6 shot cylinder; 6 1/2" (165mm) barrel with exc. bore & sharp rifling; blued finish to barrel assembly, frame & cylinder presents well, some light handling marks, cylinder drag; bright polished finish to trigger guard frame & back strap; butt stamped **1876 Colorado 1976**; lhs of barrel marked **1876 star Colorado Centennial star U.S. Bicentennial star 1776 star**; top of barrel marked with **STURM RUGER** address; lhs of frame marked with **RUGER** over **NEW MODEL**, **.22 CAL.** over **SINGLE-SIX**; cylinder roll stamped with rocky mountains, goat & additional Centennial markings; mechanically exc., cylinder indexing correctly, crisp sears & strong springs; adjustable rear sight & blade front sight; smooth rosewood grips in vg. cond., some handling wear & light marks, trademark medallion inlaid to both; comes in original centennial presentation case with additional .22 WMR cylinder marked with matching roll stampings; overall in exc. wo & cond. **#76-06819** Mfg. 1976 **800 - 1200**
908. **CASED MAUSER-WERKE LUGER P08 S/A PISTOL:** .30 Luger cal.; 8 rnd. mag.; 6" (148m/m) barrel with exc. bore, crisp rifling; glossy blued finish to majority of metalwork, matte to sides of frame; finishes to metalwork present exc.; strong straw finish to trigger, safety, extractor & locking bolt; top of barrel marked **.30Luger**; German proofs to lhs of breech, frame; **Original MAUSER** marked to top of toggle; **MAUSER-WERKE A.G. Oberndorf a.N** to front strap; mechanically exc., strong sears & springs, grip safety; walnut chequered grip panels in exc. cond.; comes in its original presentation box with maroon felt lining, additional mag., loading tool, brass cleaning rod; overall in exc. wo & cond. **#10.004814** Mfg. 1973 L/R **1800 - 1400**
909. **BOXED COLT 2nd GEN. 1861 NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (190m/m) barrel with exc. bright bore & crisp rifling, almost certainly unfired; strong blued finish to barrel & cylinder, some minor wear to profiles & cylinder drag; vivid case colours to loading lever, frame & small parts; smoky grey tarnished patina has developed on silver plated trigger guard & straps, some losses to front of trigger guard; top of barrel marked with single line **NEW-YORK** address, lhs frame marked with **COLTS/PATENT**; cylinder indexing well, strong springs & crisp sears; smooth walnut grips present well, some v. minor losses to finish on butt edges; comes in its original **BLACKPOWDER series** cardboard box with foam lining ; overall in exc. wo & vg. cond. **#42117** Post 46' L/R **700 - 900**
910. **CASED WEBLEY MK. VI D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with g. bore & sharply defined rifling, some v. minor pitting & fouling; original blued finish to metalwork has thinned to an even plum-brown patina in worn areas; lhs of the frame marked **WEBLEY/ MARK VI/ PATENTS/ 1916**, lhs of top strap marked **MARK VI**; **GR** proofs to barrel & chambers, broad arrows marked to several parts; lhs barrel marked with peened initials **HGL**; action locks up tight, cylinder indexing correctly, strong springs & sears; hard rubber grips present well, some handling marks but chequering remains defined; comes presented in fitted oak case, facsimile trade label, case contains brass 303 oil bottle & empty cartridge packets; overall in vg. wo & g.+ cond. **#202190** Pre 47' L/R **1000 - 1400**
911. **CASED WWII WALTHER AC 42 P.38 SERVICE PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 120m/m barrel with g. bore, sharply defined rifling throughout, some frosting & leading in grooves; thinning blued finish to metalwork has developed a mottled dark patina overall, some minor pit peppering & frosting; lhs slide marked **P.38, ac 42** & serial no. **2048g**; serial no. marked to lhs slide, frame & barrel; **359** Waffenamts to several parts, rhs slide marked with trio; which is also marked with **P38** & Waffenamts; mechanically strong, slide retracts freely, strong springs & sears; extractor looks to have been broken, brazed repair to top; two-piece black bakelite grip in vg., sound cond., some light handling marks but presents well; comes presented in fitted oak case, facsimile trade label, comes with spare **P1** mag.; overall in exc. wo & vg. cond. **#2048g** L/R Mfg. 1942 *A nice honest example.* **1500 - 2000**
912. **MINIATURE U.S. NAVY MOD. 1870 LONG TWELVE CANNON:** .50 cal.; 10" barrel with 12" overall length; vg. bright bore; grey painted finish to metalwork presents exc.; top of barrel marked **.50 CAL/ BLACK POWDER/ ONLY**; comes on wooden carriage complete with loops & ropes for use on its little wooden recoil ramp; comes with tin containing some fuse, cleaning rod & powder measure; overall in exc. cond. **#130559** Cat B L/R *A high quality little build. Great little display piece.* **800 - 1200**

913. **CASED DEANE ADAMS & DEANE D.A. DRAGOON PERCUSSION REVOLVER:** 38 bore (.497 cal.); 5 shot cylinder; 7 1/2" (193m/m) octagonal barrel; bore dusty but rifling is sharply defined; mottled grey patina to metalwork with fine pitting & oxidation staining in patches; top strap engraved **DEANE ADAMS & DEANE. 30 KING WILLIAM ST T LONDON BRIDGE.**; London **V & P** proofs to chambers & lhs barrel; border & light coverage of acanthus scroll engraving to frame; cylinder indexing well, strong springs; single piece walnut grip with well-defined chequering, some handling marks; engraved steel butt cap with trap; comes in period case, relined with green baize; case containing a variety of contemporary and original accessories incl. an **ADAMS** marked 38 bore double mould, **HAWKSLEY** flask etc.; overall in g. cond. **#8289R** Pre 1900 L/R **1800 - 2200**
914. **FINE CASED WEBLEY MOD. W.G. TARGET D.A. REVOLVER:** .455 cal.; 6 shot fluted cylinder; 7 1/2" (193m/m) barrel with g. bore & defined rifling, some pin prick pitting throughout; revolver retains 80%+ of its original glossy blued finish, with grey patina to the difference; majority of losses on straps; "**W G**" **TARGET MODEL** marked to lhs top strap, **.450/455** marked to lhs breech of barrel; lhs frame marked with **WEBLEY/ PATENT'S, W&S** winged bullet trademark; Birmingham proofs to chambers & barrel; top of barrel marked **MANTON & Co LONDON & CALCUTTA**; action locks up tight, cylinder indexing well, sears & springs are strong; knurled trigger, German silver pinned front; walnut grips in g. sound cond., chequering to both remains well-defined but darkened with oil; lanyard swivel to butt of backstrap; comes in its original fitted oak case with **MANTON & Co** paper trade label; blue baize lining & partitions are sound; comes with original "**WG**" **22 RIM FIRE W&S** marked factory rimfire barrel insert conversion which has an exc. bore; overall in vg. wo & cond. **#11242** Pre 1900 L/R **3500 - 4000**
915. **CASED PAIR W. TRANTER PAT. S/B SALOON PISTOLS:** first pistol **#62045** is chambered in .22 rimfire cal.; 8" (202m/m) octagonal barrel with f. bore & defined rifling; top of barrel engraved **MACNAUGHTON EDINBURGH**; second pistol **#59691** is chambered in .320 CF cal.; 7 1/2" (189m/m) barrel with f to g. bore, sharply defined rifling; both pistols with thinning original blued finish and a plum patina developing overall; **W.TRANTER/ PATENT** stamps to lhs frame; actions lock up tight & on face, strong springs & sears; walnut single piece grips are in g. to vg. cond., chequering to both is sharply defined; both grips have an oval silver escutcheon to back engraved with matching hand clutching book motifs (Salthouse family crest)/ **PRO VIRTUTE**; pistols come in period, fitted oak case; blue baize lining with some moth damage but partitions remain sound; overall in g. to vg. cond. **#62045 & #59691** Pre 1900 L/R **1500 - 2000**
916. **CASED GEORGE H. DAW D.A. PERCUSSION REVOLVER:** .44 cal.; 5 shot cylinder; 6 1/8" (155m/m) barrel with bright bore & sharply defined rifling, two patches of fine pitting towards muzzle; strong blued finish overall, 80%+ with plum patina to worn areas incl. thumb print blemish to rhs barrel; cylinder, butt cap & back strap retaining soft case colours; top of barrel marked **GEORGE H. DAW & Co IMPROVED. 57 THREADNEEDLE ST LONDON. PATENT No 1085**; rhs border engraved frame marked **PATENT 1085**; London **V & P** proof to underside of barrel; cylinder indexing well, strong springs & crisp sears; integral rear sight to top of barrel, silver cone front sight, unusual wide nose hammer; screw heads g., some burring; single piece walnut grip in exc. cond., chequering sharply defined; steel butt cap with lanyard stud; comes in its original fitted mahogany case; facsimile Daw trade label; sound partitions with green baize lining; comes with period brass mould, powder flask & other accessories; overall in exc. wo & vg. cond. **#1085** Pre 1900 L/R **2800 - 3200**
917. **FINE CASED THORNTON & SONS TRANSITIONAL PERCUSSION REVOLVER:** 60 bore (.404 cal.); 6 shot cylinder; 5 1/2" (133m/m) octagonal barrel with g. bore, oxidation scale throughout but rifling sharp; revolver retains 60-70% original case colours, vibrant in parts with a soft grey patina to thinning areas; sharply defined acanthus scroll engraving to action panels, hammer, trigger guard & butt cap, Birmingham proofs to chambers & barrel; **THORNTON. & SONS. LONDON** engraved to top of barrel; action with strong springs & sears, cylinder indexing well; all screw heads f., some replacements; two-piece walnut grips with sharply defined, fine chequering to both, hard to fault; comes in original oak case with tan felt lining, nipple tool, **SYKES** marked powder flask, **60** bore bullet mould & cleaning rod; retains key; overall in vg. cond. **#2811** Pre 1900 L/R **1600 - 2000**

- 918. CASED PAIR OF SILVER MOUNTED S/B FLINTLOCK HOLSTER PISTOLS by P. GANDON:** 3000 - 4000
16 bore; 10 1/2" barrels with f.+ bores; mottled dark patina to iron parts, some fine pitting in areas; engraving on both pistols varies in areas, **P. GANDON** engraved within banner to one of the convex lockplate, the other pistol makers name is bordering on indistinct; trio of London proofs marked to lhs breeches; locks to both pistols retain strong springs, locks hold both sears; partial cracks forming on back of both hammers/ cocks, chip to rear of one lock tail; fitted with ebony silver capped ramrods; very ornate silver trigger guards & butt caps; hall marked to bottom tangs, bottom of trigger guards engraved with defined fletched arrow, bow & serpent(?) motifs; silver butt caps with ornate grotesque masks, high stirrups; back of stocks with vacant escutcheon & additional grotesques to bottom; walnut stocks on both pistols have been partially repaired & refinished but still have varying levels of wood to metal fit, chips, grafted repairs & cracks; comes in unusual fibreglass fitted case. **N/L** c. 1739
- 919. CASED W. RICHARDS RETAILED WEBLEY & SON R.I.C. No.1 D.A. REVOLVER:** .450 CF cal.; 1300 - 1800
6 shot cylinder; 4 1/2" (115m/m) barrel; g. bore with sharply defined rifling, patchy oxidation; thinning original blued finish to metalwork with a mottled plum patina to most surfaces; **W. RICHARDS / LIVERPOOL** to top strap, lhs of frame marked with serial no./ **W&S** winged bullet, **WEBLEY'S/ R.I.C/ No.1 450CF**; mechanically exc., cylinder indexing well, strong springs & crisp sears; single piece walnut grip with sharply defined chequering, vgc.+; lanyard ring to butt; comes well presented in contemporary English style fitted case, blue felt lining with **P. WEBLEY** facsimile trade label; overall in vg. wo & g. to vg. cond. **#16383** Pre 1900 L/R
- 920. CASED PAIR OF FLINTLOCK OFFICERS PISTOLS by JOSEPH EGG:** 12 bore; 9 1/4" twist steel 7000 - 9000
barrels, bores are f., some patchy surface oxidation & light pitting, would clean up; streaky rebrowned finish to barrels, grey finish to iron locks with some bluing in protected areas; silver furniture with bright finish; bevelled lockplates with light floral & border engraving, **Joseph Egg** in script engraved to lockplates below pan; top of barrels inlaid with gold inlaid **J. EGG** marked cartouches, **No. 1 Picadilly London** engraved to top of barrel; engraving is well-defined, has been sharpened up at some point; pineapple finials to silver trigger guard; silver butt caps engraved with pilled cannons, spears & shield motif to both sides; butt caps with hall marks to back; strong lock springs & sears, sliding 'stalking' safety's, gold touch holes; v-notch rear sights to breech, brass bead front sights dovetailed to barrels appear to be replacements; captive ramrods with some fine pitting, brown patina; one pistol missing one of the two staples; walnut full stocks present well, both with light handling marks overall & similar, fine, aged cracks running from tail of ramrod pipe to finial; oval grips with well-defined pineapple pattern chequering; pistols come in contemporary, English style fitted case with light green baize lining; case contains some modern accessories & 19th century **DIXON** powder flask; overall in g. cond. **N/L**
- 921. DEANE ADAMS & DEANE D.A. PERCUSSION DRAGOON REVOLVER:** 38 bore (.497 cal.); 5 900 - 1400
shot cylinder; 6 1/4" (157m/m) octagonal barrel with g.+ bore, sharply defined & shiny overall, some patches of frosting; dark plum-brown patina to majority of metalwork, some fine pitting peening in areas; top strap engraved **DEANE ADAMS & DEANE. (MAKERS TO H.R.H. PRINCE ALBERT.) 30 KING WILLIAM ST T LONDON BRIDGE.**; London **V & P** proofs to chambers, lhs barrel; frame with border & light coverage of scroll engraving; cylinder indexing, strong springs; replacement nipples, screws, front sight & butt cap; single piece walnut grip with well-defined chequering, some handling marks & slightly loose; overall in f. cond. **#4521** Pre 1900 L/R *Surprisingly good bore.*
- 922. SCARCE CHARLES REEVES D.A. PERCUSSION REVOLVER:** 54 bore; 5 shot cylinder; 6 1/4" 700 - 1000
(155m/m) octagonal barrel with dark bore; rifling defined but patchy oxidation & some pitting visible throughout; metalwork has been cleaned at some point, now bearing a flat grey patina with patches of dark staining & pits peppering most surfaces; border engraved frame with indistinct **PATENT** number to rhs, makers name to top strap indistinct, followed by **EDINBURGH**; strong springs & sears, indexing; single piece walnut grip with sharply defined chequering in vgc.; overall in f. cond. & g. wo. **#3203** Pre 1900 L/R *Still presents decent & would grade up.*

923. **DEANE ADAMS & DEANE D.A. DRAGOON PERCUSSION REVOLVER:** 38 bore (.497 cal.); 5 shot cylinder; 7 5/8" (195m/m) octagonal barrel; bore in g.+ cond., sharply defined three-groove rifling with only scattered pin prick pits throughout; silvery grey patina to majority of metalwork with patchy staining in areas; top strap engraved **DEANE ADAMS & DEANE. 30 KING WILLIAM ST T LONDON BRIDGE.**; London **V & P** proofs to chambers & lhs barrel; frame with defined acanthus scroll engraving, border engraving to barrel flats; cylinder indexing well, strong springs & sears; Rigby style rammer to lhs frame; single piece walnut grip with sharply defined chequering; large silver escutcheon to back of grip; engraved steel butt cap, clamshell to trap; overall in g.+ cond. **#14108R** Pre 1900 L/R *An honest and ornate example.* 1700 - 2000
924. **DEANE ADAMS & DEANE D.A. PERCUSSION REVOLVER:** 54 bore (.433 cal.); 5 shot cylinder; 6" (152m/m) octagonal barrel with dark bore, rifling defined but caked with oxidation scale; grey steel patina with spotted dark staining to majority of metalwork, some peening & fine pitting patches; top strap engraved **DEANE ADAMS & DEANE. (MAKERS TO H.R.H. PRINCE ALBERT.) 30 KING WILLIAM ST T LONDON BRIDGE.**; London **V & P** proofs to chambers & lhs barrel; frame with border & light coverage of scroll engraving; cylinder indexing well, strong springs; single piece walnut grip with sharply defined chequering, a few scattered handling marks; steel butt cap with clam shell engraved trap; overall in f. cond. **#1055** Pre 1900 L/R 700 - 900
925. **DEANE ADAMS & DEANE D.A. DRAGOON PERCUSSION REVOLVER:** 38 bore (.491 cal.); 5 shot cylinder; 8" (197m/m) octagonal barrel; bore caked with oxidation patches, some pitting; mottled plum patina to metalwork with fine pitting in patches; some peening to barrel; top strap engraved with faint **DEANE ADAMS & DEANE. (MAKERS TO H.R.H. PRINCE ALBERT.) 30 KING WILLIAM ST T LONDON BRIDGE.**; London **V & P** proofs to chambers; border engraving to frame; cylinder indexing well, strong springs; single piece walnut grip with defined chequering, some handling marks, fine cracks & chips to butt edge; steel butt cap with trap; overall in f. cond. **#4175R** Pre 1900 L/R 800 - 1000
926. **COLT NEW FRONTIER MOD. S.A.A. REVOLVER:** .45 Long Colt cal.; 6 shot fluted cylinder; 7 1/2" (191m/m) barrel with vg. bright bore & crisp rifling; strong blued finish to barrel, cylinder, straps & small parts; frame with vivid case colours; metal finishes present exc. with some light storage marks overall; single line **HARTFORD** address to top of barrel, lhs marked **COLT NEW FRONTIER S.A.A. .45;** rampant horse trademark & patents to lhs frame; springs & crisp sears, cylinder indexing well; adjustable rear sight; smooth walnut grips in vg. cond., gold **COLT** medallions inlaid to top of both; grips with some light handling marks; overall in exc. wo & vg. cond. **#10086NF** Post 46' L/R 900 - 1300
927. **FINE WEBLEY MOD. W.G. TARGET D.A. REVOLVER:** .455 cal.; 6 shot fluted cylinder; 7 1/2" (193m/m) barrel with exc. bright bore & sharply defined rifling; revolver retains 80%+ of its original glossy blued finish, with scattered subtle patches of plum patina to the remainder; majority of losses on straps; **"W G" MODEL** marked to lhs top strap, **.450/455** marked to lhs breech of barrel; lhs frame marked with **WEBLEY/ PATENT'S, W&S** winged bullet trademark; Birmingham proofs to chambers & barrel; action locks up tight, cylinder indexing well, sears & springs are strong; knurled trigger, German silver pinned front sight with adjustment, stamped **455** to lhs & **450** to rhs; walnut grips in g. sound cond., chequering to both remains well-defined but some light bruising, small chip to lhs butt; lanyard swivel to butt of backstrap; overall in exc. wo & vg. cond. **#6930** Pre 1900 L/R *A lovely example, has done next to no work.* 1800 - 2500
928. **CASED WESTERNER'S ARMS MOD. 1851 NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (191m/m) octagonal barrel with vg. bright bore & sharply defined rifling; strong blued finish to barrel & cylinder, vivid case colours to frame & loading lever, bright finish to brass straps & trigger guard; metal finishes present exc., some minor handling marks; makers name to top of barrel, Uberti trademark to lhs frame; cylinder indexing well, strong springs & sears; smooth walnut grips with some minor handling marks, g. to vg. cond.; comes in period faux leather fitted case with powder flask, bullet mould, capping tool etc.; overall in exc. wo & vg.+ cond. **#11004** Post 46' L/R *A nicely presented outfit.* 500 - 700

929. **CASED COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 6 shot cylinder; 6" (153m/m) octagonal barrel; f. cond. bore with patchy oxidation & fine pitting throughout but rifling remains v. well-defined; attractive silver-grey mottled patina to majority of metalwork; mellow brass finish to straps with trace amounts of original silver plating in protected areas; defined single-line **NEW-YORK** address to top of barrel, lhs of frame marked **COLT'S/ PATENT**, lhs trigger guard marked **31 CAL**; serial no. **245796** marked to barrel assembly, frame, trigger guard & butt, **45796** marked to cylinder which retains a sharply defined stagecoach roll stamped scene; butt of backstrap lightly marked with initials **R+T+S**; cylinder indexing well., strong sears & springs; smooth walnut grips with 50%+ original patchy varnish, some surface marks to both; comes nicely presented in contemporary fitted case, green baize lining, facsimile **DIRECTIONS FOR LOADING** paper label; case contains an original bullet mould & modern powder flask; overall in g.+ cond. #**245796** Mfg. 1863 L/R *A lovely little outfit for the Colt collector.* **1800 - 2400**
930. **CASED GEORGE H. DAW D.A. REVOLVER:** .450 CF cal.; 6 shot cylinder; 6" (155m/m) octagonal barrel with plugged barrel, brass rod visible to muzzle & breech ends; 40% original blued finish to metalwork, majority of losses on cylinder & frame where a patchy brown patina has developed; bright polished finish to small parts incl. extractor, trigger & hammer; top strap engraved **G.H. DAW/ 57 THREADNEEDLE ST. LONDON.**; London **V & P** proofs marked to chambers & barrel; cylinder indexing well, strong springs & crisp sears; single piece walnut chequered grip presents flawless, English flat top chequering is sharply defined; come in its original mahogany fitted case; case with vg. blue baize lining, sound partitions & large paper **GEORGE H. DAW** trade label with address etc.; case contains an original cleaning rod, oiler & turnscrew; overall in vg. original cond. #**1587** Pre 1900 L/R *Presents extremely well, permanence of barrel obstruction remains to be discovered. Comes with several letters of 1970's licensing correspondence.* **800 - 1200**
931. **CASED COLT 1860 ARMY 'CONVERSION' S.A. REVOLVER:** .44 centrefire cal.; 6 shot cylinder; 8" (203m/m) barrel with g. bore, bright overall with sharply defined rifling, some light oxidation scale & fine pitting; metalwork has been cleaned back to a silver-grey patina some patches of pit peppering on barrel & frosting elsewhere; top of barrel marked with defined single line **NEW YORK** address; **COLT'S/PATENTS** marked to lhs frame; cylinder indexing, strong springs & sears; has been fitted with a spurious Thuer style conversion; serial no. & **COLT** patents have been restamped to cylinder; smooth walnut grips with general handling wear & light handling marks overall, faint inspectors cartouches to bottom of both grips; revolver comes presented in wooden fitted case with an additional original but non-matching percussion cylinder; contemporary leather powder flask & steel loading press; overall in f. cond. #**92393** Pre 1900 L/R *Appears to have been an original gun converted to a tribute Thuer revolver.* **1200 - 1600**
932. **CASED WEBLEY MK. IV SERVICE REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (126m/m) barrel with vg., bright bore & sharply defined rifling; reblued finish to metalwork thinning to a mottled brown patina on barrel & straps; **MARK IV 38** to lhs top strap, **WEBLEY & SCOTT. LTD** marked to top; **WAR FINISH** marked to lhs frame; serial no. to rhs of frame; additional reproofs marked to rhs barrel; action locks up with v. minor movement, smooth double action & crisp s.a. operation, indexing well; black plastic grips in g.+ cond., well-defined chequering, some handling marks & small chip to butt of rh grip; comes presented in wooden fitted case, sound partitions, marron felt lining; comes with lanyard; overall in vg. wo & f. to g. cond. #**A39511** Post 46' L/R **700 - 900**
933. **CASED FINE COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 4" (102m/m) octagonal barrel with g. bore, shiny throughout with sharply defined rifling, some oxidation scale in grooves; majority of metalwork bearing a mottled plum & grey patina, barrel retaining streaky flashes of original blueing; trigger guard & straps with 85%+ original silver plating, majority of losses on profiles; faint case colours remain on areas of frame & loading lever; sharply defined two-line **NEW-YORK** address to top of barrel, **COLT'S/ PATENT** to lhs frame; serial no. **137775** marked to barrel assembly, frame, trigger guard, butt & cylinder; sharply defined stagecoach scene roll stamped; cylinder indexing exc., crisp sears & strong springs; original screws retains some of their nitre blueing, some minor burring; smooth walnut grip retain 95% original varnish, some handling marks & v. small chips to butt edge but both present v. well; nicely presented in fitted, contemporary oak case with green felt lining; case comes with brass mould, powder flask, cap tin & oil bottle; lid of case with facsimile **DIRECTIONS FOR LOADING** paper sheet; overall in vg. cond. #**137775** L/R Mfg. 1857 *This revolver had been displayed at the Glenrowan Tourist Centre and then the Ned Kelly Museum in Kates Cottage for many.* **3000 - 3500**

934. **CASED WWII GERMAN OCCUPIED F.N. BROWNING HI POWER SERVICE PISTOL:** 2000 - 2500
 9x19m/m Luger cal.; 13 rnd. mag.; 4 3/4" (119m/m) barrel with vg. bore & sharply defined rifling, bright but peppered with pin-prick pitting; re-blued finish to metalwork, presents well, some fine patches of v. fine pitting still present; lhs of slide marked with FN full name/ **HERSTAL BELGIQUE/ BROWNING'S PATENT DEPOSE**; **704** marked to barrel, & frame, **22704** marked to rhs slide; **M** stamped to lhs of trigger guard; **WaA140** & 'eagle' Waffenamts to lhs of slide & frame; slide retracts smoothly, strong sears & springs, fixed V-notch rear sight; walnut grip panels in g.+ sound cond., some light handling marks but chequering to both is sharply defined; comes presented in fitted wooden display case with purple velvet lining; overall in exc. wo & vg. cond. #**22704** Pre 47' L/R
935. **CASED WWI ERFURT MFG. LUGER P08 S/A PISTOL:** 1600 - 2000
 9x19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with vg.+ bright bore & sharply defined rifling; original blued finish to presents well, honest wear to finish on profiles, some finely speckled oxidation staining & minor pitting in areas but presents v. well; strong straw finish to small parts incl. trigger, extractor & mag release; crown / **ERFURT** marked to top of toggle, **1918** to top of breech; serial no. **2781** marked to toggle, barrel, frame etc.; non-matching **3807** mag.; mechanically exc., strong springs & sears, toggle retracts freely; grip panels present v. well, some light handling marks to both but chequering is sharply defined; comes presented in repurposed oak case, fitted partitions; case contains addition repro mag., multitool; overall in g. cond. #**2781** 1918 Mfg. L/R
936. **CASED SMITH & WESSON MOD. 28-2 D.A. REVOLVER:** 1500 - 2000
 .44 Mag. cal.; 6 shot fluted cylinder; 8 1/2" (214m/m) barrel with exc. bright bore & sharply defined rifling; glossy blued finish to metalwork presents exc. trace amount of storage marks; strong case colours to hammer & trigger; **SMITH & WESSON** marked to lhs barrel, **44 MAGNUM** to rhs; rhs frame marked with **SW** monogram trademark & four-line **SPRINGFIELD** address; strong springs & sears, cylinder indexing well; walnut two-piece grip present exc., with exception of a scuff to back of butt; chequering sharply defined, **SW** silver medallion inlaid to both sides; comes in its original wood case, moulded blue velvet interior, comes with cleaning rods; overall in exc. wo & near exc. cond. #**N627292** Post 46' L/R
937. **CASED COLT MOD. 1911 100th ANNIVERSARY S/A PISTOL:** 1800 - 2500
 45 ACP cal.; 7 rnd. mag.; 125m/m barrel with exc. bore & crisp rifling, looks to be unfired; gloss blued finish to metalwork presents exc., small patch peppered with pits at very base of backstrap & frame; lhs of slide inlaid with 24 kt. gold **1911** Rampant horse **2011** motif; rhs of slide inlaid with gold banner marked **100 YEARS OF THE MODEL 1911**, gold inlaid **Colt** to lhs rear of slide, rampant horse to rhs; light coverage of crisp acanthus scroll engraving to both sides of slide; rhs of frame marked with **HARTFORD** address & serial no.; mechanically exc., slide retracts freely, strong sears & springs; std. sights; screw heads untouched; smooth walnut grips in exc. cond., trace amounts of storage marks, **C100** gold medallions inlaid to both; comes cased in original Colt marked wood display case with glass lid; case retains its original ley & small multitool; overall in exc. wo & near exc. cond. #**19110217** Mfg. 2011 L/R
938. **CASED P. BERETTA MOD 92 FS S/A PISTOL:** 1200 - 1500
 9m/m Luger cal.; 10 rnd. mag.; 125m/m barrel with exc. bore & crisp rifling; blacked finish to metalwork presents exc. only minor storage marks overall; **PIETRO BERETTA**, address marked to lhs of slide, **MOD.92FS-CAL.9 Parabellum** marked to rhs; slide retracts freely, strong springs & sears; black chequered polymer grips are in exc. cond.; well presented in contemporary English style fitted case with red felt lining, partitioned for accessories & cartridges; overall in exc. wo & cond. #**N68-21Z** Post 46' L/R
939. **CASED BERETTA MOD. 949 OLYMPIC S/A RIMFIRE PISTOL:** 200 - 400
 .22 LR cal.; 10 rnd. mag.; 220m/m barrel incl. muzzle brake; dirty bore but appears vg., rifling sharply defined; blued finish to steel barrel & slide, alloy frame with blacked alloy; metal finishes present well, some light wear & handling marks; **PISTOLA AUT.22 CORTO TIPO OLIMPIONICO/** makers name, address marked to lhs slide; slide retracts freely, strong springs & sears; fitted with barrel weight; two-piece walnut thumb rest grip, some light handling marks but g. to vg. overall; chequering well-defined; comes in original makers marked faux leather carry case with additional mag. & owners manuals; overall in exc. wo & vg. cond. #**2563** Post 46' L/R

940. **CASED COLT MOD. 1851 THIRD GEN. PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (190m/m) octagonal barrel, bright bore with sharply defined rifling, some light oxidation in areas & chambers with some heavier oxidation scale; strong blued finish to cylinder & barrel, vivid case colours to frame & loading lever; bright silver plated finish to trigger guard & straps, some surface marks; single line **ADDRESS SAM'L COLT NEW-YORK CITY** to top of barrel; crisp naval engagement scene to cylinder; all matching numbers; mechanically exc., appears unfired; smooth walnut grips with several handling marks to both; comes presented in its original maker marked wooden display case with blue felt lining; partitioned for bullet mould, powder flask & cap tin; retains original **Colt's Commemorative Gun Collector's Association of America** letter; overall in vg. wo & g. cond. **#16624** Post 46' L/R *Needs a good service & clean up but doesn't appear to have ever been fired.* 400 - 600
941. **CASED COLT MOD. 1851 ROBERT E. LEE COMMEMORATIVE PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (190m/m) octagonal barrel, exc. bright bore with sharply defined rifling, little dusty; strong blued finish to cylinder & barrel, vivid case colours to frame & loading lever; bright silver plated finish to trigger guard & straps, some minor wear to profiles & surface mark to lhs frame; single line **NEW YORK** address to top of barrel, lhs barrel marked **ROBERT E. LEE COMMEMORATIVE – NINETEEN SEVENTY ONE**; crisp naval engagement scene to cylinder; all matching numbers; mechanically exc., appears unfired; smooth walnut grips with only light handling marks to both; comes presented in its original maker marked wooden display case with lavender colour felt lining; partitioned for bullet mould, powder flask & cap tin; overall in exc. wo & vg.+ cond. **#4759** Post 46' L/R 1000 - 1400
942. **CASED ADAMS DRAGOON D.A. PERCUSSION REVOLVER:** .480 cal.; 5 shot cylinder; 7 1/2" (190m/m) octagonal barrel with f. bore, sharply defined rifling, some light pitting internally; thinning original blued finish to metalwork has developed a plum patina overall; metalwork bearing a few handling marks, peening; light coverage of acanthus scroll engraving to frame & breech; **DEANE ADAMS & DEANE. (MAKERS TO HRH PRINCE ALBERT.) 30 KING WILLIAM ST. T LONDON BRIDGE.** engraved to top strap, running along barrel; rhs of frame marked **ADAM'S, PATENT. No. 4755. (R).**; London **V & P** proofs to chambers, barrel; mechanically vg., cylinder indexing correctly, strong springs; single piece walnut grip in g. cond., well-defined chequering some handling marks; steel butt cap with flip up trap; comes in p. cond. wood case with period reloading accessories inc. powder dipper, ebony cleaning rod, powder flask; overall in g. wo & cond. **#4755** Pre 1900 L/R 1800 - 2200
943. **CASED PAIR of LACY & Co S/B PERCUSSION OFFICERS PISTOLS:** 20 bore; 8" twist steel octagonal barrels with dusty bores; silvery grey patina to majority of metalwork, small parts & locks have had a light clean up; **Lacy & Co London** marked to barrel & makers name again to lockplates; light floral scroll engraving to flat sides hammers, trigger guard; some engraving has been recut; strong lock springs & sears but both hammers a little wobbly on tumblers; captive ramrods; silver bands to breech; full stocked walnut in vg. refinished cond., some light handling marks but chequering remains well-defined, vg. metal-to-wood fit; polished steel butt caps with starburst engraving; vacant silver escutcheons to spine of grip; pistols come in a mahogany fitted case with some reproduction loading & cleaning accessories; overall in g. to vg. cond. **N/L** 3500 - 4500
944. **CASED MAUSER C.96 S.A. PISTOL:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with f.+ bore, strong rifling with fine pitting throughout; worn reblued finish to metalwork now a mottled smoky-grey patina overall, some areas of surface frosting; **U** proof to lhs of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & rhs of frame, the latter marked with full **A/NECKAR; 50 to 1000** graduated rear tangent sight; mechanically vg., bolt has been polished, retracts smoothly, crisp sears & strong springs; finely grooved walnut grips with some handling marks & significant bruise to lh grip, both present decent; lanyard stud to butt; pistol is presented in impressive contemporary wood case with maroon felt lining, English style partitions; comes with unmarked shoulder holster which is in g. cond., small crack to lhs; overall in vg. wo & f.+ cond. **#424703** Pre 47' L/R 1500 - 2000

945. **SAVAGE MOD. 24V B SERIES U/O COMBINATION GUN:** .30-30 Win. cal. & 20G, 2 3/4" chambered; 24" barrels, both bright with some minor fouling, vg. cond.; blued finish to barrels v. strong, some minor stocker residue; vivid case colours to action; makers name & address to rhs bottom barrel, calibres marked to lhs of each barrel; action locks up tight, strong lock springs & sears; std sights with blade front & flip up rear; woodwork in vg. overall cond., a few minor marks overall but presents v. well; overall in exc. wo & vg. cond. **#B848519** Cat B L/R 500 - 800
946. **TURKISH ANKARA MAUSER M. 98 B/A RIFLE:** 8x57m/m cal.; 5 rnd. integral mag; 30" barrel with g. bore, rifling well-defined but a little dark & dirty; dark patina to metalwork; **TC** over **AS FA ANKARA 1937** & Turkish crescent moon stamped to top of breech; bolt cycles freely, strong springs & sears; 1-20 graduated tangent sight; woodwork presents decent, some scattered handling marks rhs stock with a deep bruise; steel buttplate; retains steel cleaning rod & period leather sling; overall in g. wo & cond. **#28838** L/R 300 - 500
947. **REMINGTON MOD. SEVEN B/A SPORTING RIFLE:** .243 Win. cal.; 5 rnd. mag.; 20 1/2" barrel with exc. bore & crisp rifling; satin finish to stainless steel metalwork presents well, some minor storage marks overall; **REMINGTON** address & user warnings marked to lhs barrel, make & model to lhs action; bolt cycles freely, strong springs & sears; no sights fitted; black synthetic stock with speckled texturing; factory rubber recoil pad; overall in exc. wo & near exc. cond. **#S7609666** L/R 500 - 700
948. **REMINGTON MOD. 700 B/A SPORTING RIFLE:** .338 Win. mag. cal.; 5 rnd. mag.; 25" barrel with vg. bright bore & sharply defined rifling; satin finish to majority of stainless steel metalwork, presents v. well & bearing only a few light handling marks overall; grey coating to trigger guard & mag. floorplate; **REMINGTON** address & user warnings marked to lhs barrel, make & model to lhs action; bolt cycles freely, strong springs & sears; fitted with **SIMMONS WHITETAIL 3.5-10 X 40** scope on two piece mounts, clear optics; grey laminated timber stock in exc. cond., some trace amounts of storage marks; factory rubber recoil pad; overall in exc. wo & near exc. cond. **#S6233561** L/R *A complete set up in a hard hitting calibre, ready for the field.* 1000 - 1400
949. **MAUSER ACTION CUSTOM B/A TARGET RIFLE:** 7.62m/m NATO cal.; 26" stainless steel barrel with exc. bright bore & sharply defined rifling; bright finish to barrel with some blemishes; British Parker Hale Mauser action with **BNP** proofs, serial no.; **MADDCO / 7.62 NATO** marked to barrel with its deep turned finish; bolt cycles freely, strong springs & sears; set up for side mount peep sight, action factory drilled & tapped; large globe front sight; light coloured hardwood stock with Parker Hale rubber recoil pad, some handling marks & handling grime on grip; overall in exc. wo & g. cond. **#R-32949** L/R 400 - 600
950. **LITHGOW S.M.L.E. MK. III* B/A RIFLE:** .303 cal., 10 rnd. mag.; 19" barrel with g. bore & sharply defined rifling, dark grooves & some fine pitting; grey finish to metalwork thinning in areas; rhs of body socket marked **MA / LITHGOW / S.M.L.E. /III*/ 1941**; matching no. marked to barrel & nose cap; non-matching bolt cycles freely, strong sears; std. military 2 – 20 graduated rear sights; rifle has been professionally shortened, muzzle crowned; woodwork in vg., refinished cond., some dark spots but presents v well; **1942 MA LITHGOW** markings to rhs of stock; brass buttplate with trap; overall in vg. wo & g.+ cond. **#C59206** L/R *Would make a handy little scrub gun.* 400 - 600
951. **SPRINGFIELD MOD. 1873 TRAPDOOR MUSKET:** 45-70 Govt. cal.; 32" barrel with f. to g. bore, sharply defined rifling, two bands of oxidation scale, would clean up well; plum-brown patina to majority of metalwork externally, has been previously cleaned; lockplate marked with defined eagle, **U.S. /SPRINGFIELD; MODEL/ 1873/U.S.** marked to top of breech block; **52046** marked to back of action; action functioning correctly, strong springs & sears to lock; sling swivels to front barrel band, trigger guard; incorrect steel cleaning rod; rear 5 – 11 graduated rear sight; woodwork in g., sound cond. but has been lacquered; some handling marks & bruising to forewood & stock; vg. metal to wood fit; **SWP/1882** cartouche to lhs of stock above trigger guard, **25** marked to comb; curved steel buttplate with **U.S.** stamped to top; g. wo & cond. **#52046** L/R 700 - 900

952. **MARLIN MOD. 1894 L/A CARBINE:** .32 WCF (.32-20 Win.) cal.; full length tube mag.; 20" round barrel with bright bore & sharply defined rifling, some light pit peppering but g. overall; some original blued finish hiding under patchy brown patina & oxidation, presents ordinary; **MARLIN FIREARMS CO, NEW HAVEN** address & patents marked to top of barrel, **32-20** to top of barrel at breech; action cycles freely, strong springs & sears; carbine style rear sights & fixed front, saddle ring loop to lhs receiver but no ring; top of action drilled & tapped; walnut straight stock & forewood in f. cond., dry & aged appearance with brass screw repair through wrist for some cracks, handling marks & bruising elsewhere; overall in g. wo & f. cond. **#418013 L/R** *Would respond very well to some delicate cleaning & woodwork clean up.* 150 - 300
953. **ROSSI MOD. RIO GRANDE L/A RIFLE:** .45-70 Govt. cal.; full length tube mag.; 20" round barrel with exc. bore & sharply defined rifling; blued finish to metalwork presents flawless, hard to fault; lhs barrel marked **ROSS 45-70 Gov't**; large loop lever cycles freely, strong springs & sears; semi buckhorn rear sight & pinched blade front both dovetailed to barrel; top of receiver fitted with dovetail mount; hardwood stock & forewood in near exc. overall cond., some v. minor handling marks; overall in exc. wo & cond. **#K317479 L/R** 500 - 800
954. **WINCHESTER MOD. 1892 L/A RIFLE:** .44 WCF (.44-40 Win.) cal.; 1/2 length tube magazine; 24" octagonal barrel f. bore, rifling is sharply defined but peppered with moderate pits throughout; heavy grey patina to metalwork, action with surface frosting; metalwork bearing some scoring at breech of barrel; faint two-line **NEW HAVEN** address to top of barrel, **44 W.C.F.** to lhs of barrel ahead of breech; action cycles smoothly, strong springs & sears; std. buck horn rear sight & pinched silver blade front; woodwork in g. to vg. cond., some light surface marks & bruising but retains exc. metal-to-wood fit & presents v. well; crescent steel buttplate; overall in g. wo & f. cond. **#560877 L/R** 200 - 400
955. **WINCHESTER MOD. 1873 L/A SADDLE RING CARBINE:** .44 WCF (.44-40 Win.) cal.; full length tube mag.; 20" round barrel with f.+ bore, some fine pitting throughout, rifling is very well-defined; metalwork has been cleaned & reblued, evidence of previous pitting in some areas; no visible address to barrel, **WINCHESTER** markings to top tang & serial no. to bottom are very faint; action cycles well, strong springs & sears; sling dust cover, sling swivel to lhs; ladder rear sight & blade front sight; woodwork has been refinished, presents well; some light handling marks overall & fine surface cracking to grain; curved steel buttplate, brass trap; overall in g. wo & f. cond. **#301370 L/R** 400 - 600
956. **WINCHESTER MOD. 1873 L/A RIFLE:** .44 WCF (.44-40 Win.) cal.; full length tube mag.; 24" octagonal barrel with f.+ bore, some fine pitting throughout, rifling is very well-defined; even reblued finish to metalwork, presents well, some handling marks & pre refinish pits still visible; defined two-line **NEW HAVEN** address & **KINGS IMPROVEMENT** patents to top of barrel; action cycles freely, strong springs & sears, semi buckhorn rear sights & contemporary pinched blade front sight; refinished walnut stock & forend present well, some blemishes to finish & aged minor loses to head of stock; overall in vg. wo & g.+ cond. **#88992A L/R** 600 - 800
957. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. polymer mag.; 24 3/4" barrel with vg. bore, bright with sharply defined micro-groove rifling; re-blued finish to metalwork presents well overall, some pre refinish pits peppering rhs action; **BRNO MOD. 2** marked to barrel, **68** proofs to action & breech; bolt cycles freely, crisp trigger; retains factory tangent rear & blade front sight with hood; fitted with period Japanese mfg. **PLUM 4 X 39** scope with clear optics; refinished stock in sound cond. overall, light handling marks & small chip to toe of stock; fitted with period leather sling; overall in exc. wo & vg. cond. **#147861 L/R** *Comes with two additional ten round mags.* 600 - 800
958. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 21 3/4" barrel with vg. bore, bright with sharply defined micro-groove rifling; strong blued finish to metalwork, some minor handling & storage marks but presents exc; **BRNO ARMS MOD. 2** marked to barrel, **81** proofs to action & breech; bolt cycles freely, strong springs & sears; fitted with **LEUPOLD M8-4X** scope on two piece mounts, clear optics; rear sights removed, threaded muzzle with cap; stock in vg.+ cond. overall, some minor handling marks; schnabel forewood; fitted with period leather sling & comes with additional polymer 10 rnd. mag.; overall in exc. wo & vg. cond. **#290870 L/R** 500 - 700

959. **ITALIAN FALCO MOD. SRL S x S SMALL BORE SHOTGUN:** .410 cal., 2 3/4" chambered; 27 3/4" barrels choked approx. full & full; g. bores but both need a clean; strong blued finish to metalwork, some minor staining in areas; makers name & address to lhs monobloc breech; action locks up tight, strong springs & sears, double triggers, manual safety; folding in half for easy transport; woodwork in exc. overall con., some trace amounts of storage marks; overall in exc. wo & vg. cond. **#39288** L/R **300 - 500**
960. **WWI ERA WINCHESTER MOD. 1892 SADDLE RING CARBINE:** .44 WCF (44-40 Win.) cal.; full length tube mag.; 20" round barrel with g. to vg. bright bore & sharply defined rifling, some scattered fine pitting; blued finish to metalwork thinning on action, barrel bands & barrel, some speckled blemishes overall & the distinctive ovate pattern to receiver around saddle ring; extractor & leading gate have been cleaned to a bright steel finish; lhs barrel marked with two-line **NEW HAVEN** address, lhs barrel marked **44 W.C.F.** at breech with Winchester **PW** proof & Canadian **D C P** crossed flag proof to top of barrel; markings to carbine are sharply defined; action cycles smoothly, strong springs & sears, std. carbine sights; woodwork in g. overall cond., some repaired cracks & chips to head of butt; forend & butt have been cleaned but retains exc. metal-to-wood fit, some light handling marks to both; curved steel buttplate; overall in exc. wo & g. cond. **#758273** L/R Mfg. 1914 *Thought to be one of the 20,000 saddle ring carbines ordered by the British Royal Navy for use on mine sweepers during WW1. Canadian inspectors were sent to the Winchester factory before shipment for proofing.* **1200 - 1500**
961. **WINCHESTER MOD. 1892 SADDLE RING CARBINE:** .32WCF (32-20 Win.) cal.; full length tube mag.; 20" round barrel with f. bore, rifling well-defined overall, but fine to moderate pitting overall, some oxidation scale to muzzle end; original blued finish to metalwork, has thinned to a plum patina on action, developing a dark patina on barrel & mag.; the distinctive ovate pattern to receiver around saddle ring; lhs barrel marked with two-line **NEW HAVEN** address, lhs barrel marked **32 W.C.F.** at breech; action cycles smoothly, strong springs & sears, std. carbine sights; top tang screw not meeting bottom, needs attention; woodwork in g. overall cond., forend & butt have been cleaned & refinished; some light handling marks overall, small chip to lhs head of stock; curved steel buttplate; overall in g. wo & f. to g. cond. **#908913** L/R **300 - 500**
962. **SAVAGE MOD. 170 B SERIES P/A RIFLE:** 30-30 Win. cal.; 6 shot tube mag.; 22" barrel with g. bore, bright with sharply defined rifling, some light to moderate pit peppering; blued finish to metalwork presents decent, thinning slightly on barrel; maker, model & **WESTFIELD** address marked to top of barrel; pump cycles freely, strong springs & sears; retains factor sights & fitted with bridge mount, two-piece rings; woodwork in vg. overall cond., a few minor marks but presents v. well; black plastic grooved buttplate; overall in vg. wo & g.+ cond. **#C039228** Cat B L/R *Make a great scrub gun* **500 700**
963. **REMINGTON -ZASTAVA MOD. FIVE B/A RIMFIRE RIFLE:** .17 HMR cal.; 5 rnd. mag.; 22" barrel with dirty bore, rifling appears sharply defined; matte grey finish to metalwork is strong but bearing handling & storage marks to surface; **Zastava-Serbia** & US address marked to lhs breech, **Remington/Model Five** to rear; bolt cycles freely, crisp trigger; fitted with **WEAVER 2.5-7 X 32** scope on two-piece mounts, clear optics; retains factory hooded front sight & fixed rear; laminated stock in vg. cond., some handling marks & rough grain to wood; chequering sharply defined overall; retains original black plastic buttplate; overall in vg. wo & g. to vg. cond. **#ZA220704373** L/R **300 - 500**
964. **STURM RUGER MOD. M77 B/A SPORTING RIFLE:** .270 Win. cal.; 5 rnd. integral mag.; 22" barrel with bright bore & crisp rifling, exc. cond.; original gloss blued finish to metalwork presents exc., some minor storage marks; **SOUTHPORT** address to top of barrel, **RUGER M77** to lhs action; bolt cycles smoothly, strong springs & crisp sears; tong tang safety; fitted with **LEUPOLD 2 - 7** scope on two-piece Ruger pattern rings; scope lenses are dusty; retains std. fixed sights; walnut semi pistol grip stock in vgc., some light handling marks; factory rubber recoil pad; fitted with period leather sling; overall in exc. wo & vg. to exc. cond. **#72-10667** L/R *A very nice original example.* **700 - 900**
965. **FINE DIANA MOD. 34 AIR RIFLE:** .22 cal.; 19" barrel with exc. bright bore & sharply defined rifling; blued finish to metalwork presents flawless, a couple trace storage marks; **DIANA** trademark to top of spring housing; **MADE IN GERMANY** to lhs; very strong main spring & sound sears; retains std. sights & fitted with **TASCO** scope on 'bridge mount'; plain walnut stock in exc. cond., hard to fault; overall in exc. wo & cond. **#01142660** L/R **300 - 500**

966. **HARRINGTON & RICHARDSON MOD. PARDNER SB1 S/B SHOTGUN:** 28G, 2 3/4" chambered; 25 1/2" barrel, choked approx. 1/4; blued finish to barrel & small parts, matte finish to action; finished are v. strong, bearing some light handling marks; makers name **ILION** address marked to lhs action; action locks up tight & on face, strong lock; hardwood stock & forend exc.; overall in exc. wo & cond. **#CAC384160** L/R **150 - 300**
967. **COMMERCIAL F.N. MAUSER B/A SPORTING RIFLE:** .270 Win. cal.; 5 rnd. integral mag.; 24" barrel with vg. shiny bore, well-defined rifling; strong glossy blued finish to metalwork overall, thinning to a plum patina on mag. floorplate, some storage marks; lhs of action marked **FAB NAT D'ARMES DE GUERRE HERSTAL – BELGIQUE**; lhs of barrel marked with **CHROME VANADIUM STEEL, MADE IN BELGIUM** to rhs; Belgian proofs marked to lhs of breech & barrel, serial no. marked to bolt, rhs of breech & barrel; mechanically exc., bolt cycles smoothly, crisp trigger; action has been drilled & tapped to suit **Ausinel** two piece mounts; original walnut stock in g. cond., some light handling marks & bruising but presents well; cheekpiece, chequering to semi-pistol grip & forewood is well-defined; ventilated rubber recoil pad; overall in exc. wo & g.+ cond. **#B2652** L/R **600 - 800**
968. **WINCHESTER MOD. 670 B/A SPORTING RIFLE:** .243 Win cal.; 5 rnd. mag.; 22" barrel, dirty bore, rifling sharply defined & generally bright but peppered with some light pitting towards muzzle; blued finish thinning slightly towards muzzle & speckled with oxidation overall; makers name, trademarks & address marked to lhs barrel; bolt cycles freely, strong springs & sears; fitted with bridge mount & rings; woodwork in f. cond., fine crack running from trigger guard partially through grip, generally poor flaky finish & handling marks overall; pressed chequering defined; overall in g. wo & p. to f. cond. **#G227054** L/R **A decent model 70 style action for someone's custom build or a cheap gun for the ute.** **200 - 300**
969. **MARLIN MOD. 17VS B/A RIMFIRE RIFLE:** .17 HMR cal.; 7 rnd. mag.; 22" heavy barrel with vg. bore & sharply defined rifling, needs a clean; grey matte finish to stainless steel metalwork, barrel bearing plenty of scuffs & marks; makers full name & **NORTH HAVEN** address marked to lhs barrel; bolt cycles freely, strong springs & sears; fitted with USA Mfg. **LEUPOLD 3-9 VARI-X** scope with clear optics; laminated stock is sound, some handling marks & scuffs to surface, generally a bit grubby but g. overall cond.; factory rubber recoil pad; overall in exc. wo & g. cond. **#98648971** L/R **400 - 600**
970. **MAUSER MOD. MS 420 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 25 3/4" barrel with vg. bright bore & sharply defined rifling, dusty; strong re-blued finish to metalwork presents decent, thinned patch with oxidation to lhs barrel; top of action marked with trademark, **MAUSER WERKE A.G. OBERNDORF A.N.** marked to lhs action; matching bolt cycles smoothly, strong springs & sears; std. 30 – 200 yd rear sight with hooded front; walnut stock in g. overall cond., some light handling marks & scattered grazes, has been lightly cleaned up; defined **MAUSER** roundel marked to rhs stock, original buttplate; fitted with period leather sling; overall in exc. wo & g. cond. **#35100** L/R **500 - 700**
971. **BRNO MOD. 1 B/A RIMFIRE RIFLE:** .22 LR cal.; missing mag.; 22 3/4" barrel significant bulge 6" before muzzle; original blued finish has developed a dark patina, some speckled oxidation staining but presents well; **BRNO MOD 1** marked to barrel, **50** proofs to lhs action & breech; bolt cycles freely, crisp trigger; std. rear sights & front blade (less hood); threaded muzzle with cap; walnut stock sound but bearing a few scattered surface scratches & shallow gouges; retains original slightly shrunken plastic buttplate; overall in p. cond. **#69912** L/R **Suit parts or re-barrel.** **50 - 100**
972. **UNIQUE MODEL "T" B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 22 3/4" barrel with dirty bore, rifling sharply defined & appears shiny; blued finish to barrel & action presents designed decent, some minor oxidation & handling marks; alloy trigger guard; makers name, model, French address etc. marked to action; bolt cycles freely, strong springs & sears; missing rear seats, retains front sight; threaded muzzle with knurled cap; walnut stock is sound but with handling marks & scuffs to most surfaces; chequering opt grip is well-defined; original plastic buttplate; overall in exc. wo & f. to g. cond. **#107356** L/R **300 - 600**

973. **MAUSER MOD. ES 340B S/S RIMFIRE TARGET RIFLE:** .22 LR; 26 1/2" barrel with exc. bright bore & crisp rifling; original blued finish to metalwork presents decent, some speckled oxidation to surface & botchy patina; top of action marked with trademark, **MAUSER WERKE A.G. OBERNDORF A.N.** marked to lhs action; bolt cycles smoothly, lhs action has been crudely drilled & tapped twice; strong springs & sears; 30 – 200yd tangent rear sights; walnut stock with bag style pistol grip is in g. cond., some handling marks & scratches overall; defined **MAUSER** roundel stamp to rhs butt; original maker marked steel buttplate; overall in vg. wo & g. cond. **#162220** L/R **200 - 400**
974. **J.G. ANSCHUTZ MOD. GERMANIA S/S RIMFIRE RIFLE:** .22 LR cal.; 26" barrel with fine bore, crisp rifling; what appears to be the original blued finish presents v. well, strong overall with only minor storage marks; **JGA** trademark to top of breech, „*Germania*” marked to top of action; barrel marked with address & maker full name; bolt cycles freely, strong springs & sears; std. tangent 25 – 200 yd graduated rear sights, blade front; woodwork in g. original cond., sharp profiles & chequering to bag style grip, some handling scuffs & marks; original black grooved buttplate; overall in exc. wo & g. cond. **#3124** L/R **A quality German rifle that has seen little use.** **500 - 700**
975. **B.S.A. MOD. CF2 DELUXE B/A SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 24" barrel with dusty bore, bright with crisp rifling, small spot of frosting in groove but otherwise near exc.; strong, glossy blued finish to metalwork presents exc., some minor storage marks & oxidation speckling; blacked finish to alloy trigger guard & mag. floorplate is f.; makers name, **ENGLAND** & trademark marked to top of barrel, British proofs to lhs breech; bolt cycles smoothly, strong springs & sears; fitted with two piece rings; walnut stock with cheek piece, grip & forend caps, ventilated rubber recoil pad; some handling marks & light scuffs, skip-line chequering is well-defined; overall in exc. wo & g.+ cond. **#2R 2947** L/R **400 - 600**
976. **REMINGTON MOD. 742 WOODSMaster S/A RIFLE:** 7m/m Rem. Mag. cal.; 3 rnd. mag.; 22" barrel with decent bore, rifling still sharply defined but some oxidation scale in grooves, needs a good bore scrub; original blued finish to metalwork presents decent with the exception of some red surface oxidation at muzzle, & wear to top of receiver; makers full name & **ILION** address to lhs barrel, Remington, **Woodsmaster/ MODEL 742** marked to lhs receiver; bolt retracts freely, strong springs & sears, fitted with **WILLIAMS** adjustable rear sight; walnut butt & forestock with gloss coating, some handling marks & sticky residue; grip & forestock with well ornate bordered skip-line pressed chequering; overall in vg. wo & g. cond. **#B7397854** Cat D L/R **300 - 500**
977. **L.S.A. Co SHT. LE. MK. III B/A PARADE/ DRILL RIFLE:** .303 cal., 10 rnd. mag.; 25 1/4" barrel; bright silver-plated finish has been applied to metalwork incl. action, buttplate, mag. etc; **L.S.A. Co** markings to rhs body socket, top of barrel stamped **DP**; bolt cycles freely; weld spot in chamber & barrel has been partially cut ahead of breech; black painted finish to woodwork, some handling marks & scuffs overall; large slither of woodwork missing to rhs forestock, buttplate loose on wood; fitted with tarred canvas sling; overall in f. cond. **#N13970** L/R **100 - 200**
978. **MARLIN MOD. 45 SEMI-AUTO CAMP CARBINE:** .45 ACP cal.; 7 rnd. mag.; 16 1/2" barrel with g. to vg. bright bore & sharply defined micro-groove rifling, needs a clean; blued finish to metalwork presents v. well, a few minor storage marks; polymer trigger guard & mag. well; makers name & **NORTH HAVEN** address to lhs barrel; bolt retracts freely, strong springs & sears; std. sights; woodwork is g. cond., some handling marks to surface but showing little wear, still retains a factory sticker to underside forewood; overall in exc. wo & g. to vg. cond. **#09600024** Cat D L/R **A little ked around but wouldn't have fired a case of rounds.** **600 - 800**
979. **REMINGTON -ZASTAVA MOD. FIVE B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 22" barrel with vg. bright bore & crisp rifling; matte grey finish to metalwork is strong but bearing plenty of handling & storage marks to surface; **Zastava-Serbia** & US address marked to lhs breech, **Remington/ Model Five** to rear; bolt cycles freely, crisp trigger; factory rear sight removed, retains hooded front; laminated stock in f. but sound cond., showing little wear but plenty of small surface scuffs & marks overall; chequering sharply defined overall; retains original black plastic buttplate; overall in exc. wo & but f. to g. cond. **#ZA220704384** L/R **Has seen little use but has had a very long & bumpy road getting here...** **200 - 400**

980. **REMINGTON MOD. 600-MOHAWK B/A RIFLE:** .243 Win. cal.; 5 rnd. mag.; 18 3/4" barrel with bright bore & sharply defined rifling, some v. minor oxidation at muzzle but otherwise exc.; strong blued finish to metalwork, some trace amounts of storage marks; polymer trigger guard & floorplate; **ILION** address & makers name to barrel, model to lhs action; bolt cycles freely, strong springs & sears; alloy dovetail to top of action; vg. cond. hardwood stock, only a few scattered handling marks; pressed chequering well-defined; overall in exc. wo & g. to vg. cond. **#A6363577 L/R A compact little scrub gun.** 400 - 600
981. **PARKER HALE MOD. DELUXE B/A SPORTING RIFLE:** .243 Win cal.; 5 rnd. mag.; 24" barrel with dirty bore, appears bright & shiny with sharp rifling but needs a clean, some v. finely speckled frosting; strong blued finish to metalwork, presents well, a few handling marks; top of barrel marked **PARKER-HALE LTD. BIRMINGHAM.**; Mauser style action, bolt cycles well, strong sears & springs; retains original rear & hooded front sight, two piece alloy mounts to action; walnut stock with Monte Carlo style cheekpiece, grip & forewood caps; woodwork in g.+ sound cond., a few handling marks overall and has been cleaned back; defined skip-line chequering to grip & forewood; **Pachmayr** marked rubber recoil pad; overall in vg. wo & g.+ cond. **#Z-77090 L/R** 400 - 600
982. **CHARTER ARMS AR-7 EXPLORER S/A SURVIVAL GUN:** .22 LR cal.; 10 rnd. mag.; 16" barrel, bore dirty but appears vg. with sharply defined rifling; matte black coating to alloy receiver & steel barrel presents decent, some scattered handling marks; **CHARTER ARMS** trademark roundel/ model/ address to rhs frame; bolt cycles freely, strong trigger sear; black plastic stock bearing a few handling marks; overall in vg. wo & g.+ cond. **#A218256 Cat C L/R** 300 - 500
983. **LITHGOW SHT.LE MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with p. to f. bore, rifling is sharply defined but patchy oxidation is caked throughout; military blued finish to metalwork now a dark patina, some original green paint in areas; rhs body socket marked with **A** within star/ **LITHGOW/ SHT.LE/III/*** within shield/ **1921**; rhs breech & bolt marked **94649**; bolt cycles freely, strong springs & sears; lhs action has been drilled & tapped; woodwork in g. overall cond., some light handling marks & bruising but presents well; faint Lithgow markings to rhs stock with **BLANK/ 38116** stamped & filled with white paint; brass buttplate; overall in f. to g. cond. **#94649 L/R** 400 - 600
984. **MARLIN MOD. 25M B/A RIMFIRE RIFLE:** .22 WMR cal.; 5 rnd. mag.; 22" barrel with g. bore, dirty but micro-groove rifling remains sharply defined, some minor frosting in areas; blued finish to metalwork covered in patchy surface oxidation, present poorly; makers name & patents marked to lhs barrel; bolt cycles freely, g. springs & sears, retains factory sights; hardwood stock in g. sound cond. but finish flaking in areas; overall in vg. wo & f. cond. **#14680057 L/R** 100 - 200
985. **WINCHESTER MOD. 1906 P/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. tube mag.; 20" round barrel with bright bore & well-defined rifling, some fine pitting but g. overall; silvery grey patina to majority of metalwork; well-defined **WINCHESTER** address & calibre markings to barrel; action cycles well, strong springs & sears; std. sights; woodwork has been cleaned slightly but in vg. cond. overall, some light handling marks but pump & stock free from cracks; retains original buttplate; overall in exc. wo & g. cond. **#631725 L/R** 300 - 500
986. **HARRINGTON & RICHARDSON MOD. HUNTSMAN PERCUSSION RIFLE:** .45 cal.; 28" round barrel with bright bore & crisp rifling, bore a bit dusty & minor surface oxidation towards muzzle; case colours on action & blued finish to remainder of rifle showing little wear but with patchy surface oxidation; break open action locks up tight, strong lock springs & sears; missing ramrod; woodwork bearing a few bumps & bruises but in sound cond.; overall in vg. wo & f. cond. **#AP269393 L/R Would grade up significantly with some delicate rust removal.** 300 - 500
987. **B.S.A. & M. Co MARTINI-HENRY MK. III SERVICE RIFLE:** .577-450 cal.; 33 1/8" barrel with f.+ bore & well-defined rifling, some light pitting; patchy brown patina & oxidation scale to majority of metalwork; rhs of action marked with cypher/ **V.R./ B.S.A. & M. Co / 1887./ III./ 1**; mechanically vg., action locks up with strong sears & springs; std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs of front barrel band; missing cleaning rod; woodwork in g.+ cond., some light handling marks & bruising overall; rhs of stock marked with faint **VIC GOV** roundels; steel buttplate; overall in g. wo & f.+ cond. **#6901 N/L** 600 - 900

988. **WEIHRAUCH MOD. HW 80 S/S AIR RIFLE:** .177 cal.; 19 1/2" barrel with g. bore, needs a clean; 100 - 200
blued finish to metalwork thinned to a grey patina on barrel, some speckled oxidation overall; makers name & model marked to sides of breech; mechanically vg., v. strong main spring, seals vg.; fitted with **TASCO 4X32** scope, optics clear; woodwork sound but bearing handling scuffs & marks; overall in exc. wo & f. cond. #498188 L/R
989. **MIROKU MFG. SPRINGFIELD M. 1861 PERCUSSION MUSKET:** .58 cal.; 40" barrel with bright 300 - 500
bore & crisp three groove rifling, some patches of light oxidation towards muzzle; strong case colours to lockplate, remainder of metalwork with bright plated finish; serial no. & **JAPAN** marked to lhs breech, **U.S./ SPRINGFIELD** & eagle motif to lockplate; strong lock springs & sears, std. sights; sling swivels, retains ram rod; walnut full stock presents well, a few minor handling marks; overall in vg. wo & g. to vg. cond. #0389 L/R
990. **SAKO MOD. P75 B/A SPORTING RIFLE:** .22 Hornet cal.; missing mag.; 22" barrel with vg. bore, 400 - 600
bright with sharply defined rifling; blued finish to metalwork presents well, only minor storage marks overall; **SAKO/ 22 HORNET** marked to top of barrel, **P75 HORNET** & serial no. marked to lhs action; flat handled bolt cycles smoothly, crisp trigger; fitted with **WILLIAMS** brand rear sight, original hooded front; sling swivels; walnut stock with cheek piece in g. to vg. cond., some minor handling marks overall but chequering to grip & forewood is sharply defined; retains original black plastic buttplate; overall in exc. wo & vg. cond. #705320 L/R *Has seen little use*
991. **REMINGTON MOD. 600-MOHAWK B/A RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 18 3/4" barrel with 200 - 400
bright bore & sharply defined rifling, some small pits peppering end of barrel; strong blued finish to metalwork, some oxidation staining; polymer trigger guard & floorplate; **ILION** address & makers name to barrel, model to lhs action; bolt cycles freely, strong springs & sears; std. fixed sights; f. cond. hardwood stock, plenty of surface handling marks; pressed chequering well-defined; overall in g. wo & f. cond. #A6799637 L/R
992. **F. DUMOULIN S/B FOLDING BICYCLE SHOTGUN:** .410 cal., 2 1/2" chambered; 30" barrel with 25 - 50
bulge 2" from muzzle, bore appears bright with only minor pitting, dirty; speckled surface oxidation to metalwork, finished underneath are thinning; sidelever action locks up with some movement, strong lock; woodwork presents well, sound repaired cracks to head of stock but stock has movement at head on metalwork; overall in p. to f. cond. #15335 L/R
993. **LITHGOW S.M.L.E MK. III* B/A PARADE/ DRILL RIFLE:** .303 cal., 10 rnd. mag.; 25 1/4" barrel; 100 - 200
bright silver-plated finish has been applied to metalwork incl. action, buttplate, mag. etc; **LITHGOW** markings to rhs body socket, top of breech & barrel stamped **DP**; bolt cycles freely; weld spot in chamber & barrel has been partially cut at breech; black painted finish to woodwork, some handling marks & scuffs overall; fitted with tarred canvas sling; overall in f. cond. #E91388 L/R
994. **B.S.A MARTINI CADET S/S RIFLE:** 310 cal.; 25 1/2" barrel with f. bore & well-defined rifling 200 - 300
throughout, dirty but some pitting visible; original blued finish has turned to a mottled dark patina with streaky varnish on barrel, some oxidation scale; BSA full name over **TRADE MARKS, B.S.A.** piled arms trademark to lhs of action, **COMMONWEALTH OF AUSTRALIA** to rhs & Kangaroo trademark to top of breech; fitted with std. tangent sights & blade foresight; action locks up well & trigger crisp; woodwork in f. overall cond., has been refinished with some older chips to head of stock; original marks to rhs butt still visible; overall in g. wo & f. cond. #71518 L/R
995. **FABBRICA D'ARMI GARDONE CARCANO M.38 CAVALRY CARBINE:** 6.5×52mm Carcano cal.; 200 - 400
5 rnd. integral mag.; 18 1/2" barrel with f. to g. bore, rifling is sharply defined but grooves dirty, some oxidation scale; blued finish to metalwork presents decent but with some patchy light oxidation on action; rhs breech marked with **940 XIX** stamps to rhs; **CAL 6.5** to top of sight block; action cycles smoothly, strong sears & springs; folding bayonet blade g., some minor oxidation scale; woodwork presents well overall, general surface marks but large partial crack running along rhs butt & small crack to lhs, needs attention; overall in g. wo & f. to g. cond. #QR3980 L/R *An honest example that'd clean up v. well.*

996.	B.S.A. Co. SHT. LE. MK. III B/A SERVICE RIFLE: .303 cal.; 10 rnd. mag.; 25 1/4" barrel with f. to g. bore, well-defined rifling overall, last inch of bore has been drilled out; military finish to metalwork thinning to a brown patina overall, some speckled oxidation, handling marks & scuffs overall; rhs of body socket marked with G.R. Cypher/ B.S.A. Co. / 1937/ SHT.LE/ III ; serial no. 29787 marked to breech, barrel & nose cap; non-matching bolt cycles well; woodwork has been cleaned back, some handling marks, bruising & staining overall; stock rhs with LITHGOW 1942 markings; brass buttplate with trap; overall in f. to g. wo. & cond. #29787 L/R	300 -	500
997.	LITHGOW MOD. 12 B/A RIMFIRE RIFLE: .22 LR cal.; 10 rnd. mag.; 25" barrel with g. bore, needs a clean but rifling remains sharply defined; worn blued finish to metalwork, now a mottled dark patina; makers name & patents marked to lhs barrel; bolt cycles freely, g. springs & sears, retains factory sights; hardwood stock with some minor handling marks overall; fitted with period leather sling; overall in exc. wo & f. cond. #75998 L/R	50 -	100
998.	SHANGHAI MOD. 61 S/S AIR RIFLE: .177 cal.; 15 3/4" barrel with shiny bore & well-defined rifling; blued finish to metalwork with finely speckled oxidation overall, would clean up with some delicate cleaning; mechanically g., strong spring tension; retains std. tangent & globe sights; single piece hardwood stock bearing only a few minor handling marks; overall in vg. wo & f. to g. cond. #131037 L/R	50 -	70
999.	REMINGTON CUSTOM SHOP MOD. 547 B/A RIMFIRE RIFLE: .17 HMR cal.; 5 rnd. polymer mag.; 19" heavy stainless-steel barrel with exc. bore, crisp rifling, needs a clean; bright polished finish to stainless barrel, glossy blued finish to small parts, all present exc.; bolt cycles smoothly, crisp trigger; RA marked dovetails to top of action, no std. sights; mag. release needs an oil; walnut stock with cheek piece, factory maker marked rubber recoil pad; woodwork presents exc., some scattered minor handling marks; overall in exc. wo & vg.+ cond. #54702168 L/R <i>Has seen very little work.</i>	500 -	700
1000.	MOSSBERG MOD. 395 B/A SHOTGUN: 12G, 3" chambered; 2 rnd. box mag.; 28" barrel incl. 'poly-choke'; vg. bright bore; original blued finish to metalwork thinning to a brown patina in areas, presents ordinary; makers full name & address marked to top of barrel; bolt cycles freely, strong springs & sears; woodwork presents well, dowel repair through grip for partial crack running from trigger guard to back into grip; retains original ventilated rubber recoil pad; overall in exc. wo & f.+ cond. #56413 L/R	150	300
1001.	BELGIAN L. LEPERSONNE FOLDING BICYCLE GUN: .410 cal., 2 1/2" chambered; 27 3/4" barrel with octagonal breech; bore dirty, considered f.; metalwork with patchy oxidation staining & worn grey patina; makers name & NITRO PROOF engraved to top of barrel; action locks up tight, strong springs & sears; walnut skeleton stock & petite forend both with filled repairs & general handling dings; overall in f. cond. #6313 L/R	50 -	100
1002.	CHARTER ARMS AR-7 EXPLORER S/A SURVIVAL GUN: .22 LR cal.; 10 rnd. mag.; 16" barrel, bore dirty but appears vg. with sharply defined rifling; matte black coating to alloy receiver & steel barrel presents ordinary, flaking on action, some handling marks; CHARTER ARMS trademark roundel/ model/ address to rhs frame; bolt cycles freely, strong trigger sear; black plastic stock bearing a few handling marks; overall in vg. wo & f. to g. cond. #A294131 Cat C L/R	200 -	400
1003.	MAUSER MOD. 350B S/S RIMFIRE TARGET RIFLE: .22 LR; shortened 17 1/2" barrel with dusty bore, appears bright with sharply defined rifling; original blued finish to metalwork presents decent, thinning to a dark patina; top of action marked with trademark, MAUSER WERKE A.G. OBERNDORF A.N. marked to lhs action; bolt cycles smoothly, strong springs & sears; barrel professionally shortened & crowned; factory dovetail slots running along barrel & action, integral peep sight mount to top tang; 30 – 200yd tangent rear sights; walnut stock in g. overall cond., some handling marks & scratches; sharply defined chequering to semi pistol grip & forewood; defined MAUSER roundel stamp to rhs butt; original maker marked bakelite buttplate; overall in vg. wo & f. to g. cond. #178557 L/R	150 -	300

1004.	IZHEVSK MFG. MOSIN NAGANT MOD. 91/30 B/A SERVICE RIFLE: 7.62×54m/mR cal.; 5 rnd. integral mag.; 29" barrel with f. to g. bore, clean overall with well-defined rifling, some moderate pits peppering towards muzzle; armourers blued finish presents well, some handling marks & staining overall; arsenal markings, 1943 marked to top of breech, Texan importers marks laser etched to lhs action; bolt cycles freely, strong springs & sears; std. tangent sights; woodwork bearing a few scuffs & marks but confined to surface; fitted with canvas sling; overall in vg. wo & g. cond. #C2219 L/R	600 -	800
1005.	B.S.A. Co LEE ENFIELD MK I* B/A RIFLE: .303 cal.; 10 rnd. mag.; 25 1/4" barrel with bright bore, last 5" of rifling has been honed out; patchy mix of brown patina & reblued finish, some older pits peppering areas; rhs body socket marked with V.R. Cypher/ B.S.A.Co / 1900 / L.E / I.* ; non-matching bolt cycles rough, needs work or replacement parts; replacement barrel but period sights with windage adjustment; woodwork has been refinished, head of stock with significant losses on top; woodwork OK elsewhere; tatty canvas sling; overall in p. to f. cond. #A17263 L/R	200 -	400
1006.	LITHGOW S.M.L.E MK. III* B/A PARADE/ DRILL RIFLE: .303 cal., 10 rnd. mag.; 25 1/4" barrel; metalwork has been cleaned back and given a blacked finish, bright silver plated finish retained on mag.; LITHGOW markings to rhs body socket, top of breech stamped DP ; bolt cycles freely; weld spot in chamber & barrel has been drilled ahead of breech; woodwork has been cleaned back, some light handling marks overall; fitted with tarred canvas sling; overall in f. cond. #D40387 L/R	100 -	200
1007.	BELGIAN S x S B.L.N.E SHOTGUN: 12G, 2 1/2" chambered; 30" barrels choked approx. 1/4 & full; bright bore with fine pitting throughout, g. overall; original blued finish to metalwork has turned an even plum-brown patina to most surfaces; Liege proofs marked to barrel flats; action locks up tight, strong springs & sears to double triggers, auto safety; walnut stock with bag style grip & splinter forend in f. to g. overall cond.; general surface handling marks & wear, chequering lightly defined; head of stock with some filler around bottom tang; overall in vg. wo & g. cond. #41361 L/R <i>Comes with period leg of mutton leather case</i>	200 -	400
1008.	ENFIELD SHT.22 IV. B/A PARADE/ DRILL RIFLE: .303 cal., 10 rnd. mag.; 25 1/4" barrel; bright silver-plated finish has been applied to metalwork incl. action, buttplate, mag. etc; ENFIELD markings to rhs body socket, top of breech stamped DP ; bolt cycles freely; weld spot in chamber & barrel has drilled after breech; missing sight spring; black painted finish to woodwork, some light handling marks & scuffs overall; fitted with tarred canvas sling; overall in f. cond. #A5900 L/R	100 -	200
1009.	WALL HANGER CONTINENTAL S x S PERCUSSION SHOTGUN: 19 bore; 31" barrels with f. bore, dark with surface oxidation; dark patina & light oxidation to majority of metalwork; a makers name has been recut to top rib; breech area with some pitting; lock with strong springs, sears holding; walnut half stock presents well, some general light handling marks & wear; overall in p. to f. cond. N/L <i>Thought to be a German farmers gun from the Barossa Valley in S.A.</i>	150 -	300
1010.	WALL HANGER BRITISH P & I MANTLA S/B PERCUSSION SHOTGUN: 14 bore; 31 1/2" damascus twist barrel with f. bore, patchy oxidation but doesn't appear heavily pitted; ordinary rebrowned finish to barrel, grey patina to remainder of woodwork; P & I MANTLA LUTON engraved to lockplate, recut again to top of breech; strong lock spring & sears, hooked breech with large gap; walnut half stock presents well, nicely figured stock, recut chequering; steel buttplate; replacement ram rod; overall in f. cond. N/L	150 -	300
1011.	WALL HANGER BRITISH ENFIELD STYLE S/B PERCUSSION SHOTGUN: .650 cal./ 17 bore; 32" barrel with f. bore, oxidation throughout but doesn't appear heavily pitted; dark plum finish to barrel, dark patina to lock; brass & silver furniture; Birmingham proofs to breech, top engraved with starburst; Enfield style lock & furniture with light scroll engraving; strong lock springs & sears; walnut half stock presents well, nicely figured stock, recut chequering; steel buttplate; replacement but quality ram rod; brass buttplate; overall in g. cond. N/L	150 -	300

1012.	ENFIELD SHT. LE. MK III* B/A SERVICE RIFLE: .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g.+ bore, sharply defined rifling & bright overall with some surface oxidation in last quarter inch; externally rifle presents poor, retains much of its original blued finish & green protective paint but patchy surface oxidation & pitting in other areas; rhs body socket marked G.R. Cypher/ ENFIELD / 1917/ SHT.LE/ III* ; non-matching bolt gummed up & needs oil, strong springs & sears; std. sights, missing volleys; p. cond. woodwork has been carved with notch pattern along comb of butt & a few on handguard; brass buttplate; overall in f. cond. #4077 L/R	200 -	300
1013.	LITHGOW SHT. LE MK. III B/A SERVICE RIFLE: .303 cal.; 10 rnd. mag.; 25 1/4" barrel with p. bore, dark & caked with oxidation; grey military finish to metalwork speckled with surface oxidation, presents ordinary; rhs body socket marked with A within star/ LITHGOW/ SHT.LE/III/ within shield/ 1915 ; bolt cycles freely, strong springs & sears; std. sights, retains mag. cut off; woodwork in g.+ cond., a few minor handling marks overall; brass buttplate; overall in f. to g. cond. & p. wo. #27067 L/R	300 -	500
1014.	WINCHESTER COOEY MOD. 370 S/B SHOTGUN: 20G, 2 3/4" chambered; 28" barrel choked approx. full; bore dirty but appears vg.; thinning blued finish has developed a plum patina overall; makers name & CANADA address to barrel; action locks up tight w/ forend, loose w/o, strong hammer sears & springs; woodwork presents well, some light handling marks overall & small loses to head of stock; overall in f. to g. cond. #65678 L/R	50 -	100
1015.	B.S.A. MARTINI CADET CONVERSION RIFLE: .222 Rem. cal.; 23 3/4" barrel with bright bore & crisp rifling, some speckled oxidation but vg. overall; reblued finish to metalwork presents decent overall, some minor oxidation staining; SPORTCO-MARTINI marked to barrel, std. BSA markings to action; action cycles freely, crisp trigger; fitted with std. cadet rear sight, hooded front sight & alloy FIELD brand side mount fitted to action; sporterized forestock & original butt both in g. cond.; lever clip housing missing screws; overall in exc. wo & f. to g. cond. #6285623045 L/R	300 -	500
1016.	LITHGOW S.M.L.E MK. III* B/A PARADE/ DRILL RIFLE: .303 cal., 10 rnd. mag.; 25 1/4" barrel; bright silver-plated finish has been applied to metalwork incl. action, buttplate, mag. etc; LITHGOW markings to rhs body socket, top of breech stamped DP ; bolt cycles freely; weld spot in chamber & barrel has been partially cut at breech; missing sight spring; black painted finish to woodwork, some handling marks & scuffs overall; fitted with tarred canvas sling; overall in f. cond. #D74443 L/R	100 -	200
1017.	SAVAGE No. 4 MK. I* B/A SERVICE RIFLE: .303 cal.; 10 rnd. mag.; 25 1/4" barrel with p. bore, dark & caked with oxidation; metalwork covered in surface oxidation, not pitted but presents poor; lhs action marked No.4.MK I* ; matching bolt won't cycle, needs to be assembled properly; std. sights removed, lhs body socket fitted with CENTRAL No 4 side mount peep sight, wood shaved back to suit; woodwork in g. cond., need a clean; stock & forewood loose on body socket; grooved handguard section; alloy grey buttplate with trap; overall in p. cond. #33C2116 L/R	100 -	200
1018.	VOERE S/S RIMFIRE RIFLE: .22 LR cal.; 21 1/4" barrel with exc. bright bore & sharply defined rifling; thinning original blued finish to metalwork, some speckled oxidation; VOERE trademark marked to top of breech, 62 proof to lhs barrel; bolt cycles freely, strong springs & sears; std. tangent sights; hard wood stock bearing only a few light surface marks, presents well; overall in exc. wo & g. cond. #196999 L/R Mfg. 1962	50 -	100
1019.	WINCHESTER MOD. 320 B/A RIMFIRE RIFLE: .22 LR cal.; 5 rnd. mag.; dirty bore but appears vg. with sharp rifling; blued finish to metalwork with some light handling marks patchy surface oxidation towards muzzle; WINCHESTER trademark & NEW HAVEN address marked to barrel; bolt cycles freely, crisp trigger; std. sights; fitted with period BLACK HAWD 4 X 32 scope on two-piece mounts; hardwood stock in g. cond., some handling marks but showing little wear; original plastic buttplate; overall in exc. wo & f. to g. cond. #D63404 L/R	100 -	200

1020. **ENFIELD SHT. LE. MK III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with p. bore, dark & caked with oxidation; dark patina to metalwork with some frosting & surface oxidation in patches; rhs body socket marked **G.R.** Cypher/ **ENFIELD / 1917/ SHT.LE/ III** & then an addition **I** or **Z** mark; non-matching bolt cycles freely, strong springs & sears; std. sights; woodwork in sound but f. cond., bearing extensive handling marks & bruising to most surfaces along with patchy varnish refinish; missing brass disc to rhs butt but retains brass buttplate; overall in f. cond. **#45818** L/R **200 - 300**
1021. **I. HOLLIS & SONS S x S HAMMER SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 1/2 & full; bright bores with some minor scattered pitting, near vg. overall; original blued finish to barrels, thinning in areas & with fine pitting to rh barrel; action with some areas of strong case colours; makers name engraved to top of rh barrel, **BIRMINGHAM & LONDON** to lh barrel, both marked **2 3/4" CASE;** Birmingham **1 1/4OZ NITRO PROOF** marks to barrel flats; action locks up tight & on face, strong rebounding locks with matching hammers; walnut stock & splinter forend both in g. to vg. cond., some light handling marks & bruising; chequering to bag style grip & forend sharply defined, 14 1/8" LOP to heel & toe plate butt; overall in exc. wo & g. to vg. cond. **#108848** L/R **A good honest example of a relatively late hammer gun. Suitable for modern cartridges.** **500 - 700**
1022. **MIROKU STIRLING MOD. 600 O/U SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated top rib, choked approx. 3/4 & full; bores bright, need a clean but appear exc.; thinning blued finish to metalwork, handling wear to action; makers name & **STIRLING** marked to lhs barrel; hand engraved scroll to action with **B.C. MIROKU** marked to underside action; action locks up tight, strong ejectors; picture tells story of woodwork, stock has been shaved back, fibre glassed and tapped up, some movement at head; forend is g. sound cond., some wear to finish; overall in vg. wo & f. cond. **#388822** L/R **150 - 300**
1023. **Wm CASHMORE S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30" nitro proof damascus barrels choked approx. 1/4 & full; bright bores with some minor scattered pitting, near vg. overall; worn finishes overall, now a silvery grey patina to most surfaces; makers name engraved to top rib; Birmingham **1 1/8OZ NITRO PROOF** marks to barrel flats; action locks up loose, strong locks & springs; walnut stock & splinter forend, both worn & refinished but appear sound; large chip to toe of stock but not the original buttplate; overall in f. cond. **#12278** L/R **Quite a sound base for someone wishing to tinker with some gunsmithing.** **50 - 100**
1024. **V.G. BENTLEY S x S B.L.N.E SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 3/4 & full.; bores with patchy oxidation in areas but otherwise bright, considered f. until cleaned; thinning blued finish to barrels is now a mottled brown patina in areas; makers name marked to top of rh barrel; action locks up with some minor movement w/o forend, strong springs & sears, double triggers; woodwork in g. sound cond., some light handling marks; 14 3/4" LOP incl. ventilated rubber recoil pad; overall in vg. wo & f. to g. cond. **#41374** L/R **150 - 300**
1025. **SPORTERIZED LITHGOW SHT. LE MK. III B/A RIFLE:** .303 cal.; missing mag.; 25 1/4" barrel with f. to g. bore, rifling well-defined but dark & dirty; thinning blued finish to metalwork with patchy oxidation staining; makers marks to rhs body socket; bolt cycles freely but head won't lock in place; std. sights; sporterized original woodwork, has been refinished & in g. sound cond.; brass buttplate; overall in g. wo & f. cond. **#86797** L/R **150 - 300**
1026. **B.S.A. Co SHT.LE MK. III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with p. to f. bore, defined rifling dark & peppered with pits; matte military finish to metalwork, presents decent, brown patina on mag. & some surface oxidation to nose cap; rhs of body socket marked cypher/ **G.R. / B.S.A. Co / 1917 / SHT LE / III***; serial no. **25438** marked to rhs breech, barrel & restamped to bolt; bolt cycles freely, strong sears; 2 – 20 graduated rear sights; woodwork in g. overall cond., general battlefield marks & bruising overall; front of forewood has been painted yellow, only traces remaining; brass buttplate with trap; overall in f. wo & f.+ cond. **#25438** L/R **300 - 500**
1027. **SPORTERIZED LEE-ENFIELD MK. I* B/A RIFLE:** 22-303 cal.; 10 rnd. mag.; 26" **SPRINTER** barrel with p. bore; brown patina & oxidation scale to majority of metalwork, presents poor; makers marks to rhs body socket; bolt cycles a bit stiff, sears still strong; SMLE style sights; sporterized original woodwork worn & with several chipped sections missing; overall in p. cond. **#B25767** L/R **50 - 75**

1028. **MAROCCHI U/O FIELD SHOTGUN:** 12G, 2 3/4" chambered; 27 1/2" barrels with ventilated top rib, choked approx. full & full; bright bores; thinning blued finish to barrels with some surface oxidation patches, silver coin finish to action; action locks up with some minor movement w/o forend, top lever needs to be held across to close gun; non-ejector, sling swivels & double triggers; woodwork in sound cond., some handling marks & dings to high gloss finish; 14 3/8" LOP incl. original buttplate; overall in f. to g. cond. #0886 L/R 100 - 200
1029. **NORINCO MOD. JW-15A B/A RIMFIRE RIFLE:** .22 LR cal.; missing mag.; 24" barrel with bright bore & sharply defined rifling, needs a clean; strong blued finish to metalwork, presents well; model marked to lhs barrel; bolt cycles freely, crisp trigger; fitted with **NYKRON 4X32** scope on two-piece mounts; hardwood stock in vgc., a few marks to high gloss finish; overall in exc. wo & vgc. #9457010 L/R 150 - 300
1030. **ENFIELD SHT. LE. SPORTERIZED RIFLE:** 303-25 cal.; 10 rnd. mag.; 25 1/4" barrel with 1 1/2" muzzle brake fitted; dirty bore but appears bright with crisp rifling; blued finish to metalwork presents decent, some minor storage wear on barrel; **ENFIELD** markings to body socket, lhs barrel marked **SPORTCO LE 250/3**; bolt cycles freely, strong springs & sears; alloy **FIELD** brand mounts fitted to lhs action, housing unbranded scope; black polymer stock with rubber recoil pad, some light handling marks; overall in vg. wo & g. cond. #88085 L/R 300 - 500
1031. **LITHGOW MOD. 12 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 25" barrel with g. bore, needs a clean but rifling remains sharply defined; blued finish to metalwork covered in patchy surface oxidation, present poorly; makers name & patents marked to lhs barrel; bolt cycles freely, g. springs & sears, retains factory sights, lhs action drilled & tapped; hardwood stock with some bruising & handling marks overall; fitted with period leather sling; overall in exc. wo & f. cond. #34908 L/R 100 - 200
1032. **WINCHESTER MOD. 131 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 21" barrel with vg. bright bore & sharply defined rifling, needs a clean; thinning blued finish to metalwork is peppered with oxidation speckling, presents poorly; **WINCHESTER** trademark, model & cal. marked to barrel; bolt cycles freely, strong sears but main spring weak; std, sights; hardwood stock in f. to g. cond., some light handling marks & staining; original black plastic buttplate; overall in vg. wo & f. cond. #3643 L/R 50 - 70
1033. **ENFIELD SHT. LE. MK III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with f. bore, sharply defined rifling but bore is dark, lands speckled with oxidation; reblued finish to metalwork, presents OK, some pre-refinish pitting still evident in areas; rhs body socket marked **G.R. Cypher/ ENFIELD / 1917/ SHT.LE/ III**; non-matching bolt cycles freely, strong springs & sears; no rear sights but retains mag. cutoff; woodwork in f. cond., head of stock with crack partially forming a large chip, incorrect handguard front section; some general handling marks to remainder of woodwork; brass buttplate; overall in f. to g. cond. #21856 L/R 300 - 500
1034. **B.S.A MARTINI S/S RIMFIRE TARGET RIFLE:** .22 LR cal.; 29" heavy barrel with bright bore & sharply defined rifling, some light oxidation towards muzzle but g. to vg. overall; strong blued finish to metalwork, some minor oxidation speckling on barrel; BSA full name/ **England/ Cartridge 220 Long Rifle** marked to top of barrel; faint BSA piled arms trademark to lhs action; action functioning well, crisp trigger; fully adjustable front **PARKER HALE** peep sight & glove front sight; walnut stock with cheek piece & long forend in g. sound cond., some surface residue & general handling marks; overall in exc. wo & g. cond. #P73101 L/R 400 - 600
1035. **SAVAGE MOD. SPORTER B/A RIFLE:** .32-20 Win. cal.; 5 rnd. mag.; 24 1/2" barrel with g. bore, rifling sharply defined but needs a clean; thinning original blued finish to metalwork has developed a dark patina overall; **SAVAGE ARMS CORP** address & model marked to top of barrel; bolt won't slide in gun, possibly incorrect; std. sights; top of action drilled & tapped; walnut stock in g. to vg. overall cond., a few minor handling marks but presents v. well; original steel buttplate; overall in g. cond. but f. wo. #98652 L/R 100 - 200

1036.	LITHGOW S.M.L.E MK. III* B/A PARADE/ DRILL RIFLE: .303 cal., 10 rnd. mag.; 25 1/4" barrel; bright silver-plated finish has been applied to metalwork incl. action, buttplate, mag. etc; LITHGOW markings to rhs body socket, top of breech & barrel stamped DP ; bolt stiff to cycle, safety wobbly; weld spot in chamber & barrel has been partially cut ahead of breech; black painted finish to woodwork, some handling marks & scuffs overall; large chip to forestock rhs around body socket, needs attention; fitted with tarred canvas sling; overall in f. cond. #38478 L/R	100 -	200
1037.	OUTDOOR ARMS/ NORINCO MOD. JW 15-S B/A RIFLE: .22 LR cal.; 5 rnd. mag.; 22" barrel with dirty bore, rifling sharply defined; blued finish to metalwork bearing a few storage scuffs but presents well; model etched to lhs barrel, Outdoor Arms marked to lhs action; bolt cycles freely, crisp trigger; hooded front sight, vacant rear sight dovetail; black polymer stock in vgc., some handling marks; overall in vg. wo & cond. #GB83385 L/R	200 -	400
1038.	STIRLING MIROKU S/B SHOTGUN: 12G, 2 3/4" chambered; 30" barrel choked approx. full; bore bright & vg. overall; blued finish to barrel thinning, patches of surface rust & marring; action locks up tight, strong lock & ejector; woodwork bearing a few handling marks but sound, g.+ cond.; overall in exc. wo. & f. to g. cond. #449681 L/R <i>A cheap gun for the ute.</i>	25 -	50
1039.	SQUIBMAN MOD. 11S B/A RIMFIRE RIFLE: .22 LR cal.; 5 rnd. mag.; 24" barrel with dirty bore, rifling appears sharply defined; blued finish to metalwork showing little wear but speckled with oxidation; makers name & PHILIPPINES address marked to rhs barrel; bolt cycles freely, crisp trigger; std. sights, sling swivels; hardwood stock in sound cond., several handling marks & scuffs to surface; overall in vg. wo & f. cond. #125907 L/R	200 -	300
1040.	GERMAN GECADO S/S RIMFIRE RIFLE: .22 LR cal.; 23 1/4" barrel with bright bore & sharply defined rifling, vg. cond. but needs a clean; blued finish to metalwork presents well overall, some brown staining & light marring on barrel; makers name & proofs marked to barrel, breech; bolt cycles freely, strong springs & sears, std. sights; hardwood stock in sound cond., some wear to finish; overall in exc. wo & f. to g. cond. #21958 L/R 1965 Mfg.	50 -	100
1041.	ENFIELD SHT. LE. MK. III* B/A PARADE/ DRILL RIFLE: .303 cal., 10 rnd. mag.; 25 1/4" barrel; metalwork has been cleaned back and given a blacked finish, bright silver plated finish retained on mag.; SHT. LE markings to rhs body socket, top of breech stamped DP ; bolt cycles freely; weld spot in chamber & barrel has been drilled ahead of breech; woodwork has been cleaned back, some light handling marks overall; fitted with tarred canvas sling; overall in f. cond. #S22989 L/R	100 -	200
1042.	LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE: .303 cal., 10 rnd. mag.; 25 1/4" <u>barrel has been plugged</u> ; thinning blued finish to metalwork, now a dark patina overall; some vice marks on breech & barrel; LITHGOW markings to body socket; bolt cycles but head not locking in; missing rear sights; woodwork in f. cond.; body socket fitted with RAWSON side mount, woodwork shaved back to suit; overall in p. cond. #D687 L/R <i>Suit parts</i>	50 -	100
1043.	LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE: 303 cal., 10 rnd. mag.; 25 1/4" barrel with p. to f. bore, dark grooves, lands with pit peppering but rifling still defined; dark patina & pitting to most external surfaces; rhs of body socket marked MA / LITHGOW / S.M.L.E. /III*/ 1941 ; serial no. 45530 no. marked to bolt, rhs breech & barrel; non-matching nose cap; woodwork in f. cond., extensive handling marks overall, some heavier grazes & dings to butt; brass buttplate with trap; fitted with canvas sling; overall in f. cond. #C45530 L/R	300 -	500
1044.	L.S.A. Co SHT.LE MK. III B/A SERVICE RIFLE: .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g.+ bore, sharply defined rifling with only minor oxidation scale near muzzle; military blued finish to metalwork, patchy surface oxidation overall, nose cap corroded; rhs of body socket marked cypher/ G.R. / L.S.A. Co / 1915 / SHT LE / I I I ; non-matching bolt cycles freely, strong springs & sears; no rear sights, fitted with CENTRAL NO 4 side mount to lhs body socket; woodwork presents decent, some light handling marks overall but a large crack running from mag well up forewood; overall in g. wo & f.+ cond. #59015 L/R	200 -	400

1045.	AYA MOD. COSMOS S/B SHOTGUN: 12G, 2 3/4" chambered; 30 1/4" barrel, choked approx. full; bright bore, needs a clean but vgc.; strong blued finish to barrel, some light surface oxidation, case colours on action showing some wear; action lock up tight, strong hammer springs & sears; woodwork presents well, some partial cracks at head of stock but no movement; overall in exc. wo & f. to g. cond. #226829 L/R <i>Seen little work</i>	50 -	75
1046.	BRNO MOD. 2 B/A RIMFIRE RIFLE: .22 LR cal., <u>missing mag.</u> ; 24 3/4" barrel with vg. bore, bright with sharply defined rifling; strong blued finish to metalwork, some minor handling & storage marks but presents well; BRNO MOD. 2 marked to barrel, 71 proofs to action & breech; <u>missing bolt</u> ; retains factory tangent rear & hooded front sights, fitted with SUPER ASTRON 4X32 scope, clear optics, ding to eye piece; stock in g., sound cond. overall, some scattered handling dings & some surface scuffs to rhs butt; fitted with leather sling; overall in g.+ cond. #166767 L/R	100 -	300
1047.	F.N. BROWNING MOD. TROMBONE P/A RIFLE: .22 Long cal.; 10 rnd. tube mag.; 22" barrel with bright bore & sharply defined rifling, needs a clean; original blued finish thinning to a mottled brown patina in areas; two-line F.N. full name & BROWNING'S PATENT DEPOSE to top of barrel; pump is jammed, won't cycle; lhs action drilled & tapped; woodwork in g. sound cond., some light handling marks but both stock & pump free from cracks; overall in f. cond. #63493 L/R <i>Needs some minor work to be a shooter</i>	100 -	300
1048.	BOITO MOD. REUNA S/B HAMMER SHOTGUN: 12G, 2 3/4" chambered; 28" barrel choked approx. 3/4; bore dirty but appears vg.; blued finish to metalwork is speckled with surface oxidation & thinning overall; action locks up with some movement, strong lock springs & sears; woodwork bearing a few general handling marks & scuffs but in g. sound cond.; overall in g. wo & f. cond. #589327 L/R	50 -	100
1049.	SPORTCO-MARTINI S/S RIMFIRE SPORTING RIFLE: .22LR cal.; 23 1/4" barrel with bright bore & sharply defined rifling, needs a clean; blued finish to metalwork presents decent, some light oxidation in areas; SPORTCO-MARTINI marked to top of barrel; action functions smoothly, crisp trigger; FIELD brand alloy scope mount fitted to lhs action, mount housing a bent TARGETMASTER scope; woodwork in f. cond., some minor chipping around head of stock, staining overall & general handling marks; fitted with period leather sling & bandolier; overall in exc. wo & f. to g. cond. #M3040 L/R	300 -	400
1050.	KRICO MOD. 300 B/A RIMFIRE RIFLE: .22LR cal.; missing mag.; 23 1/2" barrel with dirty bore, appears bright with sharp rifling; blued finish to metalwork presents OK, some minor blemishes & oxidation speckling; makers trademark & proofs marked to barrel; bolt cycles freely, crisp trigger; std. sights; woodwork in f. to g. cond., crudely relacquered, some handling marks but sound; original buttplate; overall in vg. wo & f. to g. cond. #18729 L/R	100 -	300
1051.	RUGER MOD. M77 MK II B/A SPORTING RIFLE: .243 Win. cal.; 5 rnd. integral mag.; 22" barrel with bright bore & sharply defined rifling, small dark patches half way, needs a clean; blued finish to metalwork presents OK, some speckled blemishes & surface marring on barrel; makers name & address to top of barrel, model to lhs action; bolt cycles freely, strong springs & sears; top of breech scalloped to accommodate low mount scope; walnut stock in vgc., some minor marks overall but presents well, chequering sharp; retains original rubber recoil pad; overall in vg. wo & f. to g. cond. #784-32441 L/R	200 -	400
1052.	REMINGTON MOD. 25 P/A RIFLE: 32 WCF (32-20 Win.) cal.; 10 rnd. tube mag.; 24" round barrel with bright bore, sharply defined rifling, some fine pitting but considered g.+ cond.; original blued finish to metalwork has developed a dark patina overall, thinning to a silvery appearance on action; REMINGTON ARMS CO & ILION address marked to barrel; pump cycles freely, strong springs & sears; original semi-buckhorn rear sight & pinched blade front dovetailed to barrel; woodwork in f. to g. but sound cond., some handling marks & small chips in areas but presents well; crescent steel buttplate; overall in exc. wo & g. cond. #23756 L/R	600 -	800
1053.	LITHGOW SHT. LE. MK. III B/A PARADE/ DRILL RIFLE: .303 cal., 10 rnd. mag.; 25 1/4" barrel; bright silver-plated finish has been applied to metalwork incl. action, buttplate, mag. etc; LITHGOW markings to rhs body socket, top of barrel stamped DP ; bolt cycles freely; weld spot in chamber & barrel has been partially cut ahead of breech; broken rear sight spring; black painted finish to woodwork, some handling marks & scuffs overall; fitted with tarred canvas sling; overall in f. cond. #22653 L/R	100 -	200

1054.	CZ MOD. 452-2E ZKM SUPER EXCLUSIVE B/A SPORTING RIFLE: 22 LR cal.; 5 rnd. mag.; 26 1/2" barrel with exc. bore & crisp rifling; blued finish to barrel & small parts, matte grey finish to action & trigger guard; all metal finishes present exc., some light storage marks; top of barrel marked SUPER EXCLUSIVE , CZ 452-2E ZKM marked to lhs of action, 03 proofs to lhs of breech & barrel; bolt cycles smoothly, crisp trigger; threaded muzzle cap, no front sights but retains rear; woodwork in g. to vg. cond., chequering to grip is well-defined, some light handling marks; overall in exc. wo & vg. cond. #860557 L/R	300 -	500
1055.	BRNO MOD. 1 B/A RIMFIRE RIFLE: .22 LR cal.; 5 rnd. polymer mag.; 18 1/2" barrel with exc., bright bore & sharply defined rifling; original blued finish strong overall, some speckled oxidation staining but presents well; BRNO MOD 1 marked to barrel; bolt cycles freely, crisp trigger; vacant rear sight dovetail, threaded muzzle with knurled cap, barrel looks to have been professionally shortened; walnut stock is g. cond., light surface marks to most surfaces; retains original plastic buttplate; overall in exc. wo & g.+ cond. #34327 L/R	300 -	500
1056.	WINCHESTER MOD. 94 L/A RIFLE: .30-30 Win. cal.; 6 rnd., full length tube mag.; 20" round barrel with vg. bright bore & sharply defined rifling, some scattered frosting; blued finish to barrel & small parts, thinning on lever, barrel with some small scattered pitting spots; silver plated finish to action bubbling & flaking in areas, presents ordinary; WINCHESTER , cal. & NEW HAVEN address to lhs barrel; action cycles freely, strong springs & sears; V-notch rear sight & hooded front; woodwork with some wear & light handling marks overall but two partial cracks to heel of butt, running into comb; overall in exc. wo & f. cond. #4879644 L/R <i>Has seen very little use</i>	400 -	600
1057.	CBC MOD. 122 B/A RIMFIRE RIFLE: .22 LR cal.; 5 rnd. mag.; 21" barrel with vg. bright bore & sharply defined chequering, needs a clean; strong blued finish to metalwork, a few minor handling marks overall; CBC MODEL 122 , cal. marked to top of barrel; bolt cycles freely, strong springs & sears; blade front sight, rear sight dovetail vacant; fitted with PARKER HALE 4 x 40 scope on two-piece mounts, clear optics; hardwood stock in vgc., only light handling marks; overall in exc. wo & near exc. cond. #89750 L/R	150 -	300
1058.	SPORTERIZED FAZAKERLEY No. 4 MK I B/A TARGET RIFLE: .303 Brit cal.; 27 1/2" heavy barrel with g.+ bright bore & sharply defined rifling, some minor frosting patches; strong gloss blued finish to barrel, action & small parts with their original military matte blacked finish; barrel marked G M AYLING ; lhs action marked with std. markings; custom walnut stock with wide forewood, some light handling marks; thin rubber recoil pad; overall in exc. wo & g. cond. #AY79776 L/R	400 -	600
1059.	BRNO MOD. 5 B/A RIMFIRE RIFLE: .22 LR cal.; <u>missing 5 rnd. mag.</u> ; 22 3/4" barrel with exc. bright bore & sharply defined rifling; what appears to be the original blued finish strong overall, some surface marks & minor oxidation in areas but presents well; BRNO MOD 5 marked to barrel, 1958 proofs to lhs action & breech; bolt cycles smoothly, crisp trigger, std. rear sights & front blade (less hood); walnut stock is sound, bearing plenty of surface marks & a few scuffs but chequering remains sharply defined; retains original slightly shrunken plastic buttplate; overall in exc. wo & g. cond. #06681 L/R	200 -	300
1060.	B.S.A. Co SHT. LE. MK. III B/A PARADE/ DRILL RIFLE: .303 cal., 10 rnd. mag.; 25 1/4" barrel; bright silver-plated finish has been applied to metalwork incl. action, buttplate, mag. etc; B.S.A. Co markings to rhs body socket, top of breech stamped DP ; bolt cycles freely; weld spot in chamber & barrel has been drilled ahead of breech; black painted finish to woodwork, some light handling marks & scuffs overall; fitted with tarred canvas sling; overall in f. cond. #E17313 L/R	100 -	200
1061.	W.E. EKINS & Co S/B HAMMER SHOTGUN: 20G, 2 1/2" chambered; 30" damascus twist barrel, choked approx. 1/4 choked; bore shiny, some patchy frosty & light pitting but g. overall; soft brown patina to barrel & action, some staining; W.E. EKINS & Co/ ADELAIDE engraved to top of barrel, Birmingham proofs to underside; 50% coverage of light scroll engraving to locks & action; side lever action locks up tight, back action lock with original hammer but crude 'screw'; walnut straight stock & splinter forend in f. cond., both some scattered handling marks, stock with surface cracks & another partial crack behind lock tail; overall in g. wo & f. cond. #19269 L/R	100 -	200

- 1062. CHINESE SKS SEMI AUTOMATIC CARBINE:** 7.62x39mm cal.; missing mag.; 20" barrel with bright bore & sharply defined rifling, needs a clean but vg. cond.; military blued finish to majority of metalwork presents vg., some minor storage marks, polished finish to bolt; Chinese arsenal markings & serial no. to lhs action; bolt retracts freely, strong springs & sears; std. 3 – 10 graduated rear tangent sight & globe front; folding spike bayonet in vgc.; retains steel cleaning rod; hardwood stock with a few scattered chips & handling marks but presents vg. overall; steel buttplate; fitted with period canvas sling; overall in exc. wo & near vg. cond. **#23006017** Cat D L/R **500 - 700**
- 1063. WINCHESTER MOD. 320 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; dirty bore but appears bright with sharp rifling; strong original blued finish to metalwork with some light handling marks & oxidation staining in areas, presents well; **WINCHESTER** trademark & **NEW HAVEN** address marked to barrel; bolt cycles freely, crisp trigger; std. sights; hardwood stock in g. cond., some handling marks but showing little wear; original plastic buttplate; overall in exc. wo & f. to g. cond. **#D64595** L/R *Cheap little rimfire rifle for the field or ute.* **150 - 250**
- 1064. WINCHESTER MOD. 320 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; dirty bore but appears g. with sharp rifling; strong original blued finish to metalwork with some light handling marks & oxidation staining in areas, presents well; **WINCHESTER** trademark & **NEW HAVEN** address marked to barrel; bolt cycles freely, crisp trigger; std. sights; fitted with period Japanese mfg. **BISLEY DELUXE** scope on two-piece mounts; hardwood stock in g. cond., some handling marks but showing little wear; original plastic buttplate; overall in exc. wo & f. to g. cond. **#D49940** L/R **150 - 250**
- 1065. SIAMESE TYPE 46/66 MAUSER B/A RIFLE:** 8x52mm cal.; 5 rnd. integral mag.; 30" barrel with p. to f. bore, rifling showing wear & peppered with pits throughout; blued finish to metalwork presents decent, has turned to a dark patina, some handling marks; top of breech stamped with chakram symbol, Thai characters to top of action, Tokyo arsenal marks to lhs of action; mechanically vg., action cycles well & strong trigger sear; retains sliding dust cover, missing cleaning rod; armoury ground down sight ramp to adjust for rechambering, Thai graduation marking to top of sights; woodwork in f. cond., plenty of handling scuffs & marks but structurally sound; steel buttplate with swivel trap; overall in g. wo & cond. **#28795** L/R **150 - 300**
- 1066. REMINGTON MOD. 504 RIMFIRE RIFLE:** .17 Mach II cal.; missing mag.; 21" barrel with dusty bore, appears vg.+ with crisp rifling; satin grey finish to metalwork is strong but plenty of surface handling marks to barrel; makers name & address to barrel along with **17 MACH 2, Remington MODEL 504** to lhs action; bolt cycles freely, crisp trigger; two piece mounts to action; woodwork sound but bearing quite a few handling knicks & scuffs to polymer coating; chequering to grip & forewood is sharply defined; original maker marked rubber recoil pad & grip cap; overall in exc. wo & f. to g. cond. **#50407830** L/R **200 - 400**
- 1067. BRNO MOD. 1 B/A RIMFIRE RIFLE:** .22 LR cal.; missing mag.; 22 3/4" barrel with fine, bright bore & sharply defined rifling; original blued finish strong overall, some minor storage marks to lhs barrel but presents v. well; **BRNO MOD 1** marked to barrel, **51** proofs to lhs action & breech; bolt cycles freely but gummed up with dried grease, as is firing pin; std. rear sights & front blade (less hood); walnut stock is g.+ cond., a few surface marks but chequering remains sharply defined; retains original slightly shrunken plastic buttplate; overall in exc. wo & g.+ cond. **#81394** L/R *A classic rifle that has seen very little use. Needs a magazine & a clean out.* **200 - 400**
- 1068. AUSTRIAN TYROL MOD. 5022 B/A RIMFIRE RIFLE:** .22 LR cal.; missing mag.; 23" barrel with exc. cond., bright bore with crisp rifling; strong original blued finish to metalwork presents well, some minor blemishes & storage marks; **MOD. 5022/** trademark/ **TYROL** marked to top of breech; serial no. marked to lhs breech & barrel; spool handle bolt cycles freely, crisp trigger; std. 30 – 200yd tangent rear sight & blade front; woodwork in g. cond., some surface marks & scuffs, chequering to grip remains sharply defined; retains original buttplate; overall in exc. wo & g. cond. **#39693** L/R **100 - 300**

- 1069. MAUSER MOD. MS 350 B/A RIMFIRE RIFLE:** .22 LR; 5 rnd. mag.; 23 3/4" barrel with g. bright bore & well-defined rifling, some light pitting; reblued finish to metalwork has developed a plum colour, presents ok but still bearing some previous pin-prick pits; top of action marked with trademark, **MAUSER WERKE A.G. OBERNDORF A.N.** marked to lhs action; bolt cycles smoothly, strong springs & sears; 30 – 200yd tangent rear sights; walnut stock with bag style pistol grip is in g. cond., chequering sharply defined to grip & forewood some handling marks & scuffs overall; lightly defined **MAUSER** roundel stamp to rhs butt; original maker marked plastic buttplate; overall in vg. wo & g. cond. **#202244** L/R **500 - 700**
- 1070. J.G. ANSCHUTZ MOD. 1574 SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 24" barrel with dirty bore, rifling remains crisp & appears bright; strong glossy blued finish to metalwork, some minor storage marks & oxidation but presents v. well; makers full name, German address & model marked to lhs barrel; bolt cycles smoothly, crisp trigger; retains original fixed sights & fitted with **Nikko Stirling 3-9** scope on bridge mount; walnut stock in sound cond. but polymer coating is cracking & bearing some general handling marks; skip-line chequering to grip & forewood is sharply defined, original grip cap & buttplate; fitted with leather sling; overall in vg. wo & f. to g. cond. **#600025** L/R **A quality German sporting rifle and a great project for someone to try out their wood refinishing skills.** **400 - 600**
- 1071. SABATTI MOD. ROVER 600 B/A SPORTING RIFLE:** 7.62x39mm cal.; 5 rnd. polymer mag.; 22" barrel, bore shiny but needs a clean, rifling is sharply defined; strong gloss blued finish to metalwork, some storage marks; makers full name & address marked to lhs action, cal. marked to barrel; bolt cycles freely, strong springs & sears; two-piece picatinny mounts to action, no sights; walnut stock showing little wear but plenty of surface marks & scuffs; rubber recoil pad; overall in exc. wo & f. to g. cond. **#20275** L/R **Would make a great little gun for anyone with surplus AK or SKS ammunition still lying around.** **400 - 600**
- 1072. SPORTERIZED SWEDISH M.96 MAUSER B/A RIFLE:** 6.5x55mm cal.; 5 rnd. integral mag.; 26 1/2" stepped military barrel with dirty bore, rifling is well-defined but grooves filled with leading & residue, considered f. until cleaned; reblued finish has thinned to a patchy brown patina; **WAFFENFABRIK** markings to top of breech; matching bolt cycles freely; fitted with **TASCO 2-7X32** scope on bridge mount; original stock has been sporterized, semi pistol grip & comb grafted sections, some light handling marks overall, **NEW GUN** has been scribbled in Texta to lhs; overall in vg. wo & f. cond. **#396123** L/R **200 - 400**
- 1073. BRNO MOD. 1 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 22 3/4" barrel with exc., bright bore & sharply defined rifling; original blued finish strong overall, some speckled oxidation staining but presents well; **BRNO MOD 1** marked to barrel, **55** roundel proofs to lhs action & breech; magazine marked **GSA**; bolt cycles freely, crisp trigger; std. rear sights & front blade (less hood); walnut stock is g.+ cond., a few surface marks but presents well; chequering to grip remains sharply defined; retains original slightly shrunken plastic buttplate; overall in exc. wo & g.+ cond. **#111537** L/R **500 - 700**
- 1074. BRNO MOD. 581 S/A RIMFIRE RIFLE:** .22 LR cal.; 8 rnd. mag.; 22" barrel with bright bore & sharply defined rifling, vg. overall; blued finish to metalwork with patchy oxidation scale in areas, presents ordinary; **BRNO MOD 581 AUTOMATIC** marked to top of barrel, maker full to top of receiver; **61** proofs to lhs breech & receiver; bolt cycles freely, crisp trigger; std. sights, threaded muzzle; walnut stock bearing plenty of scuffs & marks but mainly surface; chequering to grip & forestock is defined; original buttplate; overall in exc. wo & f. cond. **#12882** Cat C L/R **300 - 500**