

Australian Fine Arms - Auction 11

1. **COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 6" (152m/m) 1500 - 1800
 octagonal barrel with f. to g. bore, shiny throughout with sharply-defined rifling, some minor oxidation & light pitting; reblued finish to metalwork has thinned & now patchy, soft brown patina to remainder; trigger guard & straps with 60%+ original silver plating, dull brass patina to difference; some handling marks & scratches around wedge but profiles remain sharp; sharply-defined two-line **NEW-YORK** address to top of barrel, **COLT'S/ PATENT** to lhs frame; serial no. **43075** marked to barrel assembly, frame, trigger guard, butt & cylinder, **3075** to loading lever; defined stagecoach scene roll stamped; cylinder indexing, strong springs, sears holding; period smooth ivory grips present well overall, slightly warped and with some subtle hairline partial fractures, rh grip with a dark crack running down from head; overall in g. cond. **#43075** L/R Mfg. 1852
2. **COLT MOD. 1862 POLICE S.A. PERCUSSION REVOLVER:** .36 cal.; 5 shot fluted cylinder; 6 1/2" 1200 - 1600
 (165m/m) round barrel; g. bright bore & sharply-defined rifling, some minor frosting; even grey patina to metalwork, some scattered handling marks & minor frosting but presents well; mellow finish to brass trigger guard & straps; **ADDRESS COLT SAML COLT NEW-YORK U.S. AMERICA**. lhs of the frame is stamped **COLTS/ PATENT**; serial no. **24100** marked to barrel assembly trigger guard & butt but almost indistinct on frame; cylinder indexing well, strong springs; majority of screws are replacements; original smooth walnut grips, some wear along butt edge on both & rh grip with some bruising, handling marks; both grips retain much of their original varnish finish; overall in f. to g. cond. **#24100** Pre 1900 L/R
3. **COLT MOD. 1851 NAVY S.A. PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (191m/m) 800 - 1200
 octagonal barrel with f. bore, well-defined rifling but some pitting & oxidation scale; thinning blued finish to barrels, remainder of metalwork with a grey patina, some scattered patches of light pit peppering; 50% silver plating to trigger guard & straps, mellow finish to brass; single line **ADDRESS SAML COLT NEW-YORK CITY** to top of barrel; defined naval engagement scene to cylinder; **COLTS PATENT** mark to lhs frame; serial no. **11239** marked to loading lever, frame, butt and again to cylinder & barrel but accompanied by an **F**; replacement modern screws, nipples & wedge, probably loading lever; silver blade front sight dovetailed to barrel; cylinder indexing well, strong springs & sears holding; smooth walnut grip with 60%+ original varnish finish remaining; overall in f. to g. cond. **#11239** Pre 1900 L/R *Spurious frame markings, looks to have been renumbered.*
4. **COLT MOD. 1860 ARMY S.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (204m/m) 700 - 1000
 round barrel with g. bore, bright with sharply-defined rifling, needs a clean; soft brown patina to barrel & cylinder, mottled grey patina to frame; mellow finish to trigger guard with patchy bright sections; single line **ADDRESS COL. SAML COLT NEW-YORK U.S. AMERICA** to top of barrel; **COLT'S/PATENT** to lhs frame; **10178** marked to frame & trigger guard, non-matching (**161**) barrel assembly & back strap (**10187**, a bad restamp); cylinder indexing well, strong springs & sears holding; replacement screws; smooth walnut grips in g. cond., some light handling marks to around edges of butt; overall in g. cond. **#101078** Pre 1900 L/R *A hotchpotch of parts.*
5. **COLT 1877 LIGHTNING D.A. REVOLVER:** .38 Colt cal.; 6 shot fluted cylinder; 4 1/2" (115m/m) 1200 - 1600
 barrel with vg. bore, bright crisp rifling, some minor frosting; original blued finish to barrel & small parts is thinning to a grey patina, some traces of case colours to frame; two-line **COLT'S HARTFORD** address to top of barrel, **COLT. D.A. 38** to lhs; patents marked to lhs of frame along with rampant horse roundel; **17027** to frame, trigger guard; cylinder indexing well but trigger return spring feels gummed up, needs to be pushed fwd.; blade front sight & grooved top strap; hard rubber grip panels in g. to vg. cond., defined chequering & rampant horse to top of both, a flat spot worn to both grips; overall in vg. cond. **#118670** Mfg. 1900 L/R *Presents well & has seen very little actual use.*

6. **ENFIELD 1881 MARK II. D.A. SERVICE REVOLVER:** .476 cal.; 6 shot 'church steeple' fluted cylinder; 3 7/8" (96m/m) barrel with f.+ bore, strongly defined rifling, some light pitting; thinning blued finish to metalwork has developed a dark patina overall, some oxidation staining on frame; original marking to rhs frame, serial no to front of barrel sub-frame have all been ground off; retains **VR/2P** proofs to chambers & barrel; action locks up with some minor movement, cylinder indexing well, strong springs & sears; original smooth walnut grip in g.+ cond., some minor marks; steel butt cap with lanyard stud; overall in f. cond. **#E497Z** Pre 1900 L/R **500 - 700**
7. **JOHN HAYTON RETAILED W. TRANTER 4th MOD. D.A. PERCUSSION REVOLVER:** 54 bore (.445 cal.); 5 shot cylinder; 6" (151m/m) octagonal barrel with f.+ bore, patchy light pitting but rifling is well-defined; 60%+ original gloss blued finish to metalwork, majority of losses on trigger guard, grey patina to cylinder; top strap engraved **JOHN HAYTON, GRAHAMS TOWN.**; lhs frame, loading lever marked with **W. TRANTER'S/ PATENT** stamp; **No. 21342T** engraved to rhs frame; border engraved frame with light coverage of crisp acanthus scroll engraving; Birmingham proofs to barrel, chambers; strong springs & sears, cylinder indexing is well, screw heads are largely untouched; single-piece walnut grip in g.+ cond., chequering well-defined, some minor handling marks; steel butt cap; overall in g. to vg. cond. **#21342T** Pre 1900 L/R *A very nice example which has survived 140 years+ without being tampered.* **1400 - 1600**
8. **SMITH & WESSON NO. 2 ARMY S.A. REVOLVER:** .32 rimfire short cal.; 6 shot cylinder; 6" (155m/m) barrel with f. bore, well-defined rifling with some light pitting throughout; original blued finish to metalwork has thinned to a mottled plum patina overall, 20% blueing remaining in protected areas; **SMITH & WESSON. SPRINGFIELD. MASS.** marked to top of integral barrel rib; cylinder indexing well, strong springs & sears; tip up action locks up tight; silver front sights; smooth ebony grips retain 40%+ of their original varnish, both present patchy, some wear around butt edge; overall in g.+ cond. **#27782** Pre 1900 L/R *Has seen very little use. A nice, honest example.* **900 - 1200**
9. **GLISENTI MFG. BODEO MOD. 1889 TYPE B D.A. SERVICE REVOLVER:** 10.35×22m/m Italian Ordnance cal.; 6 shot fluted cylinder; 4 1/2" (166m/m) octagonal barrel; oxidation scale in bore but rifling remains well-defined, should clean up but considered p. until then; blued finish to metalwork has developed a dark patina, some patchy oxidation staining & surface marks; lhs frame marked **GLISENTI/ Lion mark/ BRESCIA / 1905**; strong springs & sears, cylinder indexing well; original hardwood grips in g. cond., some light wear but chequering is well-defined; lanyard swivel to butt; overall in f. cond. **#3310** 1905 Mfg. L/R *Would grade up significantly with some minor work.* **300 - 500**
10. **RETAILED W. TRANTER MOD. 1868 D.A. REVOLVER:** .450 CF cal.; 5 shot cylinder; 3 1/8" (80m/m) octagonal barrel with f. bore, rifling well-defined throughout some heavier pit peppering in areas; reblued finish to metalwork has thinned to a grey patina overall; **COGSWELL & HARRISON**, London address engraved to rhs barrel; **W. TRANTER/ PATENT** marked to lhs breech; Birmingham proofs to chambers & barrel; coverage of scroll engraving to sides of frame; unusually long spurred hammer, cylinder indexing well; single piece walnut grip in f. cond., chequering is defined but some handling marks & chips; overall in f. to g. cond. **#52936** Pre 1900 L/R **500 - 700**
11. **BRITISH SILVER FRAME PEPPERBOX PISTOL:** .32 cal.; 3 1/8" (80m/m) fluted barrel cluster, six bores are p. to f. with varying amounts of oxidation scale in all; dark patina to steel parts with some minor handling marks & scattered patches of light pitting; bright finish to German silver frame; border & light coverage of sharply-defined acanthus scroll engraving to frame & straps; Birmingham proofs to barrels but no makers names visible; bar hammer, d.a. trigger, action indexing well; smooth walnut grips, rh grip in vgc. but lh grip with some small chips to head, heavier handling dings; overall in f. to g. cond. **#357** Pre 1900 L/R **400 - 600**
12. **ALLEN & THURBER ALLEN PATENT PEPPERBOX REVOLVER:** .34 cal.; 5 1/2" (136m/m) six-barrel cluster with p. bores; dark plum patina to barrels, grey on frame & small parts with some streaky staining; metalwork bearing some scattered patches of light pitting; integral barrel ribs, one marked **ALLEN & THURBER WORCESTER**, the other **PATENTED 1837 CAST STEEL**; mechanically strong, barrels are indexing well, d.a. bar hammer action; smooth walnut grips, both in g. cond., some dark staining & small chip to lh grip; overall in f. cond. **#205** Pre 1900 L/R **300 - 500**

13. **BRITISH U/O TURN BARREL PERCUSSION POCKET PISTOL:** .35 cal.; 2 1/2" (65m/m) round turn-off barrels with g. bores, appear to have been cleaned; metalwork has developed an attracted mottled grey patina overall, free from pitting; light coverage of crisp acanthus & border engraving to frame, serpent style hammer decoration; crisp lock sears & strong springs, barrel turn freely without play; vg. walnut stock with sharply-defined flat top chequering, exc. metal-to-wood fit & only light handling marks; vacant oval silver escutcheon to spine of grip; overall in vg. cond. #1224 Pre 1900 L/R *A lovely little example* 700 - 900
14. **SPANISH RETAILED LARGE BELGIAN FOLDING TRIGGER PINFIRE REVOLVER:** 11m/m pinfire cal.; 6 shot cylinder; 4 1/4" (107m/m) round barrel; bore with some patches of light pitting but remainder is bright & rifling sharply-defined; original blued finish to barrel & cylinder has thinned to an even plum patina, frame retaining areas of vivid case colours; **RIA LOPER Y Cia DURANGO** has been stamped on to barrel; frame & cylinder engraved with sharply-defined, ornate scroll; mechanically strong, cylinder indexing well; original carved walnut grip panels present well, small lifting chip to lh grip but otherwise bearing only light handling marks & sharply-defined chequering; overall in vg. wo & g.+ cond. #1850 Pre 1900 L/R *A remarkably well presented and quality pinfire revolver.* 700 - 900
15. **FINE ADAMS MOD. 1872 MK III D.A. REVOLVER:** .450 cal.; 6 shot cylinder; 6" (151m/m) octagonal barrel; bore is remarkably bright with sharply-defined rifling, some minor speckled frosting by vgc. overall; revolver retains 70%+ original blued finish, thinning to plum patina to in difference; **ADAMS'S PATENT SMALL ARMS Co 391 STRAND, LONDON.** stamped to top of barrel; **ADAMS'S/ PATENT** stamp to rhs frame along with trade mark; London **V & P** proofs to chambers & barrel; strong springs & sears, cylinder indexing well; single piece walnut grip with sharply-defined chequering, vg.+ cond.; steel butt cap with lanyard stud; overall in exc. wo & near vg. cond. #7935 Pre 1900 L/R 800 - 1200
16. **LEFAUCHEUX MOD. 1870 CENTRE-FIRE D.A. REVOLVER:** 12m/m LF cal.; 6 shot cylinder; 6 1/4" (156m/m) round barrel with g. to vg. bright bore & sharply-defined rifling, needs a clean but some frosting present; thinning original blued finish to metalwork, 40% remaining with patchy plum patina & losses to difference; top of barrel engraved in script *E. Lefauchaux Ble a Paris*, lhs breech marked **LF 73**; mechanically strong, cylinder indexing well; solid frame revolver with loading gate to rhs; two-piece walnut grip in g. cond., general wear to finish but metal-to-wood fit is vg.; steel butt cap with lanyard ring; overall in vg. wo & f. to g. cond. #73 Pre 1900 L/R *An interesting pistol. Appears to be a transitional, army style revolver between the 1870 pinfire & 1873 centrefire revolver designs.* 500 - 700
17. **CONTINENTAL S x S PINFIRE PISTOL:** 11m/m pinfire cal.; 4 3/4" (120m/m) round barrels with f.+ bores, sharply-defined rifling but patchy light pitting throughout; silver-grey patina to metalwork with some patchy brown staining, peening on barrels; border engraving & light coverage of scroll to frame, trigger guard; action locks up tight, strong springs & sears, matching hammers but lh hammer with partial crack on nose; walnut stock presents well, some minor handling marks but the ornate arched fluted remain defined; steel grip cap; overall in g. cond. #7871 Pre 1900 L/R *Looks to be French.* 400 - 600
18. **J.R. COOPER PATENT PEPPERBOX PERCUSSION REVOLVER:** 85 bore (.380 cal.); six 3" (76m/m) barrel cluster, all bores with oxidation scale but would clean up; silvery grey patina to metalwork, some minor staining but presents well; Birmingham proofs to barrel flutes; **J.R. COOPER'S/ PATENT** engraved within scroll banner to lhs side plate; frame & side plates with light coverage of scroll engraving; ring trigger, under hammer action, lock is strong & barrels indexing; smooth walnut grips are in g. to vg. cond., only light handling marks to both & wear to varnish; overall in f.+ cond. #664 Pre 1900 L/R 500 - 800
19. **BRITISH S x S BRASS FRAME PERCUSSION PISTOL:** .455 cal.; 3" (74m/m) round barrels with f. bores, powdery red oxidation in both, should clean up; dark grey patina to steel parts, mellow finish to brass frame & straps; Birmingham proofs marked to barrels & breech of frame; border engraved frame with light coverage of acanthus scroll engraving to sides and again to trigger guard; strong lock springs & sears, matching hammers; vgc. walnut stock, chequering remains sharply-defined & metal-to-wood fit is vg.; vacant silver oval escutcheon to spine of grip; overall in g. to vg. cond. #1920 Pre 1900 L/R 700 - 900

20. **HOPKINS & ALLEN BLUE JACKET No.2 S.A. POCKET REVOLVER:** .32 rimfire short; 5 shot fluted cylinder; 2 3/4" (70m/m) round barrel with vg. bright bore & crisp rifling; bright nickel finish to 90%+ remaining, some surface marks & finely speckled losses; **HOPKINS & ALLEN MFG. CO.** & patents marked to top of barrel, **BLUE JACKET No.2** to top strap; cylinder indexing but only when trigger is held, needs an oil or work; smooth ivory birds head grips are in remarkably good cond., some minor marks; overall in vg. & f. wo. #K741 Pre 1900 L/R *A pretty little revolver that can only grade up.* 500 - 700
21. **BRITISH PROOFED PEPPERBOX PINFIRE POCKET PISTOL:** 7m/m pinfire cal.; 2" (49m/m) fluted barrel cluster, all 6 bores in f.+ cond., should grade up with a clean, some minor oxidation scale; mottled grey patina & frosting to majority of metalwork, some pit peppering on barrels; Birmingham proofs to chambers within flutes; mechanically strong, barrels indexing well, folding trigger with strong springs; walnut grips in p. cond., shrunken with some cracks & heavier wear to chequering; overall in f. cond. #3327 Pre 1900 L/R 300 - 500
22. **F.N. BABY BROWNING S/A VEST POCKET PISTOL & PURSE HOLSTER:** 25 ACP; 6 rnd. mag.; 53m/m barrel with shiny bore & crisp rifling, vg. to exc.; blued finish to metalwork presents exc., some minor storage marks; FN full name, Belgian address & **BROWNING'S PATENT DEPOSE** marked to lhs of slide; mechanically exc., slide retracts freely, crisp trigger; matching black plastic grip panels with **FN** monogram to top, **BROWNING** to top; grips in vg. with sharply-defined chequering; comes in a period fitted suede leather purse style women's holster; overall in exc. wo & vg.+ cond. #205PM136987 Post 46' L/R 400 - 600
23. **COLT MOD. 1903 POCKET HAMMERLESS S/A PISTOL:** 32 ACP cal.; 8 rnd. mag.; 3 1/2" (90m/m) barrel with g. bright bore & well-defined rifling, some minor frosting; matte grey finish to metalwork, some handling marks overall & light pit peppering to lhs slide; small parts are blued; lhs of slide marked with **COLT'S PT. F.A. MFG. CO. HARTFORD, CT. U.S.A./** patents, rhs of slide marked with **COLT, AUTOMATIC/ CALIBRE.32 RIMLESS SMOKELESS;** slide retracts freely, strong springs & sears; chequered walnut grip panels with **COLT** silver medallion inserts to top of both; grips are in g. cond., both some handling marks & light wear; overall in vg. wo & g. cond. #549844 1941 Mfg. L/R 400 - 600
24. **WWII WALTHER MFG. 'AC 43' CODE P.38 SERVICE PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 120m/m barrel with vg. bright bore, sharply-defined rifling throughout, some speckled frosting; thinning original blued finish to metalwork, some minor pit peppering & frosting; lhs slide marked **P.38**, serial no. **5806n** & **ac 43**; serial no. marked to lhs slide & frame, barrel marked **6141/ I; 359** Waffenamts to several parts, rhs slide marked with trio; lhs slide light marked with Chinese characters; mechanically exc., slide retracts freely, strong springs & sears; two-piece brown bakelite grip in g. to vg., sound cond., some light handling marks but presents well; overall in exc. wo & vg. cond. #5806n L/R Mfg. 1943 1200 - 1500
25. **ADAMS MOD. 1872 MK III D.A. REVOLVER & LEATHER HOLSTER:** .450 cal.; 6 shot cylinder; 6" (151m/m) octagonal barrel; unfortunately rifling has been bored out; revolver retains 60%+ original blued finish, plum patina to difference; original serial no. has been peened off & restamped with **5827** incl. on cylinder, rhs frame; **ADAMS'S PATENT SMALL ARMS Co 391 STRAND, LONDON.** stamped to top of barrel; **ADAMS'S/ PATENT** stamp to rhs frame along with trade mark; London **V & P** proofs to chambers & barrel; strong springs & sears, cylinder indexing well; single piece walnut grip with sharply-defined chequering, g.+ cond.; steel butt cap with lanyard stud; comes in contemporary leather fitted holster with brass cleaning rod; overall in g. cond. #5827 Pre 1900 L/R *Presents well, suit reenactor or movie armourer.* 400 - 600
26. **BELGIAN CROWN ARMS Co. D.A. POCKET REVOLVER:** .380 CF cal.; 5 shot fluted cylinder; 2" (52m/m) barrel with sharply-defined rifling, some leading but g. overall; bright nickel finish to metalwork presents well, some minor flaked losses; top of barrel marked **TESTED**, top strap marked **CROWN ARMS CO;** mechanically strong, folding trigger, cylinder indexing well, bar safety to lhs frame; ornate pattern gutta percha grips, both present ok but are starting to perish & crack; overall in vg. wo & g. cond. #45 Pre 47' L/R 300 - 500

27. **PAIR BRITISH TURN-OFF BARREL PERCUSSION POCKET PISTOLS:** .390 cal.; 2 3/8" round barrels with f. bores, one with some oxidation scale; grey patina to metalwork on both pistols, some patchy oxidation staining & surface scoring, light vice marks on barrels; Birmingham proofs to breeches & barrels; light coverage of sharply-defined pitting; both pistols with strong springs, sears holding, folding triggers; one pistol has been fitted with a new nipple which may have contributed to the large crack through hammer nose; walnut stocks present well, chequering remains sharply-defined, vacant oval silver escutcheons below top tangs; one pistol with steel pinned crack repair; overall, one pistol in g. to vg. cond., the other in f. **N/L** **700 - 1000**
28. **BELGIAN MFG. THE BRITISH BULLDOG D.A. POCKET REVOLVER:** .300 CF cal.; 5 shot cylinder; 2 1/2" (63m/m) barrel with f. bore, powdery oxidation throughout but rifling is well-defined; bright nickel finish to metalwork with patchy losses, staining; **THE BRITISH/ BULLDOG** marked to top strap, **ELG** Liege proof to cylinder; mechanically strong, cylinder indexing well, folding trigger with strong springs; smooth bone grips both in g. cond. some minor handling marks; overall in f. to g. cond. **#0024573** Pre 47' L/R **200 - 400**
29. **FINE 1929 MOD. SWISS LUGER S/A PISTOL & HOLSTER:** .30 Luger (7.65×21m/m Para.); 8 rnd. mag.; 120m/m barrel with dirty bore, patchy leading but otherwise bright with crisp rifling; strong original blued finish to metalwork, presents v. well with only light holster wear overall, majority to side plate; military Swiss Cross in a Shield mark to top of toggle, serial no. **55848** marked to lhs frame, barrel & toggle; the distinctive smooth toggle & mag. release, rather than knurled; mechanically exc., toggle retracts smoothly, strong springs & crisp sears, grip safety; correct nickel plated mag. with bakelite base; chocolate brown bakelite grips in vgc., some minor handling marks to both; comes in period leather holster with addition correct mag.; holster marked to back **E.TINGUELY/ 44/ ALTERSWIL**; overall in vg. wo & cond. **#55848** Pre 47' L/R *A lovely outfit for the collector, has seen v. little work.* **2250 - 2750**
30. **BELGIAN S x S 'HORSE PISTOL' & HOLSTER:** .410 cal., 2" chambered; 9 1/2" (245m/m) barrels; bores are vg.; thinning blued finish to barrels, some scattered handling marks & pits peppered to underside of barrel; faint case colours to frame; **BELGIUM** stamped to top rib, Liege proofs to barrels & frame; action locks up with some minor movement, strong lock springs & sears; faux ebony hardwood grip in vgc., some minor handling marks but chequering remains sharply-defined; comes with period fitted canvas & leather holster; overall in exc. wo & vg. cond. **#1881** Pre 47' L/R *Looks to have barely been fired.* **400 - 600**
31. **IMPRESSIVE GERMAN SILVER SAW-HANDLE PERCUSSION BELT PISTOL:** .46 cal.; 5 1/4" octagonal barrel with p. bore, would grade up with a clean; dark plum patina to steel barrel, some patchy staining; slightly dull patina to German silver saw handle frame, stock; defined & extensive acanthus scroll engraving running from frame down length of grip; Birmingham proofs to breech & barrel lhs; **Flanton Patent London** engraved in Celtic style lettering to top of barrel; strong lock springs & sears, captive ramrod; missing belt clip with two vacant screw holes to side plate; some peening to German silver buttplate; overall in g. cond. **N/L** *A lovely little example.* **1500 - 1800**
32. **UNUSUAL LONG BARREL PERCUSSION BOOT PISTOL by NOCK of LONDON:** .34 cal.; 5 3/4" round barrel with octagonal breech; silvery-grey patina to majority of metalwork, some minor pit peppering overall; rhs frame engraved with faint **H. NOCK, LONDON** to top of breech flat; Birmingham proof to breech & barrel, the later stamped an additional modern serial no.; strong main spring & hammer sears, folding trigger return spring is missing; barrel thread is worn, breech & barrel no longer align; chequered walnut stock with fluted butt section; stock has shrunk slightly & otherwise defined chequering is bearing some minor handling marks; overall in f. to g. cond. **N/L** **400 - 600**
33. **BRITISH S/B PERCUSSION POCKET PISTOL:** .435 cal.; 3 1/2" octagonal barrel; f. bore with light pit peppering throughout; soft plum patina to barrel with some light vice bites to sides, grey patina to remainder of metalwork; light coverage of scroll engraving to hammer & frame, Birmingham proofs to lhs barrel flat; strong lock springs & crisp sears, captive ramrod, brass bead front sight; original walnut stock has undergone extensive repairs, large grafted sections to either side of head, presents ordinary; remainder of original stock with defined chequering, vacant diamond silver escutcheon & German silver butt cap; overall in f. cond. **N/L** **400 - 600**

34. **PERCUSSION S/B POCKET PISTOL by NIXON of NEWARK:** .34 cal.; 1 1/2" round turn-off barrel with g. bore, some minor oxidation scale; silver-grey patina to metalwork with some minor dark staining in areas; *NIXON* engraved to lhs frame, *NEWARK* to rhs, some light scroll & border engraving; Birmingham proofs to breech & barrel; strong springs & sears to lock, sliding safety; small hole in hammer nose; slab sided walnut stock presents well, some minor handling marks but retains vg. metal-to-wood fit; overall in g.+ cond. **N/L** **500 - 700**
35. **FINE & ORNATE PERCUSSION PEPPERBOX REVOLVER by NIXON:** .36 cal.; 3" (78m/m) barrel cluster; all six bores are in f. cond., oxidation scale build up; even dark plum patina to barrels & steel small parts, lightly tarnished patina to German silver frame & straps; Birmingham proofs to each of the barrel flutes, back strap engraved with *NIXON*. within oval; frame, straps are extensively engraved with acanthus scroll & border engraving, floral motif engraved to trigger guard; strong springs & sears, barrels indexing well; walnut grips would border on exc. if not for small chip to lh grip at head, chequering to both remains sharply-defined; overall in vg. cond. **#124** Pre 1900 L/R *One of the nicest pepperboxes to come through our auctions.* **1000 - 1400**
36. **FULL-STOCKED PERCUSSION TRAVELLING PISTOL by PATRICK of LONDON:** 28 bore; 7" octagonal twist-damascus barrel with f. bore; mottled plum patina to barrel, remainder of metalwork with a dark grey patina; *PATRICK* engraved to lockplate, top of breech with sunken, gold washed, copper cartouche embossed with *LONDON*; Birmingham proofs to underside of breech; border & light coverage of floral engraving to lock, small parts; crisp lock mechanism, sliding hammer safety & captive ramrod; walnut full stock presents v. well, light handling marks overall but chequering to grip remains sharply-defined & metal-to-wood fit is vg.; some fine cracks to forestock; vacant square escutcheon below top tang; overall in g. to vg. cond. **N/L** **900 - 1200**
37. **MASSIVE BRITISH S/B PERCUSSION OFFICER PISTOL:** 11 bore; 9" round barrel with p bore., oxidation scale throughout; barrel has been cleaned back, now with a patchy dark plum patina but still bearing patchy pitting; grey patina & pit peppering to remainder of metalwork; top of barrel engraved *LONDON*, makers name to lockplate is now indistinct; Birmingham proofs to lhs breech; back action lock, strong springs & sears but needs an oil; captive ramrod; walnut half stock in vg. cond., only light handling marks & bruising overall but retains vg. metal-to-wood fit, well-defined chequering; large silver forewood cap; overall in f. to g. cond. **N/L** **1000 - 1500**
38. **FULL-STOCKED PERCUSSION TRAVELLING PISTOL by WILSON of LONDON:** 22 bore; 6" octagonal barrel with p. to f. bore, some pitting, oxidation scale; metalwork has been cleaned back to a silver-grey patina, some minor staining, fine pitting; *WILSON* engraved to lockplate, *LONDON* to top of barrel; underside of barrel marked with London **V & P** proofs; light acanthus scroll engraving to lock & trigger guard; strong lock springs & sears, captive ramrod; top tang has snapped in half; walnut full stock presents well, some handling marks & light bruising but retains vg. metal-to-wood fit; vacant square silver escutcheon below top tang; overall in f. cond. **N/L** **600 - 900**
39. **BRITISH S/B TURN-OFF PERCUSSION POCKET PISTOL:** .430 cal.; 3" round barrel with p. to f. bore, some oxidation scale & pitting; soft brown patina to majority of metalwork; Birmingham proofs to breech & barrel; light scroll engraving to frame & side plate; strong lock spring & crisp sears; turn-off barrel is frozen on; slab sided walnut stock presents well, some filler to head; overall in f. cond. **N/L** **300 - 500**
40. **BELGIAN S/B FOLDING TRIGGER PERCUSSION POCKET PISTOL:** .450 cal.; 2 1/2" turn-off round barrel with p. to f. bore; silver-grey patina to majority of metalwork, some patchy staining; **E/LG** Belgian proof to lhs breech, acanthus scroll engraving to frame; strong lock springs & sears, vgc. slab sided walnut stock, some minor handling marks but retains vg. metal-to-wood fit; overall in g. cond. **N/L** *A nice, honest little pocket pistol.* **400 - 600**

41. **TURN-BARREL PERCUSSION POCKET PISTOL** by **T. WILSON of LIVERPOOL**: .34 cal.; 3” (75m/m) barrels with p. bore, oxidation scale in both but should clean up; mottled grey patina to majority of metalwork, some minor frosting & staining; top of barrel engraved **T. WILSON & Co LIVERPOOL**; Birmingham proofs to barrels; acanthus scroll engraving to frame; strong lock springs & sears, captive ramrod & sliding safety; walnut stock presents decent, large replacement section has been grafted to rhs & has been chequered, half presentable; remainder of chequering is well-defined; vacant diamond silver escutcheon inlaid to spine of grip; steel butt cap with flip up trap; overall in g. cond. **#202** Pre 1900 L/R **700 - 900**
42. **F. BARRY ‘IMPROVED’ BAR HAMMER PEPPERBOX REVOLVER**: .36 cal.; 4” (99m/m) barrel cluster; all six bores are in f. cond., one with slight ding at muzzle; dark patina & light pit peppering to majority of steel parts, bright finish to German silver frame & straps; **F. BARRY. 35 LENCH ST. BIRM.** engraved within scroll banner to lhs side plate, rhs frame **IMPROVED/ REVOLVING/ PISTOL** within ovate to rhs frame; Birmingham proofs to barrel flutes; strong springs, barrels do index; smooth walnut grips present well, some minor handling marks to both; overall in f. cond. **#345612** Pre 1900 L/R **400 - 600**
43. **TURN-BAREL O/U PERCUSSION BAYONET PISTOL** by **BLISSETT of LONDON**: .468 cal.; 4” (104m/m) barrel block with f. bores, some minor speckled oxidation, would clean up well; grey patina to majority of metalwork, some pit peppering around nipples; top barrel engraved **BLISSETT LEADENHALL ST LONDON**; Birmingham proofs to rhs barrels; border engraved frame with light coverage of defined acanthus scroll engraving; strong lock springs & sears, some play on barrels axis; bayonet & release latch to lhs barrel block, operates manually, no spring; walnut stock in g. cond., fine chequering is well-defined, some minor handling marks; vacant silver escutcheon to spine of grip, German silver butt cap with rosette engraving pattern; overall in f. to g. cond. **#211** Pre 1900 L/R **700 - 1100**
44. **IMPRESSIVE UNDER OVER PERCUSSION PISTOL** by **F. BARNES of LONDON**: .54 bore (.445 cal.); 5” (126m/m) barrels with f. bores, some oxidation scale but micro-groove rifling remains sharply-defined; soft grey mottled patina to majority of metalwork, some original blueing & case colours remaining in protected areas; **F. BARNES & Co LONDON**, inlaid in gold to top of barrel, some inlay losses; Birmingham proofs to lhs barrels; crisp & ornate acanthus scroll engraving to frame which extends to hammers, trigger guard; matching hammers with strong spring tension & crisp sears, sliding safety’s, lh with broken tab; belt clip to lhs frame & captive ramrod; V-notch rear sight & silver bead front; walnut stock in g. to vg. cond., some light bruising to v. fine chequering, vacant silver oval escutcheon to spine of grip; oval butt cap with flip-up trap, rosette engraved to lid; overall in vg. cond. **#153** Pre 1900 L/R **A top quality and hefty mid-century side arm.** **2500 - 3000**
45. **CASED & ENGRAVED F.N. BROWNING MOD. BABY VEST POCKET**: .25 ACP cal.; 6 rnd. mag.; 2” (52m/m) barrel with vg. bore & sharply-defined rifling, some minor leading; bright silver coin finish to majority of metalwork, small parts incl. mag., trigger, safety are gold plated; extensive floral engraving to frame & slide; **573/ 1000** engraved to underside of frame, engravers initials **C.Doms** to rear of slide, lhs trigger guard; **FABRIQUE NATIONALE** marked to lhs slide; mechanically fine, strong springs & sears; nicely figured solid walnut grip panels, one small mark to lhs grip but both vg.+; pistol comes presented in a fitted factory **The Bible** case with dust cover; spine of book embossed with **BROWNING/ BABY** & modern Browning stag trademark; case in vg. cond., some wear to dust cover; overall in exc. wo & near exc. cond. **#205PZ4099** Post 46’ L/R **800 - 1100**
46. **CASED & ENGRAVED F.N. BROWNING MOD. BABY VEST POCKET**: .25 ACP cal.; 6 rnd. mag.; 2” (52m/m) barrel with vg. bore & sharply-defined rifling, some minor leading; bright silver coin finish to majority of metalwork, small parts incl. mag., trigger, safety are gold plated; extensive floral engraving to frame & slide; **427/ 1000** engraved to underside of frame, engravers initials **A.VanCuyck** to rear of slide, lhs trigger guard; **FABRIQUE NATIONALE** marked to lhs slide; mechanically fine, strong springs & sears; beautifully figured exhibition grade solid walnut grip panels, both exc.; pistol comes presented in a fitted factory **The Bible** case with dust cover; spine of book embossed with **BROWNING/ BABY** & modern Browning stag trademark; case in exc. cond. with cleaning rod; overall in exc. wo & cond. **#205PZ4150** Post 46’ L/R **1000 - 1500**

47. **D. PEDERSOLI MOD. LA BOHEMIENNE S x S HAMMER SHOTGUN:** 12G, 3" chambered; 28" barrels with interchangeable chokes, bores vg. but need a clean; strong brown coated finish to barrels, strong case colours to locks & action, metal finishes present vg.; light scroll etched to action & locks *La Bohemienne* to underside of action; action locks up tight, strong lock springs & sears, manual safety; walnut stock & semi-beavertail forend in g. to vg. overall cond., a few minor handling marks overall; chequering to forend & bag style grip are sharply-defined; 14 3/4" LOP incl. steel buttplate; overall in exc. wo & vg. cond. #18800638 L/R **400 - 600**
48. **SPANISH LANBER ARMAS MOD. IBARGUN S x S B.L.N.E SMALL BORE SHOTGUN:** .410 cal., 2 3/4" chambered; 26 1/4" barrels, choked cyl. & cyl.; bores dirty but appear g. to vg.; blued finish to barrels thinning to a dark grey patina, case colours on action still strong on sides; makers marks to top of both barrels; action locks up tight & on face, strong locks & auto safety; sling swivel to bottom rib, missing from stock; walnut semi-pistol grip stock & beavertail forend in f. to g. but sound cond., some handling marks & surface scuffs to varnish finish; chequering remains well-defined; 14 1/8" LOP incl. thin plastic buttplate; overall in exc. wo & f. to g. cond. #40718 L/R *A solid little gun for the field.* **400 - 600**
49. **VICTORIAN ISSUED L.S.A. Co MARTINI-HENRY MK.III SERVICE RIFLE:** 577-450 cal.; 33 1/8" barrel with g.+ bore & well-defined rifling, a little dull & some pit peppering towards muzzle; original blued finish to metalwork presents well, thinning areas have developed a plum patina, some light pitting to top of action; rhs of action marked with cypher/ **V.R./ L.S.A. Co / 1885./** Board of Ordnance stamp/ **III./ I.**; bottom rhs of action with small **VIC GOV** roundel; mechanically vg., action locks up well, strong sears & springs; std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs of front barrel band; retains steel cleaning rod; woodwork in g. to vgc., some light handling marks overall & small chips to head of stock; **LONDON/** broad arrow & **VIC GOV** (x2) roundels to rhs of stock; markings to woodwork are v. well-defined; steel butt plate; overall in vg. wo & g. cond. #13605 **N/L** *A good honest example, presents well.* **1500 - 1800**
50. **VICTORIAN NAVAL BRIGADE B.S.A. & M. Co MARTINI-HENRY MK.III SERVICE RIFLE:** 577-450 cal.; 33 1/8" barrel with g. bore & strongly defined rifling, some scattered pit peppering; brown patina to action, mottled appearance; dark patina to barrel & small parts; rhs of action marked with cypher/ **V.R./ B.S.A. M.Co / 1885./** Board of Ordnance mark/ **III./ I.** along with **V G T/ B'HAM & VIC GOV** roundel marks; mechanically exc., action locks up with strong sears & springs; **VR** proofs & **WD** marks to breech; std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs of front barrel band; retains steel cleaning rod; woodwork in g.+ cond., some light handling marks & bruising overall & some bruising; well figured walnut stock would clean up; faint **VIC GOV** (x2) & broad arrow/ **VG T/ BIRMINGHAM** roundels to rhs of stock, lhs stock marked with large **NAVAL/ SD / BRIGADE** roundel mark; overall in vg. wo & g. cond. #11726 **N/L** **1500 - 1800**
51. **G & S HOLLOWAY SIDELOCK N.E. S x S SHOTGUN:** 12G, 2 1/2" chambered; 30" barrels choked approx. 1/4 & full; shiny bores with patches of moderate pitting, free from bulges, f. overall; even dark patina to majority of metalwork; **G & S HOLLOWAY IMPERIAL WORKS BIRMINGHAM** engraved to top rib, makers name again to border engraved locks; Birmingham **1 1/8oz NITRO PROOF** marks to barrel flats; action locks up tight & on face, crip double triggers, auto safety; woodwork in g. sound cond., some bruising to forend & scattered handling marks to stock; defined chequering to splinter forend & bag style grip; 14 1/2" LOP incl. thin ventilated rubber recoil pad, vacant silver escutcheon to underside of stock; overall in vg. wo & f. to g. cond. #9590 L/R **250 - 500**

52. **ROBERT HUGHES & SONS S x S BOXLOCK N.E SHOTGUN:** 12G, 2 1/2" chambered; 30" twist damascus barrels choked approx. 1/4 & 3/4; bright bores, some light pitting, frosting in patches throughout with some scattered patches of heavier pits to breech area; barrels have been re-browned to a goldy-brown finish, exc. pattern definition; grey patina to action & strong blued finish to small parts; top of barrel engraved **ROBERT HUGHES & SONS, GRACECHURCH ST LONDON.**; Birmingham proofs to barrel flats & action tables; action has been retightened, locks up tight & on face, still stiff to open; Greener style crossbolt & auto safety; English style straight walnut stock & splinter forend, woodwork presents v. well with nicely figured grain to stock, some minor handling marks & scattered bruising overall; chequering to wrist & forend remains sharply-defined; vacant silver shield escutcheon inlaid to underside of stock; 14 1/4" LOP & 6lb 8oz weight; heel & toe butt plates; overall in vg. wo & g. cond. **#25158 L/R Presents well with some very unusual damascus twist pattern.** 500 - 700
53. **ORNATE BELGIAN S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30" twist damascus barrel choked approx. 1/2 & full; bores in g. to vg. cond., some frosting; strong browned finish to barrels with defined twist pattern, some spotted losses to lhs & patchy staining overall; silvery patina to majority of action & small parts, reblued trigger guard; top rib inlaid with **FINE LAMINATED STEEL** in silver, **ELG** liege proofs to barrels & **NON POUR BALLE** (not for ball) to lh barrel; light coverage of defined scroll engraving to locks & action, dogs to lock plates & deer engraved to underside of action, trigger guard; action locks up tight & on face, dolls head extension; bar action rebounding locks with matching hammers, strong springs & sears; nicely figured walnut stock & splinter forend, chequering to bag style grip & forend is sharply-defined; some minor handling marks but presents well; retains its original hard rubber buttplate with trio of deer to top; overall in exc. wo & g.+ cond. **#18219 L/R** 500 - 700
54. **I. HOLLIS & SONS S x S BOXLOCK N.E 'THE CHALLENGE SPECIAL PIGEON' SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 3/4 & full; bright bores with some scattered light pitting throughout both; strong re-blued finish to barrels & small parts, grey patina to action; top of file cut rib marked with makers name, **LONDON., THE CHALLENGE SPECIAL PIGEON**; makers name engraved to sides of action, light coverage of scroll engraving to the latter, small parts; Birmingham 1 1/4oz **NITRO PROOF** marks to barrel flats; action locks up with some minor movement, Greener style cross bolt, auto safety; walnut stock & forend present decent, some scattered bruising & general handling marks; chequering to bag style grip & splinter forend are well-defined; 14 1/4" LOP & 7lb 7oz weight; heel & toe butt plates; overall in vg. wo & g. cond. **#85544 L/R** 500 - 700
55. **WEATHERBY MOD. ATHENA SMALL BORE U/O SHOTGUN:** 28G, 2 3/4" chambered; 26" barrels with interchangeable chokes, bores need a clean but vg.; gloss blued finish to barrels presents well, a few storage marks overall; silver coin finish to action & small parts, light scroll engraving to action & side plate inlaid with gold game birds & dogs; **Weatherby ATHENA** marked to rhs of top barrel, **MADE IN JAPAN** & U.S. address marked to lhs; action locks up tight & on face, sides of breech retain much of their original jewellery; single selective gold trigger, manual safety & strong ejectors; nicely figured walnut stock & forend in vg. overall cond., some minor handling marks to both but chequering to bag style grip & forend remains sharply-defined; 14 1/4" LOP incl. 1" rubber recoil pad, 7lb weight; overall in exc. wo & vg. cond. **#DD00501 L/R Has seen very little work. A great little sub gauge on a sleek, scaled action.** 1200 - 1500
56. **WINCHESTER MOD. 94AE TRAPPER L/A CARBINE:** .45 long Colt cal.; 6 rnd. full length tube mag.; 16" round barrel with dirty bore, appears vg. with sharp rifling; strong blued finish to metalwork, bearing a few handling marks & light oxidation staining overall; **WINCHESTER, NEW HAVEN** address etc. marked to lhs barrel, rhs receiver marked with **1894-1994**; action cycles freely, strong springs & sears, push button safety; fitted with **Tasco 1.75 -5 x 20** scope in **WEAVER** rings, on two-piece alloy mounts; missing saddle ring to lhs action; stock & forewood present well, some light handling marks to both, g. to vg. overall; retains original plastic buttplate; overall in exc. wo & g.+ cond. **#6114687 L/R** 500 - 700
57. **BROWNING MOD. BL22 L/A RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. tube mag.; 20" round barrel with dusty bore, rifling crisp & appears to be vg.+ cond.; strong original glossy blueing to metalwork but bearing some handling marks & light scuffs; makers name & address/ **MADE IN JAPAN** marked to lhs barrel; action cycles smoothly, strong springs & sears; retains factory std. sights & fitted with **BUSHMASTER 4x32** scope; walnut stock & forewood in sound cond. but gloss coating bears extensive surface marks & light scuffs; overall in exc. wo & f. to g. cond. **#07712PZ126 L/R** 400 - 600

58. **WINCHESTER MOD. 94 L/A RIFLE:** 44 W.C.F (.44-40 Win.) cal.; full length, 10 rnd. tube mag.; 20" round barrel with bright bore & crisp rifling, dusty towards muzzle but appears exc.; blued finish to metalwork presents well overall, some speckled losses to rear of action & light surface oxidation in areas; makers marks to barrel obscured by barrel dovetail mount; action cycles freely, strong springs & sears, retains original front sight; fitted with steel **WEAVER** rings housing a **BURRIS 2.75X SCOUT** scope, optics clear; woodwork in g., sound cond., some general light handling marks overall, finish worn & presenting a bit dull overall; retains original buttplate; overall in exc. wo & g. cond. #4288546 L/R *Ideal little scrub gun.* 400 - 600
59. **IMPRESSIVE KRIEGSKORTE & Co (KRICO) MOD. 600 B/A SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 26" barrel with exc. bright bore & crisp rifling; strong blued finish to barrel with only some minor storage marks, silver steel finish to action with extensive coverage of oak leaf engraving which extends on to the top of the breech, trigger guard & mag.; bolt retains much of its factory jewellery; **KRIEGSKORTE & Co. STUTGART** marked to rhs barrel, **222 REM MAGN** marked to top & **MADE IN GERMANY** marked to lhs; bolt cycles freely, strong springs & crisp sears, gold double set triggers; original hooded front sight, rear have been removed; fitted with German **PECAR CHAMPION 8 X 32** scope on bridge mount; walnut stock in g. to vg. overall cond., some handling marks & scuffs but presents well; ornately carved oak leaf & acorn patterns extend to grip & forestock; cheek piece to lhs stock; retains original black grip cap & buttplate; overall in exc. wo & g. to vg. cond. #111471 L/R 1200 - 1800
60. **FINE SCHMIDT RUBIN K.31 STRAIGHT-PULL MATCH RIFLE:** 7.5x55m/m Swiss cal.; 5 rnd. mag.; 26" barrel with exc. bright bore & sharply-defined rifling; blued finish to metalwork presents exc., only trace storage marks but hard to fault, bright polished finish to bolt; crisp Swiss cross marked to top of breech, serial no. **P 264479** marked to lhs action & again to bolt; left-handed bolt handle marked **G. BURGIN/ BASEL**; bolt cycles freely, strong springs & crisp sears; std. 1-15 graduated rear target sight & globe front sight; nicely figured walnut stock presents exc., some minor handling marks overall but hard to fault; rhs but inlaid with ovate silver plaque marked **von der Holland-Marschgruppe/ gewidmet/ zum 100 jahrigen Bestehen/ des Schutzenvereins Zch-Affoltern**; steel butt plate; comes with accessories case, contains spare mag., springs, firing pins & peep sight; overall in exc. wo & cond. #P264479 L/R 2250 - 2750
61. **ZASTAVA ARMS MOD. LK-M85 'MINI MAUSER' B/A SPORTING RIFLE:** 7.62x39m/m cal.; 5 rnd. mag.; 20" barrel with dusty bore, appears vg.+ with sharply-defined rifling but will need a clean; glossy blued finish to metalwork presents exc., minor handling marks; lhs breech of barrel marked with cal., **ZASTAVA** full name & address marked to lhs action; bolt cycles freely, strong springs & sears; fitted with **NIKKO STIRLING 3-9 x 42** scope on two piece mounts, optics clear; hardwood stock in vg.+ overall cond., a few minor handling marks but presents exc.; chequering to grip & forewood is sharply-defined; overall in exc. wo & vg. to exc. cond. #38493 L/R 700 - 900
62. **MANNLICHER-SCHOENAUER MOD. 1903 B/A 'TAKE-DOWN' RIFLE:** 6.5x54m/m Mannlicher-Schönauer cal.; 5 rnd. rotary mag.; 23" barrel with g. bore, strongly defined rifling & shiny overall, some frosting in grooves & light pit peppering; original blued finish to metalwork presents well, slight plum patina developing on action & trigger guard, scattered patches of staining; patents, makers name & **M.1903** marked to top of breech, lhs action marked **OESTERR. WAFFENFABR.- GES. STEYR.**; distinctive spoon handle bolt cycles butter smooth, strong springs & crisp sears; standing rear sight with folding **300** leaf, tapered silver blade front; sling stud to forestock & swivel to underside butt; take down knobs to forestock & large screw to rear of trigger guard to take-down; walnut half stock with cheek piece to lhs in vg. cond., some light handling marks overall; chequering to pistol grip & forestock well-defined; steel forestock cap & oval steel grip cap; grooved steel butt with trap to centre for trio cartridge magazine; overall in vg. wo & cond. #17019 L/R 2000 - 2500

63. **MANNLICHER-SCHOENAUER MOD. 1908 B/A SPORTING RIFLE:** 8×56m/m Mannlicher–Schönauer cal.; 5 rnd. rotary mag.; 20” barrel with g.+ bore, strongly defined rifling & shiny overall, some frosting in grooves; original blued finish to metalwork presents well, slight plum patina developing on action & trigger guard, scattered patches of staining; patents, makers name & **M.1908** marked to top of breech, lhs action marked **OESTERR. WAFFENFABR.- GES. STEYR.**; distinctive spoon handle bolt cycles smoothly, strong springs & crisp double set triggers; fixed rear sight with folding 300 leaf; sling swivels to forestock & underside butt; Q.D. mount to breech; walnut full stock in g. to vg. cond., some light handling marks overall & general handling wear; chequering to pistol grip & forestock well-defined; steel forestock cap & oval horn grip cap; underside stock marked **22210**; grooved steel butt with trap to centre for trio of cartridge storage; overall in exc. wo & g. to vg. cond. **#5397** L/R **1900 - 2250**
64. **MANNLICHER-SCHOENAUER MOD. 1903 B/A SPORTING CARBINE:** 6.5×54m/m Mannlicher–Schönauer cal.; 5 rnd. rotary mag.; 18” barrel with bright bore & well-defined rifling, some fine pin prick pitting confined mainly to grooves; strong re-blued finish to metalwork presents well, thinning only slightly on mag., profiles; patents, makers name & **M.1903** marked to top of breech, partially obscured by Q.D. mount; lhs action marked **OESTERR. WAFFENFABR.- GES. STEYR.**; distinctive spoon handle bolt cycles butter smooth, strong springs & crisp sears; standing rear sight with folding **300** leaf, tapered blade front; walnut full stock with cheek piece to lhs, g. to vg. overall cond. with only minor handling marks, ; chequering to pistol grip & forestock well-defined; steel forestock cap & oval horn grip cap; grooved steel butt with trap to centre for trio cartridge magazine; overall in vg. wo & cond. **#23863** L/R **2000 - 2500**
65. **MANNLICHER-SCHOENAUER MOD. 1950 B/A SPORTING RIFLE:** .30-06 Sprg. cal.; 5 rnd. rotary mag.; 24” barrel with exc. bright bore & sharply-defined rifling; reblued finish to metalwork presents well overall, thinning slightly in areas & some oxidation staining patches to barrel; top of breech marked with defined **MADE IN AUSTRIA/ Original/ Mannlicher/ Schoenauer/ Mod. 1950/ Kal. 30-06; 54** proofs to lhs barrel & breech; distinctive spoon handle bolt cycles butter smooth, strong springs & crisp sear to double set triggers; standing rear V-notch sight with folding **300** leaf, tapered blade front sights; fitted with **HERTEL & REUSS OPTIK KASSEL** marked **6x47** scope on Q.D. high-mount, clear optics; walnut half stock presents well, cheek piece to lhs, semi pistol grips with cap & original grooved butt plate; woodwork in g. to vg. cond., some light handling marks, chequering remains sharply-defined; overall in exc. wo & vg. cond. **#15141** L/R **2250 - 2500**
66. **CASED MANTON & Co S x S BLACK POWDER EXPRESS HAMMER DOUBLE RIFLE:** .577 B.P.E cal.; 27” barrels with vg. bright bore & sharply-defined rifling; reblued finish to barrels is strong but has developed a dark patina, grey patina & some patchy lacquer on locks & action; presents a bit ordinary but would clean up well, free from any significant pitting; top lh barrel engraved with lightly defined **MANTON & Co GUN MAKERS TO H.R.H. THE**, rh barrel continues: **DUKE OF EDINBURGH K.G. LONDON & CALCUTTA**; makers name again engraved to locks; London **V & P** proofs to action tables & barrel flats, the latter marked **577 EX**; light coverage of sharply-defined acanthus scroll on locks & action; Jones underlever action locks up tight & on face, strong springs & sears to rebounding, back action locks, matching hammers; file cut top rib dovetailed with **150yd** standing express sight & folding **250** leaf, both inlaid with platinum sight lines, long tapering front blade sight, missing flip up night bead; walnut semi pistol grip stock with cheek piece to lhs, splinter forend; woodwork presents well, some minor chips & handling marks overall; steel buttplate; rifle comes in the original tropical canvas case; case in f. cond., some staining to exterior & green baize lining suffering front inspect damage; retains the original **MANTON AND COMPANY** paper trade label; overall in exc. wo & g. cond. **#6812 N/L** c.1880 **5000 - 7000**
67. **EARLY MARLIN MOD. 1894 L/A RIFLE:** .44 W.C.F (.44-40 Win.) cal.; full length tube mag.; 24” octagonal barrel with f. bore, rifling well-defined but peppered with moderate pitting throughout; re-blued finish to metalwork presents well, some minor patches of surface oxidation, fine pits remain on receiver; top of barrel marked with two-line **MARLIN NEW HAVEN** address, top of breech marked **44 40**; top of action marked **MARLIN SAFETY, MODEL/ 1894** to top tang; action cycles smoothly, v. light trigger; semi buckhorn rear sight, blade front; woodwork presents well, refinished, some minor handling marks; metal sitting proud of wood; period hard rubber butt plate with **RA** monogram to centre, some wear to top; overall in g. wo & cond. **#127716** Mfg. 1895 L/R **1200 - 1500**

68. **CASED JOHN RIGBY & Co. BOXLOCK EJECTOR S x S SHOTGUN:** 12G, 2 1/2" chambered; 30" barrels choked cyl. & 3/4; exc. bright bores; blued finish to barrels thinning in areas, case storage rubs & handling wear sound forend; action retains areas of faint case colours, grey patina to remainder; top rib engraved in the makers signature old English font: *Jno Rigby & Co 72 St James's Street London.*, name again to sides of action; barrel flats marked with **CLASS C**, London **V & P 1 1/8 NITRO PROOF** marks, **W&S, STEEL** Webley flying bullet trademarks; sharply-defined acanthus scroll engraving to 60%+ of action, tangs; action locks up tight but top lever is gummed up, slow to return to centre; ejectors are well timed, auto safety with gold inlaid **SAFE**; straight English style walnut stock with tear drops, splinter forend; sharply-defined chequering to wrist & forend, some minor handling marks overall; nicely figured grain; 14 3/4" LOP incl. original grooved horn buttplate; 6lb 7oz weight; comes in the original brass-cornered canvas case; case in g. sound cond., retains original **JOHN RIGBY & Co.** trade label, **Hammerless Guns CAUTION** label; green baize lining. Cond., retains two-piece cleaning rod; overall in vg. wo & g. to vg. cond. **#17095 L/R Comes with a Rigby letter confirming the gun was ordered for a ERS Campbell, delivered 15th March 1910 in the current configuration.** 2000 - 2500
69. **WINCHESTER MOD. 1885 LOW WALL TAKEDOWN RIMFIRE RIFLE:** .22 LR cal.; 24" heavy octagonal barrel with exc. bright bore & sharply-defined rifling; original blued finish to metalwork, thinning to a plum-brown patina especially on action & front of barrel; lhs barrel marked with two-line **NEW HAVEN** address, **22 LONG R.** marked to lhs barrel after breech, **PW** proof to top of barrel & breech; action operates smoothly, strong springs & sears; fitted with period **LYMAN** marked peep sight, adjustable globe front sight dovetailed to barrel; original rear dovetail is vacant, has been fitted with two sight mounts & two additional holes have been drilled & tapped before both mounts; original walnut stock in g. original cond., some light handling marks but only surface & metal-to-wood fit remains exc.; crescent steel buttplate; wide hardwood forestock appears to be an older replacement, has been refinished & chequered but in g. sound cond.; comes with a boxed **Lyman No. 5A Telescopic Rifle Sight** in the original box, signed & dated **1941**; scope in exc. cond. & retains all the original finish; overall in exc. wo & g. cond. **#113194 L/R** 1000 - 1500
70. **CASED J. RIGBY & Co. RETAILED BALLARD PAT. RIMFIRE RIFLE:** .22 long cal.; 26" octagonal barrel with g. bright bore & well-defined rifling, some light pitting ahead of chamber; original blued finish to metalwork has thinned a soft plum patina on barrel, action retains areas of strong case colours, grey patina to remainder; top of barrel engraved *JOHN RIGBY Co. LONDON & DUBLIN*, lhs action stamped with **J.M. MARLIN NEW-HAVEN CONN.U.S.A/ PATENTED FEBRUARY 9.1875/ BALLARD'S PATENT.NOV.5.1861**; London **V & P** proofs to lhs barrel, breech & block; action operates freely, strong springs & sears; blade front sights with ivory bead & folding blade rear sight both dovetailed to barrel; Lyman style adjustable peep sight fitted to rear of frame; walnut Schnabel top forend & straight stock present v. well, some scuffs & light bruises but both retains much of their original varnish; original steel buttplate; comes in the original fitted tarred canvas tropical carry case; case in poor cond. but retains the original **JOHN RIGBY & Co.** trade label, **W.A.G.** stencil painted to top of lid; overall in vg. wo & g.+ cond. **#9084 L/R** 2000 - 2500
71. **I. HOLLIS & SONS BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & extra full; bright bores, a bit dirty but appear vg. +; gun retains strong original blued finish to barrels & areas of vivid case colours on action but a mottled plum patina is developing on top; **I. HOLLIS & SONS. LONDON** engraved to top rib, barrel flats marked with Birmingham **1 1/4OZ NITRO PROOF** marks; light coverage of defined scroll engraving to action; action locks up tight, strong spring & sears, top tang with has cracked at bottom; walnut stock & forend present well, all original but bearing some light handling marks & bruising; chequering to bag style grip & forend is sharply-defined, vg. metal-to-wood fit; 14 1/2" LOP incl. original grooved buffalo horn buttplate; overall in exc. wo & g.+ cond. **#116075 L/R A very original & usable English shotgun.** 500 - 700

72. **UNSIGNED BRITISH BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & full; vg. bright bores, some superficial frosting; original blued finish to barrels, thinning from handling wear but presents well, action retains areas of vivid case colours; barrel flats marked with Birmingham **1 1/4OZ NITRO PROOF** marks; 70% coverage of crisp scroll engraving to action, presents well; action lock up tight & on face, Greener cross bolt, strong springs & sears; manual safety; crude replacement top tang screw; walnut stock & forend present well, all original but bearing some light handling marks & v. small partial crack below top tang; chequering to bag style grip & forend is sharply-defined, tear drops & grooved butt; 14 1/4" LOP; overall in exc. wo & g. to vg. cond. **#7502 L/R A good quality gun that has seen v. little work** **500 - 700**
73. **ROSS RIFLE Co. MOD. 1910 STRAIGHT-PULL SPORTING RIFLE:** .280 Ross cal.; 5 rnd. integral mag.; 26" barrel with f. to g. bore, rifling is v. well-defined but scattered patches of light oxidation scale throughout, needs a thorough clean; strong original blued finish to metalwork has developed a slight dark patina overall & some light oxidation staining but presents well; top of breech marked **ROSS RIFLE CO./ CANADA. M-1910/ PATENTED**, top of barrel marked **280 ROSS/ PROVED 28 TONS**; breech & barrel marked with Dominion Canadian proof; action cycles freely, strong springs & sears; flip up **0-500** V-notch leaf sight with platinum sighting line, pinned silver blade front sight, peep sight to top of action; walnut stock presents well, some light handling marks but chequering to forestock & grip is sharply-defined chequering; original knurled steel buttplate; overall in g. wo & g. to vg. cond. **#10297 L/R A classic rifle in the makers own calibre, would grade up significantly with some TLC** **1750 - 2250**
74. **ANSCHUTZ MOD. 1433 B/A SPORTING RIFLE:** .22 hornet cal., 5 rnd. mag.; 19 1/2" barrel with dirty bore, appears bright with sharply-defined rifling but needs a clean; glossy blued original finish to metalwork presents exc., some minor storage; makers name & **West-Germany** address to lhs of action, **Anschutz-Modell 1433** / cal. to top of barrel; German proofs to barrel & breech; bolt cycles smoothly, crisp trigger; retains factory folding rear sight & hooded front blade; fitted with **tasco 6x40** scope on two-piece mounts, dusty front lense; walnut full stock with cheekpiece to lhs, skip-line chequering to grip & forewood is sharply-defined; woodwork in vg. cond. overall; original black plastic butt; overall in exc. wo & vg. to exc. cond. **#1080970 L/R Mfg. 1975 Would make a brilliant & compact fox or goat rifle.** **1000 - 1500**
75. **WEBLEY & SCOTT LTD MOD. 700 B.L.E S x S SHOTGUN:** 12G, 2 1/2" chambered; 30" barrels choked approx. 1/4 & 1/2; bright bores lh barrel peppered with some shallow pits; strong blued finish to barrels, grey patina to action; makers name to top of rh barrel, **BIRMINGHAM** to lh; barrel flats marked with Birmingham **1 1/8OZ NITRO PROOF** marks; light scroll engraving to action; action locks up tight, strong springs & sears, well-timed ejectors, safety is frozen in place (disabled?); walnut English style straight stock & splinter forend, g. sound cond., chequering is defined, some light handling marks & bruising overall; 14 7/8" LOP incl. 1" rubber recoil pad; overall in vg. wo & g. cond. **#122046 L/R A good honest gun that would grade up with a clean & oil.** **350 - 500**
76. **F. BAXTER S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30" damascus barrels choked cyl. & cyl.; bright bores with scattered small patches of moderate pitting, slight rivet to lh barrel before muzzle, possibly a dent repair; grey patina to majority of metalwork, lightly defined damascus pattern to barrels, come light oxidation beside ribs; **F. BAXTER MAKER No.6 BATH ST BIRMINGHAM. BEST FINE DAMASCUS** engraved to top rib; Birmingham proofs to barrels; makers name & light scroll engraving to bar-action locks & action; action locks up tight, strong springs & sears, matching hammers; walnut English style straight stock & splinter forend, g. sound cond., chequering is defined, some light handling marks & bruising overall; 14 1/8" LOP incl. original gutta percha grip with deer motifs to top; overall in g. wo & cond. **#32 L/R** **250 - 400**

77. **STEYR MANNLICHER MOD. M FULL STOCKED SPORTING RIFLE:** .30-06 Sprg. cal.; 5 rnd. polymer rotary mag.; 20" hammer forged barrel with dirty bore, appears bright with sharply-defined but considered g. until properly cleaned; strong glossy blued finish to metalwork, some minor storage marks overall, defined hammer forged twist pattern to barrel; **STEYR-MANNLICHER-M** marked to lhs action, proofs & serial no. to rhs breech & barrel; bolt cycles freely, strong springs & crisp sears to double set triggers; retains original fixed sights & fitted with period **KKAHLES WIEN HELIA-Super** scope on Q.D. mounts; clear optics with fine crosshairs; walnut full stock with cheekpiece to lhs, skip-line chequering to grip & forewood is sharply-defined; woodwork in vg. to exc. cond. overall; original ventilated rubber recoil pad; overall in exc. wo & vg. to exc. cond. #149496 L/R **1600 - 1900**
78. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. polymer mag.; 24 3/4" barrel with vg. bore, bright with sharply-defined micro-groove rifling, some v. superficial frosting but hard to fault; original blued finish to majority of metalwork presents well, has thinned slightly on rhs barrel; **BRNO MOD. 2** marked to barrel, **68** proofs to action & breech; strong blued finish to bolt, cycles freely, strong springs & sears; retains factory tangent rear & blade front sight with hood; walnut stock presents well, some scattered handling marks & grazes but presents well; chequering to grip & forewood is v. well-defined; retains sling swivels & original buttplate; overall in exc. wo & g. to vg. cond. #157520 L/R **500 - 700**
79. **SMALLWOOD of SHREWSBURY BOXLOCK EJECTOR S x S SHOTGUN:** 12G, 2 3/4" chambered; 26" barrels, shortened, now cyl. & cyl. choked; vg. bright bores, some frosting; strong blued finish to barrels with some minor handling & storage marks; makers name & address to top of barrel; barrel flats marked with Birmingham **1 1/8oz NITRO PROOF** marks; light coverage of defined scroll & gamebird engraving to action, pair quail, pheasant & ducks; action locks up tight & on face, strong & well-timed ejectors, auto safety; nicely figured walnut English style straight stock & splinter forend in g. to vg. cond., some light handling marks & bruising to surface; chequering to wrist & forend is well-defined; 14 3/4" LOP to grooved butt; overall in exc. wo & g. cond. #5433 L/R **400 - 600**
80. **WILLIAM FORD SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 3/4" chambered; 28" sleeved barrels choked approx. cyl. & 1/2; exc. bright bores; strong blued finish to barrels with some minor handling & storage marks; silvery grey patina to action & locks; top rib engraved **WILLIAM FORD LTD. BIRMINGHAM**; barrel flats marked with **3 1/4 TONNE** Birmingham **BNP** nitro proofs; **WILLIAM FORD** engraved to locks within scroll banner, 80%+ coverage of best acanthus scroll to locks & action; top lever inlaid with gold **2, PUSH** inlaid in gold to forend release; action locks up tight & on face, Purdey style hidden third bite, strong & well timed ejectors; gold inlaid auto **SAFE**, gold cocking indicators; original walnut straight stock & splinter forend present a little grubby & tired, chequering & tear drops are only lightly defined, there is some residue on comb; 14 7/8 LOP to chequered butt with engraved toe plate; 6lb 7oz weight; overall in exc. wo & g. cond. #5399 L/R *A top quality seven-pin sidelock with some gorgeous walnut, would grade up significantly with a clean & oil.* **1500 - 1750**
81. **GERMAN MERKEL DRILLING COMBINATION GUN:** 12G x 12G (2 3/4" chambered) x 7x57m/m cal.; 25" barrels, shotgun barrels choked approx. full & extra full; exc. bright bores, rifle barrel with sharply-defined rifling; strong blued finish to barrels, only light storage marks but presents exc.; silver finish to action; **GERR. MERKEL SUHL/ MADE IN G.D.R.** marked to lh barrel; light coverage of scroll engraving to action, lhs action with buck relief engraving, rhs with trio of ducks; action locks up tight & on face, side clips, Greener style cross bolt & side safety; trio of brass cocking indicators; screws untouched; flip up rear sights & blade font; fitted with **Carl Zeiss Jena DDR ZF4/S** scope on quick detachable mounts; clear optics, classic German reticle #1; walnut stock with cheek piece to lhs, some light handling marks but exc. overall; chequering to semi-pistol grip & beavertail forend is well-defined; overall in exc. wo & cond. #975281 L/R *Has seen v. little work, a great combination gun in a classic calibre.* **2750 - 3250**

82. **J.P. SAUER & SOHN MOD. 3000 DRILLING COMBINATION GUN:** 12G x 12G (2 3/4" chambered) x 9.3x74m/m cal.; 25" barrels, shotgun barrels choked approx. 3/4 & full; exc. bright bores, rifle barrel with sharply-defined rifling; strong blued finish to barrels, only light storage marks but presents exc.; silver finish to action; **J.P. SAUER & SOHN/ MADE IN WESTERN GERMANY** marked to lh barrel, rhs barrel marked **MOD. 3000**; light coverage of scroll engraving to action, lhs action with buck & doe relief engraving, rhs with fox & pair ducks; action locks up tight & on face, side clips, Greener style cross bolt & side safety; trio of brass cocking indicators; screws untouched; flip up rear sights & blade font, fitted with **Carl Zeiss Jena DDR ZF4/S** scope on rib mount; clear optics, classic German reticle #1; walnut stock with cheek piece to lhs, some light handling marks but near exc. overall; chequering to semi-pistol grip & beavertail forend is well-defined; overall in exc. wo & cond. **#G9977 L/R A great combination gun in the hard hitting 9.3x74m/m calibre.** 2750 - 3250
83. **DRILLING COMBINATION GUN by J.A. FRANK of STETTIN:** 16G x 16G (2 1/2" chambered) x 7.9x57m/m cal.; 26 3/4" barrels, all barrels are g. to vg., some light frosting, rifle barrel with well-defined rifling; thinning original blued finish to decent, honest wear & some handling marks; ; grey patina to action with full coverage of relieve floral scroll & game scene engraving; top of rib engraved **J.A. FRANK, STETTIN**, German proofs, **KRUPP & Nitro** marked to each barrel; action locks up tight & on face, side clips, Greener style cross bolt & side safety; trio of brass cocking indicators; flip up rear sights & blade font; horn trigger guard in g. cond.; walnut stock with cheek piece to lhs, some light handling marks & bruising overall, head of stock has some dowel repairs; chip to toe of stock is lifting; engraved magazine trap inlaid to underside of stock, mechanism working well; overall in g. wo & g. to vg. cond. **#206 L/R A nice old example with some interesting features.** 900 - 1400
84. **GERMAN UNDER OVER COMBINATION GUN:** 16G, 2 1/2" chambered & .22 hornet rifle barrel; 26 1/2" barrels, both bright but forcing cone of shotgun barrel is peppered with pits, rifle barrel is vg., well-defined rifling; blued finish to barrels presents well, some light storage marks & wear overall; grey patina to action with full coverage of relieve floral scroll & game scene engraving; **Nitro** marked to lhs breech, British **BNP** reproofs to **KRUPP** barrels; makers name has been lightly defaced on top of rib, can only make out a few letters; action locks up with some movement, strong springs & crisp trigger sears, cocking indicators; chamber has been sleeved; fixed V-notch rear sight with folding leaf, long tapered front blade front sight with brass bead; fitted with period **HENSOLDT/ WENZLAR 2 3/4 X 21** German scope on quick detachable mounts; scope with some marks to finish but optics are clear, German reticle #1; walnut stock with cheek piece to lhs, handling marks & bruising but free from cracks or repairs; chequering to semi-pistol grip & forend is showing wear; overall in g. wo & cond. **#1080 L/R A high quality German combination gun that would respond well to some straight-forward restoration.** 700 - 900
85. **WINCHESTER MOD. 1892 L/A RIFLE:** .44 WCF (.44-40 Win.) cal.; full length 14 rnd. tube mag.; 24" round barrel with g. bore & sharply-defined rifling, fine pitting throughout but still bright; reblued finish to metalwork presents ordinary, patchy in areas & still bearing fine pitting on action & other surfaces, some light peening; faint **NEW HAVEN** two-line address to lhs barrel, defined **44 W.C.F** to breech end; underside of action stamped with **R3235** below serial no.; std. top tang marks; action cycles freely, strong springs & sears; semi buckhorn rear & pinched blade front sight; walnut stock & forend have been refinished, both present well & retain g. metal-to-wood fit; crescent steel buttplate; overall in exc. wo & g. cond. **#908010 L/R** 600 - 800

86. **IMPRESSIVE WALSH LOVETT & Co. S x S HAMMER DOUBLE RIFLE:** 16 bore, 2 1/2" chamber; 4000 - 4500
 28" twist damascus barrels with vg. bright bore & sharply-defined rifling, some minor frosting; dark plum patina to barrels with defined damascus pattern; patchy reblued finish to action & locks; **WALSH. LOVETT. & Co. LONDON** inlaid in gold to top of barrel, & again to locks within banner, less address; Birmingham proofs to barrels; extensive border & light scroll gold inlay to action & locks, double gold bands to breech, extending onto small parts incl. top lever, hammers etc.; action locks up tight, strong lock springs & sears; v. wide rib dovetailed with express sights, fixed 50 yd & folding 100, 200, 300, each with platinum inlaid sighting lines, tapered blade front sight; additionally, comes with the original sliding ladder sight which fits on to the wide rib, rib is inlaid with an incredible sixteen gold bands & numbers with inlaid 1-16; walnut stock & splinter forend present well, some light handling marks & bruising but presents well; cheekpiece to lhs stock; chequering to forend & bag style grip is well-defined; vacant shield silver escutcheon to underside of stock along with sling stud, another to underside of barrel; fitted with rubber recoil pad; overall in exc. wo & g. to vg. cond. #4209 L/R *An interesting piece, undoubtedly retailed by or made for the Walsh Lovett & Company after their Calcutta branch opened in 1874.*
87. **HEFTY BRITISH S x S PERCUSSION CAPE GUN by JOHN HAYTON:** 14 bore rh barrel, 32 bore 2000 - 2500
 (.545 cal.); 30" twist damascus barrels, rh smooth shotgun & two-groove rifled lh barrels are bot peppered with fine pitting throughout, some heavier pits towards muzzle of shotgun; grey patina to barrels & metalwork, barrels with some minor oxidation staining; **JOHN HAYTON** engraved within scroll banner to nose of both locks, makers name & address to top rib is indistinct; London **V & P** proofs, serial no. **S & J.W.** stamps to each barrel; well-defined & acanthus scroll engraving to locks, tangs & small parts, hound to rh lockplate, tiger to lh lock & cape buffalo engraved to patch box; strong lock springs & sears, matching flat side hammers; v. wide rib dovetailed with express sights, fixed 50 yd & folding 100, 200, 300, 400 each with platinum inlaid sighting lines, worn silver blade front sight; rib is engraved with graduations ranging from 1-20, missing the sliding ladder; replacement ramrod; original woodwork has undergone significant repairs, wrist & forewood has been painted black to hide repairs, several re-enforced dowls through wrist & several glued cracks around locks, some filler around buttplate; nicely figured walnut stock inlaid with patch box to rhs; overall in f. cond. #5039 N/L *An interesting & high quality piece with some stories to tell.*
88. **I. HOLLIS & SONS SIDELOCK N.E. S x S SHOTGUN:** 12G, 2 1/2" chambered; 30" barrels choked 350 - 500
 approx. 1/4 & 1/2; bright bores with some minor frosting overall, rh barrel with some small patches of pitting to top; worn blued finish to barrels now a dark grey patina, grey patina to locks & action; **I. HOLLIS & SONS. LONDON** engraved to top rib, barrel flats marked with Birmingham **1 1/8oz NITRO PROOF** marks; light coverage of defined scroll engraving to locks & action; action locks up tight, strong spring & sears to locks, auto safety; walnut stock & splinter forend present well, fine partial cracks running from lock tails, some general handling marks; chequering to bag style grip & forend is recut & sharply-defined; 14 3/8" LOP incl. 1" ventilated rubber recoil pad; overall in vg. wo & g. cond. #99437 L/R
89. **BRITISH COMMERCIAL MARTINI-HENRY SPORTING RIFLE:** .577-450 cal.; 26" barrel with vg. 700 - 900
 bore & well-defined Henry rifling, some minor frosting; blued finish to metalwork has thinned to a mottled brown patina, some handling marks & scuffs; border engraved action, no makers name; Birmingham commercial proofs to lhs breech & barrel; action operates freely, strong springs & sears, unusual lever fitted to rhs action looks to have been a home replacement; std. military pattern rear sight & front sight; walnut straight stock & forend present well, chequering to wrist & forend is well-defined, some light handling marks overall; horn forend cap; steel buttplate; overall in exc. wo & g. cond. #4236 N/L

90. **WESTLEY RICHARDS MOD. 1871 'IMPROVED MARTINI- SPORTING RIFLE:** .577/500 No.2 1500 - 1800
 B.P.E cal.; 28" barrel with vg. bright bore & sharply-defined Henry rifling; strong re-blued finish to metalwork presents well, some pit peppering along barrel, above forewood; lhs action engraved **WESTLEY RICHARDS/ PATENT EXPRESS RIFLE/ 170 NEW BOND St LONDON**; top of full length rib marked **HENRYS PATENT RIFLING & EXPRESS/ FOR No.2CASE**; Birmingham proofs, **514** marked to lhs breech; action with extensive & crisp acanthus scroll engraving, large tiger to lhs action & decorated elephant with rider to rhs; mechanically strong, action operates smoothly, strong springs & sears; single fixed rear sight with platinum sighting triangle, platinum bead to blade front sight; crude replacement cleaning rod; walnut semi-pistol grip stock & forend present decent, have been refinished but bearing some scattered handling marks & scuffs; grip with several dowel repairs for crack, feels sound; chequering is defined to grip but with scuff to lhs, smooth forewood; fitted with perished Pachmayr recoil pad; overall in exc. wo & f. to g. cond. #514 N/L
91. **W. TRANTER PATENT S/B HAMMER ROOK RIFLE:** .360 CF cal.; 26" octagonal barrel with g. to 700 - 900
 vg. bright bore & well-defined rifling, some minor frosting; original blued finish to metalwork, thinning to nice plum patina; **W. TRANTER/ PATENT** stamp to lhs frame, underside of barrel marked with **360 / No. 5** & Birmingham proofs; border engraved frame; strong springs & sears, action locks up tight; top of barrel dovetailed with express style rear sight with one standing, two folding leaf's, blade front; walnut straight stock presents well, some light handling marks but retains well-defined chequering, vg. metal-to-wood fit; overall in vg. wo & g.+ cond. #61704 N/L *A very original rifle*
92. **SIMSON BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & 300 - 500
 extra full; exc. cond. bright bores; original blued finish to barrels thinning from handling wear around forend but presents well; silvery patina around action; **SIMSON, SUHL (THURINGEN)** marked to rib; light coverage of scroll engraving to action; action locks up tight & on face, cocking indicators & auto safety; woodwork in g. sound cond., some light surface marks & bruising overall but presents well, head of stock has been repaired with interesting removable fastener; chequering is well-defined; 14 1/2" LOP; overall in exc. wo & g. cond. #204075 L/R *A good, solid & cheap field gun.*
93. **W.C. SCOTT & SON 'THE VICTORIA' S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30" 250 - 400
 barrels choked approx. 1/2 & 3/4; g. bright bores, some minor frosting patches & light pitting in areas; grey patina to majority of metalwork, slight brown patina on barrel, damascus pattern is defined; locks with some faint case colours; top rib engraved **W.C. SCOTT & SON The Victoria MAKERS & PATENTEES LONDON**, gold star inlay; barrel flats marked with London **V & P** proofs, **CHOKE** & serial numbers; 20% coverage of fine English scroll engraving to action & forend latch; makers name to locks; action is loose & needs attention, matching crescent hammers, strong springs & sears; beautifully figured walnut stock & splinter forend present v. well, repaired crack through wrist, some general handling marks; chequering to bag style grip & forend is recut & sharply-defined; 14 1/4" LOP incl. original grooved buffalo horn buttplate; overall in f. wo & g.+ cond. #46316 L/R *A pretty gun worth of some mechanical TLC*
94. **CUSTOM MAUSER MOD. MM410 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 24" heavy barrel 800 - 1200
 with vg. bright bore & sharply-defined rifling; thinning original blued finish to metalwork presents well, some minor oxidation speckling; **MAUSER-WERKE A.G. OBERNDORF A.n** marked to lhs action, proofs, cal. etc. marked to lhs barrel; engraved spoon-handle bolt cycles smoothly, strong springs & crisp trigger; original 30-200 graduated tangent rear sight & hemi-globe front sight; fitted with older **MEOPTA 4x** scope on two-piece Q.D. mounts; clear scope with German #1 reticle; original walnut stock has several period customisations incl, a large horn forewood cap, cheekpiece fitted to lhs with a carved shield & silver stag head, rhs stock inlaid with silver oak leaf, diamond pattern bakelite & wood inlays; chequering to forestock & grip is v. well-defined; overall in exc. wo & vg. cond. #117776 L/R *A very interesting build, bearing some pretty unique features.*

95. **Wm CASHMORE SINGLE BARREL HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 31" barrel choked approx. 1/2; bright bore, some patches of frosting & v. light pitting, g.+ overall; original browned finish to barrel presents well, thinning but damascus pattern is well-defined; faint case colours on action & lock; **Wm CASHMORE MAKER BIRMINGHAM** engraved to top of barrel, Birmingham proofs to underside; action locks up with some minor movement, w/o forend fitted, strong back action lock springs & sears; walnut stock & forend present well, all original but bearing some handling marks & bruising; chequering to bag style grip & forend is v. well-defined, horn forend cap; 14 1/4" LOP incl. original horn buttplate; overall in vg. wo & g. cond. **#11291** L/R *A very original, honest example. Colonial working guns rarely survive in this condition.* 150 - 300
96. **STEYR MANNLICHER MOD. CLASSIC FULL STOCKED SPORTING RIFLE:** .270 Win. cal.; 5 rnd. polymer rotary mag.; 20" hammer forged barrel with exc. bright bore & sharply-defined rifling; strong glossy blued finish to metalwork, some minor storage marks overall, defined hammer forged twist pattern to barrel, presents exc.; *Classic Mannlicher* marked to lhs action, proofs & serial no. to rhs breech & barrel; spoon handle bolt cycles freely, strong springs & crisp sears; retains original fixed sights & fitted with **Swarovski 3-10x42 HABICHT** scope on two piece mounts; clear optics with crosshairs; walnut full stock with cheekpiece to lhs, crisp chequering to grip & forewood is sharply-defined; other than some minor handling marks, bordering on flawless; original black rubber recoil pad; overall in exc. wo & exc. cond. **#1039102** L/R *A great package that would suit a new gun buyer.* 2500 - 3000
97. **FRENCH S.A.C.M MOD. 1935A S/A PISTOL:** 7.65x20m/m Long cal.; 8 rnd. mag.; 4 3/4" (120m/m) barrel with g. bore, sharply-defined rifling but needs a clean; thinning original blued finish to metalwork, presents ordinary; **Mle 1935_A, S.A.C.M.** & serial no. marked to lhs frame; slide retracts freely, strong springs & sears, rounded knurled hammer; original black plastic chequered grip panels in g. cond., some handling marks; overall in exc. wo & f. to g. cond. **#F5414A** Pre 47' L/R 300 - 500
98. **SHANGHAI POLICE ISSUE COLT MOD. 1908 POCKET PISTOL:** .380 ACP cal.; 7 rnd. mag.; 93m/m barrel with f.+ bore, rifling is well-defined but speckled with surface oxidation throughout, needs a clean out; reblued finish to metalwork presents poorly, some handling scuffs, patchy loses & pit peppering around grip panels; lhs of slide marked with **HARTFORD** address partially obscured by the distinctive spring milled into slide; rhs of slide marked with **COLT, AUTOMATIC/ CALIBRE.380 HAMMERLESS**; rhs of slide marked **SHANGHAI MUNICIPAL POLICE/ No 172**; markings are defined; strong springs & sears; original matching chequered grips in g. overall cond., lh grip with some chips to top lhs; lanyard loop to lhs frame; overall in g. wo & f. cond. **#885697** Pre 47' L/R 600 - 900
99. **INTERARMS MFG. WALTHER PP S/A PISTOL:** .380 ACP cal.; 7 rnd. mag.; 3 1/4" (83m/m) barrel with vg. bright bore & crisp rifling; bright brushed finish to stainless steel metalwork, bearing some handling marks & scuffs; **INTERARMS/ ALEXANDRIA, VIRGINIA** marked to rhs slide, **WALTHER** banner trademark, **MADE UNDER LICENSE OF/ Carl Walther** full name, model, cal.; slide retracts freely, strong springs & sears; smooth walnut two-piece grip in g. cond., some light handling marks; overall in exc. wo & g. cond. **#A085684** Post 46' L/R 500 - 700
100. **ARGENTINE H.A.F.D.A.S.A MFG. BALLESTER MOLINA S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5" (127m/m) barrel with f. to g. bore, rifling is well-defined but dirty with leading and possible frosting, needs a good clean; thinning original blued finish to metalwork, some light handling marks, presents ordinary; rhs slide marked with well-defined crest, **EJERCITO ARGENTINO**, lhs slide marked with full name, address, **PISTOLA AUTOMATICA C.11.25m/m** etc.; slide retracts freely, strong springs & sears; grooved wooden grip panels in f. cond., both showing wear & some moderate to heavy handling marks; overall in vg. wo & f. cond. **#36316** Pre 47' L/R 300 - 500

101. **REMINGTON RAND MFG. 1911A1 S/A SERVICE PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5" (125m/m) barrel with f.+ bore, rifling is sharply-defined but peppered with fine pits, frosted throughout; original Du-lite military finish presents well, externally peppered with some fine pits & light staining but profiles & marking remain well-defined; lhs slide marked **REMINGTON RAND INC./ SYRACUSE, NEW YORK U.S.A.**, lhs frame marked with **FJA** inspection mark; rhs frame marked with crossed cannon acceptance mark to rear, **UNITED STATES PROPERTY/ NO. 1428588, 1911 AI U.S. ARMY**; mechanically strong, slide retracts freely, strong springs & sears, correct narrow hammer, unmarked magazine; original Keyes fibre grips, both panels with defined chequering, bearing only light wear & scattered surface handling marks; overall in vg. wo & g.+ cond. #1428588 c.1943 Mfg. L/R **2500 - 3000**
102. **SMITH & WESSON MOD. 28-2 HIGHWAY PATROLMAN D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with vg. bright bore & crisp rifling; blued finish to metalwork presents v. well overall, some minor blemishes to top of frame, around muzzle; **SMITH & WESSON** to lhs barrel, cal. & **HIGHWAY/ PATROLMAN** to rhs; **SW** monogram trademark to lhs frame, address to rhs; cylinder indexing well, strong springs & sears; fitted with rubber **HOGUE MONOGRIP** which is in vgc.; overall in g. cond. #N564243 Post 46' L/R **400 - 600**
103. **BRITISH MARKED COLT NEW SERVICE D.A. REVOLVER:** .455 Eley cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with sharply-defined rifling, needs a clean but appears vg.; 30% original blued finish to protected areas of frame, mottled plum-grey patina to majority of barrel, cylinder, frame etc.; lhs of barrel marked **NEW SERVICE 455 ELEY**, two-line **HARTFORD** address marked to top of barrel; lhs of frame marked with rampant horse trademark; lhs breech marked with crossed flag mark, British **6B/E** & broad arrow mark to back of lhs top strap; makings to revolver are sharply-defined; strong springs, crisp sears & cylinder indexing well; original hard rubber grips showing little wear, both with sharply-defined chequering, **COLT** to top, could use a clean; lanyard swivel to butt of backstrap; overall in exc. wo & g. cond. #130327 Mfg. c.1917 L/R **800 - 1200**
104. **SMITH & WESSON MOD. 13-2 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with vg. bright bore & crisp rifling; glossy reblued finish to metalwork presents ok, some minor pits still present on frame & thinning on side plate; **SMITH & WESSON** to lhs barrel, cal. to rhs; **SW** monogram trademark, four-line address to rhs; mechanically v. strong, cylinder indexing well; original grips in g. to vg. cond., chequering well-defined, some surface handling marks; overall in exc. wo & g. cond. #6D05154 Post 46' L/R **300 - 500**
105. **CZECH CZ MODELL VZ 27 S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 4" (101m/m) barrel with g. bore, well-defined rifling throughout, needs a clean; original blued finish to metalwork, some honest wear to profiles small parts with thinning straw finish; **CESKA ZBROJOVKA AKC SPOL v PRAZE** marked to top of slide, matching no. marked to slide & frame; slide retracts freely, strong springs & sears; single piece bakelite grip in g.+ cond., chequering & **CZ** trademark to both sides is sharply-defined, some surface scuffs to rhs; lanyard swivel to butt; overall in exc. wo & g. to vg. cond. #15031 Pre 47' L/R **600 - 800**
106. **CZ MOD. VZOR 50 S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 3 3/4" (96m/m) barrel with vg. bright shiny bore & crisp rifling; original blued finish to metalwork presents exc., thinning slightly at front of slide; **Z** trademark roundel, **VZOR 50 CAL 7,65** marked to lhs slide; slide retracts freely strong springs & sears, d.a. hammer; black bakelite grip in vg. sound cond., some lightly handling marks; overall in exc. wo & vg. cond. #C20415 Mfg. 1967 L/R **400 - 600**
107. **WWII GERMAN OCCUPIED F.N. BROWNING MOD. 1922 S/A PISTOL:** .32 ACP cal.; 9 rnd. mag.; 4 1/2" (114m/m) barrel with vg. bright bore, sharply-defined rifling; original blued finish to metalwork presents well, some light holster wear but 90%+ remaining; lhs of slide marked with FN full name, Belgian address/ **BROWNING'S PATENT DEPOSE**; Waffenamt **WaA140** & eagle marks to lhs slide, barrel & frame; all matching numbers are matching; all markings are sharply-defined; slide retracts freely, strong springs & sears; walnut chequered grip panels in f. to g. cond., rh grip bearing the majority of handling marks & wear; overall in exc. wo & g.+ cond. #2085C Pre 47' L/R **800 - 1200**

- 108. WWII ERA MAUSER MFG. '42 CODE' P08 LUGER S/A SERVICE PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g.+ bore, rifling is sharply-defined with superficial frosting & fine pit peppering in patches; blued finish to metalwork presents well, thinning to a grey patina on top of the breech & at muzzle, some fine pitting to lhs muzzle; **1940** marked to top of breech, **42** to top of toggle; serial no. **6300** marked to lhs breech, abbreviated **00** marked to all externally visible small parts excl. mag. (#**2272**); pair Waffenamts **655** marks to rhs breech along with eagle proof, another on barrel; mechanically exc., toggle retracts smoothly, crisp sears; chequered walnut grips panels both in g. cond., some light handling marks & general wear; overall in exc. wo & g. to vg. cond. #**6300** Mfg. 1940 L/R **1750 - 2250**
- 109. P. BERETTA MOD. 1934 S/A PISTOL:** .380 ACP cal.; 7 rnd. mag.; 86m/m barrel, bore is generally bright & rifling is sharply-defined, some leading but vg. overall; blued finish to metalwork, some surface marks overall & thinning to a brown patina on slide; **P. BERETTA CAL 9 CORTO MO 1934 BREVET./ GARDONE V.T. 1941.** marked to lhs slide; slide retracts freely, strong springs & sears; original black plastic grips with **PB** monogram to base, general wear & handling marks to both; overall in vg. wo & g. cond. #**973426** Pre 47' L/R **500 - 700**
- 110. PRE-47' MAUSER MOD. HSC S/A PISTOL:** .32 ACP; 8 rnd. mag.; 85m/m barrel with vg. bore & sharp rifling; original blued finish to metalwork, with honest holster wear thinning finish on profiles, some minor oxidation; lhs slide marked with **MAUSER** trademark & **Mausser-Werke A.G. Oberndorf a.N/ Mod. HSC Kal. 7.65mm**; slide retracts freely, strong springs & sears; original walnut grip panels in sound cond., some general handling marks & wear, chequering remains defined; overall in exc. wo & g. cond. #**964395** Pre 47' L/R **700 - 900**
- 111. HUNGARIAN FEG MOD. AP S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 4" (100m/m) barrel with exc. bright bore & sharply-defined rifling; g. blued finish to slide & steel parts, blacked finish to alloy frame is thinning to a yellowy appearance; **Cal. 7.65mm Browning/ MADE IN HUNGARY FEG-BUDAPEST** to lhs slide; slide retracts freely, strong springs & sears; magazine release & magazine a bit sticky, feels like dried grease; black polymer grips in vg. cond., some light handling marks to both; overall in exc. wo & g. cond. #**BB87934** Post 46' L/R **300 - 500**
- 112. MAUSER C.96 'BROOMHANDLE' S.A. PISTOL:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with vg. bright bore & sharply-defined rifling; re-blued finish to metalwork presents well, some minor handling marks & speckled oxidation overall; base of mag. with some scuffs from being struck back; **MAUSER** trademark marked to lhs frame, **U** proof to lhs of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & rhs of frame, the latter marked with full **A/ NECKAR / D.R.P.a.U.P; 902013** marked to top of bolt housing, all other parts are unnumbered other than non-matching bolt #**272**; mechanically strong, bolt retracts freely, strong springs & sears; **50** to **1000** graduated rear tangent sight; 12-groove walnut grips in g.+ cond., some light handling wear to finish & general handling marks; lanyard ring to butt; overall in exc. wo & g. to vg. cond. #**902013** Pre 47' L/R **1400 - 1600**
- 113. EXCEPTIONAL MAUSER C.96 BOLO S.A. PISTOL & SHOULDER STOCK HOLSTER:** 7.63×25m/m cal.; 10 rnd. integral mag.; 4" (102m/m) barrel with vg. bright bore & sharply-defined rifling, some minor patchy frosting; original blued finish to metalwork presents superb, some trace storage marks overall but hard to fault; trigger, safety, extractor & other small parts retain vivid nitre bluing; **U** proof to lhs of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & again to rhs frame; **575402** marked to lhs breech rear of frame, bolt etc.; **Germany** marked to mag. floor plate & **MAUSER** trademark to lhs frame; mechanically fine, bolt retracts freely, strong sears, main spring tension a little weak; 50-500 graduated rear sights; two-piece walnut grips with sharply-defined 22 grooves to each, both bearing only light storage marks; complete with lanyard ring; comes with its matching number walnut shoulder stock holster with partial crack to back, some light handling marks & bruising; stock hinge with 80% nitre bluing, serial no. **5402** marked to lug tang. **MAUSER** trademark embossed to rhs stock; overall in exc. wo & cond. #**575402** L/R c.1923 -1930 Mfg. *One of those truly superb examples that look 'too good to be true'.* **2500 - 3500**

114. **PAIR of CONTINENTAL PERCUSSION S/B TARGET PISTOLS:** .41 cal.; 10" hexagonal & fluted barrel; bores are both g. to vg., in need of a clean but retains sharply-defined micro-groove rifling; silver-grey patina to majority of metalwork, some patches of staining but free from any significant pitting; defined acanthus engraving to lockplates, v. fine scroll extending to breech quarter & muzzle area of barrels; both pistols with g. spring tensions, adjustable triggers with strong sears; v. notch rear sight, steel blade front sights are dovetailed to barrels; walnut half stocks in g.+ cond., some general light handling marks & minor bruising, possibly refinished; flutes to grip sections are well-defined; steel butt caps with diamond pommels; overall in g. cond. **N/L** **2000 - 2500**
115. **PAIR of PERCUSSION TURN-OFF BARREL POCKET PISTOLS by MANTON of LONDON:** .430 cal.; 3" round barrels with f. bores, one with heavier patchy oxidation cal.; both pistols bearing a patchy dark patina to most surfaces; frames with light scroll & border engraving, *MANTON* engraved to lhs, *LONDON* to rhs; Birmingham proofs to breeches & barrels; strong lock springs & sears, turn off barrels lock up tight; slab sided walnut stocks are both in vg. cond., only light handling marks & both retains vg.+ metal-to-wood fit; vacant diamond silver escutcheons inlaid to spines of stocks; overall in g. to vg. cond. *N/L A lovely little pair, have seen very little work & would grade up significantly with a bore scrub.* **1000 - 1500**
116. **SCARCE U.S. NAVAL PERCUSSION CONVERSION PISTOL by W.L. EVANS:** .54 cal.; 8 1/2" round barrel with f. bore, some oxidation scale & pitting visible but should clean up; silver-grey patina to majority of metalwork incl. iron furniture; patchy light pitting to most surfaces but profiles & markings remain well-defined; **1831/ USN** marked to tail of lock, **W. LEVENS/ V. FORGE** to centre; **C1/ USN/ P** marked to top of breech; strong lock springs & sears, flintlock to percussion barrel conversion, belt hook to lhs, captive ramrod; walnut full stock presents v. well, has been tastefully cleaned up & bearing only light handling marks; top tang extending down spine of stock to meet steel butt cap; overall in g. cond. **N/L** **1100 - 1400**
117. **FRENCH AN IX PERCUSSION CONVERSION LAND PATT. PISTOL:** .656 cal.; 10" round barrel with g. bore, powdery red oxidation throughout but free from significant pitting; dark plum patina to majority of iron parts, mellow finish to brass furniture; some proofs to rhs barrel, **852** to lhs breech; plain bevelled lockplate with evidence of flintlock conversion, strong lock springs & full cock sear, half is weak; retains steel ramrod; walnut full stock presents well overall but has had cracks through centre of grip repaired, otherwise bearing only surface handling marks & light bruising; brass butt cap; overall in g. cond. **N/L** **700 - 900**
118. **FULL-STOCKED PERCUSSION TRAVELLING PISTOL by FENTON:** 17 bore; 7" octagonal barrel with f. bore; barrel has been cleaned up to a silver-grey finish, some minor staining & fine pitting; dark patina to lock & small parts; *FENTON* marked to lockplate, light coverage of scroll engraving to lock & small parts; strong lock spring & sears holding, captive ramrod; single silver band to breech; walnut full stock has been refinished & grip crudely re-chequered; crack running through middle of stock, lock now has p. metal-to-wood fit; overall in f. cond. **N/L** **500 - 700**
119. **FULL-STOCKED PERCUSSION TRAVELLING PISTOL by FENTON of LONDON:** 17 bore; 7" octagonal barrel with f. bore; silvery-grey patina to metalwork, patchy staining to barrel; *FENTON* engraved to lock, *LONDON* to top of barrel, Birmingham proofs to lhs breech; border engraved lockplate with light coverage of sharply-defined engraving; double silver bands to breech; strong lock springs & sears; replacement ramrod; walnut full stock has been heavily refinished, glossy coating hiding some subtle pinned & glued cracks, some handling marks overall; well-defined chequering to grip & vacant silver escutcheon below top tang; overall in g. cond. **N/L** **700 - 900**
120. **PAIR of CONTINENTAL PERCUSSION S/B TARGET PISTOLS:** .38 cal.; 10" octagonal barrels with f. to g. bores & sharply-defined rifling, some light oxidation scale; grey patina to majority of metalwork, faint patchy blueing remains on butt caps; acid etched barrels with v. fine twist patterns; pistols are unsigned but appear to be French; both pistols with g. spring tensions, adjustable triggers with strong sears; v. notch rear sight & silver blade front sights are dovetailed to barrels; hooked breeches; walnut half stocks present well, some general light handling marks & minor chipping, flutes to grip sections are sharply-defined; one pistol with partial fine cracks either side of bottom tang/ finial; steel butt caps with diamond pommels; overall in g. to vg. cond. **N/L** **2000 - 2250**

121. **FRENCH MOD. AN XIII PERCUSSION CONVERSION SERVICE PISTOL:** .690 cal.; 8" round barrel with f. bore, oxidation scale throughout but rifling appears well-defined, would clean up with a clean; silver-grey patina to majority of metalwork, some patchy staining to lock; mellow finish to brass furniture; lhs breech marked **B.1813, GDE176A/ 1126**; strong lock springs & sears, missing ramrod; walnut half stock bearing light handling marks & scattered bruising overall, retains vg. metal-to-wood fit; lhs flat of stock has bearing a variety of sharply-defined stamps incl. **1126/ St ETIENNE**; brass butt cap with lanyard ring; overall in g. cond. **N/L Presents well.** **900 - 1400**
122. **HALF-STOCKED PERCUSSION CONVERTED PISTOL by PATRICK of LIVERPOOL:** 38 bore; 9" octagonal barrel with f.+ bore, some powdery oxidation scale but should clean up, no heavy pitting evident; dark plum re-finish to barrel with faint twist pattern; dark grey patina to remainder of metalwork incl. lock; border engraved lock with **PATRICK** below drum, **LIVERPOOL** engraved to top of barrel, Birmingham proof to underside of barrel; engraved pineapple finial; plain hammer with strong springs & sears, adjustable trigger; bevelled lockplate with stepped tail, broken sliding safety tab; silver blade front sight dovetailed to top of barrel; replacement ramrod; walnut half stock with silver forewood cap, presents well with some scattered handling marks, light bruising; square silver inlay below top tang engraved **BLC**; retains vg. wood-to-metal fit & well-defined chequering; overall in g. cond. **N/L c. 1800** **1800 - 2200**
123. **BRITISH S/B FULL STOCKED PERCUSSION PISTOL:** 25 bore; 4 3/8" octagonal twist steel barrel with p. bore; strong browned finish to barrel with vg. twist pattern definition; dark patina to lock & steel parts; dull patina to German silver furniture incl. trigger guard, butt cap; underside of breech marked **TWISTED** & pair Birmingham proofs; crisp scroll engraving to lockplate, trigger guard, starburst to butt cap; strong lock springs & sears, ordinary hammer spur replacement repair; replacement ramrod; walnut full stock presents well overall, some cracks to lhs & front of forewood but otherwise bearing only surface marks; overall in f. cond. **N/L** **400 - 600**
124. **ROSSI MOD. 69 D.A. REVOLVER:** .32 S.&W. long cal.; 6 shot fluted cylinder; 2" (50m/m) barrel with bright bore & sharply-defined rifling, vgc.; blued finish to metalwork presents well, light wear overall; makers name & **GRYCOL INT'L / SYDNEY AUSTRALIA** marks to rhs frame; cylinder indexing well, strong springs & sears; original bakelite style plastic chequered grips in vg. cond.; overall in vg. wo & cond. **#116743** Post 46' L/R *Revolver 116744 is lot 125., if you want a pair...* **200 - 400**
125. **ROSSI MOD. 69 D.A. REVOLVER:** .32 S.&W. long cal.; 6 shot fluted cylinder; 2" (50m/m) barrel with bright bore & sharply-defined rifling, vgc.; blued finish to metalwork presents well, light wear overall; makers name & **GRYCOL INT'L / SYDNEY AUSTRALIA** marks to rhs frame; cylinder indexing well, strong springs & sears; original bakelite style plastic chequered grips in vg. cond.; overall in vg. wo & cond. **#116744** Post 46' L/R **200 - 400**
126. **HARRINGTON & RICHARDSON SELF-LOADING PISTOL:** .32 ACP cal.; 8 rnd. mag.; 3 1/2" (89m/m) barrel with vg. bright bore & sharply-defined rifling; original blued finish to metalwork is strong overall, some staining & losses to lhs slide; slide marked with **H & R SELF-LOADING/** cal., rhs marked with patents, **WORCESTER** address etc.; slide retracts freely, strong springs & sears, grip safety; original hard rubber grips, lh grip with cracks & losses to the top, rh grip is in vgc., both with sharply-defined chequering; overall in exc. wo & g. cond. **#373** Pre 47' L/R **300 - 500**
127. **P. BERETTA MOD. 950 S/A VEST POCKET PISTOL:** .22 short cal.; 6 rnd. mag.; 96m/m barrel with vg. bright bore & sharply-defined rifling; strong blued finish to blued slide & barrel, blacked finish to alloy frame; light wear to metal finishes; makers name & address marked to lhs slide; slide retracts freely, strong springs & sears but mag. release is very sticky; original black plastic grip panels with **PB** monogram medallions inlaid to base of both; overall in g. wo & cond. **#60996CC** Mfg. 1955 L/R **300 - 500**
128. **P. BERETTA MOD. 1919 S/A VEST POCKET PISTOL:** .25 ACP cal.; 7 rnd. mag.; 60m/m barrel with g. bore, rifling is sharply-defined & only scattered pit peppering throughout; thinning original blued finish to metalwork has developed a patchy grey patina; lhs slide marked **PISTOLA AUT-BERETTA 6.35 BREV 1919**; mechanically strong, slide retracts freely, crisp sears; original pressed steel grip panels with **PB** initials to top of both; overall in vg. wo & g. cond. **#100050** Pre 47' L/R *An early example.* **400 - 600**

129. **MAUSER WTP MOD. I VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 60m/m barrel with vg. bright bore & sharply-defined rifling; original blued finish to metalwork strong overall, let down by small patch of staining, fine pitting to lhs slide, some finely speckled oxidation overall; **MAUSER-WERKE A-G OBERNDORF A/N / W.T.P – 6.35** to lhs slide; slide retracts freely, strong springs & sears; original single-piece bakelite grip in vgc., only v. minor storage marks overall, chequering is sharply-defined; overall in exc. wo & g.+ cond. #35947 Pre 47' L/R **400 - 600**
130. **V. BERNARDELLI MOD. POCKET RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 90m/m barrel with vg. bright bore & sharply-defined rifling; original blued finish to metalwork, thinning on slide from general handling wear; makers name & **GARDONE** address to lhs slide, **1958** proofs to rhs frame; slide retracts freely, strong springs & sears; smooth walnut grips present ordinary, patchy varnish finish to both but free from heavy handling marks; overall in exc. wo & f. to g. cond. #7675 Mfg. 1958 L/R **300 - 500**
131. **BELGIAN JIEFFECO S/A MOD. 1914 VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 65m/m barrel with f. bore, rifling sharply-defined but speckled with oxidation, should clean up; strong blued finish to metalwork, some minor holster wear to muzzle end of slide; patents, **PISTOLET AUTOMATIQUE JIEFFECO** marked to lhs slide; slide retracts freely, strong springs & sears; original hard rubber grips with makers monogram trademark to centres, some minor handling marks but in vgc.; overall in g. wo & cond. #44991 Pre 47' L/R **300 - 500**
132. **V. BERNARDELLI MOD. BABY AUTO RIMFIRE PISTOL:** .22 long cal.; 6 rnd. mag.; 2" (52m/m) barrel with bright bore & sharply-defined rifling; strong blued finish to metalwork, presents well; makers name & **GARDONE** address to lhs slide, **XXIV** proofs to rhs frame; slide retracts freely but won't fire, cock properly; original black plastic grips, some minor handling marks but chequering is sharply-defined; overall in vg. cond. but f. cond. #19455 Post 46' L/R *May be a simple fix.* **50 - 100**
133. **V. BERNARDELLI MOD. 60 RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 90m/m barrel with vg. bright bore & sharply-defined rifling; blued finish has worn to a grey patina on slide, thinning elsewhere also; makers name & **GARDONE** address to lhs slide, **XXIII** proofs to rhs frame; slide retracts freely, strong springs & sears, exposed hammer; two-piece black plastic grip in f. cond., some handling marks & scuffs; overall in exc. wo & f. cond. #28998 Post 46' L/R **150 - 300**
134. **SIGNIFICANT WWI ERA F.N. BROWNING MOD. 1900 S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 4" (101m/m) barrel with g. bright bore & sharply-defined rifling; original blued finish to metalwork presents well, thinning to a plum-brown patina in areas & finely speckled oxidation on lhs of frame profiles; standard markings to lhs slide, **FN** ovate trademark/ **BROWNING'S-PATENT/ BREVETTE S.G.D.G.** marked to lhs frame; rhs of frame marked **E.P. M. SHAW/ R.F.C.**; serial no. **673344** marked to rhs sights, slide, frame; slide retracts freely, strong springs & sears, coking indicator to top of slide; original hard rubber grips present well, light wear to chequering & **FN** monogram to top of both, scratch to rh grip; lanyard loop to lhs butt; overall in vg. wo & g. cond. #673344 Mfg. c.1910 L/R *Pistol is thought to have been owned by Lieutenant Evelyn Percy Murray Shaw (1895 – 1932) of the Royal Flying Corps. Shaw later went on to fly with No. 3 Squadron, of the Royal Australian Air Force between 1917 until the end of the war. Shaw's flying log book remains in the Australian War Memorial. An interesting piece of history for the collector.* **1000 - 1500**
135. **P. BERETTA MOD. 950B S/A VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 61m/m barrel with vg. bore & sharply-defined rifling; blued finish to steel slide & barrel, blacked finish to alloy frame, finishes bearing light wear confined mainly to profiles; **P.BERETTA Mod. 950 B** & cal. marked to lhs slide; slide retracts freely, tip-up barrel locks up tight; black plastic grip panels in sound cond., bearing some handling marks & scuffs to both; overall in exc. wo & g. cond. #B52314 Post 46' L/R **300 - 500**
136. **P. BERETTA MOD. 70 S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 84m/m barrel with vg. bright bore & sharply-defined rifling; strong blued finish to metalwork, some minor wear to front of slide but presents exc.; **PIETRO BERETTA**, address to lhs slide, model to rhs; mechanically strong, slide retracts freely, strong springs & sears; two-piece black plastic grip in g. sound cond., some marked to rhs top but free from cracks; overall in exc. wo & vg. cond. #L58526 Post 46' L/R **400 - 600**

137. **P. BERETTA MOD. 418 S/A VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 60m/m barrel with g. bore, needs a clean but rifling is sharply-defined; thinning blued finish to steel parts & blacked finish to alloy frame; **P. BERETTA**, cal., address marked to lhs slide, rhs frame has had the original serial no. peened off, has been etched with **0632**; slide retracts freely, strong springs & sears; original black plastic grips need a clean but in g. to vg. cond.; overall in vg. wo & f. to g. cond. **#0632** Mfg. 1957 L/R **200 - 400**
138. **F. DUMOULIN & CIE D.A. RIMFIRE REVOLVER:** .22 long cal.; 6 shot cylinder; 79m/m barrel with p. bore, some patches of heavy pitting; nickel finish to metalwork presents decent, some staining & light wear overall; makers name & **LIEGE** marked to top of integral barrel rib along with a new serial no. crudely stamped on; cylinder indexing well, strong springs & sears; original grip in g. cond., some light handling wear; overall in f. cond. **#1331** Pre 47' L/R **50 - 100**
139. **ROSSI MOD. 70 D.A. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 2" (50m/m) barrel with vg. bright bore & crisp rifling, could use a clean; strong blued finish to majority of metalwork & vivid case colours to small parts; makers name & Brazilian address to lhs barrel, **GRYCOL** Aust. importers address to rhs frame; cylinder indexing well, strong springs & sears; f. cond. original two-piece grip, scuffs to rhs; overall in exc. wo & g. cond. **#678420** Post 46' L/R **200 - 400**
140. **ASTRA MOD. TS-22 S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 85m/m barrel with dirty bore, rifling is well-defined; blued finish to metalwork presents ordinary, some worn spots; makers name & Spanish address to lhs slide; slide retracts freely, strong springs & sears; pistol has been converted from a full length target pistol to pocket size, no sights & barrel shortened; two piece target style grip has been shaved down to make it less aggressive, crack to rhs; overall in vg. wo & f. cond. **#1244069** Post 46' L/R **50 - 100**
141. **ARMI SAN PAOLO 1851 NAVY MOD. PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (191m/m) octagonal barrel with dusty bore, appears vgc. with sharply-defined rifling; strong blued finish to barrel & cylinder, vivid case colours to frame & dull mellow finish to brass trigger guard; makers name & model marked to barrel; cylinder indexing well, strong springs & sears; smooth wood grips bearing only minor surface marks; overall in exc. wo & vg. cond. **#56787** Post 46' L/R *Most likely unfired* **200 - 400**
142. **SQUIRES BINGHAM MOD. THUNDER CHIEF D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with bright bore & sharply-defined rifling, vgc.; blued finish to metalwork presents ordinary, scattered losses & some staining; makers name, model & **MADE IN THE PHILIPPINES** to lhs barrel; cylinder indexing well, strong springs & sears but cylinder stop jams, making it hard to swing arm out; wooden(?) two-piece grip with flaky loses to finish, skip-line chequering defined; overall in f. to g. cond. **#187455** Post 46' L/R **100 - 300**
143. **A.UBERTI MOD. 1858 NEW ARMY PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (203m/m) octagonal barrel with vg. bright bore & crisp rifling, muzzle dusty; strong blued finish to metalwork, some minor storage marks & drag on cylinder; **A. UBERTI & CO. GARDONE** marked to top of barrel, model to lhs; strong springs & sears, cylinder indexing well; fitted with stainless steel nipples, adjustable rear sight; smooth walnut grips in g. cond., some surface marks to finish; overall in exc. wo & g. to vg. cond. **#53848** Post 46' L/R **300 - 500**
144. **V. FINE D.W.M. MFG. BRAZILIAN MAUSER MOD. 1908 B/A RIFLE & BAYONET:** 7×57m/m Mauser; 5 rnd. integral mag.; 30" barrel with fine, bright bore, crisp rifling; bright polished finish to action, strong blued finish to barrel, mag. floor plate, some minor wear but presents exc.; small parts retain areas of strong nitre blueing; serial no. to lhs of breech, Brazilian crest to top & **MOD. 1908** to rhs; DWM full name & **BERLIN** to lhs of action; all matching numbers incl. bolt, small parts & bayonet; matching bolt cycles freely, trigger crisp; std. tangent sights with 2 – 20 graduations; no cleaning rod; woodwork in vg. cond., some scattered handling marks but presents extremely well; steel butt plate; sling swivels to underside of stock & barrel band, fitted with broken leather sling; polished steel buttplate; comes with matching **SIMSON & Co./ SUHL** marked bayonet & matching scabbard, both in exc. cond.; overall in exc. wo & cond. **#8088** L/R *Just an all-round superb example, in unissued condition & retains areas of original packing grease.* **1500 - 2000**

145. **STEYR MANNLICHER MOD. SL FULL STOCKED SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. 1750 - 2000
 polymer rotary mag.; 20" hammer forged barrel with vg. bore & sharply-defined rifling; strong glossy blued finish to metalwork, some minor storage marks overall, defined hammer forged twist pattern to barrel; **STEYR-DAIMLER-PUCH A.G. STEYR MANNLICHER MOD. SL.** marked to lhs action, proofs & serial no. to rhs breech & barrel; extensive acanthus scroll engraving to action & even on polymer trigger guard!; bolt cycles freely, strong springs & crisp sears to double set triggers; retains original fixed sights & fitted with period **PECAR/ BERLIN CHAMPION 8X** scope on Q.D. mounts, some oxidation on screws; clear optics; walnut full stock with raised comb, skip-line chequering to grip & forewood is sharply-defined; woodwork in vg. to exc. cond. overall; original ventilated rubber recoil pad; overall in exc. wo & vg. cond. #49218 L/R
146. **MAUSER MFG. SWEDISH MAUSER MOD. 1896 B/A RIFLE & BAYONET:** 6.5x55m/m Swedish 1400 - 1800
 cal.; 5 rnd. integral mag.; 30" barrel; g.+ bore with well-defined rifling, a bit dull; blued finish to metalwork has developed a dark patina; polished steel bolt & internals, vivid nitre bluing to small parts; **WAFFENFABRIK/ MAUSER/ OBERNDORF A/N/ 1899** marked to top of breech; matching bolt cycles smoothly, strong springs & sears; 3-6 graduated rear sight & blade front; retains steel cleaning rod; sling swivels to barrel band & underside of stock, fitted with period leather sling; woodwork in vg. overall cond., bearing some minor handling marks; brass disc inlaid to rhs of stock marked with several numbers & **Torped Overslag**; matching steel butt plate; comes with vgc. period **EJ AB** marked bayonet with steel scabbard, both numbered **393**; overall in exc. wo & vg. to exc. cond. #20365 L/R
147. **LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. 800 - 1200
 bore, very bright with crisp rifling, hard to fault; original matte military presents exc., bearing a few storage marks overall; rhs body socket marked with **MA/ LITHGOW/ S.M.L.E/ III*/ 1942**; breech marked with serial no. **F.T.R.**; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; matching barrel & nose cap; woodwork has been cleaned back & refinished, presents well, some light handling marks & a bruise to lhs stock; rhs stock original markings are all indistinct; brass buttplate with trap; overall in exc. wo & vg. cond. #E11188 L/R *A mechanically fine example to take down the range.*
148. **B.S.A. Co LEE-ENFIELD MK I* B/A SERVICE RIFLE & BAYONET:** .303 cal.; 10 rnd. mag.; 30" 1000 - 1200
 barrel with f.+ bore, rifling remains well-defined, fine pitting throughout & small band of moderate pitting towards muzzle; blued finish to metalwork presents decent thinning on profiles, rhs body socket marked with **V.R. Cypher/ B.S.A. Co / 1901 / L.E / I.***; non-matching bolt cycles freely, strong springs & sears; retains mag. cut off, dust cover & volley sights; 6-18 graduated ladder sight; walnut stock has been cleaned back & refinished, presents v. well & bearing only v. light handling marks; brass buttplate with trap; comes with patt. 1888 bayonet marked **SANDERSON SHEFFIELD**, complete with scabbard & white suede frog; overall in vg. wo & g. cond. #A27095 L/R
149. **LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE & BAYONET:** .303 cal.; 10 rnd. mag.; 25 1/4" 1200 - 1600
 barrel with vg. bore, bright with sharply-defined rifling, grooves needs a clean; original matte military presents exc., a few storage marks overall; rhs body socket marked with **MA/ LITHGOW/ S.M.L.E/ III*/ 1942**; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; matching barrel & nose cap; woodwork presents v. well, some light handling marks overall & bruising on top of handguard; rhs stock marked with standard **M.A./ LITHGOW/ SMLE III* HV /1943** markings; brass buttplate with trap; comes with vgc. **SLAZ 45** marked patt. **1907** bayonet & scabbard; overall in exc. wo & vg. to exc. cond. #E20164 L/R *A fine example.*
150. **SAVAGE No. 4 MK. I* B/A SERVICE RIFLE & BAYONET:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel 1000 - 1500
 with exc. bright bore & crisp two-groove rifling; matte grey military finish to metalwork presents exc., light marks overall; lhs action marked **No.4.MK I***, **U.S. PROPERTY** to top; Savage **S & 33C0999** marked to lhs body socket; matching bolt cycles freely, strong springs & sears; std. sights 2-13 graduated rear ladder sight; woodwork presents exc., some light handling mark; grooved handguard section; small section of stock to lhs has been shaved away for side mount peep sight next to safety; grey alloy butt plate with trap; comes with vgc. **NO 7 MK I** marked bayonet, composite red-brown grips; fitted with period canvas sling; overall in exc. wo & vg. to exc. cond. #33C0999 L/R *A very nice example for the shooter or collector.*

151. **B.S.A. Co LEE-ENFIELD MK I* B/A RANGE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" replacement barrel with vg.+ bore, needs a clean but rifling remains sharply-defined; blued finish to metalwork presents decent some general handling wear & marks, rhs body socket marked with **E.R. Cypher/ B.S.A.Co / 1902 / L.E / I.***; non-matching bolt cycles freely, strong springs & crisp trigger; retains mag. cut off & front volley sight assembly; top of barrel flat has been ground down, **S.A.** marked to top of breech; retains 6-18 graduated rear ladder sight & fitted with **B.S.A.** adjustable peep sight to lhs body socket, wood shaved back to suit; walnut stock & forestock present well, some light surface marks & bruising; original brass buttplate with trap; overall in exc. wo & g.+ cond. #2211 L/R **400 - 600**
152. **FINE N.Z. ISSUE SAVAGE No. 4 MK. I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore & crisp two-groove rifling, would need some grease cleaned out before firing; matte grey military finish to metalwork presents exc., light marks overall; lhs action marked **No.4.MK I***, **U.S. PROPERTY** to top; Savage **S, 1943 & 55C3179** marked to lhs body socket & base of mag marked with additional **48145 & N / \ Z** stamps; matching bolt (#48145) cycles freely, strong springs & sears; std. sights 2-13 graduated rear ladder sight; woodwork presents exc., some light handling mark but hard to fault; grooved handguard section; grey alloy butt plate with trap; overall in exc. wo & exc. cond. #55C3179 L/R **1200 - 1800**
Vendor advises rifle is unfired and the condition certainly supports that. A minty, unissued example.
153. **FINE LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with greased bore, almost certainly unfired; original matte military presents exc., still caked with packing grease in protected areas; rhs body socket marked with **MA/ LITHGOW/ S.M.L.E/ III*/ 1942**; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; matching nose cap; woodwork bearing a few minor light handling marks overall, one small aged graze to surface rhs butt; woodwork with patchy dried residue but appears in exc. original condition; rhs stock marked with standard **M.A./ LITHGOW/ SMLE III* HV /1943** markings, all sharply-defined; brass buttplate with trap which still contains the ; overall in exc. wo & vg. to exc. cond. #E21174 L/R *An 83 year old time capsule, still in much of the original packing grease. Would clean up to be a fine example.* **900 - 1200**
154. **N.Z. ISSUE SAVAGE No. 4 MK. I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore & crisp two-groove rifling; matte grey military finish to metalwork presents exc., light marks overall; lhs action marked **No.4.MK I***, **U.S. PROPERTY** to top; Savage **S & 40C7839** marked to lhs body socket & base of mag marked with additional **46442 & N / \ Z** stamps; matching bolt (#46442) cycles freely, strong springs & sears; std. sights 2-13 graduated rear ladder sight; woodwork presents exc., some light handling mark; grooved handguard section; grey alloy butt plate with trap; overall in exc. wo & vg. to exc. cond. #40C7839 L/R **800 - 1100**
155. **LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with dirty bore, rifling is defined but need a clean, considered f. to g. until then; original matte military presents decent, has darkened & thinning on profiles; rhs body socket marked with **MA/ LITHGOW/ S.M.L.E/ III*/ 1942**; non-matching(?) #C7220 bolt cycles freely, strong sears & springs; std. 2-20 sights; matching nose cap; woodwork in g. sound cond., some scattered handling marks & bruising; rhs stock marked with standard **M.A./ LITHGOW/ SMLE III* HV /1942** and large serial no. markings, all sharply-defined; brass buttplate with trap which still contains the ; overall in vg. wo & g. cond. #C70220 L/R **500 - 700**
156. **RUGER No. 1 FALLING BLOCK S/S RIFLE:** .243 Win. cal.; 26" barrel with vg. bright bore & sharply-defined rifling; blued finish to metalwork presents well, some minor storage marks on barrel; top of barrel marked with **SOUTHPORT** address, **.270 WIN.** & proofs to lhs breech of barrel; **RUGER NO. 1** marked to top of breech; action cycles freely, strong springs & crisp sears; fitted with older **WEAVER V9-II 3-9** scope on correct pattern Ruger rings, clear optics; walnut forestock & semi-pistol grip stock in g. to vg. sound cond., some light handling marks; chequering to grip & forestock sharply-defined; retains its original maker marked rubber recoil pad; overall in exc. wo & g. to vg. cond. #131-39687 L/R **600 - 800**

157. **SAVAGE MOD. 99 L/A SPORTING RIFLE:** .243 Win. cal.; 5 rnd. rotary mag.; 22" barrel, bore g. to vg., bright with sharply-defined rifling, some minor speckled frosting visible; blued finish to metalwork presents decent overall, thinning slightly on action, some general handling marks overall; top of barrel marked with **CHICOPEE FALLS** address, **SAVAGE/ 99** marked to lhs breech; action cycles freely, strong springs & sears; retains original sights, fitted with **Tasco 3-9x40** scope on two piece **LYMAN** rings, optics clear; woodwork in g. cond., gloss finish to stock & forewood bearing some surface marks, chequering to both remains defined; fitted with Pachmayr ventilated rubber recoil pad; overall in exc. wo & g. cond. #1001784 L/R **400 - 600**
158. **STEYR MANNLICHER-SCHOENAUER MOD. 1903 B/A SPORTING RIFLE:** 6.5x54m/m cal.; 5 rnd. rotary mag.; 18 1/2" barrel with g. bore, some light pit peppering towards muzzle, rifling remains well-defined; blued finish to metalwork presents OK, some residue on sides of barrel & speckled oxidation overall, thinning on breech; **MADE IN AUSTRIA** marked to top of breech; lhs action marked **OESTERR. WAFFENFABR. -GES. STEYR**; bolt cycles butter smooth, strong trigger but second set trigger is faulty; retains original fixed rear & silver blade front sights, fitted with older Czech **MEOPTA 3X** scope on Q.D. mounts, optics clear; walnut full stock in g. to vg. overall cond., some light handling marks overall but presents well; chequering to semi pistol grip & forewood is well-defined, cheek piece to lhs stock; horn grip cap; fitted with older leather sling on factory swivels & distressed ventilated rubber recoil pad; overall in g. wo & cond. #24438 L/R *A classic rifle that would grade up with minor work.* **1100 - 1500**
159. **HARRINGTON & RICHARDSON MOD. SPRINGFIELD STALKER PERCUSSION RIFLE:** .58 cal.; 27 1/2" round barrel with vg. bright bore & sharply-defined rifling, a little dusty; strong blued finish to barrel & small parts, some minor oxidation speckling; barrel marked with H & R **SPRINGFIELD** address, **SPRINGFIELD STALKER/ 58 CAL.** marked to lhs breech; strong lock spring & strong sears, retains factory sights, dovetailed to barrel; walnut half stock presents well & bearing only minor handling marks overall, unfortunately forewood is splitting from the tip on the underside which runs back under barrel band, need attn.; strong case colours to curved steel buttplate; overall in exc. wo & g. cond. #AP253240 L/R *Has seen little work, would make a good shooter once the cracks fixed.* **300 - 500**
160. **CARVED BOER WAR PLEZIER D.W.M. MAUSER 1896 B/A RIFLE:** 7x57m/m cal.; 5 rnd. integral mag.; 28" octagonal barrel with p. bore, moderate pitting but rifling almost indistinct; original blued finish to metalwork has developed a dark patina overall, thinning to a plum patina on profiles; magazine lifter retaining much of its nitre blueing; lhs action marked with D.W.M. full name/ **BERLIN**; lhs barrel marked with later **BNP** British proofs & **7x57M/M**; non-matching bolt cycles freely, strong springs & sears; 4 – 11 graduated ladder rear sight, hemi-globe front sight with adjustment; sling swivel to underside of stock, missing swivel to underside of barrel; walnut half stock presents well, some bruising & chequering to forestock showing wear; wrist with impressive woven brass & copper wire repair, very strong; rhs of stock inlaid with large, ornate border engraved sterling silver escutcheon; cheek piece with period relief carved **I.P GROBLER/ DEWAARD. Z.A.R.**, peened texture behind lettering; steel buttplate; overall in g.+ cond. #827 L/R *Rifle features in David George's book 'Carvings from the Veldt', part 4, pages 104. & 105.* **2000 - 2500**
161. **DANZIG ARSENAL GEWEHR 1888 B/A COMMISSION RIFLE:** 8x57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with g. bore, relatively bright with well-defined rifling, some light pitting; original blued finish to metalwork has thinned to a grey-soft brown patina overall, barrel is frosted externally but rifle presents well; top of breech marked with well-defined crown/ **DANZIG/ 1891**, trio of proofs to rhs & serial no. marked to lhs breech & barrel marked **345/ X; Gew. 88** marked to lhs action; Turkish crescent moon marked to bolt & Eastern-Arabic numeral graduations to ladder sight; German unit marks to barrel bands; bolt cycles smoothly, strong springs & sears retains steel cleaning rod; woodwork in g., sound cond., a little grubby, would grade up; bearing some handling marks & light bruising; overall in vg. wo & g.+ cond. #4941 L/R **700 - 900**

162. **FINE N.Z. ISSUE SAVAGE No. 4 MK. I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with fine, bright bore & crisp two-groove rifling; matte grey military finish to metalwork presents exc., light marks overall; lhs action marked **No.4.MK I***, **U.S. PROPERTY** to top; Savage **S.** & **55C3735** marked to lhs body socket & base of mag marked with additional **49292** & **N** / **Z** stamps; matching bolt (**#48145**) cycles freely, strong springs & sears; std. sights 2-13 graduated rear ladder sight; woodwork presents exc., some light handling marks & speckled blemishes but hard to fault; grooved handguard section; grey alloy butt plate with trap; overall in exc. wo & exc. cond. **#55C3735** L/R **1000 - 1400**
163. **FINNISH MFG. MOSIN NAGANT M.39 B/A SERVICE RIFLE:** 7.62×54m/mR; 5 rnd. integral mag.; 28" barrel with f. to g. bore, some light powdery oxidation in areas but rifling is well-defined, would grade up with clean; strong blued finish to metalwork, some pitting to barrel around sight block; top of breech stamped with large **302412** over **1968**, rhs barrel before muzzle marked with U.S. importers stamp; matching bolt cycles freely, strong springs & sears; **1.5 – 10** graduated rear sight, blade front; complete with swivels & steel cleaning rod; hardwood, two-piece stock in vg.+, a few minor handling marks but in unissued cond.; steel buttplate; overall in g. wo & vg. cond. **#302412** L/R **600 - 900**
164. **TERNI CARCANO M.38 B/A SHORT RIFLE:** 6.5×52m/m cal.; 5 rnd. integral mag.; 22" barrel with dirty bore, well-defined rifling but considered f. until cleaned; blued finish to metalwork presents decent, some light wear & oxidation staining; **R. E. TERNI** under crown to top of breech along with **1940 XVIII** stamps to rhs; lhs breech has marked with British **BNP** proofs, & additional proofs to lhs barrel; **CAL 6.5** to top of sight block; bolt cycles well, strong sears; missing cleaning rod; woodwork in g. to vg. overall cond., some scattered handling marks to surface, has been refinished; overall in g. wo & cond. **#404429** L/R **400 - 600**
165. **NAGOYA ARSENAL ARISAKA TYPE 99. B/A SERVICE RIFLE:** 7.7×58m/m Arisaka cal.; 5 rnd. integral mag; 26" barrel with fine, bright bore with crisp rifling; original blued finish to metalwork has developed a dark patina, some oxidation scale & light pitting but markings & profiles remains sharply-defined; dust cover is frosted; rifle retains all original markings incl. the sharply-defined Chrysanthemum & Kanji markings below, lhs action marked with serial no. & arsenal markings; matching number bolt cycles freely, strong springs & sears but trigger, sights are a bit sticky with dried grease; rifle complete with dust cover, anti-aircraft sights, cleaning rod & wire monopod; original hardwood two-piece stock presents well, some handling marks & bruising overall; steel buttplate with some pitting; fitted with what appears to be the original rubberized canvas sling which has become quite stiff; overall in vg. wo & g.+ cond. **#38934** L/R *Even with the handling marks mentioned, this is an exceptionally fine example of a Type 99 when so many have been defaced or succumbed to rust in the tropics.* **1200 - 1600**
166. **FINNISH MOSIN NAGANT M.28 B/A SERVICE RIFLE:** 7.62×54m/mR; 5 rnd. integral mag.; 28" barrel with g. bore, may grade up when cleaned up, some fine pitting but rifling remains well-defined; blued finish to metalwork presents well, has developed a dark patina, thinning slightly on profiles, magazine; top of barrel marked with **SY** stamp, struck serial no. marked to rhs breech, **19800** boxed **SA** cartouche marked to lhs barrel; bolt cycles smoothly, strong springs & sears; 3-8 graduated rear sight; retains cleaning rod; woodwork bearing general handling marks & battlefield bruising, some glued cracks running along forestock & handguard, another to lhs stock below action; original steel buttplate; overall in vg. wo & g. cond. **#19800** L/R *Almost certainly made by Swiss firm S.I.G., Schweizerische Industrie-Gessellschaft* **700 - 1000**
167. **FINE D.W.M MFG. ARGENTINE MAUSER MOD. 1909 B/A RIFLE:** 7.65×53m/m Mauser cal.; 5 rnd. integral mag.; 30" barrel with exc. bright bore & sharply-defined rifling; strong glossy blued finish to barrel & certain small parts, bright polished finish to action & bolt; some minor handling marks but presents v. well; vivid nitre blueing on bolt release, trigger, sights; top of breech marked with crisp Argentinian crest, lhs marked **MAUSER MODELO/ ARGENTINO 1909.**, D.W.M full name & **BERLIN.** to lhs action; all matching numbers incl. bolt, woodwork & steel cleaning rod; bolt cycles freely, strong springs & sears; original 3-20 graduated rear sight; nicely figured walnut stock bearing some v. scattered handling marks & bruises but presents v. well & showing little wear; some speckled blemishes; Argentine crest mark to rhs stock is sharply-defined; steel buttplate with some minor staining; overall in exc. wo & vg. cond. **#E2130** L/R **1500 - 2000**

168. **S.K.B. ARMS Co. MOD. 600 O/U SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated top rib, fixed chokes, approx. 3/4 & full; bright bores, both need a clean but appear vg.; blued finish to metalwork presents well, some light handling marks overall & losses to finish on underside of bottom barrel; makers name, model & **MADE IN JAPAN** marked to lhs top barrel; silver finish & extensive floral scroll relief pattern to action; action locks up tight, strong ejectors, single selective trigger; walnut semi-pistol stock & forend in vg. cond., some light handling marks, chequering to forend & grip remains sharply-defined; Monte Carlo style comb; 14" incl. period ventilated rubber recoil pad; overall in exc. wo & g. to vg. cond. #**S5656024** L/R **500 - 700**
169. **S.K.B. ARMS Co. MOD. 600 O/U SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated top rib, fixed chokes, approx. 1/2 & full; bright bores, both need a clean but appear vg.; blued finish to metalwork presents OK, handling marks & some thin spots overall; makers name, model & **MADE IN JAPAN** marked to lhs top barrel; action with tarnished silver finish & extensive floral scroll relief pattern; action locks up with movement, strong ejectors, single selective trigger; walnut semi-pistol stock & forend in g. sound cond., some general handling marks & wear to finish but chequering remains well-defined; 13 7/8" incl. original black plastic buttplate; overall in g. wo & f. cond. #**S5602021** L/R **200 - 400**
170. **FRENCH M.A.S MOD. F.R.-F2 B/A SNIPER RIFLE & ACCESSORIES:** 7.62×51m/m NATO; 10 rnd. box mag.; 24" round barrel with 2 1/2" flash hider; original grey parkerized finish to metalwork presents well, a few minor handling marks & minor wear on profiles; lhs action marked with parallel **F.R. F2-7,62.N** & vertically marked **M.A.S/ F.05608**; discreet importers marks to rear of mag. well; bolt cycles freely, strong springs & sears; mag. release lever to rhs frame; polymer forestock & barrel shroud, retains rubber protective boot to underside; swivelling steel bipod to breech of barrel; fitted with **APX/ L 086** marked scope, some handling marks & scuffs but optics are clear, retains rubber eyepiece; scope on **FO6825** numbered 'throw lever' Q.D. mount; birch butt & pistol grip present decent, some light handling marks to both, grooved to grip are well-defined; black polymer grooved buttplate & removable cheek piece/comb; comes with a variety of accessories incl. spare rings/ mount, cleaning kit, spare magazine, polymer comb attachment, canvas sling, rubberized canvas slip & more; overall in exc. wo & g. to vg. cond. # **F05608** L/R **8000 - 10000**
A great package offering. These were the removed from service less than a decade ago after serving with the French military & law enforcement snipers since 1986.
171. **ROSS RIFLE Co. M-10 STRAIGHT-PULL SERVICE RIFLE:** .303 cal.; 5 rnd. integral mag.; 31" barrel with exc. bright bore & crisp rifling, some minor frosting but hard to fault; blued finish to metalwork has developed a dark patina overall & some frosting in areas; top of breech marked **ROSS RIFLE CO./ CANADA. M-10/ PATENTED**, top of barrel marked with **GR** British inspection proofs; bolt cycles freely, strong springs & sears; 2-12 graduated peep rear sight & blade front; woodwork in g. overall cond., some light handling marks & general wear, older scratch along comb but presents well; variety of marks to rhs butt incl. **455** painted in white, **17** carved in, faint roundels & **K K D**; steel buttplate with brass trap; overall in exc. wo & g. cond. #**1384** L/R **1400 - 1800**
A nice, honest example of these iconic rifles.
172. **S.K.B. ARMS Co. MOD. 600 O/U SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated top rib, fixed chokes, approx. 3/4 & full; bright bores, both need a clean but appear vg.; blued finish to metalwork presents v. well, some light handling marks; makers name, model & **MADE IN JAPAN** marked to lhs top barrel; silver finish & extensive floral scroll relief pattern to action, some minor losses to finish; action locks up tight, strong ejectors, single selective trigger; walnut semi-pistol stock & forend in vg. cond., some light handling marks, chequering to forend & grip remains sharply-defined; Monte Carlo style comb; 14 1/2" incl. ventilated 1" rubber recoil pad; overall in exc. wo & g. cond. #**CM642789** L/R **500 - 700**
173. **S.K.B. ARMS Co. MOD. 700 O/U SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated top rib, fixed chokes, approx. 3/4 & full; bright bores, both need a clean but appear vg.; blued finish to metalwork presents v. well, some light handling marks; makers name, model & **MADE IN JAPAN** marked to lhs top barrel; silver finish & extensive floral scroll relief pattern to action, some tarnishing; action locks up tight, strong ejectors, gold single selective trigger; nicely figured walnut semi-pistol stock & forend in g. to vg. cond., some light handling marks; chequering to forend & grip remains sharply-defined overall, some bruising on grip; Monte Carlo style comb; 14" incl. period 1/2" rubber recoil pad; overall in exc. wo & g. cond. #**CM720477** L/R **600 - 800**

174. **FINE LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE:** .303 cal., 10 rnd. mag.; 25 1/4" barrel with exc. bright bore & crisp rifling, some minor leading on lands; original khaki military finish to metalwork presents exc., v. strong, as is black paint to copper barrel band; rhs of body socket marked **MA / LITHGOW / S.M.L.E. / III* / 1943**; serial no. **E/38715** marked to rhs breech, barrel, bolt, nose cap & underside of forestock; markings are crisp; matching bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sights; woodwork presents exc., only a few minor storage marks but hard to fault; rhs butt marked with lightly defined **LITHGOW** markings incl. **1944, III*, HV**; overall in exc. wo & near exc. cond. **#38715 L/R A ripper example, unissued condition.** 900 - 1200
175. **RIZZINI MOD. PREMIER SPORTING O/U SHOTGUN:** 12G, 2 3/4" chambered; 32" barrels with ventilated top & mid ribs; interchangeable chokes; bright bores but both dirty, appear to be vg.; f. re-blued finish to barrel, rhs of both barrels peppered with light to moderate pitting, some speckled oxidation overall; glossy blued finish to action presents well; **RIZZINI** inlaid in gold to lhs, rhs inlaid **MARCHENO**; makers name & address, **MADE IN ITALY** marked to lhs breech, **STEEL SHOT** to rhs barrel; action locks up tight & on face, strong ejectors, single trigger; walnut stock & forend in vg., some trace amounts of handling marks, chequering to palm-swell semi-pistol grip & forend is sharply-defined; adjustable comb; 14 1/2" LOP incl. original makers marked ventilated rubber recoil pad; overall in exc. wo & f. to g. cond. **#29858 L/R Has seen little work but has been stored poorly at some stage. A great cheap duck or field gun. Comes with original manual & additional chokes.** 500 - 700
176. **D.W.M. MFG. PORTUGUESE MAUSER MOD. 1904 B/A RIFLE & BAYONET:** 8×57m/m Mauser cal.; 5 rnd. integral mag.; 24" barrel with vg. to exc. bore, rifling is crisp, needs a clean; thinning original blued finish to metalwork has developed a silver-grey patina; sharply-defined **ESPINGARDA PORTUGUESA 6.5 MOD. 1904** to lhs of breech, crown/ **IC** monogram to top; DWM full name & **BERLIN** to lhs of action; matching no. bolt cycles smoothly, strong trigger sear; std. tangent sights with 2 – 20 graduations; retains steel cleaning rod; woodwork presents well, some light handling marks & scattered bruises to walnut but g. overall cond.; fitted with older vg. leather sling & comes with vg. **SIMSON & Co/ SUHL** marked non-matching (**B9607**) bayonet; overall in exc. wo & g. to vg. cond. **#H8758 L/R** 800 - 1100
177. **LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE & BAYONET:** .303 cal., 10 rnd. mag.; 25 1/4" barrel with vg. bore & sharply-defined rifling, a little dull but needs a clean; original khaki military finish to metalwork presents well, some light oxidation staining on charger bridge & handling marks; black paint to copper barrel band flaking; rhs of body socket marked **MA / LITHGOW / S.M.L.E. / III* / 1942**; serial no. **D/ 56916** marked to rhs breech, barrel, bolt, nose cap & underside of forestock; matching bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sights; woodwork presents well, some light handling marks & scattered bruising; rhs butt marked with defined **LITHGOW** markings incl. **1943, III*, HV**; comes with vg. bayonet, marked **MA 1907**, leather scabbard marked **MANGROVITE '42**; overall in exc. wo & g. to vg. cond. **#D56916 L/R A nice combo for the shooter or collector.** 800 - 1100
178. **MAUSER MFG. SWEDISH MAUSER MOD. 1896 B/A RIFLE:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 30" barrel; vg. bore with well-defined rifling; strong blued finish to metalwork has darkened, some light handling marks; polished steel bolt, has been cleaned but still bearing some light pit peppering; vivid nitre bluing to small parts; **WAFFENFABRIK/ MAUSER/ OBERNDORF A/N/ 1899** marked to top of breech; matching no. bolt cycles smoothly, strong springs & sears; 3-6 graduated rear sight & blade front; retains steel cleaning rod; sling swivels to barrel band & underside of stock, fitted with period leather sling; woodwork has been cleaned back & refinished, present exc. with only trace amounts of handling marks; brass disc inlaid to rhs of stock marked with several numbers & **Torped Overslag**; matching steel butt plate; overall in exc. wo & vg. cond. **#33604 L/R** 1400 - 1800

179. **ROSS RIFLE Co. M-10 STRAIGHT-PULL SERVICE RIFLE:** .303 cal.; 5 rnd. integral mag.; 31" barrel with exc. bright bore & crisp rifling; blued finish to metalwork has thinned to a mottled grey patina overall, some patches of frosting; top of breech marked **ROSS RIFLE CO./ CANADA. M-10/ PATENTED**, top of barrel marked with **L C** & Canadian dominion proofs; bolt cycles freely, strong springs & sears; 2-12 graduated peep rear sight & blade front with steel 'globe' cover; woodwork in g.+ overall cond., some light handling marks & general wear, presents well; variety of marks to rhs butt incl., faint **QUEBEC** roundel, most indistinct; steel buttplate with brass trap; overall in exc. wo & g. cond. **#DA375 L/R** **1400 - 1800**
180. **TULA ARSENAL MFG. MOSIN NAGANT MOD. 91/30 B/A RIFLE:** 7.62×54m/mR cal.; 5 rnd. integral mag.; 29" barrel with vg. bright bore & well-defined rifling, some minor frosting; strong blued finish to majority of metalwork, some light handling marks, polished finish to bolt; top of barrel marked with Tula star & fletched arrow trademark, **1938/ No/ XH330**; top of breech has been laser etched with U.S. importers address & calibre; matching bolt cycles freely, strong springs & sears; std. 1-20 graduated tangent sight & globe front; retains steel cleaning rod; woodwork has been cleaned up, presents well with v. light handling marks to finish; steel buttplate; overall in exc. wo & g. to vg. cond. **#XH330 L/R** **700 - 900**
181. **D'ARMES CULLE MFG. LEBEL MOD. 1886/ 93 B/A SERVICE RIFLE:** 8×50m/mR Lebel cal.; 8 rnd. tube mag.; 32" barrel with vg. bright bore & well-defined rifling, some minor frosting but hard to fault; blued finish to metalwork thinning in areas, dark grey flat finish overall, some handling marks; lhs action marked **MANUFACTURE D'ARMES/ Culle** (script), **MLE 1886 M 93**; inspection marked & serial no. marked to lhs breech, **MA T1916** marked to rhs; matching no. bolt cycles freely, strong springs & sears; 4-8 graduated rear sight & blade front; complete with swivels; woodwork has been cleaned up & refinished but still bearing handling marks & surface bruising to forestock & butt; rhs butt marked with indistinct roundel, lhs marked with defined **CR 2900**; overall in exc. wo & g.+ cond. **#2900 L/R** **1200 - 1400**
182. **NAGOYA ARSENAL ARISAKA TYPE 38. B/A SERVICE RIFLE:** 6.5x50m/mSR Arisaka cal.; 5 rnd. integral mag; 31 1/2" barrel with f. bore, rifling defined, some fine pitting throughout; original blued finish to metalwork has developed an even dark patina overall, small parts retain their straw finish incl. trigger, bolt release; serial no. & arsenal marks to lhs action are defined, Chrysanthemum to top of breech is defined but has been defaced with circles; bolt cycles freely, strong springs & sears; 4 – 24 graduated rear sight, retains steel cleaning rod; hardwood stock in sound, original cond.; some general handling marks & bruising, heavier bruise to lhs forestock above trigger guard & some losses to lhs around barrel band; fitted with contemporary leather sling; cupped steel buttplate; overall in g. wo & f. to g. cond. **#59642 L/R** **700 - 900**
183. **WINCHESTER MOD. 1905 SELF-LOADING RIFLE:** .351 W.S.L. cal.; 5 rnd. mag.; 20" barrel with g. to vg. bore, sharply-defined rifling, v. bright overall with patchy fine pitting; original blued finish to metalwork, has thinned to a mottled plum patina on receiver but relatively strong elsewhere; lhs barrel marked with two-line **NEW HAVEN** address & patents, lhs barrel & mag. marked **.351 CAL.**; mechanically exc., strong springs & sears, action cycling freely; original flat top rear sights & blade front; matching frame & receiver; walnut butt & forestock in g. to vg. cond., vg. metal-to-wood fit, light handling marks overall; original marked hard rubber buttplate; overall in vg. wo & g.+ cond. **#40292 Cat D L/R** **900 - 1300**
184. **WINCHESTER MOD. 1907 SELF-LOADING RIFLE:** .32 W.S.L. cal.; 5 rnd. mag.; 22" barrel with g. bore, well-defined rifling, a little dull overall with light pit peppering throughout; original blued finish has thinned to a mottled plum- grey patina overall, some patchy frosting in areas; lhs barrel marked with two-line **NEW HAVEN** address & patents, lhs barrel & mag. marked **.32 CAL.**; mechanically exc., strong springs & sears, action cycling freely; original flat top rear sights & blade front; matching frame & receiver; walnut butt & forestock in g. to vg. cond., some light surface marks but retains vg. metal-to-wood fit, some oil darkening around head of stock; original hard rubber, maker marked butt plate; overall in vg. wo & g.+ cond. **#28833 Cat D L/R** **700 - 1000**

185. **WINCHESTER 1892 L/A S.R. CARBINE:** .25 WCF (25-20 Win.) cal.; 6 rnd. half-mag.; 20" round barrel with f. to g. bore, sharply-defined rifling is peppered with fine pitting throughout; brown-grey patina & frosting to majority of metalwork, lhs action with distinctive ovate s.r. wear; well-defined markings, two-line **NEW HAVEN** address to lhs barrel, lhs near breech marked **.25-20 W.C.F.**, std. markings to top tang; action cycles smoothly, strong springs & sears; std. 0-20 ladder rear sight & pinned blade front sight; woodwork presents well, some light handling marks & barrel band drag on forewood; curved steel buttplate has been reblued; overall in vg. wo & g. cond. #941532 L/R Mfg. 1925 *A nice, honest little gun.* 500 - 700
186. **WINCHESTER MODEL 1873 LEVER ACTION RIFLE:** .44 WCF (.44-40 Win.) cal.; 14 rnd. full length tube mag.; 24" round barrel with bright bore & sharply-defined rifling, fine pin-prick pits throughout & some scattered, moderate pits towards muzzle, g. overall; original blued finish to metalwork has thinned to a plum patina overall, some patchy light staining overall but rifle retains 20% original blueing in protected areas; two-line **WINCHESTER'S-REPEATING ARMS. NEW HAVEN.CT./ KING'S-IMPROVEMENT-PATENTED-MARCH 29. 1866. OCTOBER. 16. 1860.** roll-stamped to lhs of barrel, **44 W.C.F.** marked to top of barrel at breech; underside of brass cartridge elevator engraved **44 CAL;** **MODEL 1873** marked to top tang; mechanically fine, action cycles smoothly, strong springs & sears; original semi-buckhorn rear sight; pinched silver blade front sight, dovetailed to barrel & with sharp profile; screw heads with some minor burring; walnuts straight stock & forewood are in g. to vg. cond., exc. metal-to-wood fit, some light handling marks & bruising overall; forewood retains 50% original varnish & stock over 80%; crescent steel buttplate with sliding brass trap, some light pitting; overall in vg. wo & g.+ cond. #272973B L/R *Manufactured in 1888, a lovely original example of the iconic 73' Winchester. Has remained unfired in a collection for over 40 years.* 1800 - 2200
187. **EXTREMELY FINE WINCHESTER MODEL 1876 RIFLE with FACTORY LETTER:** .45-60 Winchester cal.; 9 rnd. full-length tube mag.; 28" octagonal heavy barrel with g., relatively bright bore & sharply-defined rifling, some fine pin-prick pit peppering throughout; rifle retains an incredible 95%+ original high polished blued finish to major parts, some light handling marks & slight plum-brown patina developing on barrels; very strong nitre blueing to loading gate & lever, hammer retain almost all their vivid case colours, some minor brown staining;; two-line **WINCHESTER'S-REPEATING-ARMS. NEW HAVEN. CT.** over **KING'S-IMPROVEMENT-PATENTED-MARCH 29.1866. OCTOBER 16. 1860** marked ahead of rear sight to top barrel flat, **CAL 45-60** marked to top of barrel after breech; mellow finish to brass cartridge elevator, marked **45-60;** top tang marked **MODEL 1876;** serial no. **13722** marked to bottom tang; marking & profiles on rifle are crisp; action cycles freely, strong spring tension & sears are crisp; set trigger; barrel dovetailed for original 2-10 graduated rear sight, marked **1876** & pinched nickel blade front sight which is still sharply-defined; majority of screw heads appear untouched; walnut straight stock & forend present extremely well, some light handling marks & minor wear to original varnish finish around wrist; exc. metal-to-wood fit, walnut still sitting proud of metalwork; crescent steel buttplate with strong blueing, sliding brass trap; overall in vg. wo & fine, original cond. #13722 N/L *Comes with a Cody letter confirming rifle left the factory on April the 16th, 1881 in the current specifications which include the 28" extra heavy barrel & set trigger. Truly one of the finest 1876 Winchester rifles offered in recent memory.* 12000 - 15000
188. **NEPALESE ISSUE ENFIELD MARTINI-HENRY MK IV. RIFLE:** .577-450 cal.; 33 1/8" barrel with vg. bright bore & well-defined rifling, some light pitting; original blued finish to metalwork has developed a dark patina overall, thinning in some areas, presents well; lhs barrel marked **N.S./ N E P.**; rhs action marked with cypher/ **V.R./ ENFIELD / 1887./ IV./ 1;** lhs action marked with **F** (double broad arrow mark) **A**, standard British proofs to breech & action, Nepalese markings to trigger guard; distinctive long lever action operates smoothly, strong springs & sears; 5 – 13 graduated rear sights; retains correct style steel cleaning rod; retains period leather sling; walnut stock in g. cond., some general handling marks & light bruising overall; Nepalese cartouche & roundel marks to rhs stock are well-defined; overall in exc. wo & g. to vg. cond. #C4250 N/L *A good honest example* 1200 - 1500

189. **W.J. JEFFERY COMMERCIAL MARTINI-HENRY RIFLE:** .577-450 cal.; 33 1/8" barrel with vg. bright bore & well-defined rifling, some light pitting; older re-blued finish to metalwork, presents well overall, thinning on profiles to a brown patina; lhs action engraved **W.J. JEFFERY/ 60. QUEEN VICTORIA STEET/ LONDON**; top of barrel engraved **JEFFREY'S BEST QUALITY NON-FOULING STEEL.**; Birmingham commercial proofs to lhs breech & barrel; action operates smoothly, strong springs & sears; 5 – 13 graduated rear sights; retains correct style steel cleaning rod; woodwork in vg. overall cond., some minor staining around buttplate & general storage marks but hard to fault; walnut with some nice tiger stripe grain along forestock; overall in exc. wo & g. to vg. cond. #7588 **N/L** 1200 - 1500
190. **CZ MOD. VZOR 45 S/A VEST POCKET PISTOL:** .25 ACP cal.; 8 rnd. mag.; 64m/m barrel with g. bore & sharply-defined rifling, needs a clean; worn blued finish to metalwork, silver-grey finish to metalwork with some oxidation staining on slide; CZ full name & trademarks to lhs slide, markings defined; slide retracts freely, strong springs & d.a. only trigger; comes with homemade single piece grip, looks to be a repurposed chopping board; comes in incorrect carboard box; overall in exc. wo & f. cond. #79240 Mfg. 1948 L/R 150 - 300
191. **HUNGARIAN F.E.G MOD. GPM-01 S/S AIR PISTOL:** .177 cal.; 10 3/4" (275m/m) barrel with vg. bright bore & sharply-defined rifling; strong blued finish to barrel & cylinder, some oxidation speckling, alloy frame with some handling marks; **FEG** trademark/ **Hungary/ GPM-01** marked to lhs frame; breech operates freely, crisp trigger; adjustable rear sight; vgc. walnut target grip with finely peened grip texturing adjustable palm rest; overall in exc. wo & g. cond. #06549 Post 46' L/R 150 - 300
192. **COLT POLICE POSITIVE SPECIAL D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4" (100m/m) barrel with bright bore & well-defined rifling, some patches of fine pitting; revolver has been polished back & reblued, 90%+ gloss blued finish remaining, some handling marks; Hartford address indistinct partially worn model & cal. marking to lhs barrel; London **V & P** proofs to barrel, frame & chambers; cylinder indexing well, strong springs & sears; original hard rubber grips in g. overall cond., chequering & **COLT** to top of both is well-defined, chip to back of lh grip; overall in vg. wo & f. to f. cond. #13545 Mfg. 1909 L/R 400 - 600
193. **BERETTA MOD. 92FS S/A PISTOL & TWO SPARE MAGAZINES:** 9x19m/m Luger cal.; 10 rnd. mag.; 5 1/2" (136m/m) barrel with ported muzzle; bright bore & crisp rifling, some leading scale in grooves; polished finish to stainless steel slide, barrel and a matte finish to frame, presents a bit grubby & could use a clean; **PIETRO BERETTA, GARDONE** address, **MADE IN ITALY** to lhs slide, cal. marked to rhs; slide retracts freely, strong springs & sears, ambidextrous safety & adjustable rear sight; black polymer grip panels in exc. cond., some minor storage marks; fitted with one aftermarket & comes with two additional, genuine 10 rnd. mags; overall in exc. wo & g. to vg. cond. #N67934Z Post 46' L/R 800 - 1000
194. **RUGER MK I S/A TARGET PISTOL & TWO SPARE MAGAZINES:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) barrel with exc. bore & crisp rifling; blued finish to metalwork presents well, thinning slightly; full name & address marked to lhs of barrel, **RUGER**, cal. & **MARK II** marked to lhs of receiver; bolt retracts freely, crisp trigger; adjustable rear sight; black polymer chequered grips in vgc., some minor handling marks; comes with two additional magazines, one of the three is maker marked; overall in exc. wo & g. to vg. cond. #19-39581 Post 46' L/R 400 - 600
195. **BREMERHAVEN POLICE ISSUE WALTHER PP. S/A POCKET PISTOL:** .32 ACP cal.; 7 rnd. mag.; 3 3/4" (95m/m) barrel with vg. bright bore & sharply-defined rifling; original blued finish to metalwork presents well, light holster wear to finish on profiles, thinning on sides of slide; lhs of slide marked with **WALTHER** trademark banner, full name & **Modell PP Cal. 7.65mm**; **N** proofs to rhs of slide & rhs of barrel at breech; rhs frame marked **Pol-Brhv**; slide retracts freely, strong springs & sears; vgc. black plastic chequered grip presents well, some light handling marks; **WALTHER** banner trademark & chequering to both sides of grip are well-defined; overall in exc. wo & g. to vg. cond. #372484 Mfg. 1967 L/R 700 - 1000

196. **MAUSER MFG. 'S/42 CODE' P08 LUGER S/A SERVICE PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 1750 - 2250
4" (102m/m) barrel with vg. bright bore & sharply-defined rifling, some minor frosting; blued finish to metalwork presents well, has developed a dark patina, some minor handling marks; **1937** marked to top of breech, **S/42** to top of toggle; serial no. **8192** marked to lhs breech, abbreviated **92** marked to all externally visible small parts; pair Waffenamts **63** marks to rhs breech; mechanically exc., toggle retracts smoothly, crisp sears; original mottled brown bakelite grips are in vg. cond., some v. minor handling marks to both; overall in exc. wo & g. to vg. cond. **#8192** Mfg. 1937 L/R *Presents well.*
197. **PRE-WAR ERFURT MFG. LUGER P08 S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) 1600 - 2000
barrel with g.+ bore, sharply-defined rifling & bright, some minor pitting; original blued finish has thinned overall, some areas worn to a grey patina with fine pit peppering but presents well overall; crown / **ERFURT** marked to top of toggle, **1912** to top of breech; serial no. **8117** marked to lhs breech, frame abbreviated **17** marked to all small parts excluding mag.; mechanically fine, strong springs & crisp sears, toggle retracts smoothly; vg.+ cond. walnut grip panels with sharply-defined chequering overall, some a bit dirty but will clean up well; overall in exc. wo & g.+ cond. **#8117** L/R Mfg. 1912 *A good, honest example of a pre-war Luger.*
198. **WWI D.W.M MFG. LUGER P08 S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel 1400 - 1600
with vg. bright bore & sharply-defined rifling; re-blued finish to metalwork, presents decent, light holster wear thinning finish on muzzle sides of frame; markings are still quite defined; **1916** marked to top of breech, toggle marked with **DWM** trademark; rhs frame marked with 4 proofs; serial no. **3415** marked to lhs breech & abbreviated **15** marked to all small parts; mag. (**#7741**) with some chipping to wooden base; mechanically fine, strong springs & crisp sears, toggle retracts smoothly; vg.+ cond.; walnut grip panels with well-defined chequering, one small handling mark to rh grip but otherwise g. to vgc.; overall in exc. wo & g. cond. **#3415** L/R Mfg. 1916
199. **COLT MOD. GOLD CUP NATIONAL MATCH S/A PISTOL:** .38 Spl.; 8 rnd. mag.; 5" (127m/m) 500 - 800
barrel with vg. bright bore & sharply-defined rifling, needs a clean; original blued finish to metalwork presents decent, light holster wear to front of slide & some oxidation staining to front strap; **NATIONAL/ MATCH, COLT, AUTOMATIC/ .38 SPECIAL/ MID RANGE** marked to lhs slide, **HARTFORD** address marked to rhs; slide retracts freely, strong springs & sears; chequered walnut grip panels in g. to vg. cond., both slightly darkened but showing only light wear, gold **COLT** medallions inlaid to centre of both; overall in exc. wo & g.+ cond. **#3209-MR** Mfg. 1961 L/R
200. **COLT OFFICIAL POLICE D.A. REVOLVER:** .38-200 cal.; 6 shot fluted cylinder; 5" (126m/m) vg. 500 - 700
bright bore with sharply-defined rifling; original blued finish to metalwork, holster wear to sides of barrel, cylinder has thinned finish to a plum & grey patina; **COLT OFFICIAL/ POLICE, 38-200** marked to lhs barrel, two-line **HARTFORD** address to top of barrel; lhs frame with rampant horse trademark, **3/ 987** to rhs front of frame; cylinder indexing well, strong springs & sears; original walnut grips, chequering is lightly defined, grips inlaid with silver medallions; overall in exc. wo & f. to g. cond. **#672781** Mfg. 1941 L/R
201. **A.UBERTI 1848 DRAGOON 3rd MOD. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 7 1/2" 500 - 700
(190m/m) round barrel with fine, bright bore & crisp rifling; strong blued finish to barrel, cylinder & screws; brass straps & rounded trigger guard; frame with vivid case colours; lhs frame marked with **A. UBERTI & C. / ITALY**; strong springs & sears, cylinder indexing well; smooth walnut grips bearing some minor handling marks but in vg.+ cond.; overall in exc. wo & vg. to exc. cond. **#03715** Post 46' L/R *Suit new gun buyer. No evidence of this hefty revolver even being fired.*
202. **A.UBERTI MOD. 1851 NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (190m/m) 300 - 500
octagonal barrel with exc. bright bore & crisp rifling; strong blued finish to barrel, cylinder & straps, some minor straining & oxidation, frame with areas of strong case colours; top of barrel marked with **A. UBERTI & C. GARDONE V.T. ITALY**; strong springs & sears, cylinder indexing well; smooth walnut grips bearing some minor handling marks but in g. to vg. cond.; overall in exc. wo & g. to vg. cond. **#110495** Post 46' L/R *Has seen little work.*

203. **WEBLEY & SCOTT MK. IV D.A. RIMFIRE RIFLE:** .22 LR cal.; 6 shot fluted cylinder; 6" (154m/m) barrel with f. bore, rifling well-defined but light pitting throughout; reblued finish to metalwork is thinning on profile; revolver bearing extensive pit peppering to most surfaces; makers name & address to top of integral barrel rib, **MARK IV.22(LONG RIFLE)** marked to lhs top strap; **BNP** proofs to chambers & lhs barrel; action locks up with some minor movement, strong springs & sears, adjustable rear sight; original **Webley** marked chequered black plastic grips in g.+ cond., chequering well-defined; overall in g. wo & p. cond. #**A95143** Post 46' L/R **50 - 100**
204. **WWII ERA MAUSER MFG. '42 CODE' P08 LUGER S/A SERVICE PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with exc. bright bore & sharply-defined rifling; what appears to be the original blued finish to metalwork presents v. well, some minor handling marks overall; **1940** marked to top of breech, **42** to top of toggle; serial no. **1114-a** marked to lhs breech, abbreviated **14** marked to all externally visible small parts incl. mag. (#**1114**); pair Waffenamt **655** marks to rhs breech along with eagle proof; mechanically exc., toggle retracts smoothly, crisp sears; original mottled brown bakelite grips are in vg. cond., some v. minor handling marks to both; overall in exc. wo & g. to vg. cond. #**1114-a** Mfg. 1940 L/R *Presents incredibly well.* **2000 - 2500**
205. **WWI D.W.M MFG. LUGER P08 S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g. to vg. bright bore & sharply-defined rifling, some minor frosting; original blued finish to metalwork has developed a dark patina overall, some oxidation staining in areas; faint straw finish to small parts; **1916** marked to top of breech, toggle marked with **DWM** trademark; rhs frame marked with 5 proofs; underside of barrel bearing British reproofs; serial no. **3525** marked to lhs breech & abbreviated **25** marked to all small parts; matching mag.; mechanically fine, strong springs & crisp sears, toggle retracts smoothly; vg.+ cond.; walnut grip panels with well-defined chequering, some white build up in chequering but will clean up; overall in exc. wo & f. to g. cond. #**3525** L/R Mfg. 1916 **1600 - 1800**
206. **WWII WEBLEY NO.4 MK 1 R.A.F. FLARE PISTOL & HOLSTER:** 1 1/2" (37m/m) calibre; 4" barrel with vg. bore; military blued finish to metalwork presents well, breech area with its rough steel casting intact; lhs breech marked **No4 MK 1**, broad arrow marks to trigger guard & frame; action locks up tight, strong springs & sears; integral lugs to barrel for locating brackets on aircraft; Webley black bakelite grips present well, chequering sharply-defined but bearing some scattered handling marks, small graze to top of lh grip; pistol comes in contemporary fitted leather holster with straps; overall in vg.+ cond. #**5929 N/L A very nice example of the 'Lancaster Bomber' No.4 Mk 1 flare pistol.** **600 - 800**
207. **FRENCH MOD. 1816 PERCUSSION CONVERSION CAVALRY PISTOL:** 16 bore; 7 3/4" barrel with p. to f. bore; moderate pitting & v. dark patina to lock * barrel, some heavier pitting around breech & on steel ramrod; dull mellow patina to brass furniture; lock functions, strong springs & sears holding; walnut half stock bearing a few scattered handling marks but in g., sound cond.; brass butt cap with lanyard swivel; overall in f. cond. **N/L** **300 - 500**
208. **PATT. 1842 AUSTRALIAN CONSTABULARY PERCUSSION PISTOL by TOWER:** .660 cal.; 6" round barrel with f.+ bore, only minor frosting; dark grey patina to majority of metalwork, some fine pitting around breech but presents v. well; mellow patina to brass furniture; border engraved lock marked with Royal cypher/ **VR, 1853/ TOWER** marked to centre of lock; acceptance marks to breech; strong lock springs & sears, captive ramrod; walnut stock presents well, scattered handling marks & bruises in areas; retains g. metal-to-wood fit; lhs woodwork marked with faint **T. TURNER** stamp, additional trio of inspection marks to rhs of grip; brass butt cap complete with lanyard swivel; overall in vg. wo & g. to vg. cond. **N/L** **1600 - 1900**
209. **KYBER PASS PERCUSSION LANCERS PISTOL:** 16 bore; 9" round barrel with f. bore, some light pitting; silvery-grey patina to barrel & lock, light pitting & some peening to both; dull mellow patina to brass furniture; strong lock springs & sears, captive ramrod; hardwood full stock presents decent, some general light handling marks & minor loses; brass butt cap with lanyard loop; overall in f. to g. cond. **N/L** **300 - 500**

210. **PATT. 1842 AUSTRALIAN CONSTABULARY PERCUSSION PISTOL by ENFIELD:** .631 cal.; 6" round barrel with g.+ bore, only minor staining & frosting; grey patina to majority of metalwork, has been cleaned around nipple where some fine pit peppering is present; mellow patina to brass furniture; border engraved lock marked with Royal cypher/ **V * R, 1853/ ENFIELD** marked to centre of lock; acceptance marks to breech; strong lock springs & sears, captive ramrod; majority of screw heads are vg.; walnut stock presents well, nicely figured grain; older partial crack to lhs near breech, scattered handling marks & bruises to most surfaces; retains vg. metal-to-wood fit; lhs woodwork marked **ENFIELD & R.C** stamp, additional trio of inspection marks to rhs of grip; brass butt cap complete with lanyard swivel; overall in exc. wo & g. to vg. cond. **N/L** **1800 - 2200**
211. **PATT. 1842 AUSTRALIAN CONSTABULARY PERCUSSION PISTOL by TOWER:** .655 cal.; 6" round barrel with p. bore, caked with oxidation scale; grey patina to majority of metalwork, barrel with a matte appearance & peppered with scattered pits in areas; mellow patina to brass furniture; border engraved lock marked with Royal cypher/ **V-R, 1853/ TOWER** marked to centre of lock; acceptance marks to breech; strong lock springs but sears not holding, captive ramrod; walnut stock presents decent, scattered handling marks & bruises to most surfaces, fine aged crack behind lock tail & some chipping to lhs stock; lhs woodwork marked (indistinct)-**EL** stamp, additional pair of inspection marks to rhs of grip are visible; brass butt cap complete with lanyard swivel, has been stamped with modern serial no.; overall in f. cond. **N/L** **1500 - 1800**
212. **BRITISH SINGLE BARREL PERCUSSION PISTOL:** .685 cal.; 8 1/2" barrel with f. to g. bore, dusty but free from heavy pitting; dark plum patina to majority of metalwork, some light handling marks overall; mellow finish to brass furniture; border engraved lock marked with **TOWER/ PROOF** to tail, crown mark to centre; lhs breech marked with pair of commercial Birmingham proofs; strong lock springs & sears, retains steel ram rod; walnut full stock presents well, some heavier peening to lhs below brass side plate, general handling marks overall; brass butt cap; overall in g. cond. **N/L** **800 - 1200**
213. **COLT POCKET POSITIVE MOD. D/A REVOLVER:** .32 Colt cal.; 6 shot fluted cylinder; 3 1/2" (90m/m) barrel with bright bore & sharply-defined rifling, some bands of pit peppering, f. cond.; thinning original blued finish to metalwork presents well, dark plum patina developing in areas; **POCKET** over **(P)OSITIVE. 32 POLICE CTG.** to lhs of barrel, fine two-line **HARTFORD** address to top of barrel; rampant horse to lhs of frame; markings are all crisp; action indexing correctly, strong springs & sears; hard rubber original grips, defined chequering, **COLT** to top of both, some minor surface marks, wear spots; overall in g. wo & g.+ cond. **#117707** Pre 47' L/R **300 - 500**
214. **HARRINGTON & RICHARDSON MOD. 1906 RIMFIRE REVOLVER:** .22 Long cal.; 7 shot fluted cylinder; 2 1/2" (65m/m) octagonal barrel with vg. bright bore & sharply-defined rifling; original blued finish presents v. well, some light wear on cylinder but 90%+ remaining; **WORCESTER** address to lhs barrel flat, top strap marked **H&R MODEL/ 1906 22CAL.R.F.**; mechanically strong, cylinder indexing well; original chequered hard rubber grips with shot target motif to top, both bearing light handling marks but vg. cond.; overall in exc. wo & vg. cond. **#157696** Pre 47' L/R **300 - 500**
215. **SMITH & WESSON MOD. 10-6 D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 4" (103m/m) barrel exc. bright bore & sharply-defined rifling; strong blued finish to metalwork, some minor storage marks overall; vivid case colours on small parts; **SMITH & WESSON** marked to lhs barrel, cal. to rhs.; **SW** monogram, four-line **SPRINGFIELD** address to rhs frame; mechanically strong, cylinder indexing well, crisp sears; original walnut grips present well, some general surface marks but chequering remains sharply; defined; overall in exc. wo & near vg. cond. **#D644657** Post 46' L/R **500 - 700**
216. **IVER JOHNSON MOD. 1900 D.A. REVOLVER:** .38 S.&W. cal.; 5 shot fluted cylinder; 2 1/2" (65m/m) barrel, g. bore with sharply-defined rifling; bright nickel finish to metalwork presents well, some minor losses to front of cylinder and frame; **I.J. DOUBLE ACTION/ MODEL 1900** marked to top strap; cylinder indexing well, strong springs & sears; original hard rubber grips with owl motif to top of both, some light handling marks & wear but both are in vgc.; overall in exc. wo & g. to vg. cond. **#4814** Pre 47' L/R **250 - 400**

217. **HARRINGTON & RICHARDSON YOUNG AMERICA RIMFIRE REVOLVER:** .22 Long cal.; 7 shot fluted cylinder; 4 1/2" (115m/m) octagonal barrel with g. bore, sharp rifling with some light oxidation in grooves but should scrub up; original nickel finish to metalwork presents well, some light wear/ losses, mainly confined to cylinder; lhs barrel flat marked with **WORCESTER** address, **YOUNG AMERICA** to top strap; strong springs but hammer sear not holding, needs work; original hard rubber grips in g. cond., some light handling marks; overall in g. cond. #69087 Pre 47' L/R 150 - 300
218. **P. BERETTA MOD. 1935 S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 86m/m barrel with vg. bright bore & sharply-defined rifling; thinning original blued finish to metalwork, grey patina to majority of slide; **PIETRO BERETTA – Gardone V.T.** & cal. marked to lhs slide; slide retracts freely, strong springs & sears; original black plastic grips with **BERETTA** to top of both, some light handling marks to both; overall in exc. wo & f. to g. cond. #868283 Mfg. 1954 L/R 300 - 500
219. **FRENCH UNIQUE MOD. 52 S/A RIMFIRE PISTOL:** .22 LR cal.; missing mag.; 80m/m barrel with dirty bore, appears g.+ & rifling is sharply-defined; blued finish to metalwork is showing some wear, thinning to a dark patina overall; "**UNIQUE**" MOD./ 52, cal. marked to lhs slide, makers name & address to rhs; slide retracts freely but hammer won't release without a mag.; crude replacement grips fitted; overall in f. to g. cond. #491530 Post 46' L/R 50 - 100
220. **P. BERETTA MOD. 1934 S/A PISTOL:** .380 ACP cal.; 7 rnd. mag.; 86m/m barrel, bore is generally bright & rifling is well-defined, fine pit peppering throughout; strong blued finish to metalwork, some surface marks to frame & slide; **P. BERETTA CAL 9 CORTO MO 1934 BREVET./ GARDONE V.T. 1941.** marked to lhs slide; slide retracts freely, strong springs & sears; original black plastic grips with **PB** monogram to base, general wear & handling marks to both but structurally sound; overall in vg. wo & g. cond. #04258 Pre 47' L/R 500 - 700
221. **FRENCH UNIQUE MOD. 17 S/A POCKET PISTOL:** .32 ACP cal.; 9 rnd. mag.; 3 1/4" (82m/m) barrel with vg. bright bore & sharply-defined rifling; blued finish to metalwork, some light wear to profiles & speckled blemishes; **7.65 COURT 9 COUPS UNIQUE** marked to lhs slide/ address; slide retracts freely, strong springs & sears; original grooved black plastic grips in g. cond., some light handling marks; overall in exc. wo & g. cond. #398693 Post 46' L/R 300 - 500
222. **P. BERETTA MOD. 71 S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 3 1/2" (90m/m) barrel with vg. bright bore & sharply-defined rifling; blued finish to slide & steel parts quite strong, some marks to blacked finish on alloy frame lhs; makers name, **GARDONE** address marked to lhs slide; slide retracts freely, strong springs & sears; someone has ground down the slide release, still functions; black plastic two-piece grip bearing a few handling marks but in g. cond. #F00536 post 46' L/R 200 - 400
223. **ARMINIUS WEIHRAUCH MOD. HW9 RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 6" (151m/m) barrel with vg. bright bore & sharply-defined rifling; blued finish to steel parts & blacked finish to cast frame, finishes bearing general wear & have developed a grey patina; **HW9** marked to swingarm, German proofs to breech; **Made in Germany** to rhs frame; brown bakelite thumb rest grip in g. overall cond., some minor chips around edges & general light handling marks; overall in exc. wo & f. to g. cond. #45752 Post 46' L/R 300 - 500
224. **HARRINGTON & RICHARDSON TOP BREAK D.A. REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 2" (52m/m) barrel with vg. bore & crisp rifling; strong original blued finish to metalwork with some minor holster wear at muzzle, on cylinder & light handling marks on most surfaces; **WORCESTER** address to top of barrels integral rib, cal. to lhs; action locks up tight, cylinder indexing well; original hard rubber grips present well, butts of both with fine partial cracks; overall in exc. wo & g. to vg. cond. #490189 Pre 47' L/R *Looks to have spent its life in a desk drawer.* 300 - 500
225. **BELGIAN BARTON & Co FOLDING TRIGGER POCKET REVOLVER:** 5m/m rimfire cal.; 5 shot fluted cylinder; 1 1/2" (41m/m) barrel with f. to g. bore, rifling is sharply-defined; 40% original nickel finish to metalwork with areas of losses with brown patina; **BARTON & CO** marked to top strap; appears mechanically complete but cylinder not indexing, folding trigger binds at end; lh grip in g. cond. with floral relief pattern, rh grip has been shattered & crudely reassembled; overall in f. cond. #0385 Pre 47' L/R 25 - 50

226. **IVER JOHNSON DEFENDER 89 MOD. POCKET REVOLVER:** .22 short; 7 shot cylinder; 2 1/4" (58m/m) barrel with p. bore, oxidation scale throughout; nickel finish to metalwork presents well, some minor flaky losses & surface marring; **DEFENDER 89** marked to top strap; action faulty, not indexing & trigger spring broken; smooth walnut grips in f. to g. cond., small chip to rh grip & general handling marks; overall in f. cond. #138 Pre 47' L/R 25 - 50
227. **ROSSI MOD. PRINCESS D.A. RIMFIRE POCKET REVOLVER:** .22 LR cal.; 7 shot fluted cylinder; 3" (79m/m) barrel with g.+ bore. sharply-defined rifling; nickel finish to metalwork presents well, some handling marks; makers name & address to lhs barrel; action functions, indexing ok but could use a service; plastic grips bearing some handling marks, scuffs & a crack to rhs grip; overall in g. wo & cond. #315827 Post 46' L/R 200 - 400
228. **BOXED F.N. BROWNING MOD. 1910 S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 88m/m barrel with exc. bright bore & crisp rifling; strong original blued finish to metalwork, some light storage scuffs but showing little wear; lhs slide marked with std., FN full name, Belgian address/ **BROWNING'S PATENT DEPOSE**; mechanically exc., strong springs & crisp sears, slide retracts smoothly; original black plastic grip panels with **FN** monogram to top, both showing minor storage marks & retain sharply-defined chequering; comes in the original beige plastic shipping case with an additional mag.; overall in exc. wo & vg.+ cond. #528387 Post 46' L/R *Doesn't appear to have had a packet of cartridges through it.* 400 - 600
229. **BELGIAN S x S PERCUSSION PISTOL:** .44 cal.; 3" (76m/m) octagonal barrels with p. bores; silver-grey patina to metalwork with some patchy oxidation; strong springs, sears holding; smooth walnut stock presents OK, some fine cracks & light handling marks; overall in p. cond. #155 L/R 50 - 100
230. **WESTERNERS ARMS NEW MOD. ARMY PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (200m/m) octagonal barrel with vg. bright bore & sharply-defined rifling; strong blued finish to metalwork, some minor handling marks overall but presents well; makers name to top of barrel, Uberti trademark to rhs barrel; strong springs & sears, cylinder indexing well; smooth walnut grips in vgc., some minor handling marks to both; overall in exc. wo & vg. cond. #33068 Post 46' L/R 250 - 450
231. **BELGIAN FOLDING TRIGGER PINFIRE REVOLVER:** .30 cal. pinfire; 6 shot cylinder; 3 1/4" (85m/m) octagonal barrel with g. bore, would clean up with a clean; silver-grey patina to metalwork with some light pitting; Liege **ELG** proof to cylinder; action faulty, missing springs; smooth walnut grip in f. cond., some light handling marks & hole drilled through centre of both; overall in p. to f. cond. #748 Pre 1900 L/R 100 - 300
232. **LEE ARMS Co. RED JACKET NO.4 S.A. POCKET REVOLVER:** .32 RF short cal.; 5 shot fluted cylinder; 2 3/4" (70m/m) octagonal barrel with f. bore, rifling is well-defined but oxidation scale throughout needs cleaning; 50% nickel plating to metalwork remaining, grey patina & some oxidation staining to remainder; top strap marked with makers name, top of barrel marked **RED JACKET No 4**; mechanically a little stiff but does operate, needs an oil; lh original hard rubber grip in vgc., rh grip cracked & chipped; overall in f. cond. #10903 Pre 1900 L/R 200 - 400
233. **ALCOCK & PIERCE RETAILED WEBLEY MOD. WS ARMY REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with f. to g. bright bore, patch of light pitting towards muzzle, strong rifling; original blued finish to metalwork is strong overall, has darked & with patchy light oxidation staining in areas; **ALCOCK & PIERCE. MELBOURNE** engraved to top of barrel; "**W.S ARMY MODEL**" marked to top strap, .450/455 to lhs barrel, patents & trademarks to lhs frame; action locks up tight, strong springs & sears; original hard rubber grips retain sharply-defined chequering, relief script **W.S.** to top of both, rh grip with chip to base butt; lanyard swivel to butt of backstrap; overall in vg. wo & g.+ cond. #118797 Pre 47' L/R *Has seen v. little work, a lot of original finish hiding under some surface patina.* 700 - 900

234. **P. BERETTA MOD. 1951 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4 1/2" (115m/m) barrel with bright bore & sharply-defined rifling; original blued finish to metalwork presents well, some light general handling wear; lhs slide marked with **P. BERETTA-CAL 9m/m MOD. 1951-PATENT/** address; slide retracts freely, strong springs & sears; original black plastic two-piece grooved grip, some light handling marks but g.+ cond.; overall in exc. wo & g.+ cond. **#33755** Post 46' L/R **600 - 800**
235. **P. BERETTA MOD. 1934 S/A PISTOL:** .380 ACP cal.; 7 rnd. mag.; 86m/m barrel, vg. bright bore & sharply-defined rifling; strong blued finish to metalwork, developing a slight plum patina, some light handling marks; **P. BERETTA CAL 9 CORTO MO 1934 BREVET./ GARDONE V.T. 1948.** marked to lhs slide; slide retracts freely, strong springs & sears; original black plastic grips with **PB** monogram to base, some light handling marks to both but structurally sound; overall in vg. wo & g. cond. **#C80888** Mfg. 1948 L/R **500 - 700**
236. **ROSSI MOD. PRINCESS D.A. RIMFIRE POCKET REVOLVER & HOLSTER:** .22 LR cal.; 7 shot fluted cylinder; 3" (79m/m) barrel with g.+ bore. sharply-defined rifling but needs a clean; nickel finish to metalwork presents poor, patchy losses; makers name & address to lhs barrel; action functions, indexing well, strong springs & sears; plastic grips in g. cond., shrunken slightly but bearing only light handling marks; comes in leather generic holster; overall in g. wo & cond. **#375012** Post 46' L/R **250 - 400**
237. **BERETTA MOD. 949 OLYMPIC S/A TARGET RIFLE & SPARE BARREL:** .22 LR cal.; 10 rnd. mag.; 8" (200m/m) barrel with dirty barrel, appears vg. with sharply-defined rifling; blued finish to steel parts & black finish to alloy frame present well, some light handling marks & minor wear confined to frame; lhs slide marked with Beretta full name, address etc.; slide retracts freely, strong springs & sears; fitted with barrel wights & muzzle brake; original thumb rest walnut grip with sharply-defined chequering, some light handling marks; comes with 6" replacement barrel; overall in exc. wo & g. to vg. cond. **#2420** Post 46' L/R **250 - 500**
238. **P. BERETTA MOD. 418 S/A VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 60m/m barrel with g. bore, needs a clean but rifling is sharply-defined; thinning blued finish to steel parts & blacked finish to alloy frame; **P. BERETTA**, cal., address marked to lhs slide, slide retracts freely, strong springs & sears; original black plastic grips need a clean but in g. to vg. cond.; overall in vg. wo & f. to g. cond. **#26378C** Mfg. 1957 L/R **300 - 500**
239. **SMITH & WESSON MUSKRAT CUSTOM D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (152m/m) custom barrel, ported at muzzle; bore dirty but appears vg. with sharply-defined rifling; bright bushed finish to stainless steel metalwork; lhs barrel engraved **Muskrat Custom**, std. **SW** monogram trademark & four-line **SPRINGFIELD** address to rhs frame; mechanically fine, action has been worked, butter smooth d.a. trigger pull, indexing well, bobbed hammer; fitted with **PRO-CLASS tasco 1x22** scope, clear optics; fitted with custom walnut grip in vgc., chequering well-defined; overall in exc. wo & vg. cond. **#39K5948** Post 46' L/R **400 - 600**
240. **P. BERETTA MOD. 1935 S/A PISTOL & LEATHER HOLSTER:** .32 ACP cal.; 8 rnd. mag.; 86m/m barrel with vg. bright bore & sharply-defined rifling; thinning original blued finish to metalwork, has developed a plum patina; **PIETRO BERETTA – GARDONE V.T. 1942 XX** marked to lhs slide; slide retracts freely, strong springs & sears; original black plastic grips with **PB** to base of both, some light handling marks & scuffs to both; comes with period fitted leather holster & spare mag.; overall in exc. wo & g. cond. **#489264** Mfg. 1942 L/R **300 - 500**
241. **FINNISH SIG MFG. MOSIN NAGANT M.24 B/A SERVICE RIFLE:** 7.62×54m/mR; 5 rnd. integral mag.; 28" barrel, bore bright & rifling is well-defined, some light pitting & last 1/2" of rifling has been bored out; re-blued finish to metalwork presents well, areas of fine pitting still present; top of barrel marked with **SA** boxed cartouche/ **SIG S** trademark, **31576**, rhs breech marked **Schweiz Industrie-Gesellschaft/ Neuhausen**; markings are sharply-defined; matching bolt cycles freely, strong springs & sears; **2 - 8 1/2** graduated rear sight, blade front; retains steel cleaning rod; two-piece hardwood stock presents v. well, some scattered light handling marks & scuffs but free from cracks & repairs; steel buttplate; overall in vg. wo & g. cond. **#31576** L/R **900 - 1200**

242. **SPANISH LA CORUNA FR8 B/A SERVICE CARBINE:** 7.62×51m/m NATO cal.; 5 rnd. mag.; 19" barrel with flash hider; bore needs a clean but appears bright with crisp rifling, considered vg.; matte grey military finish to metalwork presents well, some minor handling marks overall; top of breech marked with **FABRICA DE ARMAS & trademark/ LA CORUNA/ 1956; FR8** & serial no. marked to lhs action; non-matching bolt cycles freely, strong springs & sears; rotary rear sight & globe front; hardwood stock in vg. original cond., some darkened areas & scattered surface marks; overall in exc. wo & vg. cond. **#FR8 34989** **800 - 1200**
243. **R.F.I ISHAPORE NO.1 MK. 3* B/A 'GRENADE LAUNCHING' RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. to vg. bore & well-defined rifling, a little dull; black coated finish to metalwork presents well, thinning slightly on profiles; rhs body socket marked crown/ **R.F.I./ 1953/ No1.Mk3***; matching bolt cycles freely, strong springs & sears; 2-20 graduated rear sight; woodwork banded with copper wire reinforcements to forestock around handguard & before nose cap; woodwork presents v. well, some light handling marks overall & fine crack to forestock rhs below charger bridge; armourers repair to heel of stock, brass buttplate with trap, rough finish; overall in exc. wo & g. cond. **#43895 L/R** **500 - 700**
244. **MAUSER A-G MFG. GEWEHR 98 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 30" barrel with g. bore, bright & well-defined rifling, peppered with fine pits; original finish has thinned to a brown patina, presents decent, some dried grease that would clean off; top of breech marked with **WAFFENFABRIK/ MAUSER A-G/ OBERNDORF A/N / 1914, Gew. 98.** marked to lhs action; std. trio of proofs to rhs breech; serial no. marked to lhs breech & barrel; non-matching bolt cycles freely, strong springs & sears; 4-20 graduated early style ramp rear sights; retains steel cleaning rod & swivels; unrestored walnut stock & handguard sections bearing extensive but surface handling marks & bruising; original inspection marked to rhs butt are sharply-defined & metal-to-wood fit is exc.; fitted with period leather sling; overall in vg. wo & f.+ cond. **#7133 L/R A rough diamond, woodwork bearing its service history.** **700 - 900**
245. **R.F.I ISHAPORE NO.1 MK. 3 B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. bore & sharply-defined rifling, lands are dirty with leading but will clean up; blued finish to metalwork quite strong, thinning to a plum patina on charger bridge & profiles; some bruising & surface oxidation on magazine; rhs body socket marked **No1.Mk3/ R.F.I./ 1962**; matching bolt cycles freely, strong springs & sears; 2-20 graduated rear sight; woodwork presents v. well, some light handling marks overall & crack to forestock rhs below breech; brass buttplate with diagonal etching to form grooves; overall in vg. wo & g. cond. **#94370X L/R** **500 - 700**
246. **SWISS 'SCHMIDT-RUBIN' K11 STRAIGHT-PULL CARBINE:** 7.5×55m/m cal.; 5 rnd. mag.; 23 1/4" barrel with fine bore, bright with crisp rifling; original blued finish to majority of metalwork presents well, some light wear on profiles & scattered blemishes, polished finish to bolt; lhs breech marked with serial no. **137240/ P**, Swiss cross mark to top of breech; distinctive straight-pull bolt with bakelite handle & ring cocking piece; action cycles smoothly, strong springs & sears; 3-15 graduated tangent sights & blade front; walnut stock presents v. well., some scattered handling marks & bruising; steel buttplate; fitted with period leather sling on original swivels; overall in exc. wo & g. to vg. cond. **#137240 L/R** **800 - 1200**
247. **NAGOYA ARSENAL ARISAKA TYPE 38. B/A SHORT RIFLE:** 6.5×50m/mSR Arisaka cal.; 5 rnd. integral mag; 19" barrel with g. bore, bright & well-defined rifling, peppered with fine pits; original blued finish to metalwork has developed an even dark patina overall, some minor oxidation staining but presents well; serial no. & arsenal marks to lhs action are defined, Chrysanthemum & kanji markings to top of breech are well-defined; matching number bolt cycles freely, strong springs & sears; 4 – 2 graduated rear sight, retains steel cleaning rod & dust cover; hardwood two-piece stock in sound, original cond.; some general handling marks & bruising, stock is separating; fitted with period leather sling; cupped steel buttplate covered in dark oxidation scale; overall in vg. wo & f. to g. cond. **#56816 L/R** **700 - 900**

248. **SCARCE PERSIAN CONTRACT CZECH MFG. M.98/29 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 1000 - 1500
 30" barrel with exc. bright bore & crisp rifling; strong blued finish to majority of metalwork, polished finish to bolt & internals, presents v. well; vivid nitre blueing to bolt release with some minor oxidation speckling; top of breech marked with crisp Persian coat of arms, extensive Farsi markings to carbine incl. of lhs action, breech & sight graduations; matching numbers (the Farsi symbols look identical) bolt cycles freely, strong springs & sears; original tangent sights; complete with steel cleaning rod, slings swivels; walnut butt & hand guard present v. well, some scattered handling marks, heavier aged graze to top of handguard; sharply-defined Farsi markings marked to rhs stock, 59 roundel mark to lhs; blued steel buttplate; overall in exc. wo & vg. cond. #7761 L/R *A beautifully made contract rifle from the pre-war Brno factory. The sort of fit & finish one would expect from German contract rifles.*
249. **QLD GOVT. MARKED B.S.A. Co LEE-METFORD MK I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. 800 - 1100
 mag.; 30" barrel with f. bore, Metford rifling lightly defined, fine pitting throughout; blued finish has developed a dark patina & some surface oxidation to most surfaces; rhs body socket marked with **V.R.** Cypher/ **B.S.A. Co/ 1900/ L.E/ I.***; top of barrel has been slightly defaced but **B.S.A.** piled arms trademark still visible; top of breech marked with **Q / \ Q** stamps; matching numbers bolt cycles freely, strong springs & sears; retains mag. cut off, correct style mag. with chain link, dust cover & volley sights; 6-18 graduated ladder sight; walnut stock & handguard presents v. well & bearing only v. light handling marks & bruising overall; brass buttplate with trap; fitted with period leather sling; overall in g. wo & g. cond. #A15114 L/R
250. **D. PEDERSOLI S x S PERCUSSION SHOTGUN:** 12G; 28 1/2" barrels with exc. bright bores; original 300 - 500
 brown finish to barrels is poor, streaky patches of losses to lhs & around breech, silver coin finish to & acanthus scroll pattern to locks; makers full name & Gardone address to top of rh barrel; strong lock springs & sears; retains ramrod; plain walnut half stock in f. to g. but sound cond., some general handling marks & light chipping; chequering to wrist is defined; overall in exc. wo & f. cond. #3618 L/R *A fun black powder shotgun you don't need to be precious with.*
251. **BRITISH S x S PERCUSSION FOWLER by J.O. MAYNE:** 15 bore; 30" twist damascus barrels, p. 100 - 300
 bores; metalwork with brown patina, varying degrees of pitting to all surfaces; faint makers name to locks, Birmingham proofed barrel; locks function but hammers wobbly; missing some small furniture parts & ramrod; walnut half stock has been refinished, presents decent, worn chequering, some handling marks; overall in p. cond. *N/L Suit wall hanger.*
252. **BRITISH S x S PERCUSSION FOWLER by HILL of LONDON:** 13 bore; 30 1/4" twist damascus 100 - 300
 barrels with p. bores, oxidation scale throughout; re-browned finish to barrels presents well, defined twist pattern but heavier pitting to breech; **LONDON** engraved to top rib, **HILL** to both locks; locks with light coverage of scroll, border engraving; Birmingham proofs to underside of barrel; strong lock springs & sears holding, rh hammer a crude replacement, broken screw; correct style ramrod; walnut half stock, has been refinished but still bears some handling marks & bruising, chequering barely defined; overall in p. to f. cond. *N/L Suit wall hanger.*
253. **BRITISH S/B PERCUSSION FOWLER by WARD:** 14 bore; 30 1/4" twist damascus barrel with p. to f. 100 - 300
 bore, consistent oxidation scale throughout but doesn't appear heavily pitted; grey patina to majority of metalwork fine frosting to barrel, some heavier pitting & scoring around breech; **WARD** engraved to lock, Birmingham proofs to underside breech; light coverage of scroll engraving, starburst pattern to top of barrel; strong lock spring, sears holding; replacement ramrod; stepped, hooked breech; walnut half stock with silver forewood cap, presents decent but has had several older dowel & grafted walnut repairs to grain; some handling marks, light bruising, chequering to wrist is defined; overall in f. cond. *N/L Would grade up with some TLC.*
254. **TERNI CARCANO M.38 B/A SHORT RIFLE:** 6.5×52m/m cal.; 5 rnd. integral mag.; 22" barrel with p. 200 - 400
 to f. bore, well-defined rifling but dark & dirty throughout, should clean up; blued finish to metalwork presents well, some light wear & oxidation staining; patchy light pitting to bolt; **R. E. TERNI** under crown to top of breech along with **1940 XVIII** stamps to rhs; **CAL 6.5** to top of sight block; bolt cycles well, strong sears; missing cleaning rod; woodwork in vg. overall cond., some scattered handling marks to surface, presents well; overall in f. to g. wo & g. to vg. cond. #7725 L/R

255. **LITHGOW SHT. LE MK. III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore & sharply-defined rifling; thinning blued finish to metalwork has turned to a grey patina, khaki coated finish remaining on barrel; rhs body socket marked with **A** within star/ **LITHGOW/ SHT.LE/ III** / within shield/ **1916**; matching no. bolt cycles well, strong springs & sears; original 2-20 graduated rear sights; barrel a later Lithgow replacement; woodwork bearing light bruising & handling marks confined almost entirely to stock, forestock & hand guard look like replacements; rhs stock with lightly defined **CME/ 3MD**, kangaroo, serial no. markings, brass disc inlay; brass buttplate with trap; overall in exc. wo & g. cond. **#48846** L/R **600 - 800**
256. **E.R.A MFG. ENFIELD PATT. 14 B/A SERVICE RIFLE:** .303 cal.; 5 rnd. mag.; 26" barrel with g.+ bore, sharply-defined rifling with some fine pitting throughout; dark military blued finish to majority metalwork, some minor handling marks; top of breech marked **ERA** (Remington Eddystone)/ **521540**; Broad arrow & **GRI** proofs to lhs action; non-matching bolt cycles freely, strong springs & sears; 4-16 graduated rear sight, retains swivels; woodwork in f. to g. cond., dark appearance & bearing scuffs & handling marks overall but majority confined to butt; small partial crack below top tang; rhs stock inlaid with std. brass disc & small brass plate, marked **SAU-CIE/ 8426**; steel buttplate with trap; overall in vg. wo & f. to g. cond. **#521540** L/R **600 - 800**
257. **VIC GOVT. MARKED B.S.A. Co LEE-ENFIELD MK I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 30" barrel with f. bore, rifling well-defined, fine pitting throughout & needs a clean; blued finish has darkened but presents well, thinning on mag., profiles; rhs body socket marked with crown/ **E.R.** / **B.S.A. Co / 1902 / L.E / I.***; top of breech marked with **VIC** stamp; non-matching bolt cycles freely, strong springs & sears; retains mag. cut off, correct style mag. with chain link, dust cover & volley sights; 6-18 graduated ladder sight; walnut stock & handguard has been refinished, still bearing some scattered handling marks; some armourers repairs to forestock, roundels & markings to rhs stock are lightly defined; brass buttplate with trap; overall in g. wo & g. cond. **#B44515** L/R **700 - 1000**
258. **LITHGOW NO. 2 MK. 4 B/A RIMFIRE TRAINING RIFLE:** .22 LR cal.; 25 1/4" barrel with vg. bright bore & sharply-defined rifling; grey military finish to metalwork presents v. well, some minor residue & handling marks; rhs body socket marked with sharply-defined **MA/ LITHGOW/ S.M.L.E / III***/ **1945**; serial no. marked to top of breech; matching no. bolt cycles freely, std. 2-20 tangent sights, no. magazine; woodwork in exc. cond., only light handling marks overall, presents as unissued; brass buttplate with trap; overall in exc. wo & vg. to exc. cond. **#2065** L/R **700 - 1000**
259. **ENFIELD PATT. 14 NO. 1 B/A RIMFIRE TRAINING RIFLE:** .22 LR cal.; 25 1/4" barrel with vg. bright bore & sharply-defined rifling; blued finish to majority of metalwork quite strong, body socket & breech retains patchy protective resin; plum patina & scale on mag.; rhs body socket marked with crown/ **V.R./ ENFIELD/ 1893./ II**, below marked with **A.G. PARKER** full name, address/ **22 PAT I/ 14 NO 1**, lhs body socket marked with **SPARKBROOK SHT.LE** stamps; **ER** proofs to breech; matching no. bolt cycles freely, correct rear sights with windage adjustment V-notch altered to U; rifle complete with volley sights & swivels, matching nose cap; woodwork presents well, general light handling marks & bruises overall, butt with armourers repair to heel & partial cracks to either side, needs attn.; brass buttplate with trap; overall in exc. wo & g. cond. **#P6253** L/R **1000 - 1400**
260. **B.S.A. Co MFG. SIAMESE WILD TIGER CORP. CONTRACT B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25" barrel with f. to g. bore, rifling is well-defined, some scattered moderate pitting towards muzzle; blued finish to metalwork has patchy plum patina developing in areas, some oxidation in areas; Siamese characters marked to rhs breech & body socket, the latter with tiger head motif; lhs of body socket marked **B.S.A. Co**, top of breech with **BSA** piled arms trademark; lhs breech has been crudely etched with new serial no.; bolt covered in dried grease, needs a clean & oil as it currently won't close; std. military 2 – 20 graduated rear sights; sling swivels to underside of stock & forewood; woodwork in sound cond., some general surface marks & light bruising, dark appearance; brass butt plate with trap; overall in f. cond. **#1057** L/R *A good clean would grade this up significantly* **250 - 500**

261. **LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE:** .303 cal., 10 rnd. mag.; 25 1/4" barrel with greased bore, rifling is crisp, appears to be exc.; original khaki military finish to metalwork presents exc., v. strong, as is black paint to copper barrel band; rhs of body socket marked **MA / LITHGOW / S.M.L.E. / III* / 1943**; serial no. **F/5905** marked to rhs breech, barrel, bolt, nose cap; markings are crisp; matching bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sights; woodwork presents v. well, some light handling marks; some lighter sections to side of forestock & handguard where wood has been shaped back, possibly factory; rhs butt marked with lightly defined **LITHGOW** markings incl. **1944, III*, HV**; overall in exc. wo & vg. cond. **#F5905** L/R 700 - 900
262. **B.S.A. Co. PATT. 14 NO. 1 B/A RIMFIRE TRAINING RIFLE:** .22 LR cal.; 25 1/4" barrel with vg. bright bore & sharply-defined rifling; blued finish to majority of metalwork, thinning to a plum patina on action, body socket; patchy black paint on mag.; rhs body socket marked with crown/ **V.R./ B.S.A. co/ 1901/ L.E/ I***, below marked with **22 PAT I/ 14 NO 1**, lhs body socket marked with **SPARKBROOK SHT.LE** stamps; **ER** proofs to breech; matching no. bolt cycles freely, correct rear sights with windage adjustment V-notch altered to U; rifle complete with volley sights & swivels, matching nose cap; woodwork presents well, general light handling marks & bruises overall; **C/ 502** stamped to comb of butt; brass buttplate with trap; overall in exc. wo & g. cond. **#P2082** L/R 1000 - 1400
263. **ENFIELD NO. 2 MK IV. B/A RIMFIRE TRAINING RIFLE:** .22 LR cal.; 25 1/4" barrel with exc. bright bore & sharply-defined rifling; strong military dark grey finish to metalwork, some minor handling marks but presents v. well; rhs body socket marked with crown/ **G.R./ ENFIELD/ 1915./ III**; rhs bolt head marked **.22 No2**; non-matching bolt cycles freely, correct rear sights, V-notch altered to U; woodwork presents v. well overall, with exception of deep graze to lhs head of stock, would be considered vg., only light handling marks elsewhere; rhs butt marked with sharply-defined **R/ MA/ No2/ Mk.IV*/ 5/47**; brass buttplate with trap; overall in exc. wo & g. to vg. cond. **#J7353** L/R 900 - 1200
264. **AUST. MARKED G.R.I ISHAPORE NO.1 MK. III B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. bore & sharply-defined rifling, fine pit peppering throughout; blued finish to metalwork quite strong, thinning to a plum patina on charger bridge & profiles; some bruising & surface oxidation on magazine; lhs body socket marked **No1.Mk III/ FR**; Lithgow proofs to barrel; breech marked with **G.R.I, MA & D / \ D** marks/ proofs; matching bolt cycles freely, strong springs & sears; 2-20 graduated rear sight; woodwork presents v. well, some light handling marks overall; brass buttplate with diagonal etching to form grooves; overall in vg. wo & g. cond. **#10159Z** L/R 500 - 700
265. **L.S.A. Co SHT.LE MK. III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. bore, a bit dull & peppered with fine pitting but rifling remains v. well-defined; thinning military khaki finish to metalwork; rhs of body socket marked cypher/ **E.R. / L.S.A. Co Ld / 1908 / SHT LE / III**; top of breech marked with **D / \ D** marks; matching no. bolt cycles freely with trigger held down but jams when cocking upon close; std. 2-20 graduated rear sight; complete with swivels & mag cut off; woodwork presents well, some light handling marks & bruising overall but well above average cond.; rhs stock marked with defined **LITHGOW** mk **III* 1942** markings; overall in vg. wo & g.+ cond. **#L15806** L/R 600 - 800
266. **B.S.A. Co LEE-ENFIELD MK I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 30" replacement barrel with vg. bore, bright with sharply-defined rifling; thinning blued finish has darkened, mottled patina to worn areas; rhs body socket marked with crown/ **E.R. / B.S.A. Co / 1902 / L.E / I***; top of breech marked with **VIC** stamp; non-matching bolt cycles freely, strong springs & sears; retains mag. cut off, correct style mag. with chain link, dust cover & volley sights; missing barrel band & handguard; 6-18 graduated ladder sight; walnut stock has been refinished, some wood has been shaved away to fit side-mount peep sight on lhs forestock & some gouges to underside of stock; brass buttplate with trap; overall in exc. wo & f. cond. **#2655** L/R *A hotchpotch of desirable parts but could be a good, cheap shooter.* 500 - 800

267. **VICTORIAN MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with g. bore, relatively bright overall with sharp rifling, some light pitting; thinning original blued finish to metalwork, patchy scale to action, patchy finish on barrel; full name & **B.S.A.** piled arms trademark to lhs of action, **COMMONWEALTH OF AUSTRALIA/ VIC** to rhs & Kangaroo trademark to top of breech; action locks up well & trigger crisp; std. tangent sights & blade front; woodwork is in sound cond., general handling marks & bruising but presents decent; incorrect Tasmanian **CMF/ T** stamps to rhs, probably swapped; faint roundel mark to rhs butt; steel buttplate; overall in g. wo & f. to g. cond. #45825 L/R 300 - 500
268. **AUST. MARKED G.R.I ISHAPORE SHT.LE. MK. III* B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. bore & sharply-defined rifling, fine pit peppering throughout; thinning grey military finish to metalwork, presents decent, plum patina on magazine; lhs body socket marked with crown/ **G.R/ 1941/ SHT. L.E./ III***; Lithgow proofs to barrel; breech marked with **FTR, MA & D / \ D** marks/ proofs; lhs body socket marked **MA/54**; matching bolt cycles but a little gummed up with dried grease, strong springs & sears; 2-20 graduated rear sight; woodwork presents decent, a few surface scuffs & light bruising; brass buttplate with trap; overall in vg. wo & g. cond. #W30187 L/R 500 - 700
269. **G.R.I ISHAPORE SHT. LE MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bright bore & sharply-defined rifling, slightly dull, some frosting; blued finish to metalwork presents decent, honest wear to profiles, charger bridge has thinned finish to a grey patina; rhs body socket marked with crown/ **G.R/ ISHAPORE/ 1941/ SHT. L.E./ III***; matching nose cap & bolt, the latter cycles freely, strong springs & sears; std. 2-20 graduated sights; woodwork bearing some light handling marks overall, lhs forestock with partial fine crack running out from body socket, lhs butt has had **V A L** deeply carved into it; brass buttplate with trap; overall in vg. wo & f. to g. cond. #87796E L/R 500 - 700
270. **VICTORIAN MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with g. bore, relatively bright overall with sharp rifling, some light pitting; thinning original blued finish to metalwork has developed a dark patina, some patchy staining over the top; std. **VIC & B.S.A.** markings; action binds slightly when operating, back of action has been belted with a hammer, heavily peened; std. sights; forestock has been shortened, missing cap; f. stock, presents well but some lifting chips to head, markings to rhs defined; overall in p. to f. cond. #57558 L/R *Suit parts.* 50 - 100
271. **VICTORIAN MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with f. bore, relatively bright overall with sharp rifling but peppered with light pitting; thinning original blued finish to metalwork has developed a dark patina, some patchy staining over the top; full name & **B.S.A.** piled arms trademark to lhs of action, **COMMONWEALTH OF AUSTRALIA/ VIC** to rhs & Kangaroo trademark to top of breech; action locks up well & trigger crisp; std. tangent sights & blade front; woodwork is in sound cond., general handling marks & bruising but presents decent; faint roundel mark to rhs butt; steel buttplate; overall in g. wo & f. to g. cond. #45632 L/R 300 - 500
272. **ENFIELD SHT. LE. MK. III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bright bore & sharply-defined rifling, slightly dull, some frosting; thinning blued finish to metalwork presents well, has developed a grey patina overall, thinning on profiles, charger bridge etc.; rhs body socket marked **E.R.** Cypher/ **ENFIELD / 1907/ SHT.LE/ III**; serial no. has been stamped to nose cap & rhs barrel; non-matching bolt cycles freely, strong springs & sears; retains mag. cut off; std. 2-20 graduated rear sights; woodwork presents well, some light handling marks & bruising; rhs butt marked with faint roundel, **A I R/ 3914/ 1108**; brass buttplate; overall in exc. wo & g. cond. #4801A L/R 600 - 800
273. **B.S.A. NO. 4 MK. I B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bore, two-groove rifling is sharply-defined, some fine frosting; thinning blued finish to metalwork, black finish to magazine g., some surface oxidation on profiles; lhs body socket marked with some indistinct partial marks, **43, Y24052 & A** above; lhs action along with defined **No4 MK I**; non-matching bolt cycles freely, strong springs & sears, std. simple flip up peep sight; woodwork in vg. cond., some light handling marks but presents well; grooves to hand guard is sharply-defined; grey alloy buttplate with trap; overall in exc. wo & g. to vg. cond. #Y24052 L/R 500 - 700

274. **B.S.A. SHIRLEY No. 5 MK I B/A JUNGLE CARBINE:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; exc. bright bore with sharply-defined rifling; black military finish to metalwork presents exc., a few minor handling marks & light wear on profiles; lhs of action marked with crisp **No.5. M.k.I.**, lhs body socket marked with **M 47 C/ 1947/ ENGLAND/** serial no. **BK0930**; lhs barrel ahead of handguard marked with **BNP** British reproofs; matching no. bolt cycles freely, strong sears; std. peep sights with **2 – 8** graduations & knurled sight slide to ladder; woodwork in vg. cond. overall, a few handling marks & scratches on forestock but presents extremely well; standard cupped butt plate with rubber centre; overall in exc. wo & near exc. cond. **#BK0930** L/R **1400 - 1800**
275. **EARLY LITHGOW S.M.L.E MK. III B/A SERVICE RIFLE:** .303 cal., 10 rnd. mag.; 25 1/4" barrel with vg. to exc. bright bore & sharply-defined rifling; blued finish to metalwork has thinned to an even grey patina, presents well; rhs of body socket marked **MA / LITHGOW / S.M.L.E. /III/ 1927**; breech marked with **FTR, MA & D /\ D** marks to breech; serial no. **B/ 16792** marked to rhs breech, barrel, bolt, nose cap; lhs body socket marked **MA/52**; matching bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sights; woodwork presents v. well, some light handling marks & bruising overall, some grazes on butt; brass buttplate; overall in exc. wo & vg. cond. **#B16792** L/R **700 - 900**
276. **G.R.I ISHAPORE SHT.LE. MK. III B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel; vg. bore, bright with sharply-defined rifling; blued finish to metalwork is thinning to a grey patina in areas; lhs body socket marked with crown/ **G.R/ ISHAPORE/ 1919/ SHT. L.E./ III**; matching bolt cycles freely, strong springs & sears; 2-20 graduated rear sight; matching nose cap; woodwork presents decent, a few surface scuffs & light bruising; brass buttplate with trap; overall in vg. wo & g. cond. **#22955B** L/R **500 - 700**
277. **FAZAKERLEY No. 5 MK I JUNGLE CARBINE:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; exc. bright bore with sharply-defined rifling, some superficial frosting but hard to fault; military black finish to metalwork, presents well, only light wear overall; barrel with slight brown patina; lhs of action marked with crisp **No5 MKI ROF (F)/ 4/ 47/ AA 3273**; **BNP** proofs to lhs breech; bolt cycles freely, strong sears; std. peep sights with **2 – 8** graduations & knurled sight slide to ladder; woodwork in near exc. cond. overall, a few handling marks but presents extremely well; standard cupped butt plate with rubber centre; overall in exc. wo & vg. cond. **#AA3273** L/R **1200 - 1500**
278. **VERY SCARCE S.A.F. LITHGOW TARGET RIFLE:** 7.62x51mm NATO cal.; 21" barrel with exc. bright bore & sharply-defined rifling; 80%+ black military finish to metalwork presents v. well, only light handling marks & wear overall; lhs of receiver marked **S.A.F. LITHGOW TARGET RIFLE 7.62mm**, serial no. **AD70054** stamped to frame & receiver & etched to bolt; bolt retracts smoothly, crisp trigger, bolt release to underside rhs of receiver; SLR style safety to lhs receiver; globe front sight, lhs receiver fitted with Central No. 4 style aperture sight mount; woodwork presents well., only surface handling marks & scuffs overall; mottled grey patina to alloy buttplate; overall in exc. wo & vg. to exc. cond. **#AD70054** Cat B L/R *Only 132 of these interesting Australian target rifles were thought to have been produced in their short-lived production run.* **1750 - 2250**
279. **WWII ERA R.O.F. MALTBY No. 4 MK.I T B/A SNIPER RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bore, rifling is sharply-defined; military black finish to metalwork, presents well, some light handling marks & thinning on profiles; lhs body socket marked **M47 C/ 1944/ N35014/ TR**; the single T is marked to lhs action; **BNP** reproof mark to lhs breech & full reproof, cartridge spec. stamped to underside of barrel; bolt is stamped with serial no., cycles well, strong springs & sears; retains std. ladder rear sight & fitted with period, 1944 dated scope; scope & mount with thick black finish, some wear to finish on profiles; scope marked **TEL. SIGHTING /No.32 Mk.II. /O.S. 1650A/ 1944 No 9459**; optics clear, post & cross hair reticule, the latter appears to sag slightly; **N / 9459** marked to mount; scope with leather dust covers; woodwork in vg.+ sound. cond., presents well & bearing only scattered handling marks & bruising; grooved handguard section, fitted with raised cheekpiece; armourers repair to heel of stock; **35014** marked to underside of forestock, number to head of stock has been deliberately peened, **9459** marked above it; brass buttplate retains 60% flaking black paint finish; fitted with older thick leather sling; overall in exc. wo & vg. cond. **#N35014** L/R **4000 - 5000**

- 280. D.W.M. MFG. PORTUGUESE MAUSER MOD. 1904 B/A RIFLE & MATCHING BAYONET:** 800 - 1100
 8×57m/m Mauser cal.; 5 rnd. integral mag.; 24" barrel with vg. to exc. bore, rifling is crisp, needs a clean; reblued finish to metalwork presents well, heavier pits peppering rhs barrel ahead of handguard; defined **ESPINGARDA PORTUGUESA 6.5 MOD. 1904** to lhs of breech, crown/ **IC** monogram to top; DWM full name & **BERLIN** to lhs of action; matching no. bolt cycles smoothly, strong trigger sear; std. tangent sights with 2 – 20 graduations; retains steel cleaning rod; woodwork presents well, has been cleaned back & refinished but still bearing some light handling marks & scattered bruises; fitted with older vgc. leather sling & comes with g. cond. **SIMSON & Co/ SUHL** marked matching bayonet; overall in exc. wo & g. cond. **#B2473** L/R
- 281. B.S.A. Co LEE-ENFIELD MK. I* B/A RIFLE & BAYONET:** 500 - 700
 .303 cal.; 10 rnd. mag.; 30 1/4" barrel with p. to f. bore, rifling defined but peppered with moderate pitting throughout & dark, may grade up with a clean; thinning blued finish to metalwork has developed a dark patina, some oxidation staining but free from heavy pitting; rhs of body socket marked cypher/ **V.R./ B.S.A. Co/ 1901/ L. E./ I***; top of barrel marked **LITHGOW**; non-matching early bolt cycles freely, retains mag. cut-off, swivels, volley sights & correct mag. with chain, no cleaning rod; woodwork has been heavily cleaned back, metalwork sitting well proud of wood in many areas; lhs butt marked with **N.S.W/ 1917** faint stamps; comes with g. cond. **WILKINSON LONDON 95'** marked bayonet & scabbard; brass buttplate with trap; overall in f. cond. **#A27408** L/R *Retains a lot of sought after parts & a good quality bayonet.*
- 282. ENFIELD SHT.LE MK. I* B/A RIFLE & BAYONET:** 600 - 700
 .303 cal.; 10 rnd. mag.; 25 1/4" barrel with f. to g. bore, rifling is sharply-defined but peppered with light to moderate pitting in areas; thinning blued finish to metalwork has developed a dark patina overall, thinning on profiles, some pit peppering; rhs of body socket marked **E.R.** Cypher/ **ENFIELD/ 1904/ SHT. LE/ I***; **1950** marked to rhs breech, bolt & nose cap; early style bolt with sliding charger guide cycles freely; rifle complete with volley sights, mag. cut off & early 2-20 graduated sights with windage adjustments; woodwork in sound cond., some bruising & handling marks to surface; rhs forestock below mag. cut off with 1" section of wood removed, maybe a lost armourers repair; front handguard section a crudely made replacement; comes with f. cond. bayonet, patchy pitting to blade, repro leather scabbard; overall in vg. wo & f. to g. cond. **#1950** L/R
- 283. LITHGOW SHT.LE MK III* B/A SERVICE RIFLE:** 600 - 800
 .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bore, rifling is sharply-defined; re-blued finish to metalwork presents decent, thinned to a plum patina on mag.; rhs body socket marked with **A** within star/ **LITHGOW/ SHT.LE/ III*** within shield/ **1922**; rhs breech; non-matching bolt cycles freely, strong springs & sears; lhs of action has been drilled & tapped for scope but since been expertly plugged flush; std. 2-20 graduated rear sight with windage adjustment; metalwork has been refinished, presents well overall, bearing some light handling marks; markings to rhs butt are faint but legible; brass buttplate; fitted with older canvas sling; overall in exc. wo & g.+ cond. **#A97825** L/R
- 284. B.S.A. Co LEE-ENFIELD MK I* B/A SERVICE RIFLE:** 700 - 900
 .303 cal.; 10 rnd. mag.; 30" replacement barrel with vg. bore, bright with sharply-defined rifling; re-blued finish has darkened, thinning in areas & lhs action is frosted; rhs body socket marked with crown/ **E.R./ B.S.A. Co/ 1902/ L.E./ I***; top of breech marked with **VIC / 5930** stamps, **B26641** marked below; **LITHGOW** stamped to top of barrel; matching (**#5930**) bolt cycles freely, strong springs & sears; retains mag. cut off, correct style mag. with chain loop, dust cover & volley sights; missing barrel band & handguard; 6-18 graduated ladder sight; walnut stock has been refinished or replace, dark forewood; woodwork in g.+ sound cond., one armourers repair to rhs forestock but otherwise bearing only light handling marks & bruising; brass buttplate with trap; fitted with canvas sling; overall in exc. wo & f. cond. **#5930** L/R
- 285. BRNO ZKW-465 B/A SPORTING RIFLE:** 200 - 400
 .22 Hornet cal.; 5 rnd. magazine; 23" barrel with f. bore, bright with sharp rifling overall but a patch of pit peppering towards muzzle; original blued finish to metalwork has darkened, thinning in areas & with scattered blemishes; makers name marked to lhs of action, **ZKW 465** to lhs breech; **58** proofs to lhs of barrel & breech; bolt cycles freely, double set triggers with crisp sears; vacant rear sight dovetail retains front blade sight; woodwork in vg. cond., some minor surface marks, well-defined chequering; missing front sling swivel; overall in g. wo & f. to g. cond. **#21405** L/R Mfg. 1958

286. **ANSCHUTZ MOD. 1530-1534 B/A SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 24" barrel with bright bore & crisp rifling, some minor frosting, g. to vg. cond.; strong blued finish to metalwork, presents exc., with only a few minor speckled spots of oxidation; top of barrel marked with crisp **Anschutz Modell 1530-1534** & calibre, full name & **West-Germany** marked to lhs action; action cycles freely, strong springs & crisp sears to double set triggers; std. flip up rear sight & blade front with hood; polymer mag. base & trigger guard, some chips to mag. base; walnut half stock presents well, only light handling marks; original black plastic buttplate; overall in exc. wo & vg. cond. #1115361 L/R Mfg. 1973 **600 - 800**
287. **W.H. TISDALL SNIDER ACTION ROOK RIFLE:** .450 cal. centrefire; 25" barrel with f. bore, rifling defined but some patches of oxidation scale & pitting visible; blued finish has developed a dark patina, some light surface oxidation in areas; case colours to breech internally; **W.H. TISDALL BIRMINGHAM** engraved to top of barrel flat, Brimham proofs marked to breech; **7856** has been crudely but lightly stamped to lockplate; Mk II style action locks up well, strong lock spring but half cock sear weak; standing & pair folding leaf's to rear sight, front sight dovetailed to top of barrel, broken blade; walnut half stock presents well, some general handling marks & small filled repair to a knot at the top of the comb; chequering to wrist of straight stock well-defined; steel buttplate; overall in f. to g. cond. **N/L** **700 - 1100**
288. **WESTLEY RICHARDS S x S PERCUSSION FOWLER:** 16 bore; 30" twist damascus barrels with f.+ bores, both need a clean but a few scattered patches of moderate pitting are evident; soft plum patina to barrels, g. pattern definition & some light staining; grey patina to locks & small parts; top rib engraved **WESTLEY RICHARDS. 170 NEW BOND ST. LONDON.**, underside of both barrels marked with serial no., **2ND QLty** & Birmingham proofs; makers name to both plain locks; border engraving to all small parts, small amount of scroll to bottom tang & retriever to trigger guard; matching flat-sided hammers with strong springs & sears, replacement nipples; platinum breech plugs; original ram rod complete with ferrule cap; walnut walk stock presents well, some minor handling marks & discolouration around buttplate but retains exc. metal-to-wood fit overall; chequering well-defined; vacant silver escutcheon to top of wrist; overall in g.+ cond. #1890 **N/L** **1200 - 1500**
289. **CASED SPRINGFIELD ARMORY MOD. XDM-9 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5" (129m/m) barrel with vg. bright bore & sharply-defined rifling, needs a clean; matte black finish slide & barrel showing some holster wear on profiles, presents decent; **XDM-9** & **5.25** marked to lhs slide, makers name to rhs; slide retracts freely, strong springs & sears; black polymer frame, integral grip with some light surface marks but vg. overall; comes in maker marked original black plastic carry case; case contains variety of grip attachments, holsters & leading equipment, missing the two magazines; overall in exc. wo & g.+ cond. #MG855604 Post 46' L/R **600 - 800**
290. **CASED CZ MOD. 83 S/A PISTOL:** .380 ACP cal.; 12 rnd. double-stack mag.; 3 3/4" (94m/m) barrel with bright bore, exc. with sharply-defined rifling; black coated finish to metalwork presents exc., hard to fault; lhs slide marked with trademark **CZ 83**, cal. & **MADE IN CZECH REPUBLIC**; mechanically strong, slide retracts freely, crisp sears; all matching numbers; black plastic grip panels in exc. cond.; comes in original makers hard black plastic carry case with carboard sleeve; case contain additional mag.; overall in exc. wo & exc. cond. #A1210 Mfg. 1998 L/R *Suit new buyer. A compact little package.* **500 - 700**
291. **CASED CZ MOD. 85 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4 1/2" (115m/m) barrel with exc. bright bore & sharply-defined rifling; strong glossy blued finish to metalwork presents exc. some minor storage marks; lhs slide marked with trademark **CZ 85** cal., **MADE IN CZECH REPUBLIC** to lhs frame; strong springs & sears, all matching numbers; original black plastic chequered grip panels in exc. cond.; comes in original makers hard black plastic carry case with carboard sleeve; overall in exc. wo & exc. cond. #C8256 Mfg. 1994 L/R **600 - 800**
292. **CASED P. BERETTA MOD. 92 BRIGADIER S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5" (125m/m) barrel with exc. bright bore & crisp rifling; matted blued finish to barrel & frame, black coated finish to slide, some light handling marks overall but presents v. well; **GARDONE** address, **MADE IN ITALY** to lhs slide, **92BRIGADIER-FS-CAL.9 Parabellum**/ U.S. address to rhs; slide retracts freely, strong springs & sears; chequered plastic grip panels in g. cond., graze to lh grip; comes in the original hard shell plastic carry case; overall in exc. wo & vg. cond. #N77991Z Post 46' L/R **700 - 900**

293. **CASED SMITH & WESSON MOD. 431PD AIRWEIGHT D.A. REVOLVER:** .32 H.&R. Mag. cal.; 6 shot fluted cylinder; 2" (50m/m) barrel with exc. bright bore & sharply-defined rifling; matte black finish to metalwork incl. alloy frame; lhs barrel marked **SMITH & WESSON**, cal. to rhs; rhs frame marked with two-line **SPFLD** address, *Airweight* & **SW** monogram trademark; mechanically exc., strong springs & sears; original rubber grips in exc. cond.; comes in original blue plastic carry case with owner's manuals; overall in exc. wo & as new cond. #**CJL3094** Post 46' L/R **500 - 700**
294. **CASED STEYR MANNLICHER MOD. L9-A1 S/A PISTOL:** 9x19m/m Luger cal.; 10 rnd. mag.; 5" (127m/m) barrel with threaded muzzle & cap; bore dirty, leading scale to lands & grooves but rifling is sharply-defined, appears in vgc.+; matte black finish to steel slide & barrel, presents exc.; **STEYR MANNLICHER AUSTRIA 9x19** marked to lhs slide, model to rhs; slide retracts freely, strong springs & sears; black polymer frame, grip in exc. cond.; comes in original maker marked fitted plastic case with spare mag.; overall in exc. wo & cond. #**3175542** Post 46' L/R *Suit new gun buyer* **700 - 1000**
295. **FINE & SCARCE CASED SMITH & WESSON MOD. STRAIGHT LINE TARGET RIMFIRE PISTOL:** .22 LR cal.; 10" (255m/m) barrel with exc. bright bore & sharply-defined rifling; 80% original blued finish to metalwork, majority of loses to sides of barrel from storage but presents well overall; top of integral barrel rib marked with sharply-defined **SPRINGFIELD** address, **SMITH & WESSON** to lhs barrel & **.22 LONG RIFLE CTG.** to rhs; swivel breech action locks up well, strong springs & sears to straight pull striker; original walnut grip panels have been chequered, looks to be a period modification; both grips retain their brass **SW** monogram inlaid medallions; pistol comes presented in its original pressed steel case with **SW** trademark embossed to cover; missing screw driver but retains cleaning rod & jag, chip out of the main rod handle; inside of cover retains a **Sil Rohu / SYDNEY** sticker; overall in exc. wo & vg. cond. #**A947** Pre 47' L/R *Only 1,870 of these interesting pistols were produced between 1925 to 1936. Definitely one for the Smith & Wesson collector.* **800 - 1200**
296. **CASED CZ MOD. 75 TACTICAL SPORTS S/A PISTOL:** .40 S.&W. cal.; 10 rnd. mag.; 5" (128m/m) barrel with exc. bright bore & sharply-defined rifling; strong glossy blued finish to slide, satin finish to nickel frame; **CZ 75 Tactical Sports** & trademark to lhs slide, **MADE IN CZECH REPUBLIC** to lhs frame; slide retracts freely, strong springs & sears; fitted with polymer flared mag. well attachment; chequered walnut grips in exc. cond.; comes in maker marked large blue plastic carry case with cleaning rods, loading tool & spare magazine; overall in exc. wo & near exc. cond. #**A921314** Post 46' L/R *Suit new gun buyer* **900 - 1200**
297. **BOXED RUGER MOD. SP101 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 3" (78m/m) barrel with exc. bore & sharply-defined rifling; brushed finish to stainless steel metalwork presents flawless; lhs barrel marked with **SOUTHPORT** address, **RUGER SP101** to rhs; mechanically exc., strong springs & sears; original rubber grips with inset grooved plastic panels, exc. cond.; comes in the original maker marked cardboard box with owner's manuals, within sleeve; overall in exc. wo & as new cond. #**570-36496** Post 46' L/R *Suit new gun buyer.* **500 - 700**
298. **FINE CASED MANTON & Co. RETAILED WEBLEY MOD. W.G. TARGET D.A. REVOLVER:** .455 cal.; 6 shot fluted cylinder; 7 1/2" (193m/m) barrel with g. bore & defined rifling, some pin prick pitting throughout; revolver retains 80%+ of its original glossy blued finish, with grey patina to the difference; majority of losses on straps; "**W G**" **TARGET MODEL** marked to lhs top strap, **.450/455** marked to lhs breech of barrel; lhs frame marked with **WEBLEY/ PATENT'S, W&S** winged bullet trademark; Birmingham proofs to chambers & barrel; top of barrel marked **MANTON & Co LONDON & CALCUTTA**; action locks up tight, cylinder indexing well, sears & springs are strong; knurled trigger, German silver pinned front; walnut grips in g. sound cond., chequering to both remains well-defined but darkened with oil; lanyard swivel to butt of backstrap; comes in its original fitted oak case with **MANTON & Co** paper trade label; blue baize lining & partitions are sound; comes with original "**WG**" **22 RIM FIRE W&S** marked factory rimfire barrel insert conversion which has an exc. bore; overall in vg. wo & cond. #**11242** Pre 1900 L/R *A superb outfit for the British revolver collector.* **2750 - 3500**

299. **CASED WEBLEY MK. IV D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with bright bore & sharply-defined rifling, some superficial frosting but vg.+ overall; blued finish to metal work has thinned deep grey patina, some wear to frame & profiles but presents well; lhs of top strap marked **MARK "V"**; barrel & chambers marked with **GR** proofs, broad arrows marked to several parts; **WEBLEY/ MARK IV/ PATENTS/ 1915**; rhs frame marked **4MD/ 165**; action locks up tight, cylinder indexing correctly, strong springs & sears; original hard rubber grips present well, chequering remains sharply-defined; lanyard ring to butt of birds head grip; pistol comes presented in contemporary oak English style fitted case with blue felt lining, partitioned for accessories compartments & cartridges; facsimile **P. WEBLEY & SON** trade label to lid; overall in vg. wo & g. cond. #151835 Pre 47' L/R **900 - 1200**
300. **CASED COLT BISLEY MOD. SINGLE ACTION ARMY REVOLVER:** .32 WCF (.32-20 Win.) cal.; 6 shot fluted cylinder; 7 1/2" (190m/m) barrel with f. bore, rifling is sharply-defined, frosting throughout and some scattered pits; silver-grey patina to majority of metalwork, soft plum patina to protected areas, frame and some trace amounts of original blueing in areas; lightly defined (**BISLEY MODEL.**) **32 W.C.F.** marked to lhs of barrel, single-line **HARTFORD** address to top of barrel; lhs of frame marked with sharply-defined patents & rampant horse trademark; serial no. marked to frame, trigger frame & butt; mechanically vg., cylinder indexing & sears are crisp, strong springs; original screws, some are moderately burred; original hard rubber grips present v. well, well-defined chequering to both & rampant horse trademarks to top; pistol comes presented in contemporary oak English style fitted case with blue felt lining, partitioned for accessories compartments, original **32-20** press & cartridges; facsimile **COLT'S PATENT FIRE-ARMS MANUFACTURING CO** trade label to lid; overall in vg. wo & g. cond. #324034 L/R Mfg. c. 1912 *A nice honest example.* **2000 - 2500**
301. **CASED LONDON COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 4" (102m/m) octagonal barrel with f. bore, well-defined rifling but peppered with moderate pitting, some oxidation; retains 20%+ of original blued finish to barrel, areas of strong finish to underside of barrel; frame with patches of strong case colours to frame, grey patina to remainder of revolver incl. trigger guard & straps, trigger with strong blueing; top of barrel marked with two-line **-{ADDRESS COL. COLT/ LONDON.}-**; lhs frame & cylinder marked **COLTS PATENT**; v. well-defined London **V & P** proofs to lhs barrel & chambers; serial no. **4999** marked to barrel assembly, frame, trigger guard, butt & cylinder; sharply-defined stagecoach scene roll stamped to cylinder; cylinder indexing exc., crisp sears & strong springs; brass cone front sight; screw heads vg.; smooth walnut grip retain 70%+ original varnish, some light handling marks, bruising overall, aged surface scratch to rh grip; revolver comes presented in correct style period oak case; blue baize lining presents well, some wear in areas but partitions remain solid; comes with original **COLT/ PATENT** marked bullet mould, cleaning rod & petite **DIXON** copper powder flask; lid of case with facsimile **DIRECTIONS FOR LOADING** paper trade label; overall in g. to vg. cond. #4999 L/R Pre 1900 L/R *A fine example and lovely outfit for the Colt collector. Revolver appears to have spent most of the last 170+ years tucked away in a cupboard.* **2750 - 3750**
302. **CASED W. RICHARDS RETAILED WEBLEY & SON R.I.C. No.1 D.A. REVOLVER:** .450 CF cal.; 6 shot cylinder; 4 1/2" (115m/m) barrel; g. bore with sharply-defined rifling, patchy oxidation; thinning original blued finish to metalwork with a mottled plum patina to most surfaces; **W. RICHARDS / LIVERPOOL** to top strap, lhs of frame marked with serial no./ **W&S** winged bullet, **WEBLEY'S/ R.I.C/ No.1 450CF**; mechanically exc., cylinder indexing well, strong springs & crisp sears; single piece walnut grip with sharply-defined chequering, vgc.+; lanyard ring to butt; comes well presented in contemporary English style fitted case, blue felt lining with **P. WEBLEY** facsimile trade label; overall in vg. wo & g. to vg. cond. #16383 Pre 1900 L/R **1000 - 1500**
303. **CASED P. BERETTA MOD 92 FS S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 125m/m barrel with exc. bore & crisp rifling; blacked finish to metalwork presents exc. only minor storage marks overall; **PIETRO BERETTA, GARDONE** address & **MADE IN ITALY** marked to lhs of slide, **MOD.92FS-CAL.9 Parabellum** marked to rhs; slide retracts freely, strong springs & sears; black chequered polymer grips are in exc. cond.; pistol comes presented in contemporary oak English style fitted case with red felt lining, partitioned for accessories & cartridges; overall in exc. wo & cond. #N68021Z Post 46' L/R *A useable and beautifully presented case.* **700 - 1000**

304. **CASED HECKLER & KOCH MOD. P30L S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 110m/m barrel with exc. bright bore & sharply-defined rifling; matte black finish presents flawless; **HK P30L** & cal. marked to lhs slide, underside of frame etched with **HKI Columbus, GA** & serial no.; mechanically fine, strong springs & sears, slide retracts freely; black polymer grip in exc. cond.; comes in original black plastic carry case with loading tool, interchangeable grip sections & spare magazine; overall in exc. wo & as new cond. #213-040225 Post 46' L/R **400 - 600**
305. **CASED SMITH & WESSON MOD. 317-2 AIR LITE POCKET REVOLVER:** .22 LR cal.; 8 shot fluted cylinder; 2" (51m/m) barrel with exc. bore; satin silver finish to metalwork incl. alloy frame, presents exc.; **SMITH & WESSON** marked to lhs barrel, cal. to rhs; **Air Lite** & address laser etched to rhs frame; cylinder indexing well, strong springs & sears; original soft rubber grip, **SW** monogram to centre; comes in original maker marked blue plastic carry case with manuals; overall in exc. wo & cond. #CNZ4071 Post 46' L/R **500 - 700**
306. **BOXED SMITH & WESSON MOD. M&P BODYGUARD 380 S/A PISTOL:** .380 ACP cal.; 6 rnd. mag.; 68m/m barrel with bright bore & sharply-defined rifling, vgc.; satin black finish to metal parts presents exc., some minor storage marks; **M&P BODYGUARD 380** marked to lhs slide, address to rhs frame; slide retracts freely, strong springs & d.a. only trigger; integral **Crimson Trace** laser pointer sight working well; black polymer grip, frame in exc. cond.; comes in soft fabric carry case with spare mag & the original cardboard box; overall in exc. wo & cond. #KBW8037 Post 46' L/R **500 - 700**
307. **BOXED EAST GERMAN MFG. MAKAROV S/A PISTOL & HOLSTER:** 9×18m/m Makarov cal.; 8 rnd. mag.; 94m/m barrel with fine bore, mirror with crisp rifling; strong blued finish to metalwork, presents flawless & bearing only a few storage marks; **AO6742** marked to slide & frame, **62** marked to lhs frame; mechanically strong, slide retracts freely; original brown bakelite grips in exc. cond.; comes in a brown cardboard box with vgc. fitted leather holster & spare brown bakelite grip; overall in exc. wo & cond. #AO7083 Mfg. 1962 L/R *A minty example Mfg. by Thalmann Ernst Werke* **600 - 800**
308. **BOXED EAST GERMAN MFG. MAKAROV S/A PISTOL & HOLSTER:** 9×18m/m Makarov cal.; 8 rnd. mag.; 94m/m barrel with fine bore, mirror with crisp rifling; strong blued finish to metalwork, presents flawless & bearing only a few storage marks; **AO6742** marked to slide & frame, **62** marked to lhs frame; mechanically strong, slide retracts freely; original black bakelite grips in exc. cond.; comes in a brown cardboard box with vgc. fitted leather holster & spare brown bakelite grip; overall in exc. wo & cond. #AO6742 Mfg. 1962 L/R *A minty example Mfg. by Thalmann Ernst Werke* **600 - 800**
309. **CASED SMITH & WESSON MOD. 952-2 S/A PISTOL:** 9×19m/m Luger cal.; 9 rnd. mag.; 5" (125m/m) barrel with bright bore & sharply-defined rifling, needs a clean but appears exc.; stainless steel metalwork, brushed finish to side sections & matte finish to remainder; **SMITH & WESSON/SPRINGFIELD** address to lhs slide; slide retracts freely, strong springs & sears, adjustable rear sight; exc. walnut chequered grip panels with **SW** monogram trademark etched to top of both; comes in original maker marked blue plastic carry case with three spare magazines; overall in exc. wo & cond. #DAB0393 Post 46' L/R **500 - 700**
310. **CASED SMITH & WESSON MOD. 5906TSW '9 TACTICAL' S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4" (101m/m) barrel with fine bore, bright with crisp rifling; satin silver finish to stainless steel metalwork, some minor handling marks; lhs slide laser etched with **SMITH & WESSON**, trademarks & **9 TACTICAL**; model & serial no to lhs frame; slide retracts freely, strong springs & sears, ambidextrous safety; black polymer grips in vgc., some minor handling marks; comes in a generic black plastic carry case with five additional magazines; overall in exc. wo & vg. cond. #VJC9089 Post 46' L/R **500 - 700**
311. **CASED BERETTA MOD. 81 FS S/A POCKET PISTOL:** .32 ACP cal.; 12 rnd. mag.; 4" (98m/m) barrel with vg. bright bore & crisp rifling, some powder residue in the grooves; matte black finishes to metalwork present exc., some minor storage marks; factory tags still fitted to trigger guard, comes in the original blue plastic carry case with loading tool, spare mag & grey cardboard slip; overall in exc. wo & as new cond. #F70365W Post 46' L/R *Suit new gun buyer.* **600 - 800**

312. **CASED BERETTA MOD. PX4 STORM S/A PISTOL:** .40 S.&W. cal.; 14 rnd. mag.; 4" (101m/m) barrel with fine bore, bright with crisp rifling; black coated finish to steel parts presents flawless; **BERETTA, GARDONE** address marked to lhs slide, rhs slide marked Px4 Storm; mechanically exc., slide retracts freely, strong springs & sears, d.a. only trigger; polymer grip & frame in exc. cond.; factory tags still fitted to trigger guard, comes in the original blue plastic carry case with loading tool, spare mag & grey cardboard slip; overall in exc. wo & as new cond. #PY00601 Post 46' L/R *Suit new gun buyer.* 600 - 800
313. **CASED REMINGTON MOD. 1911 R1 S/A PISTOL:** .45 ACP cal.; 8 rnd. mag.; 5" (127m/m) barrel with exc. bright bore & sharply-defined rifling; satin blacked finish to metalwork presents exc., some minor storage marks; **Remington** marked to lhs slide, rhs slide marked **ENHANCED, 1911 R1**; makers full name & **ILION** address, serial no. etc. to rhs frame; slide retracts freely, strong springs & sears; composite chequered grips in exc. cond.; comes in its original green plastic carry case with the original manuals, multi tool, spare magazine; overall in exc. wo & as new cond. #RHN31917A Post 46' L/R *Suit new gun buyer.* 1200 - 1400
314. **CASED HECKLER & KOCH MOD. USP S/A PISTOL:** .40 S.&W. cal.; 12 rnd. mag.; 103m/m barrel with exc. bright bore & sharply-defined rifling; bright brushed finish to stainless steel slide, blued finish to small parts with some speckled staining; **HK USP**, cal. marked to lhs slide along with etched proofs & serial no.; mechanically fine, strong springs & sears, slide retracts freely; black polymer grip in exc. cond.; comes in original black plastic carry case with manuals; overall in exc. wo & cond. #22-064153 Post 46' L/R 700 - 1000
315. **CASED BERETTA MOD. PX4 STORM S/A PISTOL:** 9x19m/m Luger cal.; 17 rnd. mag.; 4" (101m/m) barrel with fine bore, bright with crisp rifling; black coated finish to steel parts presents flawless; **BERETTA, GARDONE** address marked to lhs slide, rhs slide marked **Px4 Storm**; mechanically exc., slide retracts freely, strong springs & sears, d.a. only trigger; polymer grip & frame in exc. cond.; factory tags still fitted to trigger guard, comes in the original blue plastic carry case with loading tool, spare mag & grey cardboard slip; overall in exc. wo & as new cond. #PX71897 Post 46' L/R *Suit new gun buyer.* 600 - 800
316. **CASED PAIR of PERCUSSION POCKET PISTOLS by SMITH of LONDON:** 38 bore; 2 1/2" octagonal turn-off barrels with g. bores & sharply-defined rifling; smoky grey patina to both pistols, one with some patchy pit peppering to underside of barrel; **SMITH LONDON** engraved to top of barrels, underside of pistols marked with Birmingham proofs to underside, one pistol bearing **2** to breech & barrel, the other marked **3**; well-defined scroll pattern engraved to rhs of actions; both pistols mechanically complete, strong main springs, one pistol with g. sears, the other not holding; folding triggers, sliding safeties & belt clips; flat sided walnut stocks present well, some light handling marks & bruising, spines of both grips with well-defined chequering & inlaid with hexagonal vacant silver escutcheons; pistols come presented in a period fitted case, complete with accessories incl. period powder flask, oiler, bullet mould; case in g. to vg. cond., green baize lining with some light staining; overall in g.+ cond. **N/L** 2500 - 3000
317. **CASED THOMAS PAT. SELF EXTRACTING REVOLVER by TIPPING & LAWDEN:** .320 CF short cal.; 5 cylinder; 4" (104m/m) octagonal barrel with shiny bore & sharply-defined rifling, some fine pitting but g. overall; original gloss blued finish to metal has thinned to a plum patina overall, barrel & cylinder retains some areas of stronger bluing; lhs barrel & cylinder marked **CAST STEEL**; top strap engraved **TIPPING & LAWDEN./ LONDON.**, lhs frame marked **THOMAS'S PATENT No779/ No708**; Birmingham proofs marked to chambers & underside of alcohol; cylinder indexing well, strong springs but trigger needs work when manually cocked; the Thomas Patent unloading mechanism allows barrel to twist on cam & pulls cylinder forward for case extraction, loading gate to rhs; saw handled walnut grip with sharply-defined chequering in vg.+; steel butt cap; pistol comes presented in period fitted oak case; case in vgc. with English style partitioning, blue baize lining & facsimile **TIPPING & LAWDEN** trade label for the **SELF EXTRACTING SOLID-BODY REVOLVER**; case contains 20 primed .32 cases, period cleaning tools & a **HAWKSLEY** oiler; overall in g. to vg. cond. #708 Pre 1900 L/R 1400 - 1600

318. **CASED BRITISH BAR HAMMER PEPPERBOX PISTOL:** .320 cal.; 2 5/8" (67m/m) six-barrel cluster with f. bores, some oxidation scale & light pitting, would grade up; mottled grey patina to barrels & small parts, yellowy mellow finish to German silver frame; Birmingham proofs marked to flutes of barrel cluster; light coverage of well-defined acanthus scroll to frame & straps; mechanically strong, barrels indexing well, strong springs & original nipples; smooth walnut grips in g. cond., some minor handling marks to both; comes presented in contemporary oak case, partitioned with a variety of repro accessories incl. oiler, powder flask & turn screws; green baize lining with a **W. PARKER** facsimile paper trade label; comes with period oversized bullet mould; overall in f. to g. cond. #37 Pre 1900 L/R **900 - 1400**
319. **CASED BEAUMONT-ADAMS PERCUSSION REVOLVER by E.M. REILLY:** 54 bore (.451 cal.); 5 shot cylinder; 6 1/4" (158m/m) octagonal barrel with g. bore, some patchy oxidation & light pitting but remainder is bright, rifling is v. welly defined; mottled brown patina to metalwork with scattered flashes of original bluing in areas, some minor surface pitting & handling marks; top strap engraved **E.M. REILLY & Co. 315 & 502 OXFORD ST. LONDON**, rhs frame engraved **No. 38093**; border engraved frame; London **V & P** proofs to chambers & lhs barrel; cylinder indexing but some movement in cylinder stop, strong springs; some replacement screws; two-piece walnut grip with sharply-defined chequering, both could use a clean but vg. cond.; comes presented in a fitted oak case with a variety of contemporary accessories & original **ADAMS** marked **54** bore bronze bullet mould; green baize lining in g. cond. but has been replaced to lid along with facsimile **E.M. REILLY & Co** trade label; overall in g. cond. #38093 Pre 1900 L/R **1500 - 2000**
320. **CASED PAIR of FLINTLOCK MAN STOPPER PISTOLS by G. GOODWIN & Co:** 22 bore; 3 1/8" twist damascus barrels with f. to g. bores, some light pitting in both; barrels have been professionally re-browned & now bear a stunning plum finish with exc. pattern definition; locks & small parts with grey steel finishing, some mottled staining & fine pitting to both; locks engraved with **G. GOODWIN/ & Co**, top of barrel marked with re-cut **LONDON** engraving; bevelled lockplates with stepped tails, border engraved; pineapple finials & small rosette motifs to trigger guards; locks functioning well, g. spring tensions; semi-waterproof pans, roller frizzens & sliding half-cock safeties; one original ramrod with worm, the other a replacement w/o; walnut full stocks in g. overall cond., some light handling marks, minor chipping & surface bruising; chequering has been recut at some stage; wrist of both pistols inlaid with matching ovate silver escutcheons engraved with script initials **GB**; pistols come presented in g. cond. period oak case with green baize lining; case & lining bearing some borer damage, accessories not original incl. modern oiler, **22** bore bullet mould; overall in g. to vg. cond. **N/L** c.1800 *A lovely little pair of these imposing pocket pistols.* **4000 - 5000**
321. **CASED PAIR of PERCUSSION DUELLING PISTOLS by JOHN WHITEHOUSE:** 18 bore (.650 cal.); 9" octagonal, twist damascus, smooth bore barrels; bores are generally g. with some oxidation scale but no heavy pitting; patchy oxidation scale to both sets of barrels, grey patina & defined twist pattern to the difference; glossy nitre bluing to trigger guards, one pistol with 80%+ and the other with 20%; both locks with ovate sunken makers cartouche, both embossed **JOHN/ WHITEHOUSE**, one pistols cartouche is gold the other appears to be copper; locks with ornate border & large acanthus scroll engraving patterns; engraved pineapple finials; pistols have had mid-century percussion conversion, locks are crisp, flat sided hammers with matching engraving, sliding half-cock safeties, starburst patterns to lockplate & breech; adjustable triggers are crisp; some screws with burring; pistols retain ramrods but look to be replacements; nicely figured walnut half stocks present well, silver forestock caps, sharply-defined chequering to both; matching octagonal silver escutcheons inlaid to back of both grips below top tang are engraved with a hand & sword motif below **PRESS THROUGH**; woodwork bearing some scattered blemishes, one pistol with several small chips to chequering & the other with subtle grafted repairs; pistols come presented in a period mahogany fitted case with some contemporary accessories; top of lid with hemi brass handle & brass escutcheon engraved with monogram initials **HIB**, partial split in lid; overall in g. cond. **N/L** **6000 - 8000**

322. **COMPOSITE CASED COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 4" (102m/m) octagonal barrel with f. bore, rifling well-defined but grooves with patchy oxidation scale; brown patina to barrel & cylinder, frame with darkened but strong case colours; top of barrel marked with **NEW-YORK** address, sharply-defined stagecoach roll stamped scene & **COLTS PATENT/ No. 31116**; all numbers are matching; cylinder indexing, strong springs, sear holding; bone grips are in vg. sound cond., lh grip etched with vulture motif, snake & US flag etched to rh grip; pistol comes presented in contemporary fitted cased with an original **COLT** marked mould, facsimile trade label & other repro accessories; overall in g. cond. #31116 Pre 47' L/R *Appears to be a modern frame & loading rammer assembly, aftermarket grips with the remainder being original.* 500 - 700
323. **VINNICOMBE ENGRAVED COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .41 Colt cal.; 6 shot fluted cylinder; 4 7/8" (130m/m) barrel; bore f. overall with fine pitting throughout, rifling defined; frame, barrel & cylinder has been polished & silver or nickel plated, strong blued finish to small parts incl. hammer, screws; original Colt markings are lightly defined, two-line **HARTFORD** address, **41 COLT** to lhs barrel & two-line patents to lhs frame; matching numbers; most metal surfaces have been decorated with Vinnicombe's signature acanthus scroll engraving, initials **PJV** stamped to underside of barrel; mechanically strong, action indexing well, solid sears; mother-of-pearl grips with carved bull head motifs to both, some light handling marks; revolver comes presented in homemade case, soft green padded lining; overall in g. wo & vg. cond. #270754 c.1905 Mfg. L/R 2000 - 2500
324. **FINE CASED PAIR of PERCUSSION S/B BELT PISTOLS by LANG of LONDON:** 17 bore; 5 1/4" fine twist damascus, octagonal barrels; bore g., only light patchy pitting to both; original browned finish to barrels has developed a dark plum patina, both with well-defined twist patterns, some light frosting to rhs of both pistols; glossy grey-brown patina to actions & small parts; matching hammers, actions & trigger guards with sharply-defined acanthus scroll engraving; top of barrel engraved **LANG LONDON**, lhs barrels marked with London **V & P** proofs; strong lock springs & crisp sears, sliding half-cock safeties, captive ramrods & belt hooks to lhs; nipples have been replaced; walnut stocks are in vg. cond., chequering remains v. well-defined & both with only light handling marks; rounded, engraved butt caps with flip up traps, back of stocks inlaid with ovate, vacant silver escutcheons; pistols come presented in a contemporary, fitted timber case with some original accessories incl. copper powder flask, bullet mould & cap tins; overall in vg. cond. *N/L A lovely pair of high-quality pistols that have seen v. little use.* 2750 - 3250
325. **CASED WALTHER MOD. P22 'FIRST EDITION' S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 3 1/2" (87m/m) barrel with exc. bright bore & sharply-defined rifling; matte blacked finish to metalwork presents exc.; slide marked with **WALTHER** banner trademark, **P22 "FIRST EDITION" / Carl Walther Ulm/Do/ Made in Germany**; rhs slide marked with **Number I 0461 of 1000**; slide retracts freely, strong springs & sears; black polymer frame & integral grip in exc. cond.; comes in original maker marked black plastic carry case with additional magazine & spare extended barrel kit; overall in exc. wo & cond. #I0461 Post 46' L/R 700 - 1000
326. **CASED TANFOGLIO MOD. FORCE COMPACT 919 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4" (102m/m) barrel with vg. bright bore & sharply-defined rifling, some leading on lands; satin silver finish to majority of metalwork, stainless barrel, some minor handling marks; **FORCE COMPACT 919** marked to lhs slide, cal. rhs; slide retracts freely, strong springs & sears, d.a. trigger; black polymer frame, makers name to rhs & seral no plate to lhs; comes in its original maroon plastic carry case with spare mag., cleaning brush; overall in exc. wo & vg. cond. #Z10247 Post 46' L/R 500 - 700
327. **MCM 'MARGOLIN' S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 6" (150m/m) barrel with vg. bright bore & crisp rifling; strong blued finish to metalwork, some minor handling marks; **MADE IN USSR** marked to rhs slide; slide retracts freely, strong springs & sears; adjustable rear sights, fitted with barrel weight; original black plastic grips, lh with thumb rest; fitted with adjustable palm rest to rhs; comes in the original black plastic carry case with spare mag., some addition parts & tools; overall in exc. wo & vg. cond. #N5618H Post 46' L/R 200 - 400

328. **BOXED & CASED FINE MAUSER MFG. COMMEMORATIVE D.W.M LUGER P08 S/A** 2750 - 3500
PISTOL: 9×19m/m Luger cal.; 8 rnd. mag.; 6" (150m/m) barrel with exc. bore & crisp rifling; original glossy blued finish to metalwork presents exc., small parts incl. trigger, safety etc. retain strong straw finish; top of toggle inlaid with gold **DWM** trademark, lhs frame inlaid **75 Jahre/ Parabellum-Pistole / Kaiserliche Marine; Mauser-Werke A.G. Oberndorf GMBH** marked to front strap; **9mm Luger** marked to top of barrel; mechanically fine, strong springs & sears, grip safety, toggle retracts smoothly; unusual factory adjustable rear sight; walnut grip panels are in exc. cond., chequering is still crisp; comes in the original maker marked blue & white cardboard box with polystyrene internal partitioning; case retains cleaning rod, multitool & spare mag.; also included is a factory leather carry case with blue felt lining; case with factory certificates, test target & the **LUGER** book by **John Walter**; overall in exc. wo & cond. **#KM160von250** c. 1970's L/R *An exceptional outfit offering which should appeal to both shooter & collectors. Wouldn't have fired a packet of cartridges.*
329. **BOXED & CASED MAUSER MFG. COMMEMORATIVE LUGER P08 MARINE MOD. S/A** 2500 - 3000
PISTOL: 9×19m/m Luger cal.; 8 rnd. mag.; 4" (100m/m) barrel with fine bright bore & crisp rifling; silver coin finish to majority of metalwork, blued finish to small parts incl. trigger, safety etc.; finishes to metalwork present flawless; **Original MAUSER** trademark to top of toggle, **MAUSER-WERKE A.G. Oberndorf** marked to front strap; **9mm Luger** marked to top of barrel; mechanically fine, strong springs & sears, toggle retracts smoothly & trigger is v. crisp; plastic mag. base is cracked, spare is fine; walnut grip panels are in exc. cond., chequering is still crisp; comes in the original maker marked blue & white cardboard box with polystyrene internal partitioning; case retains multitool; also comes with maker marked faux leather display case with maroon lining; case contains spare mag., cleaning rods & certificate/ test target; overall in exc. wo & cond. **#11.014927** c. 1970's L/R
330. **IMPRESSIVE CASED MAUSER MFG. COMMEMORATIVE D.W.M LUGER P08 S/A PISTOL:** 3500 - 4000
9×19m/m Luger cal.; 8 rnd. mag.; 11 1/2" (296m/m) barrel with exc. bright bore & sharply-defined rifling; original glossy blued finish to metalwork presents exc., small parts incl. trigger, safety etc. retain strong straw finish; top of toggle inlaid with gold **DWM** trademark, lhs frame inlaid **70 Jahre/ Parabellum-Pistole / Mod. Karabiner**; front strap marked **Mauser-Werke A.G. Oberndorf GMBH**; **9mm Luger** marked to top of barrel, coat of arms motif to top of breech; mechanically fine, strong springs & sears, grip safety, toggle retracts smoothly; 1-3 graduated rear tangent sight & blade front sight on ramp; nicely figured walnut grip panels are in exc. cond., carbine forestock with swivel, chequering to both is still crisp; comes presented in the makers fitted faux leather carry case, emerald green felt lining; case contains original certificates, a wrapped spare magazine & original, matching number shoulder stock with grooved horn buttplate; stock in exc. cond., still in the plastic; overall in exc. wo & fine cond. **# K159von250** Cat H L/R Mfg. c.1970's *A tremendous outfit for the collector.*
331. **BOXED COLT SERVICE MODEL ACE S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 5" (125m/m) barrel with fine bright bore & crisp rifling; original blued finish to metalwork presents exc., no obvious signs of wear but some trace amounts of pit peppering to rhs slide & frame, will need young eyes to see; lhs slide marked **COLT SERVICE/ MODEL, ACE** diamond trademark, **.22 LONG/ RIFLE** & rampant horse trademark; **HARTFORD** address marked to rhs frame; mechanically exc., strong springs & sears, slide retracts freely; adjustable rear sight & blade front; original chequered walnut grip panels are exc., both retain medallions; pistol comes in original polystyrene packaging with cardboard sleeve; overall in exc. wo & vg. cond. **#SM30313** Post 46' L/R
332. **BOXED MAUSER MFG. COMMEMORATIVE LUGER P08 MOD. S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 6" (150m/m) barrel with exc. bright bore & crisp rifling; original glossy blued finish to metalwork presents exc., some minor oxidation staining on lhs frame but hard to fault; small parts incl. trigger, safety etc. retain strong straw finish, some oxidation staining **Original MAUSER** trademark to top of toggle, **Mauser-Werke A.G. Oberndorf** marked to front strap; **9mm Luger** marked to top of barrel; mechanically fine, strong springs & sears, toggle retracts smoothly; walnut grip panels are in exc. cond., chequering is still crisp; comes in the original maker marked blue & white cardboard box with polystyrene internal partitioning; case retains cleaning rod, multitool & spare mag.; overall in exc. wo & vg. cond. **#11.015225** c. 1970's L/R *One for the collector or classic pistol shooter. Doesn't appear to have fired a packet of cartridges.*

333. **BOXED MAUSER MFG. COMMEMORATIVE D.W.M LUGER P08 S/A PISTOL:** .30 Luger (7.65×21m/m Para.); 8 rnd. mag.; 6" (150m/m) barrel with vg. bore & sharply-defined rifling, some minor powder residue in grooves; original glossy blued finish to metalwork presents well., some scattered speckled areas of oxidation which need cleaning; small parts incl. trigger, safety etc. retain strong straw finish; **Original MAUSER** trademark to top of toggle, **MAUSER-WERKE A.G. Oberndorf** marked to front strap; **.30 Luger** marked to top of barrel; mechanically fine, strong springs & sears, grip safety, toggle retracts smoothly; nicely figured walnut grip panels are in exc. cond., chequering is still crisp; comes in the original maker marked blue & white cardboard box with polystyrene internal partitioning; case retains cleaning rod, multitool & spare mag.; overall in exc. wo & g. to vg. cond. **#10.004821** Mfg. 1973 L/R *Still with the factory tag on the trigger guard. Needs a very delicate clean up.* 1500 - 2000
334. **BOXED MAUSER MFG. COMMEMORATIVE D.W.M LUGER P08 S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (100m/m) barrel with vg. bore & sharply-defined rifling, some minor powder residue in grooves; original glossy blued finish to metalwork presents exc., small parts incl. trigger, safety etc. retain strong straw finish; top of toggle inlaid with gold **DWM** trademark, lhs frame inlaid **70 Jahre/Parabellum-Pistole / Kaiserreich Rukland; Mauser-Werke A.G. Oberndorf GMBH** marked to front strap; **9mm Luger** marked to top of barrel, crossed rifle motif to top of breech; mechanically fine, strong springs & sears, grip safety, toggle retracts smoothly; plastic mag. base is chipped & fractured, spare is exc.; high-grade & nicely figured walnut grip panels are in exc. cond., chequering is still crisp; comes in the original maker marked blue & white cardboard box with polystyrene internal partitioning; case retains cleaning rod, multitool & spare mag.; overall in exc. wo & cond. **#160von250R** c. 1970's L/R *Still with the factory tag on the trigger guard.* 2000 - 2500
335. **BOXED MAUSER MFG. COMMEMORATIVE LUGER P08 MATCH MOD. S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4 1/2" (115m/m) heavy barrel with exc. bright bore & crisp rifling; original glossy blued finish to metalwork presents exc., some minor storage marks along lhs barrel; small parts incl. trigger, safety etc. retain strong straw finish; **Original MAUSER** trademark to top of toggle, **MAUSER-WERKE A.G. Oberndorf** marked to front strap; **9mm Luger** marked to top of barrel; mechanically fine, strong springs & sears, toggle retracts smoothly & trigger is v. crisp; factory adjustable rear sight & blade front; both magazines bases are chipped & fractured; high-grade & nicely figured walnut grip panels are in exc. cond., chequering is still crisp; comes in the original maker marked, tatty, blue & white cardboard box with polystyrene internal partitioning; overall in exc. wo & vg. cond. **#11.010470** Mfg. 1975 L/R 1750 - 2250
336. **CASED WALTHER PP, S/A POCKET PISTOL:** .380 ACP cal.; 7 rnd. mag.; 3 3/4" (95m/m) barrel with bright bore & sharply-defined rifling, some spotted patches of frosting, g. overall; original glossy blued finish to metalwork has thinned from holster wear on profiles, front of slide; lhs of slide marked with **WALTHER** trademark banner, full name & **Modell PP Cal.9 mm kurz**; slide retracts freely, strong springs & sears; vgc. black plastic chequered grips in g. to vg. cond. both showing some moderate wear; comes in original maker marked black plastic case with spare magazine; overall in exc. wo & g. cond. **#52096A** Mfg. 1973 L/R 400 - 600
337. **CASED WALTHER PP, S/A POCKET PISTOL:** .22 LR cal.; 10 rnd. mag.; 3 3/4" (95m/m) barrel with vg. bright bore & sharply-defined rifling; original glossy blued finish to metalwork presents flawless, hard to fault; lhs of slide marked with **WALTHER** trademark banner, full name & **Modell PP Cal.22 Lr.**; slide retracts freely, strong springs & sears; vgc. black plastic chequered grips in exc. cond.; comes in original maker marked black plastic case with spare magazine, still in the original packaging; overall in exc. wo & as new cond. **#51683** Post 46' L/R 700 - 900

338. **IMPRESSIVE CASED JOHN RIGBY & Co S x S DOUBLE RIFLE:** .275 Rigby (7×57m/m Mauser) cal.; 24" barrels with vg. bores & well-defined rifling; rifle has undergone significant restoration, re-blued finish to barrels & small parts is strong, vivid case colours to action; finishes present exc., bearing only the slightest storage marks; top of right barrel engraved **John Rigby & Co. (Gunmakers)**, top of lh barrel engraved **BY APPOINTMENT TO HM King George VI**; top of rib engraved **275 (No.2) MAGNUM AMMUNITION**; makers name again engraved to sides of action; barrel flats marked with original London **V & P** proofs along with more recent British **NITRO PROOVED** stamps; calibre markings have been re-stamped; 50% coverage of scroll engraving to action & tangs; action locks up tight & on face, strong springs & sears, auto safety; three-quarter rib, fitted with dovetail scope mount & dovetailed with express sights, one standing & two folding, each with gold inlay sighting lines; brass bead front blade side on ramp; comes with **aus Jena DDR ZF4/S** scope on rib mount; clear optics, classic German reticle #1; restocked with some light but nicely figured walnut, semi pistol grip stock with cheekpiece, splinter forend; woodwork is exc. & chequering is sharply-defined; 14 3/4" LOP incl. 1" rubber recoil pad, 9lb 9oz weight; comes in contemporary fitted oak & leather case with a variety of accessories, facsimile trade label & green felt lining; case contains four oil bottles, turn screws & striker wrench; overall in exc. wo & cond. **#55022**
L/R **8000 - 10000**
339. **CASED COGSWELL & HARRISON HAMMER DOUBLE RIFLE:** .360 B.P.E cal.; 27" barrels with g. to vg. bright bore & sharply-defined rifling, some minor pitting; older re-blued finish to barrels, thinning slightly in areas & still bearing a light patch of pitting on top rib; action & locks retain vivid case colours in areas, thinning to a grey patina to rh lock; top rib engraved **COGSWELL & HARRISON. 142 NEW BOND ST. & 226 STRAND LONDON.**; barrel flats & action table marked with London V & P proofs; action, locks with border & 30% coverage of crisp acanthus scroll engraving, makers name to both locks; Jones under lever action locks up tight & on face, rebounding back-action locks with matching hammers, strong springs & sears; standing **100yd** rear sight & folding **200** leaf, both with platinum inlay sighting line, tapered blade front sight with platinum bead; forend push button release ferrule a replacement; walnut semi pistol grip stock with cheek piece & splinter forend in vgc., some minor handling marks but both retain exc. metal-to-wood fit, sharply-defined chequering; horn grip cap, vacant silver escutcheon to underside butt; comes in original solid leather fitted case with large original **COGSWELL & HARRISON** paper trade label, correct address; red baize lining is g., some insect damage, confined mainly to lid; sound partitions, no accessories other than maker marked oiler; some marks to case exterior & leather handle needs repair; overall in exc. wo & g. to vg. cond. #12336 **N/L Not your average double rifle, weighing in at a dainty 6lb 10oz.** **5000 - 6000**
340. **CASED P. KNIGHT BOXLOCK EJECTOR S x S SHOTGUN:** 12G, 2 1/2" chambered; 28 1/4" damascus barrels choked approx. cyl. & cyl.; bright bores but some rivelling & light dents towards muzzle end; thinning browned finish to barrels, g. pattern definition; grey patina to action; **P. KNIGHT. 22 CARRINGTON STREET, NOTTINGHAM** engraved to top rib, name again to sides of action; Birmingham **1 1/8oz NITRO PROOF** marks to barrel flats; 70% coverage of well-defined scroll engraving to action & tangs, rose bouquet to sides of action; action locks up with v. minor movement, w.o forend, ejectors are strong & well-timed; auto safety with gold inlay **SAFE**; woodwork presents well, walnut straight stock with tear drops, splinter forend; chequering to wrist & forend is well-defined; 14 1/4" LOP incl. chequered horn buttplate, 6lb 7oz weight; comes in period solid leather, brass cornered case with some quality period accessories incl. cleaning rods, snap caps & brushes; overall in g. wo & cond. **#16859LSB**
L/R **400 - 600**

341. **CHARLES BOSWELL BOXLOCK EJECTOR S x S PIGEON SHOTGUN:** 12G, 3" chambered; 30" 2500 - 2750
 damascus barrels choked approx. 1/2 & 3/4; bright bores, chambered have been extended, some pitting in forcing cones & superficial frosting in remainder; soft brown refinish with sharply-defined fine-twist damascus pattern to both sets of barrels; silver-grey patina to action, floor plate & trigger guard have been reblued; top of file cut rib(s) engraved **CHARLES BOSWELL MAKER, 126 STRAND. LONDON.**, barrel flats marked with London **V & P** proofs, **CHOKE** & serial numbers; scalloped action with full coverage of the finest acanthus scroll engraving with scattered rose bouquets, carved ball fences with pair of lilly(?) flowers to either side; mechanically g., action locks up tight with one set of barrel, slightly loose with the other, ejectors are strong but slightly miss-timed on both sets; Greener style cross bolt, side clips, auto safety with gold inlaid **SAFE**; second set of matching barrels, identical markings but choked 1/8 & 1/2; beautifully figured walnut stock has been expertly refinished, re-cut chequering to back style grip & side panels to head of stock is sharply-defined; metalwork is sitting proud of woodwork, but bearing only light handling marks; forend has been restocked, woodwork exc.; 14 1/8" LOP incl. 1" rubber recoil pad, 7lb 4oz weight; gun comes presented in the original fitted brass-cornered oak & leather case, g. overall cond.; relined in maroon felt but what appears to be the original gold embossed **CHARLES BOSWELL** black leather trade label remains; comes with oil bottle, turn screws & cleaning rods; overall in g. wo & vg. to exc. cond. #12160 L/R *A top grade boxlock ejector.*
342. **CASED CHARLES LANCASTER SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 3/4" chambered; 2000 - 2500
 30" barrels choked approx. cyl & full; blued finish to barrels has developed a dark appearance, some light handling wear overall; locks & small parts with mottled grey patina; top rib engraved **CHARLES LANCASTER, PLAIN HAMMERLESS**, barrel flats marked with London **V & P 1 1/4oz NITRO PROOF** marks and **VICKERS STEEL**; 30% coverage of defined scroll engraving to border engraved action & locks; action locks up tight, strong & well-timed ejectors, Greener style cross bolt, auto safety; English style straight walnut stock & dainty splinter forend are in vg. cond., some light handling marks overall, chequering to wrist & forend are well-defined; 14 1/2" LOP incl. 1" walnut extension, 6lb 7oz weight; comes in period tropical fitted case with **CHARLES LANCASTER** trade label; g. green baize lining & comes with two-piece cleaning rod, oil bottle; overall in exc. wo & g.+ cond. #13416 L/R
343. **CASED WILLIAM CASHMORE S x S PIGEON HAMMER SHOTGUN:** 12G, 2 3/4" chambered; 32" 1200 - 1500
 barrels choked approx. full & extra full; vg. bright bores; barrels have been professionally reblued, presents v. well with only minor storage marks; locks retain areas of strong case colours; top of file cut rub engraved **Wm CASHMORE. MAKER. BIRMINGHAM**; barrel flats & action tables marked with Birmingham **1 1/4OZ NITRO PROOF**; border engraved locks with light game scene & makers name to each; action locks up tight & on face; side clips, Greener crossbolt & strong, rebounding bar action locks; walnut stock & splinter forend in vg. cond., some light handling marks & wear but presents well; chequering to bag style grip is well-defined, chequering on forend showing wear; 14 1/2" LOP incl. orig. grooved buffalo horn buttplate; comes in a period fitted solid leather case, some scuffs & wear externally; internally has been relined in maroon felt, comes with Cashmore facsimile trade label; overall in exc. wo & g. to vg. cond. #17017 L/R *A good example of a hammer pigeon gun.*
344. **CASED I. HOLLIS & SONS BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels 700 - 900
 choked approx. full & extra full; bright bores, vg.+; gun retains strong original blued finish to barrels & areas of vivid case colours on action; **I. HOLLIS & SONS. BIRMINGHAM & LONDON** engraved to top of file cut rib, barrel flats marked with Birmingham **1 1/4OZ NITRO PROOF** marks; light coverage of defined scroll engraving to action; carved ball fences, side clips; action locks up tight w/ forend but slightly loose w/o, strong spring & sears, auto safety; walnut stock & forend present v. well, bearing some light handling marks; chequering to bag style grip & forend is sharply-defined, vg. metal-to-wood fit; 14 1/2" LOP incl. original grooved buffalo horn buttplate; comes in basic period canvas case; overall in vg. wo & g. to vg. cond. #115821 L/R

345. **CASED F.N. BROWNING B25 'A GRADE' O/U SHOTGUN:** 12G, 2 3/4" chambers; 30" barrels **1400 - 1600**
 choked approx. 3/4 & 3/4; vg. bright bores; strong original blued finish to metalwork, some scattered small spots of storage marks but presents exc.; lhs top barrel marked with F.N. full name & **HERSTAL** address, rhs marked with **MADE IN BELGIUM BROWNING PATENT**; border engraved action & tangs; action locks up tight, strong spring & sears, single trigger, strong & well-timed ejectors; walnut forend & stock present v. well, some light handling marks overall & bruise to lhs forend; chequering to forend & bag style pistol grip is well-defined; 14 1/8" LOP incl. 1" ventilated rubber recoil pad; comes in basic period canvas case; overall in exc. wo & vg. cond. #62959 L/R
346. **J. PURDEY S x S BAR-IN-WOOD 'THUMB LEVER' HAMMER SHOTGUN:** 12G, 2 1/2" **3500 - 4500**
 chambered; 30 1/2" twist damascus barrels with g. bright bores, some scattered patches of light pitting & light dings; grey patina to barrels, faint damascus patten overall but some patchy pit peppering to breech area of lh barrel; even silver-grey patina to locks & small parts; name & address to top rib worn off, barrel flats marked with London **V & P** proofs, serial no. **8010**; bar action lock plates engraved with **PURDEY**, top tang around breech engraved **PATENT**; action tables engraved with **NO 2** & London proofs; locks, tangs & action with 70% coverage of Purdey signature scroll engraving, all sharply-defined; action locks up with strong springs but is loose, off face; matching hammers with crisp sears; bar-in-wood straight stock & splinter forend are in sound condition but both are showing heavy wear to chequering, almost indistinct on forend; some handling marks & light bruising but free from cracks or repairs; 14 1/4" LOP to original steel buttplate; 7lb 6oz weight; comes in tatty **T.BLAND** case with some cleaning rods; overall in f. cond. #8010 L/R *Purdey History cert. confirms the gun was made as no.2 of a pair in June of 1869 for The Hon. P. Wyndham. Gun was found in a farm shed, in Guildford England c.1968 and two years later, imported to Perth where it has stayed with the same family. Does require some mechanical attention but certainly an original, interesting gun worthy of some TLC.*
347. **CASED HOLLAND & HOLLAND C. GRADE 'DOMINION' SIDELOCK N.E S x S SHOTGUN:** **2500 - 3000**
 12G, 2 3/4" chambered; 30" barrels, choked approx. 1/4 (7 thou.) & 3/4 (27 thou.); g. to vg. bright bores with some patchy frosting; original blued finish to barrels has developed a dark patina, thinning from handling wear around forend; grey patina to action with areas of case colours still visible; top of rh barrel engraved **HOLLAND & HOLLAND, 98 NEW BOND ST. LONDON** to top of lh barrel, **C GRADE** to top of rib; border engraved leg-of-mutton locks with **H&H** to each; London **V & P 1 1/8 NITRO PROOF** marks to barrel flats, action tables; action locks up tight & on face, strong springs & sears; screw heads are vg.; walnut English style straight stock & splinter forend are in g. to vgc., some light handling marks & bruising but retains metal-to-wood fit, well-defined chequering to wrist & forend; 14 1/8" LOP incl. 1" ventilated rubber recoil pad; 6lb 11oz weight; come in original solid leather case complete with original **HOLLAND & HOLLAND** trade label & **HAMMERLESS GUN** label; red baize lining; **W.L.R.C.** embossed to lid of case & **L.R.C** engraved to silver escutcheon to underside of stock; overall in exc. wo & g. to vg. cond. #26848 L/R *Made in 1914, a good honest gun from one of London's best. Bores still measuring .729 & .730"*
348. **BOXED WINCHESTER MOD. 94AE TRAPPER CARBINE:** .45 long Colt cal.; full length 9 rnd. tube **1000 - 1400**
 mag.; 16" round barrel with fine bore, bright with crisp rifling; blued finish to metalwork is 90%+, other than some minor storage rub wear on front of frame it presents exc. with only minor speckled staining; lhs barrel marked **WINCHESTER/ NEW HAVEN** address **MODEL 94AE** & cal.; rhs frame marked **1894 - 1994**; action cycles freely, strong springs & sears, angle eject action with push button safety; std. sights, saddle ring to lhs; exc. walnut stock, only trace amount of handling marks, original buttplate; comes in the original red cardboard shipping box; overall in exc. wo & near exc. cond. #6163951 L/R *A great little compact carbine, looks to have barely been fired.*
349. **BOXED MARLIN MOD. 1894 L/A RIFLE:** .44 Magnum cal.; 10 rnd. full-mag.; 20" round barrel with **800 - 1200**
 vg. bright bore & sharply-defined rifling, some leading in grooves; blued finish to metalwork presents flawless, some trace handling marks; **THE MARLIN FIREARMS CO, ILION** address to lhs barrel; action cycles freely, strong springs & sears; std. semi-buckhorn rear sight & hooded blade front; walnut stock & forewood in exc. cond., some minor handling marks, chequering crisp; factory rubber recoil pad; comes in original cardboard shipping carton with owner's manuals; overall in exc. wo & cond. #MR48470I L/R *Suit new gun buyer. Owner has fired less than a packet of cartridges since purchasing new.*

350. **FINE BOXED WINCHESTER MOD. 94 1866-1966 COMMEMORATIVE S/R CARBINE:** .30-30 Win. cal.; 6 rnd. tube mag; 20" octagonal barrel with bright bore & crisp rifling; strong blued finish to barrel, mag & small parts, a few minor spots of oxidation but showing almost no wear; bright gold finish to action & tangs; two-line **WINCHESTER MADE IN U.S.A.** to lhs of barrel, rhs of barrel with **A Century Of Leadership 1866-1966**; action cycles smoothly, strong springs & sears, screws untouched; semi-buckhorn rear & blade front sight; saddle ring to lhs action; walnut straight stock & forewood in vg. cond., small partial crack to rhs forewood but appears to be a factory defect, otherwise exc.; crescent gold plated buttplate with some minor oxidation staining; comes in the original cardboard box & sleeve, both in vg. cond.; overall in exc. wo & vg. cond. #97216 L/R *Appears to be unfired. Now 60 years since its 100th year commemoration!* **1000 - 1500**
351. **BOXED ULTRA FINE WINCHESTER MOD. 94 L/A RIFLE:** .30-30 Win. cal.; 6 rnd. tube mag; 20" barrel with bright bore & crisp rifling; blued finish to metalwork presents flawless, a few v. light storage marks on receiver but hard to fault; lhs of barrel marked with **WINCHESTER**, model, calibre & address; mechanically exc., cycles smoothly; original sights, front retains hood; woodwork in exc. cond., some trace amounts of storage marks; factory plastic **WINCHESTER** marked chequered buttplate; comes in the original Winchester shipping box, box in vg. cond., some wear & small hole; overall in exc. wo & exc. cond. #4111719 L/R *Suit new gun buyer. Looks to have been bought in the 70's and put away as an investment.* **1000 - 1500**
352. **BOXED BROWNING-MIROKU MOD. 71 L/A RIFLE PROJECT:** .348 WCF cal.; 4 rnd. tube mag.; 20" round barrel with p. bore, entirety is covered in red oxidation scale, rifling remains sharply-defined but will need to be cleaned & inspected; original glossy blued finish to metalwork is strong, no obvious signs of wear but does have patchy light oxidation staining in areas, needs an oil; lhs barrel marked with **MONTREAL** address, **BROWNING MODEL 71 CALIBER WIN**; action cycles smoothly, strong springs & sears, screws untouched; semi-buckhorn rear & hooded blade front sight; walnut semi-pistol grip stock & forewood are in vg. cond., some blotchy blemishes but no obvious handling marks; chequered steel buttplate; comes in the original polystyrene & cardboard shipping box; overall in f. cond. #05001PR1C7 L/R *Looks to have only been test fired & stored poorly for a long time. A great project for someone to re-barrel or take a gamble and see if it will clean up.* **200 - 400**
353. **BOXED FINE WINCHESTER MOD. 9422M L/A RIMFIRE RIFLE:** .22 WMR cal.; 10 rnd. tube mag; 24" barrel with bright bore & crisp rifling; blued finish to metalwork presents flawless, a few speckled oxidation spots but hard to fault; lhs of barrel marked with **WINCHESTER**, model, calibre & address; mechanically exc., cycles smoothly; original sights, front retains hood; woodwork in exc. cond., some trace amounts of storage marks; factory plastic **WINCHESTER** marked chequered buttplate; comes in the original Winchester shipping box, box in g. cond., some wear & a couple holes; overall in exc. wo & exc. cond. #F170862 L/R *A minty example of these sought after little magnum rifles. Wouldn't have fired a packet of cartridges.* **1000 - 1500**
354. **BOXED WINCHESTER MOD. 1894 LITTLE BIG HORN CENTENNIAL CARBINE:** .44 W.C.F (44-40 Win.) cal.; full length tube mag.; 20" rnd. barrel with vg. bore & crisp rifling, some superficial frosting; blued finish to barrel & small parts is strong but has some light oxidation developing on blued parts; bright gold finish to receiver & barrel bands; **The 7th and the Sioux**, Indian Chief to lhs action, horn & flag motif to rhs; two line **WINCHESTER** address & model to lhs of barrel, rhs of barrel with **LITTLE BIG HORN CENTENNIAL**; Cal. **44 W.C.F.** to top tang; mechanically exc.; std. flat top rear sight, front blade sight with hood; woodwork in vg. cond., some minor handling marks to well figured walnut stock; gold **CENTENNIAL** medallion inlaid to rhs of stock, 7th Calvary crossed sword mark to rhs; curved steel butt plate with gold finish; comes in original but tatty cardboard box & polystyrene packaging; overall in exc. wo & g. cond. #LBH11582 L/R *With some delicate cleaning this would grade up very quickly.* **1000 - 1500**

- 355. SUPERB CASED PERCUSSION BIG BORE 'STOPPING RIFLE' by SAMUEL & C. SMITH:** 8 bore (approx. .848 cal.); 20" octagonal twist damascus barrel; v. fine bore, bright with crisp rifling; strong original lustrous browned finish to barrels with well-defined damascus pattern, some light wear in areas but presents exc.; soft silvery-grey patina to locks, areas of distinct case colours remain; top rib engraved **SAML & C. SMITH PRINCESS STREET LEICESTER SQUARE LONDON.**; underside of barrel marked with London **V & P** proofs; lock engraved with **SAML & C. SMITH PRINCESS/ St LONDON.**; serial no. **5928** marked to breech, barrel, stock etc.; lockplates with light coverage of sharply-defined acanthus scroll engraving; flat side hammers, strong springs & crisp sears to bar action lock; original hefty ebony ramrod; walnut half stock presents exceptionally well, bearing only light scattered handling marks overall; metal-to-wood fit is exc., chequering to wrist is sharply-defined; lhs stock has been painted with **51**; gun comes in the original fitted oak case, green baize lining with only light wear, presents exc.; **SAMUEL & CHARLES SMITH** original paper trade label with some period Hindi stickers, scribbled notes & damage to centre; case houses several accessories incl. pair of matching replacement hammers, springs, nipples, turn-screws, **DIXON & SONS** silver capping tool with nipple-pricker, two ball starters, **MANTON** retailed **DIXON** powder flask, matching no. conical bullet mould, spare ramrod & more; overall in exc. wo & cond. #5928 *N/L An impressive outfit with all the impossibly hard-to-find accoutrements. These stopping rifles were very popular in the subcontinent and would have spent most of their time atop of an elephant howdah.* **5000 - 8000**
- 356. FINE & CONSECUTIVE NUMBERED PAIR of CASED DOUBLE PERCUSSION SHOT & BALL GUNS by SAMUEL & C. SMITH:** both guns are built to identical specifications, 12 bore (.730 cal.); 36" twist-damascus barrels with exc. bright smooth bores, appear to have been oiled before storage; barrels on both guns retain 80%+ of their lustrous browned finish & damascus pattern is v. well-defined; soft silvery-grey patina to locks, 30% patchy varnish remaining; the second gun (5271) has quite a bit more case colours remaining; top rib engraved **SAML & C. SMITH PRINCESS STREET LEICESTER SQUARE LONDON.**; underside of barrel marked with London **V & P** proofs; lock engraved with **SAML & C. SMITH PRINCESS/ St LONDON.**; serial numbers marked to breech, barrel, stock etc. of each gun; lockplates with matching light coverage of sharply-defined acanthus scroll engraving, pheasants to lh, rh locks & top tang; original matching hammers with extensive pineapple pattern crosshatch engraving; strong springs & crisp sears to bar action locks; both retain original ramrods with worm & cap; walnut half stocks presents exceptionally well, bearing only light scattered handling marks overall; metal-to-wood fit is exc., chequering to wrists are sharply-defined; rhs stocks has been painted with **27 & 26**; both guns comes in the original fitted oak cases, green baize lining showing some insect damage & light wear but both present well; **SAMUEL & CHARLES SMITH** original paper trade labels with some period Hindi stickers & scribbled notes, damage to centre; case contains turn-screws, **DIXON & SONS** silver capping tool with nipple-pricker, unusual period multi-tool, **MANTON** retailed **DIXON** copper powder flask & more; both cases are almost identical other than one missing main compartment lid; overall in exc. wo & fine condition. #5270 & #5271 *N/L An incredible pair of consecutive numbered guns that have been together since the day they were ordered. Another pair of time capsules.* **7000 - 9000**
- 357. FINE CASED S x S PERCUSSION DOUBLE RIFLE by JAMES PURDEY:** 13 bore (approx. .710 cal.); 33" twist damascus barrels with g.+ bright bore & sharply-defined rifling, some minor pit peppering evident; strong browned finish to barrels with well-defined damascus pattern, some wear around muzzle from protective cap; appears to be a period refinish; strong blued finish to trigger guard & buttplate; locks retains areas of strong case colours, some minor wear; top of flat rib engraved **J. PURDEY, 314 1/2 OXFORD STREET, LONDON,** underside of each barrel marked with London **V & P** proofs, **JP** trademark, serial no. **4038**; border & acanthus scroll engraved locks with **PURDEY** to centre of both; strong lock springs & sears, sliding safety's; fixed V-notch express sight with pair folding leaf's, long tapering blade front sight; original hefty ramrod; walnut half stock with beautifully figured grain, sharply-defined chequering to wrist & forestock & retaining exc. metal-to-wood fit; cheek piece to lhs stock, extensively engraved patch box inlaid to rhs; rifle comes presented in the original brass-cornered, solid oak case with green baize lining, **JAMES PURDEY** original paper trade label with some period Hindi stickers obscuring the bottom lhs & scribbled notes; baize showing only light wear, partitions are sound but one compartment lid is split & requires repairs; case comes with a plethora of accessories including original replacement hammers, springs, turn screws, capping tools, wad punches & leather sling; overall in exc. wo & vg. cond. #4038 *N/L An impressive outfit from one of London's best.* **8000 - 10000**

- 358. CASED F.N. BROWNING B25 SIDE PLATE O/U SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 3/4 & full; original rich gloss blued finish to barrels is very strong, some v. minor handling marks; polished finish to action & small parts, top of action & top lever with some dark brown oxidation staining; breech face with patchy oxidation staining & fine pitting to top; extensively engraved action with relief acanthus scroll & gold game bird inlay, pair snow geese inlaid to rhs & trio ducks to lhs; the gold inlay bordered lockplates are engraved with swamp scenes, reeds, trio of incoming ducks to lh side plate & pair of departing geese to rhs; underside of action is inlaid with partridge and another on the trigger guard; engraving to gun is crisp; pair of engravers initials appear to read **R. Deloow & Vg Guifree** which is marked to bottom tang beside trigger; the intricate engraving & gold inlay continues on to forend iron, tangs & small parts; action locks up tight & on face, strong springs & sears, ejectors are well timed; hand filed ventilated top rib with brass front bead & ivory mid bead; beautifully figured, exhibition grade walnut stock & three-piece forend; woodwork bearing only light handling marks overall; sharply-defined & fine chequering to semi-pistol grip & forend; original butt with defined skip-line chequering exc. screw heads; comes in period Browning faux leather carry case with red corduroy lining; overall in exc. wo & g. to vg. cond. #1111 S9 L/R **8000 - 10000**
- 359. FINE CASED PERCUSSION DOUBLE RIFLE by SAMUEL & C. SMITH:** 16 bore (approx. .715 cal.); 34" 18-sided twist damascus barrels, bores are bright & rifling is well-defined, some pit peppering in areas, g. overall; strong browned finish to barrels with well-defined damascus pattern, some light wear in areas; soft silvery-grey patina to locks, some patchy varnish & areas of distinct case colours remain; top rib engraved **SAML & C. SMITH PRINCESS STREET LEICESTER SQUARE LONDON.**; underside of barrel marked with London **V & P** proofs; lock engraved with **SAML & C. SMITH PRINCESS/ St LONDON.**; serial no. **5704** marked to breech, barrel, stock etc.; lockplates with light coverage of sharply-defined acanthus scroll engraving, pheasants to lh, rh locks & top tang; original matching flat side hammers, strong springs & crisp sears to bar action locks; original hefty ramrod; walnut half stock presents well, bearing only light scattered handling marks overall; metal-to-wood fit is exc., chequering to wrist is sharply-defined; lhs stock has been painted with **12**; gun comes in the original fitted oak case, green baize lining with only light wear, presents exc.; **SAMUEL & CHARLES SMITH** original paper trade label with some period Hindi stickers, scribbled notes & staining but all original text is legible; case contains several accessories incl. turn-screws, **DIXON & SONS** silver capping tool with nipple-pricker, **MANTON** retailed **DIXON** powder flask & more; overall in exc. wo & vg. cond. #5704 N/L **7000 - 9000**
- 360. EXCEPTIONAL CASED SINGLE BARREL 8 BORE PERCUSSION RIFLE by SAMUEL & C. SMITH:** 8 bore (.861 cal.); 36" octagonal twist-damascus barrel with exc. bright bore & sharply-defined rifling; barrel retains 90%+ of its lustrous browned finish & damascus pattern is v. well-defined; strong blued finish to trigger guard & buttplate, only minor storage marks to both; lock & breech with 80%+ lacquered finish over the original case colours; top of barrel engraved **SAML & C. SMITH PRINCESS STREET LEICESTER SQUARE LONDON.**; underside of barrel marked with London **V & P** proofs; lock engraved with **SAML & C. SMITH PRINCESS/ St LONDON.**; serial no. **5926** marked to breech, barrel, stock etc.; lockplate with light coverage of sharply-defined acanthus scroll engraving which extends on to breech & tangs; large flat sided original hammer, strong springs & sears to bar action lock; ladder sight with **200, 250, 300, 400, 500 & 600** sliding bars, blade front sight dovetailed to barrel; rifle retains the original ramrod, some inspect damage to buffalo horn handle; walnut half stock presents well, bearing only light scattered handling marks overall; a partial crack & some losses along forewood that will need attention; otherwise metal-to-wood fit is exc., chequering to wrist is sharply-defined; rhs stock has been painted with **47**, has been on the gun for over four decades; rifle comes presented in the original oak carry case; original green baize lining showing some insect damage & light wear but presents well; **SAMUEL & CHARLES SMITH** original paper trade label is missing 20c piece size section in middle & bearing some period Hindi in writing; case contains a plethora of original accessories including turn-screws, **DIXON & SONS** silver capping tool with nipple-pricker, spare original hammer & spring, matching number 8 bore conical bullet mould, leather sling & more; overall in exc. wo & vg. cond. #5928 N/L *An impressively proportioned big game rifle.* **7000 - 10000**

361. **UNUSUAL 19th CENTURY CONTINENTAL PINFIRE SABRE REVOLVER:** 9.5m/m pinfire cal.; 6 shot cylinder; 3 7/8" (100m/m) round barrel to rhs of blade with g. bore, sharply-defined rifling, some scale in grooves; thinning blued finish to cylinder remainder of metalwork incl. blade & scabbard with silver-grey patina, some patchy staining but presents well; lhs top strap marked with 7, cylinder marked with Liège **ELG** proof, no makers marks; fascinating integral pistol design complete with loading gate, extractor rod, strong springs & sears; d.a. or s.a. trigger pull; horn grips with some insect damage to bottom of both panels; octagonal pommel, handguard & ricasso forming trigger guard; 33" blade is in vgc., lightly etched with stand of arms engraving, acanthus scroll & floral engraving to first third; original steel scabbard, fluted rhs to allow pistol use when fitted, pair suspension rings, some light dings overall; overall in vg. cond. #7 Pre 1900 L/R c.1860 *Built to an almost identical pattern as the Italian model 1864 sabre-revolver. Just a fascinating & novel piece for the collector!* **6000 - 8000**
362. **AUSTRIAN MOD. 1842 PERCUSSION CAVALRY CARBINE by FRUWIRTH:** .72 cal. approx.; 14 1/2" barrel with p. bore, rifling peppered with heavy pits, some oxidation scale; v. dark patina to metalwork with some inactive oxidation scale, moderate pitting in areas incl. muzzle end of barrel, butt plate; top of barrel marked **FERD. FRUWIRTH**; lockplate has been stamped with **o R 6 4, D E** to lhs breech; strong lock springs & sears; blade front sight; side plate extends through to wrist with saddle ring loop & two rings; walnut half stock with cheek piece to lhs, f. to g. overall cond., some light handling marks & bruising, chip behind tail of lockplate; steel buttplate; overall in vg. cond. **N/L** **800 - 1200**
363. **SCARCE LITHGOW MFG. FACTORY SECTIONALIZED TRAINING BREN LIGHT MACHINE GUN:** .303 cal.; 30 rnd. mag.; 25" barrel; original military blued finish to majority of parts presents well, some minor oxidation speckling; muzzle half of barrel polished to bright silvery finish; top of receiver marked with serial no. **BB6478**, lhs breech of barrel marked **BB4113 & MkI**; the gun has several cut away sections from the flash hider, barrel section exposing the rifling, carry handle, receiver, right down to the stock which reveals the spring housing; sectionalized magazine is complete with several original crimped nickel dummy round; hardwood stock bearing a few light bruises & handling marks but presents well; overall in vg. cond. #**BB6478** Cat E or dealer L/R (VIC) *A great display piece for the vault or museum. Check your state laws about licensing requirements* **5000 - 7000**
364. **AUSTRALIAN LITHGOW S.M.L.E MK. II* LIGHT HARPOON GUN:** Greener no.2 harpoon blank cal.; 20" barrel with f. to g. bore, rifling is sharply-defined; reblued finish to metalwork is strong, some oxidation staining; std. **LITHGOW** markings to rhs body socket, top of barrel stamped **SMITH'S 2**; bolt cycles freely, strong springs & sears; forestock is a custom, Greener harpoon pattern set up complete with the line 'fork' attachment; gun comes with one original Greener stainless steel harpoon, marked with British **BNP** proof; original stock in g. sound cond., retains brass buttplate with trap; overall in vg. wo & g. cond. #**Y2566** L/R *Appears to be a custom creation made sometime in the 70's, inspired by the Jaws movie? no other information available.* **500 - 700**
365. **GERMAN CONTRACT MAUSER 98 SHORT RIFLE WALNUT STOCK & HANDGUARD:** 39 1/2" overall length from bayonet lug to rippled steel buttplate; complete with swivels & barrel band; walnut is nicely figured & bearing only light handling marks, bruising overall, free from cracks & repairs; serial no. **20351** marked to rhs; would clean up nicely; g. overall cond. **N/L** **100 - 300**
366. **GERMAN K98K MILITARY WALNUT STOCK:** 40" overall length from bayonet lug to flat steel buttplate; metal parts incl. sling stud & recoil lugs are covered in patchy oxidation scale, some pitting; woodwork is in g. sound cond., free from any obvious cracks or repairs but is darkened & generally a bit grubby; some light bruising & scattered handling marks; serial no **10343** marked within barrel channel & underside of stock; overall in f. cond. **N/L** Would respond v. well to a clean & oil. **100 - 300**
367. **MAUSER 98 SHORT RIFLE MILITARY STOCK:** 39 1/2" overall length from bayonet lug to rippled steel buttplate; complete with swivels & barrel band; some dings & pitting to metal parts; hardwood stock is dirty & needs a clean up but is free from cracks & heavy damage; no markings or obvious origin; overall in f. cond. **N/L** **50 - 100**

368. **PORTUGUESE CONTRACT K98K WALNUT STOCK:** 40" overall length from bayonet lug to flat steel buttplate; metal parts incl. sling stud & recoil lugs with some patchy oxidation; woodwork is in g. to vg. sound cond., some light handling marks & bruising overall but free from splits & cracks; generally a bit grubby but Waffenamt **WaA63** & eagle stamps to rhs stock are still distinct, 1937 & Portuguese crest to lhs stock; additional Waffenamt marked to underside of stock with serial no. **6885** & that number again within barrel channel; overall in g. cond. **N/L** *Would grade up significantly with a light clean & oil* **100 - 300**
369. **EUROPEAN BONE HANDLE SWORD CANE:** bone handle presents well, mellow appearance with some minor handling marks & fine cracks to base; handle pulls out to reveal a 14" four sides blade, g. cond., with some minor pit peppering; cane shaft in g. cond., losses to brown finish; German silver ferrule & perished rubber tip; overall in f. to g. cond. **L/R** **300 - 500**
370. **19th CENTURY BRASS CANNON CANE by A.M. CLARK:** .34 cal.; 4" barrel with dusty bore; mellow finish to brass construction; rhs breech marked **A.M. CLARK** over Liege **ELG** proofs; bamboo shaft in g. sound cond., brass ferrule pulls out to reveal ram rod; overall in g. cond. **N/L** c.1890 *A great little talking piece, designed for celebrations and using a cigar as source of ignition.* **500 - 700**
371. **19th CENTURY DAY'S PATENT PERCUSSION WALKING STICK GUN & STOCK:** 27 bore (.560 cal.); 27 1/2" smooth bore barrel, internally with some patchy oxidation scale but should clean up; mottled dark plum patina to metalwork, some light wear; top of breech marked **DAY'S PATENT J.R.**, Birmingham proofs to breech & barrel; bar hammer with strong springs & sears but missing threaded cocking piece; ebonized handle showing wear to its black finish; walnut stock is jammed in place, some repairs to metalwork but woodwork is in g. cond.; original steel buttplate with engraved top tang; overall in g. cond. #42 **N/L** **500 - 700**
372. **V. UNUSUAL 19th CENTURY BLOW-PIN BREECH LOADING CANE GUN:** .30 cal.; 21 1/2" brass barrel with g. bore; no makers marks; stepped cane body in g. cond., some minor surface cracking; brass mouthpiece with threaded cap; fascinating mechanism where an iron firing pin is blown down the initial bore, setting off a centrefire black powder cartridge; twist open breech reveals loading port; complete with German silver banded ferrule plug which pulls out to reveal a hooked case extractor; overall in g. cond. **N/L** *A fascinating little piece* **300 - 500**
373. **HUNTER & SONS of BELFAST ROOK RIFLE PROJECT:** .300 rook cal.; 28 3/4" octagonal barrel with f. bore, bright overall with defined rifling, some patchy pitting or oxidation in breech half of barrel but may clean up; barrel with thinning original blued finish, faint case colours to side lever action; makers name & address to top of barrel, Birmingham proofs & trademarks to breech; side lever action locks up well, strong lock springs & sears; bottom tang broken, missing stock; retains the original g. cond. forend; #55 **N/L** *Has seen little work, should make a challenging off-license project for someone.* **50 - 100**
374. **WWI ERA GERMAN LUGER P08 LEATHER HOLSTER:** g. overall cond., leather bearing some general handling marks & scuffs but remains relatively supple; front of holster stamped **A WERTHEIM/1915** under flap; belt loops present; **N/L** **150 - 250**
375. **SCARCE 'TROMMELMAGAZIN' TM-08 LUGER/ MP18 SNAIL DRUM MAGAZINE:** 32 rnd. capacity to suit 9m/m Luger; blued finish to metalwork developed a dark patina, fine pitting to most surfaces but profiles & markings remain well-defined; marked **12, 17, 27, 32** & serial no. **698456**; appears complete, good spring tension; comes with protective dust cover; overall in g. original cond. **N/L** *An honest example of these distinctive and sought after WWI era magazines.* **1500 - 1750**
376. **SCARCE WHITWORTH PERCUSSION RIFLE ACCESSORY & SIGHT SET:** comes with original **MANCHESTER ORDNANCE & RIFLE CO.** engraved ladder sight, cased with additional apertures & front sight; included is an ebony handle nipple wrench, oiler & period cleaning brushes for the fight sights; overall in g. cond. **N/L** **400 - 500**

377. **ORIGINAL VICKERS MACHINE GUN SPARE PARTS LEATHER BOX:** 220 x 140mm approx.; leatherwork in vg. cond. overall, some minor handling marks & scuffs but presents well; stitching in g. sound cond. steel reinforced lid with copper rivets; front of box marked **D** / \ **D** / **303 VICKERS GUN & JE** stamp; overall in vgc. N/L **100 - 200**
378. **REDDING RELOADING DIE SET for WINCHESTER 40-82:** brand new three die set, complete with manuals; overall in as new cond. N/L **100 - 200**
379. **SCARCE FULL BOX of WINCHESTER 50-110 EXPRESS AMMUNITION:** original two-piece cardboard box of desirable **50-110 Ex.** ammunition, 95%+ blue label in vgc., some minor flaking; marked **.50 Calibre/ 110 Grs. Powder/ 300 Grs. Bullet loads**; come light wear to box corners but in vg.; retains all twenty of the soft nose cartridges. *L/R *Cartridges must be picked arranged to be picked up** **500 - 700**
380. **WESTLEY RISCHARD & co – THE PURSUIT OF THE BEST GUN 1812 -2012:** Jeremy Musson; vg reference book, full colour plates. Mint condition. Original WR cardboard box, 335 pages. **200 - 300**
381. **COLT FIREARMS FROM 1836:** Serven, 1954; vg reference book, B & W plates. Vg condition. 400 pages. **100 - 250**
382. **THE OFFICIAL RECORD - COLT SINGLE ACTION ARMY REVOLVERS 1873 - 1895:** Wilkerson & Hoyt 2008; vg reference book, B & W & colour plates. Vg condition. 464 pages. **200 - 300**
383. **JAPANESE SWORDS - A CONNOISSEUR'S BOOK:** Kokan Nagayama; vg reference book, B & W plates. VG condition. 355 pages. **150 - 200**
384. **A STUDY OF COLT CONVERSIONS & OTHER PERCUSSION REVOLVERS:** McDowell, 1997; vg reference book, B & W plates. Vg condition. 464 pages. **150 - 250**
385. **COLT CAVALRY & ARTILLERY REVOLVERS:** Kopec & Fenn; vg reference book, B & W plates. G condition. 303 pages. **200 - 300**
386. **THE COLT MODEL 1860:** Charles W Pate 2017; vg reference book, B & W plates. Vg condition. 462 pages. **200 - 300**
387. **COLT SINGLE ACTION ARMY REVOLVER (A Study Of):** Graham, Kopec & Moore, 2010; vg reference book, B & W plates. Vg condition. 600 pages. **200 - 300**
388. **CARVINGS OF THE VELDT BOOK TRIO:** Vol. 1, 2 & 3; Dave C George; vg reference book, rifle carvings from Anglo-Boer war + stories. Vg condition. **150 - 250**
389. **THE POWDER FLASK BOOK:** Ray Riling 1953; vg reference book, B & W plates. G condition. 495 pages. Prev owned by Doug Mills. **100 - 150**
390. **THE CLASSIC BRITISH ROOK & RABBIT RIFLE:** Colin Greenwood; 2006; covers major makers of rook rifles; exc. reference book plates; 176 pages **100 - 150**
391. **THE BRITISH SPORTING GUN & RIFLE:** 'Pursuit of Perfection 1850 - 1900'; Donald Dallas; vg reference book, full colour plates. Mint condition. 423 pages. **200 - 300**
392. **THE HOUSE OF CHURCHILL:** Don Masters. 2002, 2nd edition, Definitive book on EY Churchill, master gun maker; vg reference book, full colour plates; Mint condition. 531 pages; **200 - 300**
393. **THE BROWNING SUPERPOSED:** Ned Schwing Printed 1996. Definitive book on Browning shotguns; vg reference book, full colour plates Mint condition, **495** pages **400 - 500**

394. **BRITISH PATTERN 1786 LIGHT CAVALRY OFFICER'S SWORD:** 30.5" blade in vg cond. with v light stains; lightly engraved both sides for ½ length; brass guard with lion's head lightly stained; vg cond. leather grip, but wire loose; f to g leather scabbard with brass upper/lower hooks and tip protector; unclear inscription to upper hook '**Pali Niner maker Rochester;** o/a in f to g cond. **750 - 900**
395. **BRITISH PATTERN 1803 INFANTRY OFFICER'S SWORD:** 35" blade in f to g cond. with v light stains & some minor nicks; faded engraving with GR; brass guard with lion's head, some gilt remaining; g cond. leather grip, wire intact; o/a in f to g cond. **500 - 650**
396. **UNUSUAL BRITISH NAVAL OFFICER'S FIGHTING SWORD:** 27" blade in g cond. with light stains & v faint engraving; unusual brass guard with **entwined dolphins** and lion's head pommel; f to g cond. leather grip with wire intact; **rare copper scabbard** in f to g cond. with staining & v minor dents, lower/upper hooks and tip protector; o/a in f to g cond. **1000 - 1200**
397. **BRITISH PATTERN 1856 MK1 DRUMMER / BUGLER'S SWORD:** 18" blade in g cond. with v light stains & cleaning marks; straight unfullered double-edged spear-pointed blade with diamond cross-section; hilt with central VR cypher of Queen Victoria, triangular langets and trefoil finials; flared pommel. o/a in f to g cond. Made by Mole **350 - 500**
398. **INDIAN HEAVY PATISSA (KANDA) SWORD:** 32" blade in vg cond. with v light stains; straight unfullered double-edged spear-pointed; v clean full blade engraving; one-piece iron guard and hilt with pointed pommel; g cond. wood scabbard with leather reinforcement, brass & iron upper/lower hooks, tip protector and mouth; o/a in g cond. **450 - 600**
399. **BURMESE DHA SWORD:** 20.5" lightly curved blade in vg cond. with v light stains some nicks; round, brass cross-section grip, brass covered wooden scabbard in g cond. with minor dents and stains. o/a in g cond. **350 - 550**
400. **BRITISH PATTERN 1796 LIGHT CAVALRY OR RIFLE OFFICER'S SWORD:** 29" curved blade in g cond. with v light stains& honing marks, ¾ length etching to both sides of blade; **OSBORN & GUNBY** to l/h side of blade; shagreen covered grip with loose wire, loose on tang; o/a in f cond. **200 - 350**
401. **U.S MODEL 1832 FOOT ARTILLERY SHORT SWORD:** 18.5" double-sided blade in g cond. with light stains & minor nicks; fullers to both sides; **NP AMES CABOTVILLE** under **EAGLE** to base of blade one side, **US over 1846** to other side; inspectors mark to hilt; solid brass hilt & scale pattern grip, eagles both sides of pommel; g cond. leather scabbard with brass mouth and tip protector. o/a g cond. **700 - 850**
402. **RARE U.S NAVY MODEL 1841 CUTLASS:** 21" double-sided in g cond. with dark stains & minor nicks; **NP AMES CABOTVILLE** under **EAGLE** to base of blade one side, **US over 1846;** inspectors mark to hilt; D-style brass knuckle-guard with **7 over 2D**, solid brass scale pattern grip, eagles both sides of pommel; o/a g cond., **Only 6600 were produced between 1841 and 1847** **700 - 850**
403. **COMPOSITE FRENCH SWORD:** 32" in g cond.; full length fullers to both sides; **Briquet Infantry hanger hilt** mated to **slender court sword blade;** **inspectors mark** to hilt with **78** stamped to guard; solid brass hilt & grip; g cond. steel scabbard with 2 hangers and tip protector. o/a g cond. **200 - 300**
404. **FRENCH BRIQUET INFANTRY HANGER:** 23" in g cond., stains and cleaning marks; **maker's mark to hilt (288);** solid brass hilt & grip; f to g cond. leather with brass mouth and tip protector. o/a f to g cond. **300 - 450**
405. **FRENCH MODEL 1767 GRENADIERS HANGER:** 23" in g cond., stains and cleaning marks, engraved with **flaming bombs & GRENADIER;** solid brass hilt & grip; g cond. leather with brass mouth and tip protector. o/a g cond. **700 - 850**
406. **FRENCH TYPE BRIQUET INFANTRY HANGER:** 23" in g cond., stains and cleaning marks; **Cairo Citadel provenance** to blade; solid brass hilt & grip; o/a g cond. **200 - 300**

407. **BRITISH MIDSHIPMAN'S DIRK:** 22" blade in g cond. with v light stains & cleaning marks; brass guard & grip with lion's head pommel; f to g cond. leather scabbard, brass mouth & tip; o/a g cond. **300 - 450**
408. **BRITISH PATTERN 1822 OFFICER'S SWORD:** 31" blade in f cond. with stains & peening marks to tip; **VR cypher** to blade; brass loop guard with **cypher**; g cond. leather grip & wire intact; o/a in g cond. **250 - 400**
409. **INDIAN TULWAR:** 30" blade in g cond., serrated back as well as base and tip of cutting edge; minor nicks and cleaning/sharpening marks; normal tulwar grip. o/a in f to g cond. **600 - 800**
410. **INDIAN TULWAR – SIROHI TYPE:** 31" sharpened blade in g cond. with v minor stains & cleaning marks; shallow ¾ length fullers to both sides; faded engraving to d-shaped guard; o/a in f to g cond. **200 - 400**
411. **NTH AFRICAN TULWAR – STYLE SABRE:** 27" sharpened blade in g cond. with stains & cleaning marks; shallow ¾ length fullers to both sides; Arabic script to blade; engraving to guard, grip and pommel. o/a in f to g cond. **200 - 400**
412. **INDIAN TULWAR:** 27.5" blade in g cond., very polished; minor stains to grip; f cond. leather scabbard. o/a in g cond. **300 - 500**
413. **INDIAN TULWAR:** 27.5" blade in g cond., minor stains, polished, fullers to both sides; minor stains to grip; o/a in g cond. **250 - 400**
414. **INDIAN TULWAR:** 28" blade in f cond., surface rust stains; fullers to both sides; minor stains & marks to grip; wood, green coloured cloth bound scabbard with ornate brass decoration & tip protector. o/a in f to g cond. **350 - 500**
415. **INDIAN KIRACH SWORD:** 28" blade in g cond., heavily polished; cloth covering to grip & internal surface of d-shaped guard; green cloth bound wood scabbard & small metal tip protector. o/a in f to g cond. **450 - 600**
416. **LIGHT CAVALRY SABRE:** 34" blade in g cond., some rust staining, strongly polished/cleaned; fullers to both sides; f cond. grip with g wire, staining to metal tang & d-shaped guard; dark green painted metal scabbard with 2 hooks. o/a in f to g cond. *Thought to be Prussian* **400 - 500**
417. **INDIAN PATA GAUNTLET SWORD:** 32" blades in f cond., light stain marks & minor dents, honing marks; half-gauntlet hilt attached to blade by extended arms on both sides of blades; o/a in f to g cond. **700 - 850**
418. **INDIAN PATA GAUNTLET SWORD:** 32" blade in f cond., light stain marks & minor dents, honing marks; half-gauntlet hilt attached to blade by extended arms on both sides of blades; o/a in f to g cond. **600 - 750**
419. **INDIAN TULWAR:** 25" blade in p cond., stains & surface rust, fullers to both sides; silver inlay with some losses to grip & D-shaped guard. o/a p cond. **150 - 200**
420. **INDIAN KORA FIGHTING SWORD:** 17" forward curved blade in g cond., minor stains & surface marks to polished blade; all-seeing eye engraved to both sides of blade at tip; stained grip & D-shaped guard. o/a p to g cond. Traditional weapon from Nepal and Northern India **550 - 700**
421. **RARE INDIAN 2-HANDED LONG SWORD:** 30" blade in f cond., light stain marks & minor dents; hilt attached to tapered, double-sided blade by extended arms on both sides of blade; g cond. wood grip with remnants of decorative paint. o/a in f to g cond. **800 - 950**
422. **EUROPEAN LIGHT CAVALRY SWORD:** 32" blade in f cond. with light stain, light dents, attempts to polish our rust mark, fullers to both sides; 3 loop guard; g cond. grip with wire intact; f to g cond. metal scabbard, 2 hooks, light stains & dents, R.A.M. 22.8. to side of mouth, 3E21LR 187 to spine of mouth, 063R1 to upper hook; o/a in f to g cond. **400 - 500**

423. **PRUSSIAN MODEL 1811 LIGHT CAVALRY SWORD:** 32" blade in f to g cond. with light stain, light dents, fullers to both sides; d-shape guard; g cond. grip with wire intact, 10A.F.5.84 & 449M to cross-guard; f to g cond. metal scabbard, 2 hooks, light rust stains & dents. o/a in f to g cond. **600 - 750**
424. **INDIAN STRAIGHT BLADE TULWAR:** 30" blade in f to g cond., v light surface stains & dents, polished; shallow fullers to both sides; minor stains & marks to grip. o/a in f to g cond. **350 - 500**
425. **POSSIBLY TURKISH CAVALRY SWORD:** 31" blade in f to g cond. with heavy stains, light dents, fullers to both sides; f to g leather cover over wooden grips, d-shape guard; p cond. leather cover over metal scabbard. o/a in f to g cond. **300 - 450**
426. **INDIAN FIRANGI SWORD:** 30" blade in f cond., light stain marks & minor dents; hilt attached to tapered blade by extended arms on both sides of blade, polish marks; grip with cloth lining, extended 'spike' pommel. o/a in f cond. **500 - 650**
427. **KASKARA TRADITIONAL SWORD:** 36" dark steel blade with foliate engraving, v light rust & staining, v. shallow fullers to both sides, straight & double edged; cross-bar hilt; wooden grip, leather binding in p. to g. cond. overall g. cond. Kaskara is a type of traditional sword, Sudan, Chad, and Eritrea. **250 - 400**
428. **SPANISH CAVALRY SWORD:** 34" blade in f to g cond. with light stain, light dents, fullers to both sides, **FABRICA DE TOLEDO** to both sides; 3 loop guard; g cond. grip with wire intact, o/a in f to g cond. **200 - 350**
429. **BRITISH PATTERN 1805 NAVAL OFFICER'S SWORD:** 31" blade in f to g cond. with light stain, light dents, fullers to both sides; d-shape guard; g cond. grip with wire intact f to g cond. metal scabbard, 2 hooks, light rust stains & dents. o/a in f to g cond. **250 - 350**
430. **BRITISH PATTERN 1796 INFANTRY OFFICER'S SWORD:** 32" blade in f to g cond. with light stain, light dents & nicks, fullers to both sides, etched decoration; d-shape guard; bound wire grip in g cond. o/a in f to g cond. **550 - 700**
431. **GRENADIERS SHORT SWORD – PROBABLY SAXON:** 22" blade in f to g cond. with light stain, light dents, fullers to both sides, **CROWN over FA** to ricasso; d-shape guard; g cond. brass grip with stains o/a in f to g cond. C 1840 **250 - 400**
432. **RELIC BRITISH SWORD:** 30" blade in p cond. with dark staining & broken tip, fullers to both sides; v poor cond. basket guard, broken & rusted. o/a in very p cond. **100 - 150**
433. **THAILAND / SE ASIA DHA SWORD:** 20" blade in g cond. with light stains & polishing marks; round cross-section, wire mesh grip, no guard; silver mounted pommel; f cond. wooden scabbard secured by metal bands, with red knotted cord. o/a in f to g cond. **600 - 750**
434. **3 REPO JAPANESE SWORDS:** 26" blades in as new cond., 1 with v light stains; round cross-sections; faux skin covered grips, 1 with cloth wrap others with plastic wrap; composite scabbards, o/a exc cond. Not matching **300 - 450**
435. **PERUVIAN Model 1909 BAYONET:** 20.5" blade g to vg cond., v light surface marks; fullers both sides; **14298** to guard; **SIMSON & CO SUHL** to blade at hilt; vg wood grips; vg black leather scabbard **with matching no.** to mouth: o/a cond. **450 - 550**
436. **GERMAN MODEL 1907 BAYONET:** 20.5" blade vg cond., v light surface marks; fullers both sides; **SIMSON & CO SUHL** to blade at hilt; **8256** to guard; vg wood grips; g to vg black leather scabbard: o/a g to vg cond. **350 - 450**
437. **SIAMESE PATTERN 1907;** 17" blacked blade vg cond., v light surface marks; fullers both sides; **Thai marks** to blade at hilt; g wood grips; f to g dark metal scabbard with surface rust: o/a g cond. **150 - 250**

438. **AUSTRALIAN NSW ALEX HENRY SAWBACK BAYONET:** 18" blade vg cond., v light surface marks; fullers both sides; **CROWNED HEAD** to blade at hilt; **T48** to guard; vg black bakelite(?) grips; g black leather scabbard with marks, stained mouth & tip: o/a g to vg cond. **900 - 1000**
439. **GERMAN ERSATZ MODEL 88/98 KNIFE/BAYONET:** 12" blade vg cond., surface marks; stained brass hilt/guard; f to g black metal scabbard with stains & minor dents: o/a f to cond. **650 - 750**
440. **FINISH MODEL 1927 BAYONET:** 20.5" blade vg to exc. cond.; fullers both sides; vg wood grips; exc. black metal scabbard: vg to exc. cond. **350 - 450**
441. **GERMAN ERSATZ MODEL 88/98 KNIFE/BAYONET:** 12" fullered blade g to vg cond., surface marks; stained steel hilt/guard; f to g scabbard with stains & dents: o/a f to g cond. Turkish issue **350 - 450**
442. **CZECH VZ Model 24 BAYONET:** 11.5" fullered blade g cond., surface marks/ stains; stained steel hilt/guard with g wood grips; f to g metal scabbard with stains & dents: o/a f to cond. FN made **200 - 300**
443. **GERMAN ERSATZ MODEL 88/98 KNIFE/BAYONET:** 12" fullered blade g cond., surface marks; **5594 to hilt**; stained steel hilt/guard; f to g scabbard with stains & dents: o/a f to g cond. 1st World War **350 - 450**
444. **BRITISH PATTERN 1888 BAYONET:** 12" fullered blade g cond., surface marks; **5 '02 to blade; 279 to guard** with proof marks to other side; f to g wood grips; g cond. leather scabbard with stains: o/a f to g cond. **150 - 200**
445. **GERMAN MODEL 98/05 BAYONET:** 14.5" fullered blade g cond., surface marks, polished & sharpened, **Weyersberg Kirschbaum & Co. Solingen** marked; high ears; g cond. wood grips; g cond. leather scabbard with stains. o/a g cond. **450 - 400**
446. **BRITISH PATTERN 1908 CAVALRY TROOPER'S SWORD:** 35" blade in vg to exc. cond. with $\frac{3}{4}$ length fullers, v minor marks, to both sides; vg to exc. cond. large sheet bowl guard; vg cond. chequered grip with thumb stop indented on top of grip; exc. cond. steel scabbard, **N02 TRNG over BN over 25 to mouth**. o/a in vg to exc. cond. *The Pattern 1908 cavalry trooper's sword (and the 1912 Pattern, the equivalent for officers) was the last service sword issued to the cavalry of the British Army. It has been called the most effective cavalry sword ever designed, although its introduction occurred as swords finally became obsolete as military weapons.* **1500 - 1800**
447. **DRESS SWORD:** 27" g. cond. chromed blade with chrome lifting in some places; brass guard with repo diplomat knot; blade lock; p. cond. steel scabbard with chrome rusting, 2 hangers with repo belt. overall f. to g. cond. **100 - 150**
448. **NSW MARKED PATTERN 1907:** 17" fullered blade g cond., surface marks; **CROWN over 1907 over 9 09 over WILKINSON** to base of blade, with proof marks(?) to other side; g wood grips, **NSW 5201** to pommel; g cond. leather scabbard with stains: o/a g cond. *Significant historical item for the Colonial collector.* **1500 - 1800**
449. **AUSTRALIAN COLONIAL PATTERN 1827 NAVAL OFFICER'S SWORD:** 30" blade in g to vg cond. with $\frac{3}{4}$ length fullers, marks & stains to both sides, **C.R MARTIN MELBOURNE** to base, etching to both sides; g cond., tarnished gilt brass, half-basket hilt with **crown over anchor**; vg to exc. cond. large sheet bowl guard with locking catch; wire-bound sharkskin grip in g cond.; lion's head pommel; g cond. leather scabbard with tarnished brass hangers & tip. o/a g cond. **600 - 800**
450. **BRITISH PATTERN 1855 LANCASTER BAYONET:** 24" fullered blade vg cond., **CROWN over S over 14** to base, **S&F** to reverse side; G611 to guard; f to g cond. two-piece black chequered leather grips; g cond. leather scabbard with stains, brass mouth & tip. o/a g cond. **450 - 550**

451. **CASED BRITISH TURN-BARREL O/U PERCUSSION PISTOL by MAPPLEBECK & LOWE:** 600 - 900
 .380 cal.; 2" (50m/m) turn-off barrels with f. bores, some light pitting; metalwork with strong reblued finish, patchy light pitting in areas, presents OK but markings still well-defined; lhs side plate engraved with **MAPPLEBECK/ & LOWE** within scroll banner, acanthus scroll surrounds & to rhs; Birmingham proofs to barrel & breech; barrel turn freely, strong springs & sears to lock, folding trigger; smooth walnut grip presents well, some filler to head; vacant silver oval escutcheon to spine; comes in homemade wooden case; overall in g. wo & cond. #0022243 Pre 1900 L/R
452. **CASED SMITH & WESSON MOD. 1 1/2 S.A. POCKET REVOLVER:** .32 rimfire short cal.; 5 shot 1000 - 1500
 cylinder; 3 1/2" (89m/m) barrel; bore is f., two patches of pitting but otherwise bright & rifling is well-defined; original blued finish to metalwork presents well, barrel & cylinder has been cleaned slightly & finish has thinned to a streaky grey patina, some superficial frosting; frame retains strong original glossy blued finish to sides; two-line **SPRINGFIELD** address to top of integral barrel rib is sharply-defined; London **V & P** proofs marked to chambers & underside of barrel; cylinder indexing well, strong springs & sears, action lock up with minor movement; original smooth rosewood grips present exc., some minor handling marks but appear to retain all the original varnish finish; revolver comes presented in a fitted oak case with green felt lining; lid with **GEORGE GIBBS of BRISTOL** paper trade label to lid, appears to be an original; overall in g. to vg. cond. #22033 Pre 1900 L/R
453. **PAIR of FRENCH FLINTLOCK S/B OFFICERS PISTOLS by BRUNON AINE of CAEN:** 24 bore; 6 4500 - 5500
 3/8" octagonal barrels with f. to g. bore, some minor frosting & oxidation; metalwork has been cleaned to a silver-grey patina to majority, some minor staining; **BRUNON AINE/ A. CAEN** engraved to locks, makers mark partially visible to lhs breech; ornate iron furniture with tapered trigger guards, banded ramrod thimbles & ferrules; border engraved chamfered lockplates, matching swan-necked cocks but one missing flint; strong lock springs & sears; original matching ram rods with worms, some inspect damage to one; walnut full stocks present well, light handling marks & bruising to both, chequering to sides of grips are well-defined, spines of stocks inlaid with silver vine & leaf patterns; silver border inlay around locks & mirrored to side 'plate' of walnut to lhs; butts inlaid with ovate butt caps, silver inlaid bordering to both & floral motif engraved to centres; overall in g. cond. N/L c.1790's *An incredible pair of pistols that have survived the past few centuries remarkably well.*
454. **CONTINENTAL S x S PERCUSSION POCKET PISTOL:** .33 cal.; 3 1/2" (90m/m) damascus barrels 800 - 1200
 with f. to g. bores, rifling well-defined but some minor oxidation & light pitting, may grade up with a clean; silvery-grey patina to metalwork, some minor oxidation staining to barrels; barrel with sharply-defined acid-etched damascus pattern & silver inlaid bands to breech, muzzle ends; rhs breech marked with makers initials **WB**; sides of frame with sharply-defined acanthus scroll engraving; matching hammers with strong springs & sears; ebony stock with carved pattern to head, some minor handling marks but presents well; overall in g.+ cond. #2455 Pre 1900 L/R *A pretty little pistol that would grade up with some minor cleaning.*
455. **PAIR of CONTINENTAL PERCUSSION FOLDING TRIGGER POCKET PISTOLS:** .41 cal.; 2 1/4" 1200 - 1600
 round turn-off barrels with 'wedding bands'; bores have red oxidation scale throughout but should clean up; silvery-grey patina to metalwork, some minor handling marks & staining; **7** marked to breeches, barrels & hammers; sides of actions with sharply-defined acanthus scroll patterns, presents well; strong spring & sears to locks, folding triggers, matching offset hammers; matching walnut stock present well, relief carved leaf motifs to heads, acanthus scroll/ vines carved to sides; overall in g. to vg. cond. N/L *A pretty pair of pistols*
456. **CONTINENTAL O/U PERCUSSION POCKET PISTOL:** .38 cal.; 3 1/8" (80m/m) turn-off barrels with 500 - 700
 f. bores, light pitting throughout; plum refinish to barrels, remainder of metalwork has been cleaned back to a silver-grey patina; scroll engraving to sides of frame are lightly defined; matching hammers, strong locks & springs; carved walnut butt presents nicely, leaf & vine pattern is v. well-defined, some minor handling marks; vacant silver escutcheon to spine, steel grip cap with flip up trap; overall in f. cond. #1301 Pre 1900 L/R

457. **PETITE PAIR of CONTINENTAL PERCUSSION MUFF PISTOLS:** .34 cal.; 1 1/2" round turn-off barrels with f. bores, some minor scoring; silvery-grey patina to metalwork, some minor staining & frosting but both present well; barrels retain sharply-defined acid-etched damascus barrels; **BC** makers mark to rhs frame of both pistols, frame decorated with large acanthus scroll patterns; mechanically strong, crisp sears, folding triggers & offset hammers for V-notch rear sights; smooth walnut stocks present well, some minor handling marks; overall in g.+ cond. #36 & #37 N/L **800 - 1200**
458. **COLT MOD. 1860 ARMY S.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot fluted cylinder; 8" (203m/m) barrel; f. bore, rifling well-defined but peppered with pitting in areas; silvery-grey patina to majority of metalwork, some patches of frosting in areas but presents well; mellow finish to brass trigger guard & front strap; top of barrel marked **-ADDRESS COL. SAML COLT NEW-YORK U. S. AMERICA-**; defined **COLT'S/ PATENT** marked to lhs of frame; roll stamped naval engagement scene is v. faint, clear patents on cylinder; serial no. **130086** marked to barrel, frame, trigger guard, butt of back strap; **0086** marked to cylinder; cylinder indexing loosely, strong springs & sears; some replacement screws & burred originals; trigger guard has had repair; smooth walnut grips in sound cond., some handling marks & light bruising, general wear overall; overall in f. cond. #**130086** Mfg. 1861 L/R **1500 - 2000**
459. **E. REMINGTON NEW MOD. POCKET PERCUSSION REVOLVER:** .31 cal.; 5 shot cylinder; 3 1/8" (79m/m) octagonal barrel with f. to g. bores, lands bright & shiny, some patchy light pitting in grooves; mottled grey patina to majority of metalwork, some handling marks & light peening; top of barrel marked with three-line patents, **E.REMINGTON** address/ **NEW-MODEL**; mechanically exc., strong springs & crisp sears, cylinder indexing exc.; silver blade front sight ; smooth walnut grips retain 90%+ original varnish finish , some minor handling marks & wear to both but vg. overall; overall in g. to vg. cond. #**2386** Pre 1900 L/R **700 - 900**
460. **COLT THIRD MODEL 'THUER' S/S DERRINGER:** .41 rimfire short cal.; 2 1/2" (64m/m) barrel with f. bore, rifling defined but fine pitting throughout; silvery-grey patina to barrel & hammer, some frosting; silver plated finish to brass frame is exc., only minor losses; **COLT** marked to top of barrel, **41 CAL** marked to lhs frame & faint London **V & P** proofs to underside of barrel; mechanically g., strong springs & sears, locks up tight; silver blade front sight; smooth walnut grips in g. cond., some handling marks & patchy original varnish finish; overall in g. cond. #**47517** Pre 47' L/R **600 - 800**
461. **COLT THIRD MODEL 'THUER' S/S DERRINGER:** .41 rimfire short cal.; 2 1/2" (64m/m) barrel with f. to g. bore, rifling defined but some fine pit peppering to chamber; bright silver-plated finish to barrel & frame presents exc., some minor surface marring but retains 95%+; original nitre bluing still strong on screws & small parts; **COLT** marked to top of barrel, **41 CAL** marked to lhs frame; mechanically vg., strong springs & crisp sears, locks up tight, small chip to lhs breech edge; silver blade front sight; smooth walnut grips in g. cond., some original varnish finish is starting to lift & present as white & patchy; overall in g. to vg. cond. #**5675** Pre 47' L/R Has seen very little use. *One of the better examples to come through our auctions.* **700 - 1000**
462. **E. REMINGTON 1858 NEW MODEL PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (202m/m) octagonal barrel with p. bore, rifling is well-defined but entirety is caked with powdery red oxidation; metalwork has been cleaned back, now with a soft brown patina to most surfaces but still bearing patchy frosting & some light pitting on rhs, mellow finish to brass trigger guard; top of barrel marked with lightly defined patents/ **E. REMINGTON & SONS. ILION. NEW YORK. U.S.A./ NEW MODEL**; strong springs & sears, cylinder indexing well; nipples corroded; smooth walnut grips are in g. cond., some handling marks & light bruising & small chipping but present decent; lh grip has a period stamp **358**; overall in f. cond. #**134857** Pre 1900 L/R **1200 - 1500**
463. **E. REMINGTON 1858 NEW MODEL PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (202m/m) octagonal barrel with f. to g. bore, some patchy frosting & light pitting but rifling remains well-defined & remainder is bright; revolver has been reblued & repolished, a patchy grey patina remains with some blueing in areas; mellow finish to brass trigger guard; top of barrel has had patents & address partially polished off; cylinder is indexing, sears are holding, light spring tension; smooth walnut grips are in g. cond., some light marks & light bruising & small chipping but present well; overall in g. wo & f.+ cond. #**51314** Pre 1900 L/R **900 - 1200**

464. **COLT THIRD MODEL 'THUER' S/S DERRINGER:** .41 rimfire short cal.; 2 1/2" (64m/m) barrel with vg. bright bore, rifling well-defined; silvery-grey patina to barrel & hammer, some frosting; silver plated finish to brass frame is g., thinning to a golden patina on lhs but g. overall; **COLT** marked to top of barrel, **41 CAL** marked to lhs frame & faint London **V & P** proofs to underside of barrel; lock with strong springs & sears, locks loosely & ejector may need spring; silver blade front sight; smooth walnut grips in g. cond., some handling marks & patchy original varnish finish; overall in g. cond. #42123 Pre 47' L/R 500 - 700
465. **FINE CIVIL WAR ERA RODGERS & SPENCER ARMY PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 7 1/2" (190m/m) octagonal barrel with exceptional bore, mirror finish with crisp rifling, more than likely unfired; revolver retains 80%+ original gloss blued finish to metalwork, some v. light oxidation staining in areas & plum patina starting to develop on cylinder; soft case colours on loading lever; top strap marked **RODGERS & SPENCER/ UTICA, N.Y.**; **B** inspection mark on just about every part; cylinder indexing well, strong springs & crisp sears; blade front sight with ivory bead is dovetailed to barrel; screws are all original & bearing much of their nitre bluing, some minor burring; original smooth walnut grips present v. well. 80%+ original varnish finish, some minor flaking & surface marks, minor chipping around butt edge; lh grip stamped with **RPB** (Captain R.P. Barry) boxed inspection cartouche, v. well-defined; overall in exc. wo & fine original cond. #4357 Pre 1900 L/R c.1865 *An incredibly well-preserved example* 2000 - 2500
466. **SCARCE NATIONAL ARMS CO. No.2 S/S DERRINGER:** .41 rimfire short cal.; 2 1/2" (64m/m) barrel with g. bright bore, rifling well-defined but some patchy oxidation, should clean up; flashes or original blued finish to barrel remains, patchy silver plating to iron frame; top of barrel marked **NATIONAL ARMS Co BROOKLYN N.Y.**; large acanthus scroll pattern to sides of frame, sharply-defined; action locks up with minimal movement, crisp lock; original walnut grips are in vgc., chequering bands are well-defined & only light handling marks to both; overall in g. to vg. cond. #8598 Pre 1900 L/R *A very honest & original example, bordering on fine.* 600 - 900
467. **BELGIAN RONGE MFG. COLT 1851 BREVETTE PERCUSSION REVOLVER & HOLSTER:** .40 cal.; 6 shot cylinder; 7 1/4" (184m/m) octagonal barrel with p. to f. bore, dark & dusty, rifling defined but appears pitted; silver-grey finish to metalwork, patchy light brown patina; **CAP SYSTEM MANUFACTURED BY RONGE & SON** marked to top of barrel, lightly defined; engraving to lhs breech & frame is partially worn, none on rhs; **104637** marked to barrel, frame, butt etc.; cylinder indexing out of alignment; smooth bone handles are in sound cond., some surface marks & darkening; comes in period fitted holster, a little stiff but in g.+ cond.; overall in f. cond. #104637 Pre 1900 L/R 700 - 900
468. **SUPERB CASED PERCUSSION TARGET PISTOL by GASTINNE RENETTE of PARIS:** .430 cal. approx.; 10 1/2" octagonal barrel with vg. bright bore, rifling is crisp, some minor scattered pits & frosting; original glossy blued finish to barrel presents well, honest wear to profiles & some light handling marks, patch of staining & light pit peppering to underside of barrel when removed from wood; blueing to trigger guard vg. with only light wear to strap; case retains 70%+ vivid case colours, soft grey patina to remainder; lock, trigger guard & breech with 60% coverage of sharply-defined acanthus scroll engraving, pistol is unsigned but marked with Liege proofs to breech.; mechanically fine, crisp bar action lock with stepped tail, fixed V-notch rear sights & blade front dovetailed to barrel; walnut half stock presents v. well, still bearing 60% of its varnish finish, vg. metal to wood fit; some minor handling marks; ornately carved forestock & strips to grip between fluting; engraved fluted butt cap with pommel; pistol comes presented in its original oak & leather case, the fitted case is lined with velvet which has faded to a soft light blue on top but remains its strong royal blue which is revealed when accessories & pistol are removed; case is partitioned for and retains the pair cleaning rods, turnscrew, oiler, mould, cap container, ball starter mallet & powder dipper; case in g. to vg. overall cond., some general handling marks to leather exterior; **GASTINNE-RENETTE** is embossed internally to the blue velvet, externally, the brass escutcheon is engraved with a knight crest motif & **A L C**; overall in vg.+ cond. *N/L An exceptional outfit and talking piece* 3500 - 4500

469. **CASED PAIR of FRENCH S/B PERCUSSION TARGET PISTOLS:** .485 cal.; 10 1/4" octagonal barrels, both bores have oxidation scale in first half but otherwise bright with strongly defined rifling, would grade up with a clean; barrels with very early blued finish, one pistol with spotted plum blemishes, the other v. strong; grey steel patina to locks & small parts; Liege proofs to lhs barrels; sharply-defined acanthus scroll engraving to lockplates, hammers & small parts; bar action locks are crisp, strong springs & sears, one pistol has had repair to crack at nose of hammer; fixed V-notch rear sight behind breech, blade front sights are dovetailed to barrel; walnut half stock present v. well, ornate acanthus relief carvings to forestocks, both pistols retain exc. metal-to-wood fit & present well; fluted grips with fleur-de-lis motifs to top of each; engraved fluted butt caps with pommels; pistols come presented in contemporary wooden case, internally fitted for pistols in blue velvet; case contains solid brass ball starter/ mallet, oiler, powder flask, nipple wrench, mould, cleaning rod & walnut wad container; overall in vg. cond. **N/L** **4500 - 5500**
470. **FINE CASED WILLIAM TRANTER THIRD MOD. PERCUSSION REVOLVER:** 54 bore (.445 cal.); 5 shot cylinder; 6" (152m/m) octagonal barrel with bright bore & crisp rifling, some light pit peppering but vg. overall; 70%+ original gloss blued finish to metalwork, thinning to a plum-brown patina, mainly confined to straps, cylinder & lhs frame; **W.TRANTER'S/ PATENT** stamp marked to second trigger, loading lever & lhs frame; Birmingham proofs to lhs barrel & chambers; border engraved frame with light coverage of crisp acanthus scroll engraving; rhs frame engraved **No. 18,226T**; mechanically exc., strong springs & sears, cylinder indexing exc.; bead front sight dovetailed to top of barrel, integral V-notch to rear of frame; walnut single-piece grip in vg. overall cond., a few minor handling marks but chequering remains sharply-defined; revolver presented in its original fitted oak case, sound partitions & vg. green baize lining; outfit retains the **W.TRANTER LUBRICATING BULLETS** tar covered tin, **DIXON** powder flask & oiler, turn screws, cleaning rods & the **TRANTER'S/PATENT** marked bronze mould is in fine cond., retaining 80% of its blued finish to sprue plate; overall in exc. wo & vg.+ cond. **#18,226T** Pre 1900 L/R *One of the finest & most complete Tranter outfits to come throughout auction, if not, the finest.* **3000 - 3750**
471. **BRITISH S/B POCKET PERCUSSION PISTOL by ROGERS:** .40 cal.; 2 1/8" round turn-off barrel with p. bore; plum refinish to barrel, some pitting & peening; brass frame & straps with even mellow finish; Rogers engraved to lhs side plate, light scroll swirl pattern to rhs; Birmingham proofs marked to barrel & underside of frame; strong lock springs & sears, belt clip to lhs frame appears to have been an add on; walnut stock in g. sound cond., fine chequering is defined, silver diamond escutcheon to spine of stock is sitting proud; overall in f. cond. **N/L** **300 - 500**
472. **BELGIAN S/B FOLDING TRIGGER POCKET PISTOL by A. FRANCOTTE:** .40 cal.; 1" turn-off barrel, can only assume has been shortened; silver-grey patina to metalwork, presents well, sharply-defined markings & profiles; floral & pineapple motifs engraved to sides of frame, crown/ **AF** makers mark to underside of breech; strong springs & sears, folding trigger; walnut stock presents well, nicely figured grains, square silver escutcheon inlaid to spine; some minor handling marks & bruising; overall in g. to vg. cond. **#29 N/L** **300 - 500**
473. **CONTINENTAL S/B PERCUSSION FOLDING-TRIGGER MUFF PISTOL:** .35 cal.; 1 3/4" twist damascus, turn-off barrel with p. bore; frame polished to a bright silver finish, engraved with shell motifs & rosetted; reblued finish to hammer, small chip to nose; strong springs & sears, folding trigger; fluted ebony stock presents well, carved fan pattern to head; steel butt cap with diamond pommel; overall in g. cond. **N/L** *Presents well and almost fits in the palm of your hand.* **400 - 600**
474. **CONTINENTAL S/B PERCUSSION FOLDING TRIGGER POCKET PISTOL:** .40 cal.; 2 1/4" round turn-off barrel with f. bore, light oxidation throughout but should grade up with a clean; grey patina to metalwork, some minor staining but presents well; acid etched damascus pattern on barrel is well-defined, small bit of scoring to sides; defined acanthus scroll to sides of frame extending onto side plates; strong lock springs & sears, folding trigger, offset hammer; turn-off barrel is frozen in place; fluted walnut stock presents well, some minor handling marks but vg. overall; German silver butt cap with clamshell trap cap; overall in g. to vg. cond. **N/L** **500 - 800**

475. **PAIR of FRENCH BRASS BARREL BLUNDERBUSS TRAVELLING PISTOLS by M. BERLEUR:** 5000 - 6000
 24 bore, flaring to 1" at muzzle; 7 1/2" brass barrels with duty bores; mellow finish to brass barrels, some minor handling marks & slight ding to rhs muzzle of one pistol; iron locks & furniture have been cleaned back to a dull grey finish, some light pit peppering still present; lock marked with re-cut *M Berleur*, marked again to top of barrel in script; strong lock springs & sears, swan-neck cocks with replacement top jaws & screws; iron ramrods; walnut full stocks present well, bearing only light handling marks to refinish; one pistol with fine cracks above side plate; steel butt caps with elongated spurs; overall in g. cond. **N/L**
476. **BRASS MOUNTED SPANISH MIQUELET S/B 'BELT' PISTOL:** 15 bore; 5 1/4" cannon barrel with octagonal breech section & 14-sided remainder; dark bore, considered p. to f.; dark patina to iron barrel & lock, fine pitting to most surfaces; mellow patina to brass furniture; sunken gold makers cartouche to top of barrel, **MAS** visible to bottom but remainder indistinct; breech of barrel intricately inlaid with floral silver inlay; ornate brass furniture with light scroll engraving, rosette motif to butt; strong lock spring, sears are holding; belt clip to lhs side plate has broken off; replacement ramrod; gloss refinish to walnut stock, presents well & bearing only light handling marks; brass butt cap with long spurs; overall in f. to g. cond. **N/L**
477. **FRENCH MODEL AN IX 'GENDARMERIE' FLINTLOCK S/B PISTOL by MAUBEUGE:** 16 bore; 3000 - 3500
 4 3/4" round barrel with p. bore; metalwork incl. iron furniture has been polished to a bright steel finish, some pit peppering still evident on most surfaces; *Manuf Roy De Maubeuge/ 1812* engraved to barrel, makers name less year marked again to lockplate; strong lock springs & sears, incorrect ring-neck cock & iron ramrod; walnut stock presents well, satin refinish bearing only trace amount of storage marks; iron butt cap engraved with large Napoleonic Coat of Arms crown/ **N** (with vine wreath surround) & **FRG** to base; overall g. cond. **N/L**
478. **PAIR of BELGIAN PERCUSSION FOLDING TRIGGER POCKET PISTOLS:** .45 cal.; 3" damascus 800 - 1000
 turn-off barrels with p. bores, both with oxidation scale, will grade up with a clean; soft grey patina to majority of metalwork, faint plum finish to barrels & lightly defined damascus pattern; lhs breech of both pistols marked with **ELG** Liege proofs; **184** marked to rhs; light coverage of scroll engraving is well-defined; offset matching hammers with integral V-notch rear sights to frame; both pistols need mechanical work, one with faulty main sear, the others trigger won't fold out & both barrels are frozen in place; walnut stocks are original, one with aged crack through centre & replacement butt cap; other pistol with areas of crescent shaped peening to both sides, original German silver butt cap but missing trap lid; overall in f. cond. #184 **N/L** *Good little antique projects for the gunsmith.*
479. **PAIR of BELGIAN PERCUSSION POCKET PISTOLS by AUGUST FRANCOTTE:** .45 cal.; 3 3/4" 1000 - 1500
 octagonal barrels with f. bores, some pit peppering & light oxidation scale; metalwork has been polished to a bright finish, some scattered patches of light pitting, staining & oxidation scale; rhs breech marked with **AF** trademark, Liege **ELG** proof to lhs; **25** marked to underside of barrels; light coverage of floral engraving to frame; strong springs & sears to both pistols; beautiful walnut stocks with floral carved motifs to either side of heads, chequering to sides of stocks is sharply-defined; overall in g.+ cond. #25 **N/L**
480. **LOVELY PAIR of CONTINENTAL FOLDING TRIGGER PERCUSSION PISTOLS:** .40 cal.; 2 3/4" 1500 - 1800
 damascus barrels, both with sharply-defined rifling, some minor frosting but g. to vg.; plum finish to damascus barrels with g. pattern definition, one barrel has some light staining & less finish; grey patina to frames & small parts; rhs of both frames engraved with deer head motif, hound head to lhs; light scroll engraving is well-defined; offset matching hammers with integral V-notch rear sights to frame; locks are strong & sears are crisp, folding triggers; ebonized fluted stocks present well, carved leaf patterns to either side of heads, both are sound with some general handling marks & a scratch to one; steel butt caps with diamond bases; overall both pistols are in g.+ cond. **N/L**

481. **PAIR of CONTINENTAL FOLDING TRIGGER PERCUSSION PISTOLS:** .41 cal.; 2 1/4" turn-off damascus barrels with sharply-defined rifling, both pistols with speckled oxidation scale throughout but would clean up, f. cond.; silver-grey patina to metalwork, barrels with well-defined acid-etched damascus patterns, one barrel with some rounded light scoring; light leaf & vine motif engraving to sides of frames; offset matching hammers with integral V-notch rear sights to frame; locks are strong & sears are crisp, folding triggers; fluted walnut stocks present well, some general light handling marks to both but one has had cracks through head glued; steel butt caps; overall in g. cond. **N/L** **1200 - 1600**
482. **PAIR of BELGIAN SIDE HAMMER PERCUSSION POCKET PISTOLS:** .38 cal.; 3" octagonal turn-off barrels, both with some minor oxidation scale, considered f. until cleaned but should grade up; soft grey patina to majority of metalwork, some minor staining which is mainly confined to barrels; light scroll engraving to frames is well-defined; Liege **ELG** proofs to lhs breech; matching flat-side hammers, integral V-notch rear sights to frame & blade front; one pistol with strong lock springs & sears, working well, the other pistols folding trigger not popping out and hammer cannot be released; smooth ebonized stocks, one pistol bearing only minor handling marks the other has a glued crack running through centre; rounded steel butt caps with flip up traps; overall both pistols are in g. cond. **N/L** *With some minor work both pistols would grade up significantly.* **900 - 1300**
483. **PAIR of CONTINENTAL SIDE-HAMMER PERCUSSION POCKET PISTOLS:** .45 cal.; 3 1/2" octagonal barrels with dusty bores, dark but some light pitting visible; grey patina with mottled brown staining to majority of metalwork; hammers & frame with light coverage of primitive floral & scroll engraving, top of frames with pineapple motif; both pistols stamped **932**; strong lock springs, folding triggers need some encouragement to pop all the way out but sears are strong; matching flat-sided hammers, integral V-notch rear sight to frame & blade front; walnut stocks some general light handling marks, one pistol with small partial crack to head and the other with small chip to butt; clam-shell flip-up butt caps; overall in g. cond. #932 **N/L** **1000 - 1500**
484. **SMITH & WESSON MOD. 17-6 D.A. RIMFIRE REVOLVER & SPARE BARREL:** .22 LR cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with vg. bright bore & crisp rifling; original blued finish to metalwork presents well, some minor wear on profiles; **SMITH & WESSON** marked to lhs barrel, cal. to rhs; lhs frame marked with **SW** monogram, four-line address marked to rhs frame; cylinder indexing well, strong springs & sears, wide grooved trigger, wide hammer spur; fitted with **HOGUE** brand **MONOGRIP**, in g. cond.; comes in soft carry case with spare 8 1/4" **SMITH & WESSON** barrel, exc. bore; overall in exc. wo & vg. cond. #**BEB0091** Post 46' L/R **600 - 800**
485. **RUGER SECURITY-SIX D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 4" (101m/m) barrel with vg. bright bore & crisp rifling; original blued finish to metalwork presents with heavy holster wear to slides of barrel, cylinder; **SOUTHPORT** address to lhs barrel; mechanically strong, cylinder indexing well; original chequered walnut grips present OK, light bruising & general wear but free from cracks; overall in exc. wo & f. cond. #**150-89215** Post 46' L/R *A classic example of 'carried but not shot'* **150 - 300**
486. **ROSSI MOD. 69 D.A. REVOLVER:** .32 S.&W. long cal.; 6 shot fluted cylinder; 3" (75m/m) barrel with bright bore & sharply-defined rifling, vgc.; blued finish to metalwork thinning to a brown patina in areas from holster wear; makers name & **GRYCOL INT'L / SYDNEY AUSTRALIA** marks to rhs frame; cylinder indexing well, strong springs & sears but hammer spur is partially missing, been re-chequered; original polymer grips have warped slightly but show little wear; overall in vg. wo & g. cond. #**134857** Post 46' L/R **200 - 400**
487. **ENFIELD No.2 MK. I* D.A. SERVICE REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (129m/m) barrel with g. bore & well-defined rifling, some powder fouling in grooves; reblued finish to metalwork presents ordinary; **CAL.'38** marked to integral rib of barrel, rhs frame marked **ENFIELD/ No2** crown **MKI*/ 1939**; broad arrows or proofs to most parts; action locks up with some movement, cylinder indexing well; walnut grooved grips in f. to g. cond., some handling marks & bruising to both but freely from cracks; vacant brass disc inlaid to rh grip; overall in g. wo & cond. #**G4657** Mfg. 1939 L/R **400 - 600**

488. **WEBLEY & SCOTT MK. III D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 4 1/8" (104m/m) barrel with exc. bright bore & sharply-defined rifling; original blued finish to metalwork, thinning to a plum patina on barrel & cylinder but strong on areas of frame; rhs of frame marked with **WEBLEY / PATENTS**; lhs top strap marked **MARK "III" '38**, makers name to top; frame and rhs barrel look to have been marked with partial broad arrows; strong springs & sears, action locks up tight & cylinder indexing well; two-piece walnut grip in f. cond., some handling scuffs & bruising, flat of butt with chip; lanyard ring to butt; overall in vg. wo & f. cond. #37218 Pre 47' L/R **400 - 600**
489. **WEBLEY & SCOTT MOD. 1908 S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 3 1/2" (88m/m) barrel with g. bore, sharply-defined rifling, some oxidation in grooves but bright overall; thinning blued finish to metalwork has developed a plum-brown patina in areas **WEBLEY & SCOTT LTD/** address/ cal. marked to lhs slide, a **56** has been finely peened on & small section has been defaced; mechanically g. strong springs & sears holding; unusual slide mounted safety (opposed to safety usually on lhs frame; original hard rubber chequered grip to lhs in g.+ cond., rh grip a poor replacement; comes with an additional magazine; overall in vg. wo & f. cond. #155550 Pre 47' L/R **300 - 500**
490. **TINY BELGIAN FOLDING TRIGGER D.A. POCKET REVOLVER:** 5m/m rimfire cal.; 5 shot fluted cylinder; 1 1/4" (31m/m) round barrel; bore dusty, considered p. until cleaned; 70% nickel finish to metalwork presents decent, silvery patina to remainder; lhs frame marked 5 m/m, rhs barrel marked with Belgian proofs; cylinder indexing, strong springs & complete; smooth replacement grips present ok; overall in g. cond. #0049784 Pre 47' L/R **200 - 400**
491. **HOPKINS & ALLEN BLUE JACKET No.1 POCKET REVOLVER:** .22 RF short cal.; 7 shot cylinder; 2 1/2" (65m/m) barrel with g. smooth bore, some minor frosting; 40% nickel plating to metalwork, majority remaining on barrel, frame has been cleaned in areas, some staining; top strap marked **BLUE JACKET NO. 1/** patents; cylinder indexing, springs & sears are strong; smooth walnut grips in g. cond., some minor handling marks; overall in g. wo & f.+ cond. #5493 Pre 1900 L/R **200 - 400**
492. **BELGIAN JIEFFECO MOD. 1907 S/A VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 2 1/8" (55m/m) barrel with g. bore & well-defined rifling, needs a clean; 80%+ original blued finish to metalwork, some handling marks & light holster wear; lhs frame marked **PISTOLET AUTOMATIQUE JIEFFECO DEPOSE/** patents & proofs; slide retracts freely, strong springs & sears; original gutta percha grips in g. overall cond., some minor chipping & handling marks; chequering & **JF & Co** monogram to centre are well-defined; overall in vg. wo & g.+ cond. #10114 Pre 47' L/R *A nice original example of these unusual little pistols* **300 - 500**
493. **BELGIAN S/B PERCUSSION FOLDING TRIGGER POCKET PISTOL:** .44 cal.; 2 1/2" octagonal barrel; metalwork has been cleaned to a silver-grey patina, barrel bearing scoring & vice bites; **ELG** Liege proofs to lhs breech, **LP** proof to rhs; light acanthus scroll engraving to frame, lock functioning well but barrel has been cross-threaded, bent & jammed in place; chequered walnut stock presents well, some minor handling marks; overall in p. cond. *N/L A project.* **200 - 400**
494. **CONTINENTAL S/B PERCUSSION MUFF PISTOL & PURSE HOLSTER:** .28 cal.; 1 1/4" turn-off damascus barrel, f. bore; silver-grey patina to metalwork, barrel retains sharply-defined acid-etched damascus pattern; acanthus scroll engraving to frame is sharply-defined, rosette motif to breech; mechanically strong, g. spring tension & crisp sears, folding trigger; offset hammer with V-notch rear sight to frame; carved & fluted ebony stock with steel butt cap; pistol comes in fitted purse style 'holster'; overall in vg. cond. #4 *N/L A fine little example.* **600 - 800**
495. **MEDITERRANEAN MIQUELET S/B BRASS BARREL BELT PISTOL:** .51 cal.; 4 3/4" brass cannon barrel with g. bore, dusty but not heavily pitted; grey patina to iron lock & furniture, some light pitting; bright polished finish to barrel but some handling marks still present; strong main spring but main sear is weak; belt clip to lhs side plate inlaid to stock; tapered ebony ramrod with horn cap; walnut full stock with hook butt, woodwork in vgc., bearing only light handling marks; pinned iron band to butt; overall in g. cond. *N/L* **1000 - 1500**

- 496. SPANISH MIQUELET S/B BELT PISTOL:** 22 bore; 4 1/2" barrel with octagonal breech half; p. bore; 1200 - 1600
metalwork has been cleaned to a silver-grey patina overall, some minor staining; mellow finish to brass furniture; sunken gold makers mark to top of barrel appears to read **PST/ EVA/ VES** a trio of gold inlaid stamps ahead of makers mark; mechanically fine, strong springs & sears, grooved frizzen; replacement tapered ramrod; walnut full stock presents v. well, light handling marks overall; carving behind top tang is defined; overall in g. cond. **N/L**
- 497. MEDITERRANEAN PERCUSSION CONVERSION MIQUELET S/B PISTOL:** 22 bore; 8" barrel 1200 - 1600
with octagonal breech half, wedding band to round remainder; f. bore with some pitting & oxidation scale; metalwork has been lightly cleaned, grey patina & frosting to majority incl. iron furniture; sunken gold motifs to top of breech, 60%+ gold leaf remaining; strong lock springs & sears, retains original iron ramrod; walnut full stock presents v. well, some light handling marks & bruising but chequering to grip remains v. well-defined, g. metal-to-wood fit; bevelled square butt cap inset to stock; overall in g.+ cond. **N/L**
- 498. MEDITERRANEAN MIQUELET S/B TRAVELLING PISTOL:** 13 bore; 9 1/4" cannon barrel with 1500 - 1800
octagonal breech half; p. to f. bore, oxidation scale & pitting evident; grey patina to majority of metalwork with some patchy staining on barrel; dull mellow finish to brass furniture incl. trigger guard, barrel band & shell pattern surrounds for lock retaining screws; mechanically g., sears holding & spring tension is strong; retains original iron ramrod; walnut full stock presents well, some light handling marks overall & minor chipping around lockplate; chequering is well-defined, shell carving to forestock; inset almond shaped brass butt cap; overall in g. cond. **N/L**
- 499. SILVER MOUNTED SPANISH MIQUELET S/B TRAVELLING PISTOL:** 23 bore; 8" barrel with 1800 - 2400
octagonal breech half; f. bore, dusty & dark but doesn't appear heavily pitted; metalwork has been cleaned to a silver-grey patina overall, some minor pit peppering to barrel; slightly tarnished silver furniture; sunken (little gold remaining) makers mark to top of barrel appears to read **G/ BRE/ NAN** / indistinct, a trio of Spanish Cross stamps to either side & ahead of marker mark; strong main strong but sear is not releasing, needs an oil; horn capped ramrod with worm, appears to be the original; walnut full stock, beautifully figured grain but unfortunately has several aged cracks & repairs to forestock & wrist; silver trigger guard continues on to form front & back strap with floral fleur-de-lis motif at spine of stock; overall in f. cond. **N/L A high quality pistol, still presents well.**
- 500. ORNATE BRASS MOUNTED SPANISH MIQUELET S/B TRAVELLING PISTOL:** 42 bore; 9 1/2" 2250 - 2750
barrels, octagonal breech half, wedding band & round remainder; f. bore, dark & full of oxidation scale; metalwork has been cleaned to a silver-grey patina, some minor staining; brass furniture with bright mellow finish; top of breech with sunken horse motif makers mark & nine sunken fleur-de-lis marks surrounding it, most of gold leaf is missing; bevelled lockplate with primitive but sharply-defined engraving of sitting man on a rock with the pistol; light coverage of acanthus scroll to pan, frizzen & cock; very ornate brass furniture, incl. an elaborate side plate, ramrod thimble & ferrule; mechanically fine, strong spring & single sear is crisp; horn capped ramrod with unusual iron jag to end; beautifully figured walnut full stock, some general handling marks & light scratches but presents well; lifting chip to rhs forewood with some filler to centre, needs investigating & repair; brass butt cap with elongated spurs to either side; overall in g. cond. **N/L A very impressive looking piece.**
- 501. CASED PAIR of FOLDING TRIGGER BELT PISTOLS by PATRICK of LIVERPOOL:** 28 bore; 4" 4000 - 4500
octagonal barrels with p. to f. bores, both dark & dusty; thin reblued finish to metalwork on both pistols has been cleaned back to a mottled grey patina, some fine pitting in areas; top of barrels engraved **Patrick Liverpool** in old English font; Birmingham proofs to breech of barrels; strong lock springs & sears; matching bevelled hammers with light scroll engraving, platinum pressure plugs below nipples; sliding safety's & captive ramrods; belt clips to side plates on lhs; V-notch rear rights & silver bead fronts; walnut stocks present v. well, chequering is well-defined, some light bruising & handling marks; vacant silver escutcheons to spines of stocks, silver bands to butts & butt flats inlaid with additional square escutcheons, each engraved with ovate rosette; pistols come presented in period case, refitted & lined in green baize; comes with contemporary powder flask; overall in g.+ cond. **N/L**

- 502. CASED PAIR of PERCUSSION BELT PISTOLS by PARKER FIELD & SONS:** 16 bore; 5” octagonal twist damascus barrels with g. bores, some light pitting in both; reblued finish to metalwork has developed a dark patina, some patchy oxidation to surface & older pitting still present; top of barrel engraved **PARKER FIELD & SONS 233 HOLBORN, LONDON.**, makers name engraved again to back-action locks; locks, hammers & small parts with defined acanthus scroll engraving; strong springs & sears; matching hammers with sliding safety’s, captive ramrods, belt clips to side plates; V-notch rear sights & silver bead front sights; refinished walnut stocks present well, re-cut chequering is sharply-defined, some light handling marks overall; ovate escutcheons engraved with script monogram **EEM** initials; steel butt caps with flip up traps; pistols come in period oak case, relined in emerald green felt, some contemporary accessories; overall in g. cond. **N/L** **3500 - 4000**
- 503. IMPRESSIVE PAIR of QUEEN ANNE FLINTLOCK POCKET PISTOLS by NEWTON of GRANTHAM:** 55 bore; 2 3/8” turn-off cannon barrels with g. bores, dusty but don’t appear heavily pitted; grey patina to metalwork with some mottled dark staining; **NEWTON**. within scroll banner engraved to lhs frame, **GRANTHAM** to rhs; London **V & P** proofs to undersides of breech; defined light coverage of scroll & border engraving to frame, rosettes engraved to sides of breeches, trigger guard; mechanically strong, both pistols with vg. spring tension & crisp sears; walnut stocks present well, both pistols have extensive silver wire inlay, majority of the silver remains although it is lifting in areas on one pistol especially; the same pistol has aged crack through stock; matching silver grotesque butt caps are exc. & bear their hallmarks (one indistinct the other an anchor); pistols come presented in contemporary wooden box with emerald cloth lining; overall in vg. cond. **N/L** *A lovely pair of late 18th century pistols* **5000 - 6000**
- 504. ORNATE PAIR of BELGIAN FOLDING TRIGGER POCKET PISTOLS:** .45 cal.; 1 7/8” turn-off damascus barrels with f. bores; grey patina to metalwork with some light staining, confined mainly to one pistol; lightly defined acid etched damascus pattern to barrels, some handling marks & scoring; lhs breech on both pistols marked with Liege **ELG** proofs, intricately engraved acanthus scroll swirl patterns to frames & more scroll to butt caps; offset hammers, one a replacement; strong lock springs & sears, folding triggers; ebony stocks present v. well, carved floral motif to sides of heads, well-defined fluting to both; pistols come in contemporary wooden box; overalled in g. cond. **N/L** **1200 - 1600**
- 505. CONTINENTAL BRASS CANNON BARREL FLINTLOCK PISTOL:** .475 cal.; 3” barrel with g. bore; brass barrel & integral frame has been cleaned to a goldy-mellow patina, some minor handling marks; polished steel finish to steel parts, excl. the reblued top jaw & frizzen; strong springs & sears, sliding safety; walnut flat sided stock with elliptical extruded panels to sides; woodwork in vgc. with only light handling marks overall; pistol comes in contemporary wooden box; overall in vg. cond. **N/L** **700 - 1000**
- 506. W.C. SCOTT & SON S/B PERCUSSION FOWLER:** 16 bore; 32” twist damascus barrel with octagonal breech third; bore dark, light oxidation scale throughout; dark plum patina to barrel, g. pattern definition, some oxidation staining which has been poorly cleaned at breech; lockplate with stronger case colours to breech; **LONDON** engraved to top of barrel, Birmingham proofs to underside of breech; border & light coverage of scroll engraving to lockplate & small parts, lock engraved **W.C. SCOTT & SON**; strong lock springs & sears; retains period ram rod; walnut half stock a little dull in appearance but in g. to vg. overall cond., only light handling marks & retaining exc. metal-to-wood fit; chequering to wrist of straight stock is well-defined; original steel buttplate; overall in g. cond. **N/L** **600 - 800**
- 507. C.G. BONEHILL SNIDER ACTION ROOK RIFLE:** .380 cal. centrefire; 25 3/4” barrel with f. bore, rifling defined but some patches of oxidation scale & pitting visible; dark patina to majority of metalwork & small parts, some light surface oxidation in areas; **C.G. BONEHILL MAKER LONDON** engraved to top of barrel flat, Birmingham proofs marked to breech; makers name to border engraved lock; Mk II style action locks up well, strong lock spring & crisp sears; **100** standing & **200, 300** folding leaf’s to rear sight, front blade sight dovetailed to top of barrel; walnut half stock in g. overall cond., looking a bit dull but retains exc. metal-to-wood fit, bearing only light handling marks & bruising overall; chequering to wrist is defined, some small surface chipping to horn forewood cap; original steel buttplate; overall in g. cond. **N/L** **800 - 1200**

508. **CONTINENTAL PERCUSSION SPORTING RIFLE by F. WEYGAND BIEBRICH:** .375 cal.; 31" 1500 - 2000
 octagonal barrel with g.+ bore, a little dusty but rifling remains v. well-defined, some minor pitting; silvery grey patina to metalwork with some mottled plum staining overall, presents well; lock, small parts with well-defined acanthus scroll & primitive game bird, retriever motif engraving; lock inlaid **F. WEYGAND BIEBRICH** in silver under hammer; strong lock springs & sears, double set trigger; adjustable rear sight & blade front sight are dovetailed to barrel; complete with swivels & replacement ramrod, nipple; walnut half stock in g. to vg. cond., some light handling marks & scattered bruises but presents v. well with fiddleback grain to butt; chequering to wrist is well-defined; steel buttplate with acanthus scroll bordering & pattern to top tang, butt plate with extended hook; overall in vg. wo & g. cond. **N/L**
509. **SOUTH AUST. ISSUE PATT. 1853 FRENCH CONTRACT PERCUSSION RIFLE:**.575 cal.; 39" 700 - 1100
 barrel with p. bore, three-groove rifling is visible but caked with oxidation scale & dirt, may grade up; thinning grey patina to barrel lock & some small parts, both with only minor pitting; dull mellow patina to brass furniture; proofs & inspection marks to lhs breech, border engraved lock marked with crown/ **V + R** to tail & **1856** to centre; strong lock springs & crisp sears, complete with swivels, regulation sights but missing ramrod; walnut full stock presents decent, general handling marks & light bruises to majority but retains vg. metal-to-wood fit & a faint **1856** broad arrow roundel mark to rhs butt; brass buttplate has been cleaned to a bright finish, some handling marks & knicks; buttplate tang marked **E/ 7**; overall in f.+ cond. **N/L Presents as a good honest example.**
510. **VERY FINE S.A. ISSUED H. HOLLAND ALBINI-BRAENDLIN MOD. 1867 RIFLE:** .577 Snider 2500 - 3000
 cal.; 36" round barrel with fine bore, bright & with crisp rifling; original blued finish to barrel has developed a slight brown patina, thinning slightly on top of barrel, some light oxidation; lock & breech retain vivid case colours, some minor oxidation staining; bright mellow finish to brass furniture; **H. HOLLAND/ 98 NEW BOND ST.** marked to top of barrel, **BRAENDLIN-ALBINI/ PATENT/ No 2610** marked to top of breech; London **V & P** proofs to lhs breech, & breech; mechanically v. strong action locks up tight, strong springs & sears; 5-8 graduated rear sight, with the spring retaining much of its nitre bluing; incorrect ramrod; woodwork in unrestored condition, some surface handling marks & bruising but retaining its original finish & crisp markings incl. the Braendlin crossed flag trademark in front of lock nose; brass buttplate marked with crown/ **S A/ 1 2 9**; overall in exc. wo & vg. original cond. #2910 **N/L An unusually nice example of a scarce rifle.**
511. **WINCHESTER MOD. 1876 L/A RIFLE:** 40-60 WCF cal.; full length tube mag.; 28" octagonal barrel 4000 - 5000
 with bright bore & sharply-defined rifling, some patchy pit peppering towards muzzle, f. to g. overall; metalwork bearing a soft plum patina to the majority, thinning on profiles but presents well; some patches of dark staining & fine pitting to lhs barrel, peening to rhs barrel, smaller patches of staining & fine pitting to lhs of action; v. well-defined two-line **WINCHESTER** address & **KINGS-IMPROVEMENT** patents to top of barrel, **40-60 W.C.F.** marked to top of barrel at breech & **40-60** engraved to underside of brass cartridge elevator; **MODEL 1876** to top tang; action cycles freely, strong springs & sears; carbine style **1876** marked rear sight with 2-10 graduated ladder; pinched silver blade front sight; magazine tube & mag. tube bearing (ring) look to be replacements; screw heads g., some minor burring; walnut straight stock & forewood present well, both have been cleaned back & refinished, metalwork only slightly proud of walnut; two grafted slithers of walnut to top of stock head, looks to be good repair, no movement; some older light bruising & scuffs still evident on stock & forewood; crescent steel buttplate with sliding brass trap; overall in g. wo & cond. #20962 **N/L**

512. **EDWARD PATON S x S HAMMER DOUBLE RIFLE:** .577 Snider cal.; 28" damascus barrels with g. bores, generally bright with sharply-defined Enfield three-groove rifling, majority of bores peppered with fine pitting; ordinary re-browned finish to barrels, little pattern definition; grey patina to remainder of metalwork; **EDWARD PATON** engraved to both locks, London **V** & Birmingham **BV** black powder proofs to swamped action tables, no proofs to barrels; 50% coverage of sharply-defined acanthus scroll engraving to locks, action & small parts; back action, non-rebounding locks with matching hammers & sliding stalking safeties, strong springs & crisp sears; file cut top rib dovetailed with express sights, fixed **75**yd, folding **100, 150, 200 & 250** yd leaf's, all with platinum sighting lines; Jones under lever action locks up tight, staple forend release; straight stock & splinter forend present v. well, beautifully figured walnut stock; some loses above lh lockplate but otherwise bearing light handling marks & small bruising; re-cut chequering to wrist & forend both sharply-defined, cheek piece to lhs butt; vacant silver escutcheon & sling stud to underside of stock, second stud to bottom rib; chequered steel buttplate; **7lb 8oz** weight; overall in vg. wo & g. cond. #2418 **N/L** **2500 - 3000**
513. **SNIDER-ENFIELD MK. II CAVALRY CARBINE by I. HOLLIS & SONS:** .577 Snider cal.; 18 1/2" barrel with p. to f. bore, rifling defined but peppered with heavier oxidation scale & pitting towards muzzle; patchy grey patina to majority of metalwork incl. iron furniture, some frosting but presents well; **I. HOLLIS & SONS LONDON** engraved to centre lockplate & **IHS** monogram trademark to tail; period **J R S** 1 marked to lhs barrel, **J R S** stamped again to underside of stock, ahead of trigger guard; strong lock springs & sears, std. sights; retains snap cap on chain; saddle ring bar with ring to lhs, both have had repairs; walnut half stock in f. overall cond., a few small aged partial cracks to surface around butt, saddle bar; original steel buttplate; overall in f.+ cond. **N/L** **700 - 1000**
514. **IMPRESSIVE GERMAN S/S BREECH LOADING SCHUETZEN RIFLE:** .360 CF cal.; 30 1/4" octagonal barrel with fine bore, sharply-defined rifling; original blued finish to barrel has developed a dark patina overall, finely speckled oxidation staining to most surface & thinning slightly to top; grey mottled patina to action & small parts with flashes of case colours in protected areas; action & small parts with light coverage of crisp acanthus scroll engraving; no proofs, calibre or makers markings visible anywhere; tilting block action operates freely, strong springs & sears, locks up solid; half globe front sight with adjustments, tangent style peep sight with windage adjustment; integral peep sight mount to top tang; set triggers on removable plate; missing ram rod; walnut stock with large cheek piece, nicely figured stock with sharply-defined chequering to wrist; sling swivels to underside of stock & ramrod pipe; some general handling marks & oval dowel repair to lhs stock grain; curved steel butt plate with engraving to top tang; overall in exc. wo & g.+ cond. **N/L Interesting to see such a high quality rifle void of any manufacturer marks.** **1400 - 1800**
515. **SWISS PERCUSSION MATCH RIFLE by JEAN SIBER of LAUSANNE:** .376 cal.; 30 1/2" octagonal barrel with f. bore, doesn't appear heavily pitted but patches of powdery oxidation scale throughout, rifling is defined; mottled grey patina to majority of metalwork, some scattered patches of staining & light pit peppering on barrel; lock & small parts with ornate border engraving or silver inlay; breech with pair of gold inlaid bands, silver band inlay to muzzle of barrel; lock inlaid ***J: SIBER***, top of barrel inlaid **ACIER FONDU**, lettering inlay looks to be platinum; lhs breech has been stamped with South Australian allocated serial no.; strong lock springs & sears, set trigger not engaging, replacement globe front sight missing internals, top tang retains its original peep sight with windage & range adjustments; complete with sling swivels & ramrod; walnut half stock presents well, nice figuring especially on sides of stock; some handling marks & light bruising to woodwork but retains vg. metal-to-wood fit; cheek piece to lhs butt; original steel buttplate with border engraving; overall in g.+ cond. **N/L A high quality rifle that would only grade up.** **1500 - 1800**

- 516. GERMAN FULL STOCKED PERCUSSION RIFLE by I. St KLETT & SOHN of SUHL:** .480 cal.; 1500 - 2000
 30 1/2" octagonal barrel with f. to g. bore, rifling v. well-defined but dusty, some fine pitting visible; mottled plum patina to barrel with some dark staining & general handling marks, peening; grey patina to lock & trigger guard; remainder of furniture incl. ramrod pipes, buttplate finials etc. are German silver with a bright finish; *I. ST. KLETT U. SOHNE IN SUHL.*; back action lock with scroll engraving, which extends onto top tang & trigger guard, the latter has been heavily polished; strong lock springs & sears, half-cock safety; ornate has had a repair; adjustable V-notch rear sight & German silver front blade have been dovetailed to barrel; fitted with modern ramrod; walnut full stock presents well, ornate carvings behind cheek piece to lhs stock & sliding patch box to rhs; some peening to rhs stock, general handling marks & filled cracks to rhs top of forewood; overall in g. cond. **N/L A high quality are pretty little rifle.**
- 517. FULL STOCKED BELGIAN PERCUSSION RIFLE:** .468 cal.; 30 1/4" octagonal damascus barrel with 1500 - 1800
 f. bore, some oxidation scale that should scrub out; rifling is well-defined but peppered with some light to moderate pitting; faint plum finish to barrel with some very fine damascus twist pattern visible in protected areas; barrel bearing a few light handling marks; grey patina to small parts; Liege proof to lhs breech, top of barrel flat inlaid with gold **DAMAS TURC**; underside of barrel stamped with serial no. **7175, 11.8 & F. JORIS**; finely engraved with defined scroll & acanthus scroll on lockplate, trigger guard, finials & buttplate tang; lock functional but hammer a modified replacement; double set triggers; fixed rear V-notch sight & blade front both dovetailed to barrel; incorrect ramrod; walnut full stock presents well, ornately carved acanthus pattern to wrist; some general light handling marks overall & some filled repairs to lhs forestock around third staple; stock stamped with period but indistinct **F.C. BREIN/ CBAY**-(indistinct) marks to both sides; original steel buttplate with some oxidation scale & brown patina; overall in g. cond. #7157 **N/L**.
- 518. GERMAN BREECH LOADING SCHUETZEN RIFLE by F.R. JUNG & SOHN of SUHL:** .395 CF 1400 - 1600
 cal.; 30" octagonal barrel with g. to vg. bright bore & sharply-defined rifling, some fine pits peppering visible but may grade up with a clean; metalwork has been reblued previously, frosting to sides of action, some pitting running along sides of barrel where metal meets forewood, presents OK; top of barrel inlaid in silver **FR. JUNG U. SOHNE IN SUHL, GUSS** to lhs barrel & **STAHL** to rhs; inlay continues on sides of action with light scroll patterns, **PATENT** to lhs & **SYSTEMS STAHL** to rhs; tilting block action operates freely, strong springs & sears, double set triggers on removable trigger plate; globe front sight & large adjustable peep sight fitted to integral top tang mount; retains swivels & steel cleaning rod; woodwork in g. to vg. overall cond., chequering to wrist of stock & forend is well-defined, some general handling marks & light bruising overall but presents well, rhs forend with some surface cracks to grain; large cheek piece to lhs stock; steel target style buttplate with extended toe; overall in vg. wo & f. to g. cond. #15657 **N/L**
- 519. CONTINENTAL PERCUSSION SPORTING MATCH RIFLE by PANCHAUD A LAUSANNE:** .645 1500 - 2000
 cal.; 35 1/2" octagonal twist damascus barrel with p. to f. bore, oxidation scale throughout & some heavier pitting visible, rifling well-defined; attractive brown re-finish to barrel with exc. pattern definition, some pitting around breech & makers name still present; streaky grey patina & fine pitting to majority of small parts; top of barrel inlaid with gold **PANCHAUD S LAUSANNE**, silver ovate border inlay; strong lock springs & crisp sears to double set triggers; fixed V-notch rear sight with folding leaf & blade front sight dovetailed to barrel; sporting bayonet lug to rhs barrel; walnut full stock presents well, tiger stripe grain running the entirety; some handling marks & scuffs to glossy finish; cracks through wood on either side of breech, running to lock retaining screw & lock; horn forend cap; exaggerated curved steel butt plate with hook; overall in g.+ cond. & f. wo **N/L**
- 520. CONTINENTAL PERCUSSION S/B MATCH RIFLE:** .520 cal.; 31 1/2" octagonal barrel with g. bright 700 - 900
 bore, rifling is v. well-defined, some oxidation scale towards muzzle but should clean out; plum patina to metalwork has been cleaned slightly on barrel, thinned down to silver streaks on barrel in areas; no visible makers name or proofs; plain lock, looks to have been originally flintlock; strong lock springs, sears to double set triggers need work but does roughly function; blade front & fixed rear sight, the latter with folding leaf; fixed peep sight to wrist of stock; retains ramrod & one swivel; unusual wooden trigger guard with iron spine running up the centre; walnut full stock presents well, some handling marks & a crack to lhs forestock around lock retaining screw, lhs butt to surface; chequering to wrist is well-defined, cheek piece to lhs butt; steel buttplate with sliding walnut patch box to rhs; overall in g. cond. **N/L**

521. **GERMAN BREECH LOADING SCHUETZEN RIFLE by GERMAN G. BENZ of KIEL:** .360 cal. 1500 - 2000
 CF; 29 1/2" barrel with f. to g. bore, rifling defined, some minor frosting but would grade up with a clean; blued finish to metalwork has thinned & developed a soft dark plum patina to most surfaces, some scattered fine pits & scuffs on sides of action but presents well; action & small parts have been decorated with ornate silver vine scroll & border inlay; **G. BENZ in KIEN** inlaid to top of breech in silver & lhs action inlaid **SYSTEM STAHL PATENT No1314**; barrel marked **44** under forend; fascinating tilting block action with the integral lever extending from breech block along rhs of stock; action locks up tight, strong springs & crisp sears to double set triggers; missing front sight, vacant dovetail, rear tangent style rear sight with diamond aperture, peep sight to rear of frame; square bolt sight adjustments; woodwork presents well, nicely figured walnut to butt, some dowel repairs to burl imperfections; chequering to forend & wrist is defined but showing wear; some small chipping around head of stock & head separating slightly; steel curved buttplate with silver vine inlaid to top tang; overall in f. to g. cond. **N/L**
522. **19th CENTURY CONTINENTAL PERCUSSION SCHUETZEN RIFLE:** .375 cal. approx.; 32" heavy 1400 - 1600
 octagonal twist damascus barrel with bright bore & crisp rifling, some speckled superficial frosting but exc. overall; strong plum finish to barrel with strong pattern definition, some minor staining; grey patina to remainder of metalwork with some minor staining; top of breech has sunken cartouche with indistinct makers name **TS? HU???**; **C** within shield marked to lhs breech of barrel; strong lock spring with crisp double set triggers, hair main trigger; adjustable peep sight to top tang with windage & elevation, globe front sight dovetailed to barrel; complete with solid brass ram rod, swivels to ram rod pipe, underside of stock; walnut half stock in g. overall cond., metal-to-wood fit remains vg. overall, some light bruising & handling marks, small crack bridging lock to breech section but otherwise v. sound; exaggerated target style buttplate & trigger guard; overall in exc. wo & g.+ cond. **N/L**
523. **ENFIELD SHT. LE. MK. III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. 600 - 800
 bright bore & sharply-defined rifling, some minor leading; blued finish to metalwork presents well, has developed a grey patina overall, thinning on profiles; rhs body socket marked **G.R. Cypher/ ENFIELD / 1914/ SHT.LE/ III**; Lithgow markings to barrel with script **R** marked to top of barrel; serial no. has been stamped to bolt & nose cap; bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sights; woodwork presents well, some light handling marks & bruising, **SLAZ** marks to forestock & large serial no., **D / \ D / H V / III** marks to rhs butt; brass buttplate; overall in exc. wo & g. to vg. cond. **#Y9904 L/R**
Would make a good shooter & presents well.
524. **B.S.A. Co SHT.LE. MK. III* B/A SERVICE RIFLE & BAYONET:** .303 Brit cal.; missing 10 rnd. 400 - 600
 mag.; 25 1/4" barrel with p. bore, rifling sharply-defined but v. dark & dirty; dark grey patina & frosting to metalwork; rhs body socket marked with crown/ **G.R./ B.S.A. Co./ 1917/ SHT. LE/ III***; matching no. marked to bold, barrel & nose cap; bolt cycles freely, strong springs & sears; std. sights; mismatched woodwork, cracked hand guard, remainder bearing battlefield bruising & handling marks; brass buttplate; fitted with canvas sling & comes with g. cond. **SANDERSON 1907** marked bayonet & leather scabbard; overall in f. cond. **#W6365 L/R** *Plenty of good parts, may clean up with some TLC*
525. **R. FAMAGE MFG. MOD. 1930 COLOMBIAN SHORT RIFLE:** .30-06 Sprg. cal.; 5 rnd. integral mag.; 200 - 400
 24" barrel with f. bore, well-defined rifling but dark & dirty throughout, should grade up with a clean; grey patina to metalwork, looks to have been cleaned back as markings & crest is faint; rhs breech marked **R. FAMAGE/ 1952**; matching bolt cycles freely, strong springs & sears; 3-20 graduated rear sight; walnut stock & handguard in g. cond., some light handling marks, has been refinished; cupped press metal buttplate; overall in g. wo & f. to g. cond. **#F02677 L/R**
526. **LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE:** .303 cal., 10 rnd. mag.; 25 1/4" barrel with f. 400 - 600
 bore, sharply-defined rifling, speckled with oxidation throughout, some pit peppering towards muzzle; original khaki military finish to metalwork, some light oxidation staining on charger bridge & handling marks; rhs of body socket marked **MA / LITHGOW / S.M.L.E. / III* / 1942**; serial no. **E/30885** marked to rhs breech, barrel, nose cap & underside of forestock; un-numbered bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sights; woodwork presents well overall, some handling marks & light bruises but trio of heavy bruises & deep gouge to wrist brings overall cond. down to f.; rhs butt marked with defined **LITHGOW** markings incl. **1943, III*, HV**; overall in g. wo & f.+ cond. **#E30885 L/R**

527. **HUSQVARNA MFG. SWEDISH MAUSER M.96 B/A RIFLE & BAYONET:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 24" barre; g. bright bore & sharply-defined rifling, powdery powder fouling throughout, needs a clean; blued finish to metalwork presents well, only light wear & handling marks, confined mainly to barrel; **HUSQVARNA VAPENFABRIKS/ AKTIBOLAG/ 1942** marked to top of breech; matching no. bolt cycles smoothly; std. sights fitted with 2-6 graduations; retains steel cleaning rod; sling swivels to barrel band & underside of stock; woodwork in g. cond., bearing some light handling marks, a few heavy bruises to rhs butt, presents well; brass disc inlaid to rhs of stock marked with several numbers & **Torped Overslag**; matching steel butt plate; comes with vgc. period bayonet with steel scabbard & leather frog; overall in vg. wo & vg. cond. **#637129** L/R *Has seen little use, would grade up further with a clean.* **600 - 800**
528. **KOKURA ARSENAL ARISAKA TYPE 38. B/A SERVICE RIFLE & BAYONET:** 6.5x50m/mSR Arisaka cal.; 5 rnd. integral mag; 31 1/2" barrel with f. bore, rifling defined, relatively bright but some fine pitting throughout; dark patina to metalwork overall, barrel band heavily corroded; serial no. & arsenal marks to lhs action are defined, Chrysanthemum & Kanji markings to top of breech are defined; non-matching bolt cycles freely, strong springs & sears; 4 – 24 graduated rear sight, incorrect steel cleaning rod; hardwood two-piece stock in f. cond.; some general handling marks & bruising, presents dry & dull, metal-to-wood fit is v. ordinary in areas; cupped steel buttplate; comes with f. to g. cond. Kokura marked bayonet, scabbard is pitted & grips f. but blade is g.; overall in g. wo & f. cond. **#29647** L/R **500 - 700**
529. **AMBERG MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with g. to vg. bore, rifling is well-defined & a little dull; dark grey patina to metalwork, some scattered patches of heavy pit peppering to metalwork along wood line on both sides of barrel, breech; top of breech marked with well-defined crown/ **AMBERG/ 1890**, trio of proofs to rhs & serial no. marked to lhs; breech & barrel marked **1649**; **Gew. 88** marked to lhs action; bolt cycles smoothly, strong springs & sears; retains steel cleaning rod; German unit marks to barrel band has been struck; g. walnut stock presents decent, some light handling marks & bruising overall; steel buttplate; overall in exc. wo & f. cond. **#1649** L/R **400 - 600**
530. **DANZIG MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with g.+ bore, rifling is well-defined & appears bright, some leading & powder residue to clean out; silver-grey patina to majority of metalwork, some darker areas & frosting patches; top of breech marked with **S/479** stamp & crown/ **DANZIG/ 1895**; **Gew** (milled action) marked to lhs action; Turkish crescent moon marked to bolt & Eastern-Arabic sight graduations; German unit marks to barrel band has been struck; bolt cycles smoothly, strong springs & sears; retains steel cleaning rod; walnut stock presents well, some handling marks & bruises overall, f. to g. cond.; overall in vg. wo & f. to g. cond. **#2878** L/R **700 - 900**
531. **BRNO MOD. 1 B/A RIMFIRE RIFLE:** .22 LR cal.; missing mag.; 22 3/4" barrel with exc., bright bore & sharply-defined rifling; strong matte grey finish to majority of metalwork, blued finish to small parts, some minor handling marks; **BRNO MOD 1** & cal. marked to barrel; bolt cycles freely, crisp trigger; standing **50** with folding **75** & **100** leaf's to rear sight, blade front with hood; walnut stock is g.+ cond., a surface scratch to rhs below action but would be vg.+ otherwise, still presents well; retains original plastic buttplate; overall in exc. wo & g.+ cond. **#31890** L/R **400 - 600**
532. **BRNO MOD. 1 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. flush mag.; 22 3/4" barrel with exc., bright bore & sharply-defined rifling; strong original blued finish presents well, some minor handling marks; **BRNO MOD 1** & cal. marked to barrel, **51** proofs to lhs action & breech; bolt cycles freely, crisp trigger; standing **50** with folding **75** & **100** leaf's to rear sight, blade front; walnut stock is g.+ cond., a few surface marks but presents well; chequering to grip remains sharply-defined; retains original plastic buttplate; overall in exc. wo & g.+ cond. **#78911** L/R Mfg. 1951 *A classic rifle that has seen little work.* **600 - 800**

533. **SPANDAU MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. **600 - 800**
integral mag.; 29" barrel with vg. bright bore, rifling is well-defined; reblued finish to metalwork has turned to a dark patina overall, markings are lightly defined; some thick tar paint to rhs barrel & action along wood line to treat pitting; top of breech marked with crown/ **DANZIG/ 1890**, trio of proofs to rhs; breech marked **4865**, barrel marked **1346**; **Gew. 88** marked to lhs action; Turkish crescent moon marked to bolt knob; bolt cycles smoothly, strong springs & sears retains steel cleaning rod; woodwork in g. sound cond., some surface handling marks & light bruising but presents decent; overall in vg. wo & f. to g. cond. **#4865 L/R**
534. **DANZIG MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. **600 - 800**
integral mag.; 29" barrel with g.+ bore, rifling is well-defined & appears bright, some fine pitting; even dark patina to majority of metalwork, some thick tar paint to rhs barrel & action along wood line to treat pitting; top of breech marked with well-defined crown/ **DANZIG/ 1890**, trio of proofs to rhs & serial no. marked to lhs; breech & barrel marked **4393**; **Gew. 88** marked to lhs action; Turkish crescent moon marked to bolt, German unit marks to barrel band; bolt cycles smoothly, strong springs & sears retains steel cleaning rod; woodwork in g. sound cond., some surface handling marks & light bruising but presents decent; overall in vg. wo & f. to g. cond. **#4393 L/R**
535. **LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE & BAYONET:** .303 cal., 10 rnd. mag.; 25 1/4" barrel with g.+ bore & sharply-defined rifling, some leading on lands, should grade up with a clean; thinning khaki military finish to metalwork, presents well; rhs of body socket marked **MA / LITHGOW / S.M.L.E. /III*/ 1941**; serial no. **C/ 65787** marked to rhs breech, bolt, non-matching nose cap; matching bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sights; woodwork presents well, some light handling marks & fine partial crack to handguard; rhs butt marked with lightly defined **LITHGOW** markings; comes with vgc. bayonet, marked **WILKINSON 1907**, leather scabbard; fitted with canvas sling; overall in exc. wo & g. to vg. cond. **#C65787 L/R** *A nice combo for the shooter or collector. Comes with pressed metal muzzle cover*
536. **LOEWE MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. **700 - 900**
integral mag.; 29" barrel with g.+ bore, rifling is well-defined & appears bright, some leading & powder residue to clean out; v. dark patina to majority of metalwork, some general handling marks; top of breech marked with well-defined crown/ **LOEWE BERLIN/ 1890**, trio of proofs to rhs & serial no. marked to lhs; breech & barrel marked **2083/P**; **G. Mod.** (milled action) marked to lhs action; Turkish crescent moon marks to bolt; German unit marks to barrel band has been struck off; bolt cycles smoothly, strong springs & sears; retains steel cleaning rod; woodwork sound cond., presents a bit dry & dull, would grade up with an oil; bearing general handling marks & light bruising, f. overall; overall in vg. wo & f.+ cond. **#2083P L/R**
Would respond well with a clean.
537. **LOEWE MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. **700 - 900**
integral mag.; 29" barrel with g.+ bore, rifling is well-defined & appears bright, some leading & powder residue to clean out; an even dark plum patina to majority of metalwork silver-grey finish remains in protected areas of action; top of breech marked with well-defined crown/ **LOEWE BERLIN/ 1891**, trio of proofs to rhs & serial no. marked to lhs; breech & barrel marked **583/ X**; **Gew. 88** marked to lhs action; bolt has been polished but a faint Turkish crescent moon remains; bolt cycles smoothly, strong springs & sears; retains steel cleaning rod; rear sight with Eastern-Arabic graduation markings; g. walnut stock presents decent, some light handling marks & bruising overall; steel buttplate; overall in vg. wo & g. cond. **#583X L/R**
538. **F.N. BROWNING TROMBONE P/A RIFLE:** .22 long cal.; 10 rnd. mag.; 22" rnd. barrel with bright bore & crisp rifling; re-blued finish to metalwork is strong, some minor handling marks; F.N. full name, **BROWNING'S PATENT DEPOSE** & address marked to top of barrel; Liege proofs to lhs of barrel & on breech block; pump cycles freely, crisp trigger; std. front sight, fitted with **BLACK HAWK 4x40** scope, clear optics; woodwork presents v. well, some light handling marks overall; original steel butt plate; overall in vg. wo & g.+ cond. **#125899 L/R**

539. **J.P. SAUER & SOHN MFG. GEWEHR 98 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 30" barrel has bulged & split at muzzle, remainder is dirty but rifling is sharply-defined; original finish has thinned to a grey patina on action, some peening & pitting, a darker patina on barrel; top of breech marked with **J.P. SAUER & SOHN / SUHL / 1917, Gew. 98.** marked to lhs action; std. trio of proofs to rhs breech; serial no. marked to lhs breech & barrel; matching bolt cycles freely, strong springs & sears; 4-20 graduated early style ramp rear sights; walnut stock & handguard sections with some light general handling marks, butt with some aged partial cracks to surface; overall in f. cond. **#2618 L/R *Suit parts or shorten the barrel, re-crown.*** 200 - 300
540. **LOEWE MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with f. bore, well-defined rifling but dirty & last 1" of rifling has been bored out; dark patina to majority of metalwork, has been lacquered on barrel & action; top of breech marked with well-defined crown/ **LOEWE BERLIN/ 1891,** trio of proofs to rhs & serial no. marked to lhs; breech & barrel marked **5561; Gew. 88** marked to lhs action; Turkish crescent moon marked to breech, bolt & the latter with Eastern-Arabic markings; German unit marks to barrel bands; bolt cycles smoothly, strong springs & sears; retains steel cleaning rod; woodwork sound cond., a little grubby, would grade up; bearing extensive but only surface handling marks & light bruising, f. overall; overall in g. wo & f.+ cond. **#5561 L/R** 400 - 600
541. **STOEGER MOD. X5 AIR RIFLE:** .177 cal.; 17" barrel with vg. bright bore & sharply-defined rifling; blued finish to majority of metalwork is strong, presents exc.; makers name & model etc. marked to breech & spring housing; mechanically exc., v. strong springs & sears; factory fitted **4x32 STOEGER** scope with clear optics; hardwood stock with rubber recoil pad, some minor handling marks; overall in exc. wo & vgc. **#STG1139337 L/R** 200 - 300
542. **GERMAN DIANA MOD. 48/52 AIR RIFLE:** .177 cal.; 17" barrel with vg. bright bore & sharply-defined rifling; blued finish to majority of metalwork is strong but presents a bit grubby, some residue needs cleaning off, some minor oxidation; **DIANA / MOD. 48/52** marked to top of spring housing; side cocking lever, v. strong springs & sears; adjustable rear sight, missing front sight blade; walnut stock presents well, some light handling marks overall, chequering well-defined; ventilated rubber recoil pad; overall in exc. wo & g. cond. **#02068664 L/R *Quite the powerful little air rifle.*** 300 - 500
543. **CHIAPPA MOD. LITTLE BADGER S/S RIMFIRE RIFLE:** .22 LR cal.; 16 1/2" barrel with exc. bright bore & sharply-defined rifling; blued finish to metalwork, some light wear & speckled oxidation; makers name & Italian proofs to rhs frame; action locks up with some movement, strong lock springs & sears polymer peep sight & front sight; skeleton stock & fitted with polymer pistol grip; overall in exc. wo & g. cond. **#16E03091 L/R** 200 - 300
544. **ENFIELD NO. 4 MK I* B/A SPORTING CONVERSION RIFLE:** .303 cal.; 5 rnd. mag.; 22" barrel with vg., bright bore & sharply-defined rifling; strong blued finish to metalwork, some oxidation speckling & light handling marks but still presents well; British & Belgian proofs to lhs barrel, retains original Savage marking to body socket, sides of action; bolt cycles freely, strong springs & sears, std. military sights & ramped front; factory sporter stock (not a conversion) presents exc., some light handling marks but chequering to semi pistol grip & forewood is sharply-defined; complete with swivels, ventilated rubber recoil pad; overall in exc. wo & g. to vg. cond. **#23C5339 L/R *Make a great, cheap sporting rifle to let off some surplus ammo.*** 400 - 600
545. **FEINWERKBAU MOD. 300S AIR RIFLE:** .177 cal.; 19 1/2" barrel with dusty bore, appears vg. with sharply-defined rifling; original glossy blued finish to metalwork presents exc.; **Feinwerkbau Oberndorf/N** & trademark to top of breech, full name, model, serial no. & **MADE IN GERMANY** marked to lhs spring housing; side cocking lever, v. strong springs & sears; adjustable rear peep sight with rubber eye piece, globe front sight; walnut target style stock with aggressive adjustable comb, finely stippled grip & forestock underside is sharply-defined; adjustable polymer butt with rubber crescent recoil pad; overall in exc. wo & vg. cond. **#323823 L/R** 400 - 600

546. **SPORTCO-OMARK MOD. 33V B/A CENTREFIRE RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 23" barrel with bright bore & sharply-defined rifling, some light pitting towards muzzle, g. overall; strong blued finish to metalwork, presents well, a few blemishes; top of barrel marked **SPORTCO-MODEL 33V, OMARK** full name & address etc.; bolt cycles freely, strong springs & sears, crisp trigger; fitted with **Nikko Stirling SILVER CROWN 4X40** scope on bridge mount, clear optics; retains std. sights; hardwood sporting style stock in vg. cond., a few minor handling marks & scuffs overall; chequering to forewood & semi pistol grip is defined; plastic grip cap & buttplate; overall in vg. wo & g. cond. **#ZC990 L/R** **300 - 500**
547. **ARMAGUERRA MFG. CARCANO M.38 B/A SERVICE RIFLE:** 6.5×52m/m cal.; 5 rnd. integral mag.; 28" barrel with f. bore, well-defined rifling but dark & dirty throughout, should clean up; blued finish to metalwork presents well, some light wear & oxidation staining; dark patina to bolt; top of breech marked **1943 XXI/ ARMAGUERRA/ CREMONA/ BNP** British proofs; bolt cycles well, strong sears; 3-10 graduated rear sights; retains cleaning rod; woodwork in vg. overall cond., some scattered handling marks to surface, presents well; **FAT** roundel/ **1947/ QL/ 4465** stamped to lhs stock; overall in g. wo & cond. **#QL4465 L/R** *Would grade up with a clean.* **400 - 600**
548. **STEYR M.95 STRAIGHT PULL CARBINE:** 8×56m/mR Steyr cal.; 5 rnd. integral mag.; 20" barrel with f. bore, dark with speckles of powdery oxidation but rifling is well-defined, would grade up but considered f. until cleaned; strong blued finish to majority of metalwork, thinning only slightly on action; top of breech marked **STEYR/ M.95**; polished steel bolt cycles freely, strong springs & sears; matching numbers marked to breech, barrel & bolt; 6-22 graduated rear sights; woodwork in g. cond., some general handling marks & light bruising, presents decent; steel buttplate; overall in g. wo & cond. **#4875F L/R** *Would grade up with a proper clean.* **600 - 900**
549. **LITHGOW SHT. LE MK. III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with dirty bore, sharply-defined rifling but powdery lead fouling needs to be cleaned out, appears g.+; thinning blued finish to metalwork has turned to a grey patina, some plum patches on profiles; rhs body socket marked with **A** within star/ **LITHGOW/ SHT.LE/ III** / within shield/ **1916**; matching no.'s marked to bolt, barrel & nose cap; bolt cycles well, strong springs & sears; original 2-20 graduated rear sights; complete with volley sights, mag. cut off & swivels; woodwork bearing light bruising & handling marks, presents well; rhs stock with lightly defined **CMF/ 4MD**, brass disc inlay & large **103** in red paint; brass buttplate with trap; fitted with leather sling; overall in exc. wo & g. cond. **#49630 L/R** **700 - 900**
550. **FINE WESTLEY RICHARDS MOD. 1871 'IMPROVED MARTINI- SPORTING RIFLE:** .577/500 No.2 B.P.E cal.; 28" barrel with vg. bright bore & sharply-defined Henry rifling; v. strong glossy blued finish to metalwork presents exc., some minor storage marks overall; trigger & lever with areas of vivid original case colours; lhs action engraved **WESTLEY RICHARDS/ PATENT EXPRESS RIFLE/ 170 NEW BOND St LONDON**; top of full length rib marked **HENRYS PATENT RIFLING & EXPRESS/ FOR No.2CASE**; Birmingham proofs, **345** marked to lhs breech; action with extensive & crisp acanthus scroll engraving to most surfaces; mechanically strong, action operates smoothly, strong springs & sears; replacement single fixed rear sight, platinum bead to blade front sight; retains original ebony cleaning rod; walnut straight stock & forend are in vg. original cond., some scattered surface marks to both but retains exc. metal-to-wood fit; chequering to wrist & forestock is sharply-defined; horn forewood cap has some extensive insect damage to rhs; steel buttplate with flip up trap, some minor handling marks; overall in exc. wo & vg. cond. **#345 N/L** **4000 - 4500**

- 551. FINE J.D. DOUGALL SMALL-FRAME SNIDER ROOK RIFLE:** .380 Rook cal.; 27 1/4" twist damascus barrel with vg. bright bore & well-defined rifling, some minor frosting in areas; original browned finish to barrels has developed a dark plum patina, action & locks with vivid case colours; some minor blemishes on barrel; top of barrel engraved **J.D. DOUGALL 23 GORDON ST. GLASGOW**; trademark Snider **S** with fletched arrow marked to top of breech along with **SNIDER/ PATENT**; crisp border engraving to locks & action with light coverage of scroll engraving; Mk. II style breech locks up tight, lock retains strong spring tension & crisp sears; fixed express sight with folding **100 & 150**yd leaf's, blade of front sight broken; walnut half stock presents well, nicely figured grain & retains exc. metal-to-wood fit; chequering to wrist & forestock is sharply-defined, some period repairs have been done to rhs of stock with open grain of walnut; Schnabel style horn forewood cap, vacant silver escutcheon to underside of stock & original blued buttplate with some minor oxidation staining; overall in exc. wo & vg.+ cond. #1894 **N/L A superb little rifle.** **1400 - 1800**
- 552. EXCEPTIONALLY FINE J.H. TIMINGS & SON S/B SPORTING RIFLE:** .500 B.P.E 3 1/4" chambered; 26" twist damascus barrel with vg. bright bore & sharply-defined rifling; barrels retain strong original browned finish with exc. pattern definition; action with vivid case colours; metal finish to rifle are all exc. with only traces amounts of handling marks overall; top of barrel engraved **J.H. TIMINGS & SON**, underside of barrel marked with Birmingham proofs, **STUB/ DAMASCUS** & makers stamp; makers name engraved to lockplate along with border & light coverage of scroll engraving which extends onto action, tangs; side lever action locks up v. tight & on face, non-rebounding back-action lock is crisp; blade front sight & trio of folding leaf rear sights are dovetailed to top of barrel; walnut straight stock & forend are both in vg. cond., some scattered surface marks to both but retains exc. metal-to-wood fit; chequering to wrist & forestock is sharply-defined; steel buttplate with brown patina; overall in exc. wo & vg.+ cond. #1918 **N/L c.1880 A quality stalking rifle in exceptionally fine condition.** **2000 - 2500**
- 553. WARD & SONS S x S PINFIRE SHOTGUN:** 12 bore pinfire; 30 1/4" twist damascus barrels; bores bright with some patchy fine pitting but g. cond. overall; attractive re-browned finish to barrels with vg. pattern definition; mottled grey patina to small parts; faint **WARD & SONS**, (indistinct) **LONDON** address engraved to top of barrel, Birmingham proofs to underside of barrel; locks engraved with **WARD**, border engraving & light coverage of sharply-defined acanthus scroll engraving; action locks up tight, strong springs & sears to back-action locks, matching hammers; walnut straight stock & splinter forend in g. sound cond., beautifully figured grain but slightly shrunken overall; chequering to wrist & forend is sharply-defined, replacement forend tip; overall in vg. wo & g.+ cond. #1997 **N/L A nice, honest example.** **700 - 1000**
- 554. GERMAN S/S SCHUETZEN RIFLE by ST. HILGER MIESBACH:** 8x56m/mR cal.; 29 1/4" octagonal barrel with vg. bright bore & sharply-defined rifling; strong original blued finish to barrel, has developed a slight plum patina overall; action with patchy areas of strong case colours & a plum patina to difference; top of barrel inlaid in silver with **ST. HILGER MIESBACH**; extensively engraved action with relief acanthus scroll engraving, Germanic rifleman motifs engraved to both sides of action; some scroll silver inlay to breech of barrel; tilting block action locks up tight, double set triggers are crisp; large adjustable tang mounted peep sight with huge aperture, hemi-globe front sight with standing fine bead; nicely figured target style walnut stock is in vg. cond., exaggerated cheek piece to lhs & thumb rest to rhs; intricately carved floral circular pattern to lhs stock with carved border corners, carvings continue on rhs around a large ovate chequered section to rhs; woodwork presents v. well & bearing only minor surface marks overall, exc. metal-to-wood fit; distinctive German target style curved steel buttplate which retains vivid case colours; overall in exc. wo & vg. to exc. cond. #3002 **N/L** **1600 - 2000**

555. **FINE GERMAN S/B HAMMER STALKING RIFLE by OTTO SEELIG:** 8×48m/mR cal.; 26 1/2" 1400 - 1800
 octagonal barrel with vg. bright bore & sharply-defined rifling, some patchy frosting in areas; strong original blued finish to barrels & action retains strong case colours in many areas, some minor handling marks to finishes; top of barrel engraved *O. SEELIG HOFBÜCHSENMACHER WIESBADEN*; German proofs marked to underside of barrel; action extensively engraved with floral scroll & game scene relief incl. a pair of deer to either side of action, chamois head to trigger guard; action locks up tight & on face, rebounding back action lock with strong springs & double set triggers are crisp; fixed V-notch rear sight with folding leaf, blade front sight; swivels to stock & underside of barrel; walnut stock & forend present v. well, some light handling marks overall but chequering to bag style grip & forend is well-defined; retains exc. metal-to-wood fit; cheek piece to lhs stock & underside inletted with bone insert; original hard rubber buttplate with some minor insect damage; overall in exc. wo & vg. cond. #2616 N/L c.1890 *A light little stalking rifle.*
556. **IMPRESSIVE CROSS-OVER STOCK S/B HAMMER STALKING RIFLE by G. F. STÖRMER:** 1400 - 1600
 11×60m/mR cal.; 26 3/4" octagonal barrel with vg. bore & sharply-defined Henry style rifling; blued finish to barrel has developed an even plum patina, grey patina on action & small parts; **G. F. STÖRMER HERZBURG. A.H.** inlaid in silver to top of barrel & engraved to lockplate; action extensively engraved with floral scroll & game scene relief incl. a pair of deer to either side of action; action locks up tight & on-face, back action lock with strong spring & double set trigger has crisp sears; horn extension to steel trigger guard; fixed V-notch rear sight with folding leaf, blade front sight with silver bead; swivels to stock & underside of barrel; the distinctive cross-over stock is in g. to vg. cond., some light surface marks & bruising but retains sharply-defined chequering to wrist & forend along with exc. metal-to-wood fit; original hard rubber grooved buttplate; overall in exc. wo & near vg. cond. #1423 N/L *The top & bottom tang, lockplate all follow the contours of the curved stock and allow a right-handed shooter to operate with his left eye. An extraordinary display of engineering & craftsmanship, a great antique talking piece.*
557. **STEYR-DAIMLER-PUCH MANNLICHER MOD. L B/A RIFLE:** .243 Win. cal.; 5 rnd. polymer 1500 - 1800
 rotary mag.; 20" barrel with vg. bright bore & crisp rifling, some lead residue; strong glossy blued finish to metalwork with only minor storage marks on barrel, presents well; ; **STEYR-DAIMLER-PUCH A.G. STEYR** marked to lhs action, **MADE IN AUSTRIA** marked to rhs; strong spiral pattern to hammer forged barrel, cal. marked to lhs; spoon handle bolt cycles freely, strong springs & sears; retains original fixed rear sight & hooded blade front sight, fitted with factory pattern 1" rings; polymer trigger guard, double set triggers; walnut full stock with cheek piece to lhs, original black plastic grip cap & butt plate; walnut bearing a few light handling marks but in vg. overall cond., skip-line chequering to grip & forestock is well-defined; overall in exc. wo & vg. cond. #50221 L/R
558. **MATCHING RIFLE & PISTOL SOUTH AUSTRALIAN COMMEMORATIVE A. UBERTI PAIR:** 3500 - 4500
ENGRAVED A. UBERTI MOD. 1860 L/A RIFLE: .44 W.C.F (44-40 Win.) cal.; 10 rnd. full length tube mag.; 24" octagonal barrel with dusty bore, rifling is sharply-defined; gloss nitre blued finish to barrel, lever & other small parts is v. strong some minor speckled oxidation to lhs mag. & handling marks overall; bright finish to brass frame; crisp original **A. UBERTI** marks & proofs on barrel, top of frame engraved *1836 South Australia 1980*, top tang engraved *1 of 5, London Guns*; lhs frame engraved with the S.A. **150** Jubilee logo, the rhs engraved with the **SOUTH AUSTRALIA** coat of arms; mechanically fine, action cycles smoothly, strong springs & sears, std. ladder sights, fitted with silver blade front sight; walnut straight stock with some minor surface handling marks, crescent brass buttplate; overall in exc. wo & vg. cond. #02354 L/R
ENGRAVED A. UBERTI SINGLE ACTION ARMY REVOLVER: .44 WCF (44-40 Win.) cal.; 6 shot fluted cylinder; 4 3/4" (121m/m) barrel with vg. bright bore & crisp rifling; strong blued finish to barrel, cylinder & straps, vivid case colours to frame & strong nitre bluing to small parts; **A. UBERTI** marks & proofs to underside of barrel; top of barrel engraved *London Guns 2 of 5*, back strap engraved *1836 South Australia 1986*; top of back strap engraved with **150** & then inlaid in silver with the Jubilee logo; light coverage of crisp scroll engraving to cylinder between flutes, top of breech, border engraving to straps; cylinder indexing well, strong springs & sears; smooth walnut grips in exc. cond., some trace storage marks; lh grip inlaid with large silver escutcheon, intricately engraved with the **SOUTH AUSTRALIA** crest; overall in exc. wo & near exc. cond. #74190 Post 46' L/R
An interesting Melbourne creation with work by the late master engraver Phil Vinnicombe. Pistol & rifle will be sold together.

559. **D.W.M MFG. ARGENTINE MAUSER MOD. 1909 B/A RIFLE:** 7.65×53m/m Mauser cal.; 5 rnd. 1200 - 1500
integral mag.; 30" barrel with bright bore & sharply-defined rifling, would be exc. if not for two small patches of oxidation scale towards muzzle, vg. overall; strong glossy blued finish to barrel & certain small parts, bright polished finish to action & bolt; some minor handling marks but presents v. well, nitre blueing on bolt release with some light oxidation; top of breech marked with crisp Argentinian crest, lhs marked **MAUSER MODELO/ ARGENTINO 1909.**, D.W.M full name & **BERLIN.** to lhs action; all matching numbers incl. bolt, woodwork & steel cleaning rod; bolt cycles freely, strong springs & sears; original 3-20 graduated rear sight with strong nitre bluing; walnut stock bearing some scattered handling marks & bruises but presents well & showing little wear; Argentine crest mark to rhs stock is sharply-defined; steel buttplate with some minor staining; overall in exc. wo & g. to vg. cond. #F0526 L/R
560. **CARL GUSTAF SWEDISH MAUSER M.96 B/A RIFLE:** 6.5×55m/m Swedish cal.; 5 rnd. integral 200 - 400
mag.; 30" barrel; bore with patchy oxidation scale throughout, rifling remains well-defined but considered p. until properly cleaned; blued finish to metalwork has developed a dark patina; polished steel bolt & internals, vivid nitre bluing to small parts; **CARL GUSTAFS STADS /GEVARSAKTORI /1917** marked to top of breech; matching bolt cycles smoothly; std. sights fitted with 3-6 graduations; retains steel cleaning rod; sling swivels to barrel band & underside of stock; woodwork in g. to vg. overall cond., bearing some light handling marks, small repaired section to lhs forestock at start of finger groove; brass disc inlaid to rhs of stock marked with several numbers & **Torped Overslag**; matching steel butt plate; overall in f. wo & g. to vg. cond. #419221 L/R
561. **SMITH & WESSON MOD. 36 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 3" (75m/m) 300 - 500
barrel with exc. bright bore & sharply-defined rifling; blued finish to metalwork worn on sides of barrel but otherwise quite strong; **SMITH & WESSON** marked to lhs barrel, cal. to rhs; rhs frame marked with four-line address, **SW** monogram trademark to lhs; mechanically fine, strong springs & sears, cylinder indexing well; fitted with a **Pachmayr THE GRIPPER** rubber grip; overall in exc. wo & g. cond. #BDU0075 Post 46' L/R *Make a good shooter*
562. **WWI D.W.M MFG. LUGER P08 S/A PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" 1800 - 2000
(102m/m) barrel with vg. bright bore & sharply-defined rifling, some minor frosting; strong blued finish to metalwork, some light holster wear to profiles, looks to be a war time refinish; straw finish to small parts still strong; **1916** marked to top of breech, toggle marked with **DWM** trademark; serial no. **3543** marked to lhs breech & abbreviated **43** marked to all small parts excluding mag. (#3365); mechanically fine, strong springs & crisp sears, toggle retracts smoothly; vg.+ cond. walnut grip panels with sharply-defined chequering, some general handling marks & light holster wear but both present well; comes in period leather holster, **LIEFERUNGSVERLAND/ DER SATTLEMEISTER/ HALLE A-S./ 1916** embossed to inside of flap; holster in vgc. & comes with spare mag. & multitool; overall in exc. wo & g. to vg. cond. #3543 L/R Mfg. 1916
563. **FINE COLT MOD. COBRA D.A. POCKET REVOLVER:** .38 Special.; 6 shot fluted cylinder; 2" 600 - 900
(50m/m) barrel with exc. bright bore, sharp rifling; v. strong blued finish to barrel, cylinder & small parts, 90%+ blacked finish to alloy frame; some light handling marks & holster wear to finishes but presents v. well; lhs of barrel marked **COBRA/ .38 Special CTG.**, rhs marked with two-line **HARTFORD** address; lhs of frame marked with rampant horse, all markings to revolver are crisp; mechanically exc., strong sears & springs, cylinder indexing well; chequered grips in near exc., a few superficial handling marks but hard to fault, silver **COLT** medallions inlaid to both; overall in exc. wo & g. cond. #134569LW L/R Mfg. 1963 *Has seen very little use. One for the Colt collector.*
564. **WWI ERFURT MFG. LUGER P08 S/A SERVICE PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 1400 - 1600
rnd. mag.; 4" (102m/m) barrel with g. to vg. bore, sharply-defined rifling & relatively bright, some frosting; original blued finish to metalwork has thinned to an honest, grey patina some minor staining; small parts incl. extractor & safety with faint straw finish; crown / **ERFURT** marked to top of toggle, **1917** to top of breech; serial no. **181** marked to lhs breech, frame abbreviated **81** marked to all small parts excluding mag. (#1868); several proofs to rhs breech; mechanically fine, strong springs & crisp sears, toggle retracts smoothly; g.+ cond. walnut grip panels with well-defined chequering, some scattered handling marks; comes with repro WWII style black leather holster, marked with **Waffenamts** & eagle; overall in exc. wo & g.+ cond. #181 Mfg. 1917 L/R *A nice honest example of a WWI Luger.*

565. **WWI D.W.M. MFG. LUGER P08 S/A SERVICE PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with vg., bright bore, sharply-defined rifling with some superficial frosting; original blued finish presents well, honest holster wear to profiles, thinning on barrel & straps, some fine pin prick pits in worn areas; strong straw finishes to small parts; *DWM* trademark marked to top of toggle, 1917 to top of breech; serial no. 3054 marked to lhs breech, underside of barrel & all visible small parts bear 54; the original matching numbers magazine is in vg. cond.; front strap stamped with original unit markings 4.K.M.G.1.2; toggle retracts smoothly, strong springs & crisp sear; chequered grip panels in vgc. cond., sharply-defined chequering with only minor handling marks to both; comes in period leather holster with additional mag. (#2098) & multitool; makers marked on inside of lid appear to have been deliberately defaced; overall in exc. wo & near vg. cond. #3054 Mfg. 1917 L/R *A lovely, unit marked, matching numbers pistol in hard-to-find condition.* 2000 - 2500
566. **V. FINE CASED J. BLANCH & SON RETAILED TRANTER 1868 POCKET REVOLVER:** .320 CF cal.; 5 shot cylinder; 3" (76m/m) barrel with bright bore & sharply-defined rifling, some superficial frosting & resin at muzzle but considered vg.+; frame retains 80% original blued finish with a plum patina to difference; cylinder, hammer & loading gate with strong case colours; *J. BLANCH & SON/ GRACE CHURCH ST. LONDON.* engraved to top strap, *W.TRANTER'S/ PATENT/* serial no. to lhs breech; Birmingham proofs to chambers, frame & barrel; cylinder indexing well, strong springs & sears, ejector rod to sits beneath cylinder; single piece walnut grip in vgc., some minor handling marks & grime within sharply-defined chequering; comes in period, fitted oak case with *E.M. REILLY & Co* paper trade label; case in v. good cond., with green baize lining & sound partitions; overall in vg.+ cond. #32551 Pre 1900 L/R *An incredibly well-preserved little gem, possibly unfired.* 1500 - 2000
567. **FLINTLOCK TRAVELLING PISTOL by G. TURNER of DUBLIN:** 30 bore; 7 3/4" twist damascus barrel with g. bore, some oxidation but free from any serious pitting; strong re-browned finish to barrel with g. pattern definition, lock cleaned to a silvery finish; dark patina to iron furniture; lock engraved *G. TURNER*, top of breech with sunken *G. TURNER/ DUBLIN* cartouche, embossed in gold; bevelled lockplate with stepped tail, some light floral & border engraving, ornate pineapple finial; strong lock springs & sears, semi-waterproof pan with roller to frizzen spring, double gold bands to breech of barrel & gold touch hole; correct style ebony ramrod with horn cap & worm; walnut half stock presents v. well, chequering remains sharply-defined, maintains vg. metal-to-wood fit while bearing only light handling marks overall; ovate butt inlaid with square steel plate, oval silver escutcheon to spine of butt; overall in g. to vg. cond. *N/L A lovely, high-quality pistol.* 2750 - 3250
568. **CONTINENTAL S/B PERCUSSION PISTOL:** 17 bore; 7 1/2" octagonal barrel with f. to g. bore, some light oxidation scale but free from heavy pitting; metalwork has been lightly cleaned, a silvery grey finish to majority of metalwork, some streaky plum patina on barrel & faint twist pattern; light leaf engraving to lock & original hammer, Liege *ELG* proof to lhs breech & another set of proofs to rhs breech; back action lock with strong springs & sears, missing ram rod; walnut half stock has been refinished presents decent, some light bruising & chipping; chequering to grip is well-defined; ovate steel butt cap; overall in f. to g. cond. *N/L* 600 - 800
569. **J.R. COOPER PATENT PEPPERBOX PERCUSSION REVOLVER:** 85 bore (.384 cal.); six 3" (76m/m) barrel cluster, all bores with oxidation scale but don't appears heavily pitted; mottled grey patina to metalwork, some minor oxidation staining but presents well; Birmingham proofs to chambers; *J.R. COOPER'S/ PATENT* engraved within scroll banner to lhs side plate; frame & side plates with light coverage of scroll engraving; ring trigger, under hammer action, barrels indexing well, lock is strong; all six nipples replaced; smooth walnut grips in g. cond., some light handling marks & both have been refinished; overall in f.+ cond. #25124 Pre 1900 L/R *Presents well.* 500 - 800

570. **PAIR of PERCUSSION S/B BELT PISTOLS by BLANCH & SON of LONDON:** 30 bore; 4 1/2" 2000 - 2500
 octagonal twist damascus barrels, bores with some oxidation scale but no heavy pitting visible; plum patina to barrels with faint twist pattern; smoky grey patina to remainder of metalwork; **BLANCH & SON. 29. GRACECHURCH ST. LONDON.** engraved to top of both barrels, London **V & P** proofs marked to breeches & barrels; action, trigger guards engraved with crisp scroll, rosette motif engraved to butt cap trap lids; strong lock springs & crisp sears, matching hammers with sliding full-cock safeties, captive ramrods & belt hooks to lhs; chequered walnut butts both in vg. cond., only minor handling mark & chequering remains sharply-defined; back of grips inlaid with vacant ovate silver escutcheons; overall in g. to vg. cond. **N/L A decent quality pair of pistols in nice, honest condition.**
571. **BRNO MOD. GRAND D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with 200 - 400
 vg. bright bore & sharply-defined rifling; strong original blued finish to metalwork, some light holster wear to muzzle & front of cylinder; **MODEL/ GRAND** to lhs breech, **BRNO** trademark to lhs frame & **65** proofs to rhs breech; mechanically complete but action occasionally binds, appears to be an intermittent cylinder stop issue; original chequered walnut grips in g. cond., some light handling marks & chipping to chequering; overall in f. wo & g.+ cond. **#5 566A 03296** Mfg. 1965 L/R
572. **COLT POCKET POSITIVE MOD. D/A REVOLVER:** .32 Colt cal.; 6 shot fluted cylinder; 2 1/2" 400 - 600
 (64m/m) barrel with bright bore & sharply-defined rifling, vg. cond.; thinning original blued finish to metalwork presents well, dark plum patina developing, especially on cylinder; **POCKET over (P)OSITIVE. 32 POLICE CTG.** to lhs of barrel, fine two-line **HARTFORD** address to top of barrel; rampant horse to lhs of frame; markings are all crisp; action indexing correctly, strong springs & sears; hard rubber original grips, defined chequering, **COLT** to top of both, some minor surface marks, chipping around butts; overall in exc. wo & g. cond. **#121778** Pre 47' L/R
573. **BELGIAN MELIOR MOD. 1920 S/A PISTOL:** .32 ACP; 8 rnd. mag.; 88m/m barrel with g. bore, 300 - 500
 sharply-defined rifling, bright overall with some minor frosting; original blued finish to metalwork, some light holster wear & speckled staining overall; **MELIOR/** patents, **LIEGE – BELGIUM** to lhs slide; slide retracts freely, strong springs & sears; original hard rubber grips panels in f. to g. cond., some light handling marks & wear, rh grip with discolorations; overall in vg. wo & g. cond. **#40633** Pre 47' L/R
574. **COLT MOD. 1903 POCKET HAMMERLESS S/A PISTOL:** 32 ACP cal.; 8 rnd. mag.; 3 1/2" (90m/m) 400 - 600
 barrel with g. bright bore & well-defined rifling, some minor frosting; original blued finish to metalwork has developed an even plum-brown patina overall, some areas of blueing remain in protected areas, on small parts; lhs of slide marked with **COLT'S PT. F.A. MFG. CO. HARTFORD, CT. U.S.A./** patents, rhs of slide marked with **COLT, AUTOMATIC/ CALIBRE.32 RIMLESS SMOKELESS;** slide retracts freely, strong spring tension but safety flip up & engages intermittently; chequered walnut grip panels with **COLT** silver medallion inserts to top of both; grips are in f. cond., both showing wear, lh grip with large gouge to bottom; overall in g. cond. **#520814** 1936 Mfg. L/R
575. **FINE PRE-WAR CZ MOD. 27 S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 4" (100m/m) barrel with vg. 600 - 800
 bright bore & crisp rifling; original blued finish to metalwork is strong, only light holster wear & some handling marks overall, v. strong straw finish to trigger & other small parts; top of slide marked **CESKA ZBROJOVKA PRAZE**, rhs frame marked with **J 37** proof; mechanically exc., strong springs & sears; the original single piece bakelite grip remains in vgc., some minor handling marks but chequering & **CZ** trademark to both sides is well-defined; overall in exc. wo & vg. cond. **#10750** Mfg. 1937 L/R
576. **STURM RUGER MOD. STANDARD S/A RIMFIRE PISTOL:** .22 LR cal.; 9 rnd. mag.; 4 3/4" 300 - 500
 (121m/m) barrel with vg. bright bore & sharply-defined rifling; blued finish to metalwork thinning overall, some light handling marks; make & model marked to lhs action, **SOUTHPORT** address to rhs; bolt retracts freely, strong springs & sears, fixed sights; black synthetic rubber grips in g. cond., some minor handling marks; overall in exc. wo & f. to g. cond. **#432048** Post 46' L/R

577. **FRENCH UNIQUE MOD. 'D' S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 118m/m barrel with f. bore, bright overall with some heavier pit peppering to lhs, rifling defined; metalwork has been heavily polished & reblued, no address or makers marks remain on slide, some areas of pitting remain; slide retracts freely w/o modified mag., stiff with mag. fitted; crudely fashioned homemade grip fitted; overall in p. cond. #561107 Post 46' L/R *Suit parts* 20 - 50
578. **SPANISH UNCETA y CIA MOD. LESTON S/A PISTOL:** 32 ACP cal.; 7 rnd. mag.; 3" (82m/m) barrel with f. to g. bore, rifling well-defined, frosting throughout but no heavy pits; blued finish to metalwork has thinned to a plum brown patina, some fine pit peppering to lhs slide but presents ok; **THE LESTON/ AUTOMATIC PISTOL** marked to lhs slide, **Hope** marked to barrel in ejection port; slide retracts freely, strong springs & sears; f. cond., wood grip panels, rh looks to be a later addition & bearing some ordinary chequering; overall in vg. wo & f. to g. cond. #61300 Pre 47' L/R *An interesting adaptation of the Eibar/ Ruby pistol by a smaller maker.* 200 - 400
579. **HUNGARIAN FEG MOD. AP S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 4" (100m/m) barrel with exc. bright bore & sharply-defined rifling; strong blued finish to slide & steel parts, blacked finish to alloy frame is thinning to a yellowy appearance; **Cal. 7.65mm Browning/ MADE IN HUNGARY FEG-BUDAPEST** to lhs slide; slide retracts freely, strong springs & sears; black polymer grips in g. cond., some light handling marks to both; overall in exc. wo & g. cond. #BB87938 Post 46' L/R 300 - 500
580. **STURM RUGER MOD. SINGLE-SIX S.A. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 6 1/2" (167m/m) round barrel with g. bore, sharply-defined rifling but needs a clean; blued finish to metalwork, thinning on lhs barrel & some scattered blemishes; **SOUTHPORT** address to top of barrel, model to lhs frame; cylinder indexing well, strong springs & sears; smooth walnut grips with a few handling marks, g. cond.; overall in vg. wo & g. cond. #D503370 Post 46' L/R 300 - 500
581. **BELGIAN DAISIE MOD. 1920 VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 60m/m barrel with f. to g. bore, some leading but rifling appears sharply-defined; reblued finish to metalwork, presents ordinary & still bearing some scattered pits, staining; slide retracts freely, strong springs & sears; hard rubber grip panels in g. cond., **MADE IN/ DAISIE / BELGIUM** roundel to centre of both; overall in g. wo & f. cond. #75767 Pre 47' L/R *Looks to be a variation of the Jieffeco/ Melior model 1920.* 200 - 400
582. **SPANISH ARIZMENDI y GOENEGA WALMAN PAT. VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 55m/m barrel with f. bore, rifling well-defined but peppered with light to moderate pits; brown-grey patina to metalwork, light frosting & patchy pitting to most external surfaces; **AUTOMATIC PISTOL WALMAN PATENT** & Spanish proofs to lhs slide; slide retracts freely, strong springs & sears; hard rubber grips in g. cond., **WALMAN** to top of both & chequering is defined; overall in f. cond. #47450 Pre 47' L/R 200 - 400
583. **WALTHER MOD. PP S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 4" (100m/m) barrel with exc. bright bore & sharply-defined rifling; strong glossy blued finish to metalwork, bearing only light storage marks; **WALTHER** trademark banner, **Carl Walther Waffenfabrik Ulm/Do**, cal. etc. marked to lhs slide; slide retracts freely, strong springs & crisp sears; original black plastic grips, both in vgc. with trademark banner to top of both; overall in exc. wo & vg.+ cond. #301432 Post 46' L/R 400 - 600
584. **ITALIAN VALOR MOD. GUARDIAN VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 60m/m barrel with g. bore, sharply-defined rifling, needs some powder residue cleaned out; thinning blued finish to steel parts & patchy blacked finish to alloy frame; **VALOR GUARDIAN cal. 25** marked to lhs slide; slide retracts freely, strong springs & sears; black plastic grip panels bearing some handling marks & scuffs but in sound cond.; overall in vg. wo & f.+ cond. #7329 Post 46' L/R 200 - 400

585. **WWII GERMAN OCCUPATION M.A.B. MOD. D POCKET S/A PISTOL:** .32 ACP cal.; 9 rnd. mag.; 600 - 800
4" (101m/m) barrel with vg. bright bore & sharply-defined rifling; blued finish to metalwork thinning to a dark plum patina in areas, some minor staining; **MAB** trademark, **BREVETTE MODELE D** marked to lhs slide; rhs frame & barrel within ejection port marked with winged Waffenamt **WaA251** marks; slide retracts freely, strong springs but slide safety catch is worn, won't hold; original hard rubber grip panels with defined chequering, **MAB** trademarks to centres; lanyard ring to butt; overall in g. wo & cond. #60391 Pre 47' L/R
586. **BELGIAN LE MARTINY S/A VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 55m/m barrel with 300 - 500
g. bore & sharply-defined rifling; blued finish to metalwork presents well, thinning slightly on profiles; lhs slide marked – **LE MARTINY – BREVETTE No. 19141**; slide retracts freely, strong springs & sears; original gutta percha grip panels, both showing little wear but some handling marks; overall in vg. wo & g. cond. #1542 Pre 47' L/R *Almost no available information on this pistol, no photos & the patent no. is for another Belgian pocket pistol design...*
587. **SPANISH ISIDRIO GATZANAGA MOD. INDIAN S/A PISTOL:** .32 ACP cal.; 9 rnd. mag.; 87m/m 400 - 600
barrel with g. bore, bright with sharply-defined rifling, some minor oxidation in grooves; original blued finish to metalwork presents well, some minor storage wear & handling marks; strong case colours to small parts; lhs slide marked with **CAL 765 PISTOLET AUTOMATIQUE "INDIAN"/I. GAZTANAGA – EIBAR**; slide retracts freely, strong springs & sears; large walnut grip panels appear to be replacement or have been re-chequered; overall in exc. wo & g. cond. #9402 Pre 47' L/R *A variation of the Eibar/ Ruby pistol by a smaller maker.*
588. **F.N. BROWNING MOD. 1922 S/A PISTOL:** .32 ACP cal.; 9 rnd. mag.; 112m/m barrel with vg. bright 400 - 600
bore & crisp rifling; original blued finish to metalwork, presents well with some light holster wear to profiles & muzzle end of slide; lhs of slide marked with FN full name, Belgian address/ **BROWNING'S PATENT DEPOSE**; markings sharply-defined; slide retracts freely, strong springs & sears; vgc. black plastic grip panels with sharply-defined chequering & FN monogram to top; only minor handling marks to both grips; overall in exc. wo & vg. cond. #193542 Post 46' L/R
589. **AUSTRALIAN MARKED F.N. BROWNING MOD. 1910 S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 300 - 500
88m/m barrel with vg. bright bore & crisp rifling; worn original blued finish to metalwork has developed a plum-brown patina overall, some handling marks & traces of blueing in protected areas; lhs slide marked with std., FN full name, Belgian address/ **BROWNING'S PATENT DEPOSE**; rhs slide marked with small shield stamp with **MAYNE/ NICKLESS** to centre, **29** has been painted to rhs frame; slide retracts freely, strong springs & sears; original hard rubber grips in f. to g. cond., light wear to both, some handling marks & chip to lhs grips butt; overall in exc. wo & f. cond. #517499 Post 46' L/R *Pistol would have been part of the Mayne Nickless armed guard services, has been carried a lot but shot very little.*
590. **CZ MOD. VZOR 50 S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 3 3/4" (96m/m) barrel with bright shiny 400 - 600
bore & crisp rifling, needs a clean but considered vg.; original blued finish to metalwork presents well, thinning slightly overall; **Z** trademark roundel, **VZOR 50 CAL 7,65** marked to lhs slide; slide retracts freely strong springs & sears, d.a. hammer; black bakelite grip in g. sound cond., some lightly handling marks; overall in exc. wo & g. to vg. cond. #C20428 Mfg. 1967 L/R
591. **FRENCH M.A.B. MOD. A VEST POCKET S/A PISTOL:** .25 ACP cal.; 6 rnd. mag.; 53m/m barrel with 300 - 500
g. bore, some lead oxidation but rifling is sharply-defined; thinning original blued finish to metalwork, honest holster wear to profiles; lhs slide marked **PISTOLET AUTOMATIQUE 635 "MAB" BREVETTE**; slide retracts freely, strong springs & sears; g. cond. original hard rubber grips with **M-A-B** to centre of both, some handling marks; overall in g. wo & cond. #44444 Pre 47 L/R
592. **FRENCH M.A.B. MOD. A VEST POCKET S/A PISTOL:** .25 ACP cal.; 6 rnd. mag.; 53m/m barrel with 100 - 200
dirty bore, sharply-defined rifling, appears to be ok; worn original blued finish to metalwork; lhs slide marked **PISTOLET AUTOMATIQUE 635 "MAB" BREVETTE**; slide retracts freely but doesn't appear to fire; crudely fashioned replacement grip; overall in f. cond. #44484 Pre 47 L/R

593. **COLT MOD. 1878 D.A. FRONTIER SIX SHOOTER REVOLVER:** .44 WCF (44-40 Win.) cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with g. bore, frosting in grooves but rifling remains v. well-defined; original blued finish to metalwork has thinned to a soft plum & grey patina, 10%+ original blueing remains in protected areas; metalwork bearing some light handling marks; top of barrel marked with clear, single-line **COLT'S PT.F.A. MFG. Co HARTFORD CT. U.S.A.**, lhs barrel with faint acid etched **COLT FRONTIER SIX SHOOTER**; lhs trigger guard marked with **44 CF**; action exc., cylinder indexing correctly, strong springs & sears; sharp profiles & markings; original birds head hard rubber grips, both with some significant chips & cracks, chequering is worn on both sides; lanyard swivel to butt; overall in vg. wo & f. cond. #8418 Mfg. 1882 *An honest example in the desirable 44 Winchester calibre.* **800 - 1200**
594. **COLT MOD. 1902 PHILIPPINE CONSTABULARY D.A. REVOLVER:** .45 long Colt cal.; 6 shot fluted cylinder; 5 1/2" (138m/m) barrel with vg. bright bore & sharply-defined rifling, some minor marks; metalwork has been cleaned back, some surface marring & frosting still present; mottled brown patina to majority of metalwork; lhs barrel marked **45 COLT.**, top of barrel marked with single line **COLT'S PT. F.A.MFG. Co. HARTFORD CT. U.S.A.**; rampant horse roundel mark to lhs frame; **R.A.C.** stamp to lhs frame, trigger guard; rhs frame marked with **US** to front; cylinder indexing, some minor play, strong springs & sears; original hard rubber grips, chequering & rampant horse motif to top of both are lightly defined, showing wear; both grips with subtle filled chip repairs along back strap; lanyard swivel to butt of back strap; overall in g. wo & f. to g. cond. #45722 Mfg. 1902-1903 L/R **700 - 1000**
595. **COLT MOD. 1895 D.A. "NEW NAVY" REVOLVER:** .38 long Colt cal.; 6 shot fluted cylinder; 4 1/2" (115m/m) barrel with g. bore, some light pitting in patches but remainder is bright & rifling is sharply-defined; thinning original blued finish to metalworks, strong in protected areas but sides of barrel & straps has thinned to a soft grey patina; lhs barrel marked **COLT D.A.38**, top of barrel marked with four-line **HARTFORD** address, patents; mechanically strong, cylinder indexing well; g. to vgc. lh hard rubber grip with only light wear to butt, **COLT** to top & chequering is well-defined; rhs grip a different pattern, **COLT/** horse motif to top, chip & cracks to rh base; overall in vg. wo & f. to g. cond. #246087 Mfg. 1905 L/R **700 - 900**
596. **BRITISH MARKED COLT NEW SERVICE D.A. REVOLVER:** .455 Eley cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with sharply-defined rifling, some scattered small patches of light pitting, remainder is v. bright, g. to vg. overall; 60%+ original blued finish to metalwork, thinning to a grey patina on sides of barrel, straps, some minor pitting & losses to lhs frame; lhs of barrel marked **NEW SERVICE 455 ELEY**, two-line **HARTFORD** address marked to top of barrel; lhs of frame marked with rampant horse trademark; lhs breech marked with crossed flag mark, British **6B/E** & broad arrow mark to back of lhs top strap; London **V & P** proofs to barrel, breech & chambers; makings to revolver are crisp; strong springs, crisp sears & cylinder indexing well; missing axis pin knurled knob; original hard rubber grips showing little wear, both with sharply-defined chequering, small graze to rh grip; swivel to butt of backstrap; overall in exc. wo & g.+ cond. #113752 Mfg. c.1916 L/R **900 - 1400**
597. **COLT MOD. 1877 "LIGHTNING" D.A. REVOLVER:** .38 long Colt cal.; 6 shot fluted cylinder; 4 1/2" (115m/m) barrel with g. to vg. bore, v. bright with fine pitting in patches, rifling remains sharply-defined; 60%+ original blued finish to metalwork, has thinned to a soft plum patina on straps & cylinder, barrel with some patchy losses & pitting; areas of vivid case colours to frame & strong glossy blueing to small parts; two-line **COLT'S HARTFORD / DEPOT 14. PALL MALL LONDON.** address to top of barrel, faint **COLT. D.A.38** to lhs; patents marked to lhs of frame along with rampant horse roundel; **84190** to frame, trigger guard & butt; matching cylinder; London **V & P** proofs to barrel & chambers; mechanically fine, strong springs & sears, cylinder indexing well; blade front sight & grooved top strap; hard rubber grip panels in vg.+ cond., sharply-defined chequering & rampant horse to top of both; overall in vg. cond. #84190 Mfg. c.1891 L/R *A very original example, has seen v. little use. One for the antique Colt collector* **1500 - 2000**

598. **DEFENCE MARKED COLT POLICE POSITIVE D.A. REVOLVER:** .38 Colt cal.; 6 shot fluted cylinder; 4" (102m/m) barrel with vg. bright bore, rifling sharply-defined, minor speckled marks; blued finish to metalwork presents well, honest wear has thinned finish to a plum patina on barrel but otherwise strong; crisp two-line **HARTFORD** address to top of barrel, model & calibre to lhs; defined rampant horse trademark to lhs frame; cylinder indexing well, strong springs & sears; original hard rubber grips present well, some minor wear overall but chequering & **COLT** to top of both remains defined; butt of frame marked **D** broad arrow **D**; overall in exc. wo & g. cond. #76265 Mfg. 1916 L/R 700 - 1000
599. **HARRINGTON & RICHARDSON MOD. TRAPPER D.A. RIMFIRE REVOLVER:** 22 LR cal.; 7 shot fluted cylinder; 6" (153m/m) octagonal barrel with vg. bright bore & sharply-defined rifling; strong blued finish to metalwork, some minor oxidation staining, vice marks on frame; lhs of barrel marked with **H&R ARMS COMPANY/ WORCESTER** address; cylinder indexing well, strong springs & sears, fitted with interesting front sight sleeve sight; walnut two-piece grip, some handling marks & minor chipping but chequering is defined; overall in exc. wo & g. cond. #176725 Pre 47' L/R 300 - 500
600. **WEBLEY & SCOTT MK. IV. D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (127m/m) barrel with vg. bright bore & crisp rifling, needs a clean; original blued finish to metalwork presents decent, thinning to a brown patina on barrel; **MARK IV .38** marked to lhs top strap, **WEBLEY & SCOTT LTD/ BIRMINGHAM** to top; mechanically exc., action locks up tight, strong springs & sears, cylinder indexing well; bolt safety to rear of frame; original plastic chequered grips with *Webley* to top of both, some handling marks but g. to vg. cond.; lanyard ring to butt of backstrap; overall in exc. wo & g. cond. #A94483 Post 46' L/R 400 - 600

Conclusion of Day One.

Our second session of lot 601. through to 910. will begin Sunday morning with
a later starting time of 11am

601. **SMITH & WESSON MOD. 66-1 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with exc. bore & sharply-defined rifling; bright finish to stainless steel metalwork, some minor handling marks but presents exc.; makers name & cal. marked to sides of barrel, **SW** monogram trademark to rhs frame along with four-line **SPRINGFIELD** address; mechanically exc., strong springs & crisp sears, cylinder indexing well; hammer spur has been shortened slightly; walnut two-piece grip in exc. cond., chequering is sharply-defined, **SW** silver medallions inlaid to either side; comes with spare rubber grip; overall in exc. wo & vg. cond. #62K3486 Post 46' L/R 500 - 700
602. **AMT AUTO MAG II S/A RIMFIRE PISTOL:** .22 WMR cal.; 10 rnd. mag.; 6" (155m/m) barrel with exc. bright bore & crisp rifling; matte grey finish to majority of stainless-steel metalwork, brushed finish to sides of slide; **AMT** trademark **AUTOMAG II/ 22 RIMFIRE MAGNUM** laser etched to lhs slide, **IRWINDALE, CA** to lhs frame; slide retracts freely, strong springs & sears, adjustable rear sight; black polymer grooves grip panels in vg. cond., some minor handling marks; overall in exc. wo & vg. cond. #Z61979 Post 46' L/R *Would make a fun little target pistol.* 600 - 800
603. **BERETTA MOD. 92 F S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5" (126m/m) barrel with bright bore & sharply-defined rifling, some minor leading scale; original satin blued finish to metalwork presents well, some light holster wear to front of slide, muzzle has thinned finish on profiles; lhs **PIETRO BERETTA, GARDONE** address, **MADE IN ITALY** to lhs slide, **MOD. 92 F – CAL.9 Parabellum-PATENTED** marked to rhs; slide retracts freely, strong springs & sears, ambidextrous safety; original black plastic grips are in g. to vg. cond., some minor handling marks to chequering; overall in exc. wo & g. to vg. cond. #D51948Z Mfg. 1988 *A nice honest example, similar to examples used in Lethal Weapon & Die Hard in the late 80's.* 1000 - 1400

604. **WWII ERA MAUSER MFG. '41 byf' P08 LUGER S/A SERVICE PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g. bore, rifling is sharply-defined with superficial frosting & fine pit peppering; re-blued finish to metalwork presents decent, thinning to a dark plum patina in areas & bearing some patches of fine pitting; **41** marked to top of breech, **byf** to top of toggle; serial no. **7198** marked to lhs breech, abbreviated **98** marked to all externally visible small parts incl. mag. & spare mag.; pair Waffenamts **655** marks to rhs breech along with eagle proof, another on barrel; mechanically exc., toggle retracts smoothly, crisp sears; black bakelite chequered grip panels in vgc.; overall in exc. wo & g. cond. **#7198** Mfg. 1941 L/R **1600 - 2000**
605. **RUGER MOD. P85 S/A PISTOL:** 9×19m/m Luger cal.; 15 rnd. mag.; 4 1/2" (125m/m) barrel with exc. bright bore & sharply-defined rifling; blued finish to slide showing some minor wear to rifles, matte grey finish to frame with the same; **RUGER P86** marked to lhs slide, rhs slide marked with **SOUTHPORT** address, full name; slide retracts freely, strong springs & sears, d.a. trigger pull, ambidextrous safety; black plastic grip panels inset to frame, some handling marks & scuffs but sound; overall in exc. wo & g. cond. **#300-51896** Post 46' L/R **400 - 600**
606. **BERETTA MOD. 92FS S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5 1/2" (136m/m) barrel with ported muzzle; bright bore & crisp rifling, some leading scale in grooves; polished finish to stainless steel slide, barrel and a matte finish to frame, presents a bit grubby & could use a clean; **PIETRO BERETTA, GARDONE** address, **MADE IN ITALY** to lhs slide, cal. marked to rhs; slide retracts freely, strong springs & sears, ambidextrous safety & adjustable rear sight; black polymer grip panels in exc. cond., some minor storage marks; overall in exc. wo & g. to vg. cond. **#L99209Z** Post 46' L/R **600 - 800**
607. **BERETTA MOD. 90 TWO S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5" (126m/m) barrel with bright bore & crisp rifling, could use a clean, some leading scale in grooves; matte black finish to barrel, black glossy coated finish to slide, finishes all present exc. with only minor storage marks; 90two trademark to sides of slide, Italian **GARDONE & USA** address to lhs; mechanically fine, strong springs & sears, d.a. trigger pull, ambidextrous safety; single-piece black polymer grip in exc. cond., some minor handling marks; overall in exc. wo & cond. **#TX07903** Post 46' L/R **600 - 900**
608. **GERMAN MARKED P. BERETTA MOD. 1935 S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 86m/m barrel with vg. bright bore & sharply-defined rifling; strong original blued finish to metalwork, presents well, only light holster wear to front of slide on profiles, back strap; **PIETRO BERETTA – Gardone V.T.** & cal. marked to lhs slide; Mauser military style winged **162** proof marked to lhs slide, frame; slide retracts freely, strong springs & sears; original black plastic grips with **PB** to base of both, some light handling marks to both; overall in exc. wo & f. to g. cond. **#789219** Pre 47' L/R **500 - 800**
609. **COLT MOD. 1903 POCKET HAMMERLESS S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 3 1/2" (90m/m) barrel with vg. bright bore & sharply-defined rifling; original blued finish to metalwork has been cleaned in areas to remove some minor oxidation, strong in areas but 40% has been cleaned to a grey patina; lhs of slide marked with **COLT'S PT. F.A. MFG. CO. HARTFORD, CT. U.S.A./** patents, rhs of slide marked with **COLT, AUTOMATIC/ CALIBRE.32 RIMLESS SMOKELESS;** slide retracts freely, strong spring tension; chequered walnut grip panels with **COLT** silver medallion inserts to top of both; grips are in g. to vg. cond., both showing only light handling marks; overall in exc. wo & g. cond. **#520862** 1936 Mfg. L/R *Has seen very little work.* **600 - 800**
610. **WWII GERMAN OCCUPATION CZ MOD. 27 S/A POCKET PISTOL:** .32 ACP cal.; 8 rnd. mag.; 4" (100m/m) barrel with vg. bright bore & crisp rifling, needs a clean; reblued finish to metalwork presents well, still bearing some light peppering of fine pitting to lhs of pistol, speckled oxidation to rhs; lhs slide marked **fnh Pistole Modell 27 Kal. 7,65,** German eagle proof to top of slide, **WaA76** Waffenamts proof to rhs frame along with some latter (1968+) proofs, German proofs to barrel; strong springs & sears, slide retracts freely; black bakelite grip in g.+ cond., some minor surface marks & minor chipping, presents well & chequering, **CZ** logo to either sides all sharply-defined; overall in exc. wo & g. cond. **#267583** Pre 47' L/R **700 - 900**

611. **SMITH & WESSON MOD. 6904 S/A PISTOL:** 9×19m/m Luger cal.; 12 rnd. mag.; 4" (102m/m) barrel with exc. bright bore & sharply-defined rifling; strong blued finish to slide & small parts, blacked finish to alloy frame, minor storage marks; **SMITH & WESSON**, four-line **SPRINGFIELD** address marked to lhs slide; slide retracts freely, d.a. trigger with strong springs; black synthetic grip in vgc., only traces of handling marks; overall in exc. wo & vg. cond. #TGA1409 Post 46' L/R **400 - 600**
612. **MAUSER MOD. 1914 S/A POCKET PISTOL:** .25 ACP cal.; 8 rnd. mag.; 3 1/8" (80m/m) barrel with f. bore, rifling defined but peppered with moderate pitting throughout; blued finish to metalwork has thinned to a brown-grey patina in areas, some scattered patches of pit peppering; lhs of slide marked **WAFFENFABRIK MAUSER A.-G. OBERNDORF A.N. MAUSER'S PATENT**, **MAUSER** trademark to lhs of frame; slide retracts freely, strong springs & sears, cocking indicator not functioning; single piece walnut grip in g.+ cond., some light handling marks & bruising, chequered panels to sides is defined; overall in exc. wo & g.+ cond. #34059 Pre 47' L/R **300 - 500**
613. **STRAYER-VOIGHT INC. INFINITY 1911 CUSTOM PISTOL:** .40 S.&W. cal.; 10 rnd. double stack mag.; 123m/m stainless steel barrel with exc. bright barrel & sharply-defined rifling; stainless steel metalwork with matte finish to top, underside of pistol, sides with brushed finish; sides of slide marked with **INFINITY** trademark, **SV** roundel to rhs frame; mechanically exc., slide retracts smoothly, strong springs & sears; **BO-MAR** marked adjustable rear sight; flared magazine well, extended grip safety spur; black polymer chequered grip in vgc., some minor handling marks; overall in exc. wo & vg. cond. #585068 Post 46' L/R *A top end, built-to-order competition pistol.* **1200 - 1500**
614. **HECKLER & KOCH MOD. USP EXPERT S/A PISTOL:** .40 S.&W. cal.; 16 rnd. polymer mag.; 5" (129m/m) barrel with vg. bright bore & sharply-defined rifling, some powder residue in grooves; matte blacked finish to steel parts present well, some minor handling marks & staining on barrel; **HK** trademark, **USP EXPERT**, **.40 S&W** marked to lhs slide, matching slide, barrel & frame; mechanically strong, slide retracts freely, d.a. trigger pull; black polymer frame in vgc., some minor handling marks; maker full name to rhs of polymer frame; overall in exc. wo & g. to vg. cond. #22-075452 Post 46' L/R **500 - 700**
615. **GERMAN POLICE ISSUE F.N. BROWNING MOD. 1922 S/A PISTOL:** .32 ACP cal.; 9 rnd. mag.; 112m/m barrel with vg. bright bore & crisp rifling; re-blued finish to metalwork, presents OK with some fine pitting still present; rhs slide marked **Bahnpolizei U.S.Zone**; lhs of slide marked with FN full name, Belgian address/ **BROWNING'S PATENT DEPOSE**; markings sharply-defined; slide retracts freely, strong springs but trigger is v. weak, needs attention; g. to vg. black plastic grip panels with sharply-defined chequering & **FN** monogram to top; only light handling marks to both grips; overall in f. wo & g. cond. #134013 Post 46' L/R *These pistols were issued to the police force of the railroad in the American occupied area of post war Germany. An interesting little pistol that requires some mechanical attn.* **500 - 700**
616. **COLT DIAMONDBACK MOD. D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with bright bore & sharply-defined rifling, some leading residue but appears exc.; blued finish to metalwork is strong, some scattered patches of oxidation staining, minor pit peppering; **HARTFORD** address marked to rhs barrel, **DIAMONDBACK/** cal. to lh; Rampant horse trademark to lhs frame; cylinder indexing well, strong springs & sears; fitted with **Pachmayr PRESENTATION GRIP**, grubby but in g. cond.; overall in exc. wo & f. to g. cond. #S86639 Post 46' L/R **300 - 500**
617. **PERCUSSION S/B TRAVELLING PISTOL by I. A. BLAKE & Co of LONDON:** 18 bore; 6" octagonal barrel with f. bore, dark with some oxidation scale but should grade up; silvery-grey patina to metalwork with some mottled staining, presents well overall & free from significant pitting; **I. A. BLAKE & Co LONDON**. engraved to top of barrel flat & name again to lockplate; underside of barrel marked with London **V & P** proofs, **R/ WELLIS**; light coverage of sharply-defined acanthus scroll engraving to back action lock, trigger guard, pineapple finial & starburst to butt cap; strong lock springs & sears, captive ramrod; original flat side hammer with ordinary grafted spur repair; fixed v-notch rear sight & silver bead front; walnut full stock presents decent, rear of stock retains vg. metal-to-wood fit, chequering is well-defined & spine of grip inlaid with silver ovate escutcheon which is engraved with initials **E D L**; forestock is a mixture of original & grafted walnut repairs, filler, the sides of the forestock barrel channel have been shaved down; overall in f. cond. *N/L A quality pistol that would respond well to some expert restoration.* **700 - 1000**

- 618. BELGIAN S/B PERCUSSION TARGET PISTOL:** .468 cal.; 8 1/4" octagonal barrel with g. bore, rifling is sharply-defined with some minor frosting; brown re-finish to barrel with what appears to be a stamped damascus pattern; grey patina to small parts; light leaf engraving to lock & original hammer, Liege **ELG** proof to lhs breech; strong lock spring but sears need work, crude & incorrect ramrod; walnut half stock presents well, some light handling marks & bruising; carved chequering pattern is v. well-defined, an unusual & nice pattern; ovate steel butt cap; overall in f. to g. cond. **N/L** **600 - 800**
- 619. BELGIAN PERCUSSION S/B TARGET PISTOL:** .54 cal.; 6" octagonal, fine twist barrel; bore f., defined rifling is peppered with moderate pitting, some oxidation scale should clean out; silvery-grey patina to majority of metalwork with patchy staining, some light pit peppering overall; Liege **ELG** proof to lhs breech, light scroll engraving to lockplate & trigger guard; strong lock springs & sears, original flat side hammer; incorrect ramrod; walnut half stock presents well, nicely figured walnut with a sound glue & pinned repair running from above lockplate to top tang; chequering to grip is well-defined, ovate steel grip cap; overall in f. to g. cond. **N/L** **600 - 800**
- 620. SCOTTISH PERCUSSION S/B BELT PISTOL by ALEXANDER THOMPSON of EDINBURGH:** 38 bore; 4 1/4" octagonal barrel with f. bore, some oxidation scale & light pitting; mottled brown patina to barrel & patchy staining, faint twist pattern; grey patina to remainder of metalwork; top of barrel engraved **ALEXr THOMPSON. EDINBURGH.**, London **V & P** proofs to lhs breech & barrel; sharply-defined acanthus scroll engraving to action, original hammer, trigger guard; strong lock springs & sears, captive ramrod, belt clip to lhs; fixed v-notch rear sight & silver bead front; walnut butt in g. overall cond., vacant silver escutcheon to back, showing some light wear & handling marks but the fine chequering remains well-defined; steel butt cap with flip-up trap; overall in g. cond. **N/L** **700 - 1000**
- 621. UNUSUAL UNDER OVER PERCUSSION HOWDAH PISTOL by ARMSTRONG:** 17 bore (.653 cal.); 4 1/2" (114m/m) barrels with p. bores; barrels have been cleaned back & browned, now with a thick plum brown finish; brown-grey patina to locks & small parts; back action locks & small parts with fletched feather bordering, light coverage of acanthus scroll engraving, both locks engraved **ARMSTRONG**; top of barrel has been marked with a serial no. more recently; matching, bevelled flat side hammers, strong lock springs & crisp sears; brass bead front sight & captive ramrod; saw handle walnut stock in g. to vg. overall cond., chequering remains well-defined & woodwork bearing only light handling marks; flat base butt inlaid with vacant silver square escutcheon; overall in g. cond. **#C-N6307** Pre 1900 L/R *An interesting little pistol.* **2250 - 3000**
- 622. BELGIAN MARIETTE D.A. PEPPERBOX PERCUSSION REVOLVER:** 100 bore (.358 cal.), four 2 3/8" (65m/m) twist damascus turn-off barrels with oxidation scale in all, bores considered p. to f.; dark grey patina to majority of metalwork, breech area peppered with moderate pitting; acid etched damascus pattern is defined overall; frame & back strap with full coverage of vine engraving; front strap marked with faint **MARIETTE/ BREVETE** stamp; Liege proofs to breech; ring trigger action indexing is strong as are springs; smooth walnut grips in f. to g. cond., slightly shrunken with light handling marks, some darkened areas; overall in f. to g. cond. **#21643** Pre 1900 L/R **500 - 800**
- 623. COLT THIRD MODEL 'THUER' S/S DERRINGER:** .41 rimfire short cal.; 2 1/2" (64m/m) barrel with f. bore, rifling defined but patchy light pitting in breech half; blued finish to barrel is patchy, some brown patina, losses & small staining patched; silver plated finish to brass frame is finely bubbling, presents decent; **COLT** marked to top of barrel, **41 CAL** marked to lhs frame & an crudely etched serial no. has been added to bottom tang; mechanically g., strong springs & sears, locks up tight; smooth walnut grips in g. cond., some handling marks & patchy original varnish finish; overall in g. cond. **#794** Pre 47' L/R **600 - 800**
- 624. TIPPING & LAWDEN SHARPS PAT. FOUR-BARREL DERRINGER:** .28 rimfire cal.; 3" (76m/m) barrels with p. to f. bores, defined rifling but patchy pitting throughout; smoky grey patina to steel parts, dull mellow finish to brass frame; **TIPPING & LAWDEN/ SHARPS PATENT** roundel stamp to lh frame, Birmingham proofs marked to lhs & rhs of barrel block; action operates freely, rotating striker indexes, strong springs & sound sears; smooth walnut grips present well, wear to original varnish finish but only trace handling marks to both; overall in g. cond. **#3752** Pre 1900 L/R **600 - 800**

625. **COLT THIRD MODEL 'THUER' S/S DERRINGER:** .41 rimfire short cal.; 2 1/2" (64m/m) barrel with f. bore, rifling defined but bore peppered with moderate pits & oxidation scale; original blued finish has thinned to a plum patina on barrel, some flashes of strong finish in protected areas; dull mellow finish to brass frame; some screws retain strong nitre bluing; **COLT** marked to top of barrel, **41 CAL** marked to lhs of frame, London **V & P** proofs marked to underside of barrel; a serial no. **4141** has been crudely stamped to butt of backstrap; action locks up well, strong springs & sears; walnut grips with 80% varnish, some light surface marks; overall in g.+ cond. #571 Pre 47' L/R *A nice original example* 700 - 1000
626. **REMINGTON RIDER PATENT RIMFIRE D.A. POCKET REVOLVER:** .32 rimfire cal.; 5 shot cylinder; 3 1/4" (80m/m) octagonal barrel with f. to g. bore, fine pitting throughout but rifling remains sharply-defined; 90% original nickel-plated finish to majority of metalwork, faint case colours to hammer; top of barrel marked **MANUFACTURED BY REMINGTONS ILION. N.Y/ RIDERS. PT. AUG. 17. 1858. MAY 3.1859**; strong springs & sears, indexing well; light brown gutta percha grips in vg. cond., some light handling marks but chequering remains v. well-defined; overall in vg. wo & g. to vg. cond. #154 Pre 1900 L/R 600 - 800
627. **SMITH & WESSON MOD. DOUBLE ACTION REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 3 1/2" (88m/m) barrel with f. bore, sharply-defined rifling but patchy pitting in areas; 80%+ original nickel finish to metalwork, flaking in areas with a brown patina to difference; some handling marks & peening externally; sharply-defined two-line address to top of barrels integral rib; action locks up with some movement, cylinder indexing; mother of pearl grips present well, small chip to rh grip & general handling marks, minor staining to both; overall in g. cond. #50914 Pre 1900 L/R 500 - 700
628. **EARLY COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .450 Boxer cal.; 6 shot fluted cylinder; 5 1/2" (141m/m) barrel; bore with some patchy oxidation scale & moderate pitting, otherwise bright with sharply-defined rifling; metalwork has reblued at some stage then cleaned back to a streaky grey patina, presents ok, some pin-prick pits still evident in areas; top of barrel marked **COLT'S PT. F.A. MFG. Co HARTFORD, CT, U.S.A. DEPOT 14. PALL MALL LONDON.**; the first three letters (COL) are indistinct, remainder of address is well-defined; lhs of frame marked **PAT. SEPT.19.1871/ " PAT. JULY.2.1872/ " JAN. 19.-75.**; lhs of trigger frame marked **45 CAL/ B**; serial no. **44698** marked to frame, trigger guard, butt & cylinder; non-matching loading gate (**956**); London **V & P** proofs marked to underside of barrel & chambers; cylinder indexing well, strong springs & crisp sears, grooved top strap & blade front sight; screws have been reblued, some look to be replacements; smooth replacement walnut grips present well, some minor handling marks but vg. overall cond.; overall in g. wo & cond. #44698 c.1878 Mfg. L/R *Thought to be one of only 3,385 Single Action Army revolver chambered in the English .450 Boxer/ Eley.* 2500 - 3000
629. **COLT MOD. COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .41 Colt cal.; 6 shot fluted cylinder; 4 3/4" (120m/m) barrel with g. bore, sharp rifling with some minor frosting, bright overall; dark patina to metalwork, unusual spotted pattern to most areas; some fine pitting externally in patches; faint **41 COLT** to lhs of barrel, defined two-line **COLT'S PT. F.A. MFG. Co./ HARTFORD C.T. U.S.A.** stamped to top of barrel; patents & rampant horse trademark to lhs of frame; cylinder indexing well, strong sears & springs; hard rubber grips present well, rampant horse to top of both; grips present well, hairline partial crack to rh grip along with two notches; chequering to grips lightly defined but showing wear; overall in vg. wo & f. to g. cond. # 287883L/R Mfg. 1906 1600 - 1800
630. **FINE YUGOSLAVIAN ZASTAVA MFG. MOD. 48A B/A SERVICE RIFLE:** 7.92x57m/m Mauser cal.; 5 rnd. integral mag.; 24" barrel with fine, bright bore & crisp rifling; strong blued finish to metalwork, only a few minor blemishes & scattered storage marks overall; top of breech marked with crisp Yugoslavian Communist crest/ **M 48 A**; lhs action marked with Cyrillic alphabetical markings; matching bolt cycles smoothly, strong springs & sears; 2-20 graduated rear tangent sight, retains steel cleaning rod; matching hardwood stock in presents exceptionally well, some light handling marks; K98 style polished steel cupped buttplate; overall in exc. wo & cond. #50196 L/R *A lovely example in unissued condition.* 700 - 900

- 631. LITHGOW SHT. LE MK. III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with f. bore, rifling is well-defined but peppered with light to moderate pits; thinning blued finish to metalwork has turned to a grey patina, traces of khaki paint finish remaining on breech; rhs body socket marked with **A** within star/ **LITHGOW/ SHT.LE/ III** / within shield/ **1916**; matching no. bolt cycles but feels a little rough, strong springs & sears; original 2-20 graduated rear sights; woodwork bearing light bruising & handling marks overall; rhs stock with faint markings, brass disc inlay; brass buttplate with trap; overall in g. wo & cond. #57335 L/R **500 - 700**
- 632. REMINGTON MOD. 7600 P/A RIFLE:** .30-06 Sprg. cal.; 4 rnd. box mag.; 22 1/2" barrel with exc. bright bore & sharply-defined rifling; matte black finish to metalwork, some light oxidation in areas but free from pitting; **REMINGTON ARMS CO., ILION** address marked to lhs barrel, make & model to lhs receiver; action cycles freely, strong springs & sears; retains original front & rear sights, fitted with **SIMMONS WHITETAIL** 2-10 x 44 scope; black synthetic stock bearing some surface marks but in g. sound cond.; factory rubber recoil pad; overall in exc. wo & f. cond. #B8548535 Cat B L/R **400 - 600**
- 633. FINE & DESIRABLE MAUSER MOD. 410B B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 23 7/8" round barrel with exc. bright bore & crisp rifling; strong original blued finish to metalwork, only light storage marks & some v. minor oxidation speckled staining, presents v. well; **MAUSER** trademark to top of breech, **MAUSER-WERKE OBERNDORF A N** marked to lhs action, proofs to lhs breech; bolt cycles freely, strong springs & sears; 30-200 graduated rear tangent sight & blade front; walnut stock with Schnabel style forewood end; nicely figured walnut, woodwork in vgc., only light handling marks overall; chequering to grip sharply-defined; large **MAUSER** trademark roundel & **GERMANY** stamps to rhs stock are sharply-defined; original bakelite buttplate with large chip to top rhs but other exc.; overall in exc. wo & vg. cond. #219517 L/R **700 - 900**
- 634. TERNI CARCANO M.38 B/A SHORT RIFLE:** 6.5x52m/m cal.; 5 rnd. integral mag.; 22" barrel with p. to f. bore, well-defined rifling but scattered oxidation scale throughout, should clean up; blued finish to metalwork presents well, some light wear & oxidation staining; **R. E. TERNI** under crown to top of breech along with **1940 XVIII** stamps to rhs; lhs breech has marked with British **BNP** proofs, & additional proofs to lhs barrel; **CAL 6.5** to top of sight block; bolt cycles well, strong sears; missing cleaning rod; woodwork in vg. overall cond., some scattered handling marks to surface, presents well; overall in f. to g. wo & g. to vg. cond. #RT2313 L/R **200 - 400**
- 635. INTER-WAR IZHEVSK ARSENAL MFG. MOSIN NAGANT MOD. 91/30 B/A RIFLE:** 7.62x54m/mR cal.; 5 rnd. integral mag.; 29" barrel with f. to g. bore, clean overall with well-defined rifling, some fine pit peppering throughout & last 3/4" of rifling has been bored out; thinning military blued finish to metalwork, some light staining; arsenal markings, **1938** marked to top of breech, boxed Finnish **SA** cartouche mark to lhs barrel; matching bolt cycles freely, strong springs & sears; std. 1-20 graduated tangent sights & globe front; retains cleaning rod; hardwood stock presents decent, woodwork bearing some staining, a few scuffs & marks but confined to surface; overall in g. wo & cond. #HT1238 L/R **600 - 800**
- 636. SCARCE PERSIAN CONTRACT CZECH MFG. M.30 B/A CARBINE:** 7.92x57m/m cal.; 5 rnd. mag.; 18" barrel with exc. bright bore & crisp rifling; strong blued finish to majority of metalwork, polished finish to bolt, presents v. well; top of breech marked with crisp Persian coat of arms, extensive Farsi markings to carbine incl. of lhs action, breech & sight graduations; faint British **BNP** proofs marked to lhs breech & an addition of a serial no to rhs; non-matching bolt cycles freely, strong springs & sears; original tangent sights; complete with steel cleaning rod, slings swivels & saddle ring to lhs barrel band; hardwood butt & hand guard present v. well, have been lightly cleaned up & refinished; sharply-defined Farsi markings marked to rhs stock; blued steel buttplate; overall in exc. wo & vg. cond. #Z2314 L/R *An interesting piece made by Brno under contract for the Persian military.* **1000 - 1500**

637. **TIKKA MFG. MOSIN NAGANT M.27 B/A SERVICE RIFLE:** 7.62×54m/mR; 5 rnd. integral mag.; 28" barrel, bore bright & rifling is well-defined, has been oiled & needs a clean but appears vg.; blued finish to metalwork presents well, honest wear thinning finish on action to a slight grey patina; top of barrel marked with Tikka triangular trademark, **31372/ F/ 1928**; matching bolt cycles freely, strong springs & sears; 4-8 graduated rear sight, blade front; retains steel cleaning rod; two-piece hardwood stock presents well, some scattered light handling marks but free from cracks & repairs; steel buttplate; fitted with leather & canvas sling; overall in exc. wo & g. to vg. cond. **#31372 L/R** **900 - 1200**
638. **DANZIG ARSENAL MFG. GEWEHR 98 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 30" barrel with f. bore, well-defined rifling, fine pit peppering throughout & last 1" of rifling has been bored out; blued finish developed a dark patina on barrel, mottled grey patina on action; top of breech marked with defined crown over **DANZIG/ 1915, Gew. 98.** marked to lhs action; trio of proofs to rhs breech; non-matching bolt cycles freely, strong springs & sears; 4-20 graduated early style ramp rear sights; missing steel cleaning rod, retains one swivel; walnut stock presents decent & remains unrestored, defined inspection marks to rhs butt; woodwork bearing general handling marks & some bruising; steel buttplate; fitted with period leather sling; overall in g. wo & f. to g. cond. **#4811 L/R** **700 - 900**
639. **AMBERG ARSENAL GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with g. bore, relatively bright with well-defined rifling, some light pitting & oxidation scale; thinning original blued finish to metalwork now mottled grey patina, some oxidation scale overall; top of breech marked with well-defined crown/ **AMBERG/ 1891**, trio of proofs to rhs & serial no. marked to lhs breech & barrel; **Gew. 88** marked to lhs action; matching bolt cycles smoothly, strong springs & sears; 5-20 graduated rear sight; retains steel cleaning rod; woodwork in g., sound cond., bearing some handling marks, light peening but presents well; overall in vg. wo & g.+ cond. **#4663c L/R** **700 - 900**
640. **DANZIG ARSENAL GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with g. bore, relatively bright with well-defined rifling, some light pitting; thinning re-blued finish to metalwork now a dark patina, some pit peppering on breech & barrel; top of breech marked with well-defined crown/ **DANZIG/ 1891**, trio of proofs to rhs & serial no. marked to lhs breech & barrel; **Gew. 88** marked to lhs action; bolt cycles smoothly, strong springs & sears; 5-20 graduated rear sight; retains steel cleaning rod; woodwork in g., sound cond., bearing some handling marks, darkened patches & light bruising; overall in vg. wo & f.+ cond. **#1821 L/R** **600 - 900**
641. **SAKO MFG. MOSIN NAGANT M.39 B/A SERVICE RIFLE:** 7.62×54m/mR; 5 rnd. integral mag.; 28" barrel, bore bright & rifling is well-defined, vg. cond.; blued finish to metalwork presents well, honest wear thinning finish on action to a slight grey patina; top of barrel marked with **SA** boxed cartouche/ Sako **S** trademark, **253467/ F/ 1944**; markings are sharply-defined; U.S. importers marks etched to underside of barrel, a serial no. has been discreetly applied to rhs action in port; matching bolt cycles freely, strong springs & sears; 2-8 graduated rear sight, blade front; retains steel cleaning rod; two-piece hardwood stock presents v. well, some scattered light handling marks but free from cracks & repairs; steel buttplate; overall in exc. wo & g. cond. **#253467 L/R** **900 - 1200**
642. **WWII ERA TULA ARSENAL SCOPED MOSIN NAGANT MOD. 91/30 B/A RIFLE:** 7.62×54m/mR cal.; 5 rnd. integral mag.; 29" barrel with f. bore, rifling is well-defined but powdery oxidation is developing throughout, should grade up with a clean; strong blued finish to majority of metalwork, some light handling marks, polished finish to bolt; top of barrel marked with Tula star & fletched arrow trademark, **1944/ No/ TN138**; top of breech has been laser etched with U.S. importers address & calibre; matching bolt cycles freely, strong springs & sears; std. 1-20 graduated tangent sight & globe front; fitted with PU-style scope, clear optics, top of tube marked with hammer & sickle mark; retains steel cleaning rod; woodwork has been cleaned up, presents well with v. light finish; some light handling marks; fitted with canvas & leather sling; steel buttplate; overall in g. wo & g. to vg. cond. **#TN138 L/R** *Would grade up with a bore scrub & clean.* **1200 - 1600**

643. **ENFIELD NO. 4 MK. I B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. to vg. bore, rifling is v. well-defined, some fine frosting; blued finish to metalwork thinning to a grey patina in areas, some minor oxidation staining; some markings have been ground off lhs body socket, **M47/ 1943** remain; new serial no. peen-etched to lhs action along with faint **No4 MK I**; U.S. importers marks etched to underside of barrel; non-matching bolt cycles freely, strong springs & sears, std. simple flip up peep sight; woodwork in g.+ cond., some light handling marks & bruising but presents well; overall in exc. wo & g. cond. **#MK404490** L/R **500 - 700**
644. **EARLY TULA ARSENAL MFG. MOSIN NAGANT MOD. 1891 B/A RIFLE:** 7.62×54m/mR cal.; 5 rnd. integral mag.; 32" barrel with p. bore; thinning military blued finish to metalwork has developed an even grey patina, some wear; **1899/ No23198** marked to top of breech, boxed Finnish **SA** cartouche mark to lhs barrel; matching bolt cycles freely, strong springs & sears; **2 - 8 1/2** graduated rear sight, blade front; retains cleaning rod; hardwood two-piece stock presents decent, woodwork bearing some staining, a few scuffs & marks but confined to surface mainly, one slither of woodwork lost beside rear of action; overall in f. wo & cond. **#23198** L/R **400 - 600**
645. **FINNISH MFG. MOSIN NAGANT M.39 B/A SERVICE RIFLE:** 7.62×54m/mR; 5 rnd. integral mag.; 28" barrel with g. bore, some powder residue but rifling is sharply-defined, needs a clean; strong blued finish to metalwork; top of barrel marked with boxed **SA** cartouche, **VKT** (Valtion Kivääritehdas) trademark/ serial no. & **1941**; US. importers marks laser etched to underside of barrel before muzzle; matching bolt cycles freely, strong springs & sears; **1.5 – 10** graduated rear sight, blade front; complete with swivels & steel cleaning rod; hardwood, two-piece stock in vgc.+, a few minor handling marks but in unissued cond.; steel buttplate; overall in g. wo & vg. cond. **#66019** L/R **700 - 1000**
646. **WWII ERA B.S.A. No. 5 MK I JUNGLE CARBINE:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; g. bore, quite bright with well-defined rifling, some fine pitting; military grey finish to majority of metalwork, thinning blued finish to mag & bolt with black finish; lhs of action marked with faint **No5 MKI**; lhs body socket marked with **M47/C / 1945/ ENGLAND/ 7777/ C10043**; lhs barrel marked with **BNP** re-proofs to ahead of handguard; std. peep sights with 2 – 8 graduations & knurled sight slide to ladder; non-matching bolt cycles freely, strong sears; woodwork in vg. cond. overall, has been lightly cleaned back; standard cupped butt plate with rubber centre; fitted with period canvas sling; overall in vg. wo & g. cond. **#C10043** L/R **900 - 1200**
647. **IZHEVSK ARSENAL MFG. MOSIN NAGANT MOD. 91/30 B/A RIFLE:** 7.62×54m/mR cal.; 5 rnd. integral mag.; 29" barrel with f. to g. bore, clean overall with well-defined rifling, some fine pit peppering throughout; armourers blued finish presents well, some handling marks & staining overall; arsenal markings, **1943** marked to top of breech, U.S. importers name & **GEORGIA** address marks laser etched to lhs action; bolt cycles freely, strong springs & sears; std. tangent sights & globe front; retains cleaning rod; two-piece hardwood stock presents decent, woodwork bearing a few scuffs & marks but confined to surface; overall in vg. wo & g.+ cond. **#PK3300** L/R **500 - 700**
648. **WWII LUFTWAFFE CONTRACT 'AR/41 CODE' MAUSER MFG. K98K B/A SERVICE RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 23 3/4" barrel with f. to g. bore, slightly dull & with fine, pin-prick pitting throughout but rifling remains sharply-defined; original blued finish to metalwork has developed a dark patina overall, some light wear & frosting patches in areas; red finish to bolt release strong, thinning on extractor; top of breech marked with **ar / 41**, lhs marked with **X** over **1099/e**, serial no. again to lhs barrel; **Mod. 98** to lhs action; rifle bearing several proofs, rhs breech marked with trio of Waffenamts, eagle proof to lhs breech & barrel; rhs barrel marked with U.S. importers marks; majority of parts are non-matching; bolt cycles freely, strong springs & sears; 1-20 graduated tangent sight, blade front sight with hood; retains steel cleaning rod; original laminated stock presents well, general battlefield handling marks & bruising but structurally sound, g.+ cond.; **1099** marked to lhs & underside, faint Waffenamt marks to rhs butt; fitted with leather sling; overall in vg. wo & g. cond. **#1099e** L/R *An honest example of the scarce Luftwaffe issue K98k Mauser Service Rifle. Made by Mauser Borsigwalde (Berlin) in 1941* **1500 - 2000**

649. **DANZIG ARSENAL MFG. GEWEHR 98 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 30" barrel with f.+ bore & well-defined rifling, peppered with fine pits; original finish has thinned to a grey patina, presents honest & free from heavy pitting; top of breech marked with faint crown over **DANZIG/ 1914, Gew. 98.** marked to lhs action; std. trio of proofs to rhs breech has been lightly marked over with crude number; matching bolt cycles freely, strong springs & sears; 4-20 graduated early style ramp rear sights; retains steel cleaning rod & swivels; walnut stock presents ok, general handling marks & light bruising but large section of toe has been cracked & repaired; steel buttplate; fitted with period leather sling; overall in g. wo & f. to g. cond. #6142 L/R 700 - 900
650. **D.W.M MFG. ARGENTINE MAUSER MOD. 1909 B/A RIFLE:** 30-06 Sprg. cal.; 5 rnd. integral mag.; 30" barrel with dark & dirty bore, some oxidation present but appears light, rifling is well-defined; strong blued finish to metalwork, some minor handling marks; top of breech marked with crisp Argentinian crest, lhs marked **MAUSER MODELO/ ARGENTINO 1909.**, D.W.M full name & **BERLIN.** to lhs action; lhs breech has been stamped with **CAL. 30-06;** all matching numbers incl. bolt, woodwork & steel cleaning rod; bolt cycles freely, strong springs & sears; original 3-20 graduated rear sight; walnut stock has darkened, some handling marks & surface residue; steel buttplate with some minor staining; overall in g. wo & f. to g. cond. #D9834 L/R *Could possibly become a good shooter after bore is cleaned & inspected.* 300 - 500
651. **MAUSER A-G MFG. GEWEHR 98 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 30" barrel with f.+ bore & well-defined rifling, peppered with fine pits, some oxidation scale; original finish has thinned to a brown patina, presents decent; top of breech marked with **WAFFENFABRIK/ MAUSER A-G/ OBERNDORF A/N / 1917, Gew. 98.** marked to lhs action; std. trio of proofs to rhs breech; serial no. marked to lhs breech & barrel; matching bolt cycles freely, strong springs & sears; 4-20 graduated early style ramp rear sights; retains steel cleaning rod & swivels; walnut stock & handguard sections bearing handling marks & bruising but presents decent; fitted with period leather sling & flip-up muzzle dust cover; overall in g. wo & f. to g. cond. #6808 L/R 700 - 900
652. **D.W.M. MFG. PORTUGUESE MAUSER MOD. 1904 B/A RIFLE:** 8×57m/m Mauser cal.; 5 rnd. integral mag.; 24" barrel with fine, bright bore, rifling is crisp; blued finish to metalwork presents v. well, some light wear but confined mainly to mag. floor plate; sharply-defined **ESPINGARDA PORTOGUESA 6.5 MOD. 1904** to lhs of breech, crown/ **IC** monogram to top; DWM full name & **BERLIN** to lhs of action; matching no. bolt cycles smoothly, strong trigger sear; std. tangent sights with 2 – 20 graduations; retains steel cleaning rod & swivels; woodwork presents well, some light handling marks to nicely figured walnut but vg.+ overall cond.; fitted with period leather sling; overall in exc. wo & vg. cond. #A4854 L/R 800 - 1100
653. **HUSQVARNA MFG. SWEDISH MAUSER M.96 B/A RIFLE:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 24" barrel + 2" flash hider; vg. bright bore & sharply-defined rifling, needs a clean; blued finish to metalwork thinning to a grey patina in areas some frosting in areas; **HUSQVARNA VAPENFABRIKS/ AKTIBOLAG/ 1941** marked to top of breech; matching bolt cycles smoothly; std. sights fitted with 2-6 graduations; retains steel cleaning rod; sling swivels to barrel band & underside of stock; woodwork in g. to vg. overall cond., bearing some light handling marks, has been heavily refinished; brass disc inlaid to rhs of stock marked with several numbers & **Torped Overslag;** matching steel butt plate; overall in exc. wo & g. cond. #606202 L/R 600 - 800
654. **KOKURA ARSENAL MFG. SIAMESE TYPE 46/66 MAUSER B/A RIFLE:** 8×52m/m cal.; 5 rnd. integral mag.; 30" barrel with p. to f. bore, dark & dirty bore, appears to have some heavier pit peppering; blued finish to metalwork presents decent, has turned to a dark patina, some handling marks; top of breech stamped with chakram symbol, Thai characters to top of action, arsenal marks to lhs of action; mechanically vg., action cycles well & strong trigger sear; missing cleaning rod & dust cover; armoury ground down sight ramp to adjust for rechambering, Thai graduation marking to sights; two-piece hardwood stock in f. to g. cond., some general handling scuffs & bruising but structurally sound; steel butt plate with swivel trap; overall in f. wo & f. to g. cond. #238 L/R 200 - 400

655. **FINE LOEWE MFG. CHILEAN MAUSER MOD. 1895 B/A RIFLE:** 7×57m/m cal.; 5 rnd. integral magazine; 30" barrel; bright, vg. bore, rifling sharply-defined; strong blued finish to majority of parts, bright polished finish to bolt & vivid nitre blueing to some small parts; Chilean crest to top of breech, **MAUSER CHILENO MODELO 1895 / MANUFACTURA LOEWE BERLIN** to lhs of action; all matching numbers bolt, abbreviated serial no. marked to several small parts; matching bolt cycles smoothly; matching no. steel cleaning rod; sling swivels to lhs barrel band & lhs stock with saddle ring on sling swivel; std. sights with 5 to 20 graduations; woodwork in vg.+ cond., some light handling marks & scattered bruises to well-figured walnut; lhs stock marked with crisp Chilean crest roundel; steel buttplate; overall in exc. wo & vg.+ cond. **#D5759 L/R A fantastic example in unissued condition.** **1200 - 1600**
656. **D.W.M MFG. ARGENTINE MAUSER MOD. 1909 B/A RIFLE:** 7.65×53m/m Mauser cal.; 5 rnd. integral mag.; 30" barrel with fine, bright bore & sharply-defined rifling; original blued finish to barrel & certain small parts, some light wear; bright polished finish to action & bolt; some minor handling marks but presents v. well, nitre blueing on bolt release & sights; top of breech marked with crisp Argentinian crest, lhs marked **MAUSER MODELO/ ARGENTINO 1909.**, D.W.M full name & **BERLIN.** to lhs action; all matching numbers incl. bolt, woodwork & steel cleaning rod; bolt cycles freely, strong springs & sears; original 3-20 graduated rear sight with strong nitre bluing; walnut stock bearing some light handling marks overall but has patchy dark staining on butt; Argentine crest mark to rhs stock is sharply-defined; steel buttplate with some minor staining; overall in exc. wo & g. cond. **#H1270 L/R** **900 - 1200**
657. **IZHEVSK ARSENAL MOSIN-NAGANT M.38 B/A CARBINE:** 7.62x54Rm/m cal.; 5 rnd. integral mag.; 21" barrel with g. bore, rifling well-defined & relatively bright fine pit peppering throughout; strong blued finish to metalwork, some light handling marks to surface & wear on profiles but presents well; top of breech marked with Izhevsk fletched arrow arsenal marks, **1943** (with Russian 3)/ serial no.; matching bolt cycles freely, strong springs & sears; original 1-10 graduated tangent rear sight & globe front, complete with cleaning rod & folding spike bayonet; two-piece hardwood stock is in sound cond., presents fair, bearing plenty of surface marks & scuffs; original steel buttplate; overall in vg. wo & f. to g. cond. **#PE1434 L/R** **700 - 900**
658. **ORNATE SPANISH SINGLE BARREL MIQUELET FOWLER by D. RRADURAS:** 18 bore approx., flaring slightly at muzzle; 35 1/4" two-stage barrel with octagonal breech third, ornate wedding band to round remainder; g. bore, dusty but breech half appears bright; dark patina to majority of metalwork incl. iron furniture; some light frosting & staining in areas; **FER/OLA/ VE** & Lion sunken gold cartouches to breech, top of barrel inlaid with **D. RRADURAS** in gold; ornate bevelled lockplate & springs, strong lock spring & sears are holding; retains period ramrod but missing one of the three thimble guides; walnut flat-side half stock presents well, bearing general light handling marks & bruising overall; some chips to lock tail & aged crack to nose, lhs forestock; chequering to wrist & forestock is well-defined; steel buttplate; overall in f. cond. **N/L A very high quality fowler from the late 18th century, presents as a good honest example.** **2500 - 3000**
659. **BRITISH INDIA PATT. 'BROWN BESS' TYPE 1 FLINTLOCK MUSKET:** 10 bore; 39 1/4" barrel with f. bore, dark & dirty, pitting visible; even dark plum patina to metalwork, some patches of cleaned pitting on barrel & some deep scoring externally; neck of cock, lockplate & breech with patchy pitting; dull patina to brass furniture; border engraved, rounded lock, marked **TOWER** to tail; crown/ **GR** to centre is partially obscured by fine pitting; lhs breech marked with Ordnance proofs stamps; lock with strong spring tension, sears holding; correct cock, pan shape & shoulder for type 1; bayonet stud/ foresight; lacking swivels, incorrect short ramrod; walnut stock in f. to g. cond., glued repairs to forewood rhs, losses at nose cap to both sides & to rear rhs barrel pin hole; general handling marks & moderate bruises; f. to g. cond. overall. **N/L C.1805** **2000 - 2500**

660. **SCARCE DUBLIN CASTLE BRITISH SHORT LAND PATTERN FLINTLOCK MUSKET:** .780 cal.; 42" barrel with p. bore; barrel has been cleaned back previously, dark mottled patina to barrel, some fine pitting in areas; silvery-grey patina to lock, some fine pitting; mellow finish to brass furniture; lock tail marked with defined **DUBLIN/ CASTLE**, centre with defined crown/ **GR** & Ordnance crowned-arrow stamp; Ordnance proof & maker stamp to breech; strong lock springs & sears, complete with swivels & ramrod; woodwork presents well overall, forestock a grafted replacement after ramrod pipe; some handling marks, scattered bruises & minor losses along barrel channel to forestock; wrist with large brass escutcheon marked **2/ 23**; overall in g. cond. **N/L** c.1790 **2750 - 3500**
661. **BRITISH FLINTLOCK INDIA PATTERN MUSKET:** .780 cal.; 39 1/2" barrel with f. bore, dusty & some oxidation but doesn't appear heavily pitted; metalwork has been previously cleaned back to a silvery-grey patina overall, frosted appearance with heavier pitting to breech area; bright, cleaned finish to brass furniture; incorrect lock from a Windus pattern East India Co musket, tail stamped **1815** & bearing the **EICo** prancing Lion emblem; breech stamped with Ordnance proofs & **S172**; butt tang engraved *Co Sligo No 90* also stamped **S172**; strong lock springs & sears; complete with restored sling swivels & ramrod; g. cond. well refinished walnut stock, v. minor scratches & bruises, butt lhs with Ordnance Storekeeper's stamps, incl **B/TO** & issue date **4/1831**; overall in g.+ cond. **N/L** *A fascinating musket, made c. 1815 & issued to the Sligo Militia (Ireland) in April 1831. Presents well.* **2000 - 2750**
662. **BRITISH INDIA PATTERN TYPE II. FLINTLOCK MUSKET:** .780 cal.; 39 1/4" barrel with p. to f. bore, brown oxidation scale throughout, would clean up; barrel speckled with small patches of dark staining & pitting, grey cleaned finish to difference; brass furniture to mellow finish; breech stamped with faint Ordnance proofs; lock marked **TOWER** to tail, crown / **GR** & small crowned-arrow stamp to centre; lock with ring-neck cock, incorrect replacement top jaw & screw, strong springs & sears; complete with original sling swivels & ramrod; g. walnut full stock, presents well with honest older bruising & handling marks, g. profiles; Ordnance viewer's stamps to underside of wrist behind bottom tang; brass buttplate; overall in g. cond. **N/L** c.1814 *A good example that would grade up with little effort* **2750 - 3250**
663. **BOSS & Co. SINGLE TRIGGER SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 1/2" chambered; 28" barrels choked approx. cyl. & 1/8; exc. bright bores, right hand barrel with v. subtle rivel; strong reblued finish to barrels & small parts, presents exc.; silvery grey finish to locks & action with 60% coverage of thinning case colours; lhs action & ball fence with some v. minor pit peppering; top rib engraved **BOSS & Co, 73 St. JAMES'S STREET, LONDON;** London **V & P, 1 1/8 OZ NITRO PROOF** marks to barrels & action tables; action, fences, tangs & locks with Boss's signature, fine rose & scroll engraving, sharply-defined & covering most surfaces; locks engraved with five floral bouquets, **BOSS & Co** within scroll banners, **BOSS'S PATENT** to top of action below tables; underside of action ahead of trigger guard engraved **BOSS'S PATENT/ No22894**; gold **2** is inlaid to top rib, top lever & forend iron; assisted opening action locks up tight & on face, strong springs & sears, mechanical single trigger & perfectly timed ejectors; manual safety with gold inlaid **SAFE**; walnut straight stock & splinter forend in vg. overall cond., a few minor handling marks & light bruising; gold escutcheon to underside of stock engraved **B.E.L.**; nicely figured walnut, stocked to the fences with tear drops to lock tails; chequering to wrist & forend is defined, bearing a few minor marks; small aged partial crack to underside of forend; metal-to-wood fit is vg. overall; fitted with a quality walnut extension, measures 13 5/8" LOP from trigger to end of original walnut, 15" LOP incl. extension; 6lb 9oz weight; overall in exc. wo & near vg. cond. **#5330 L/R** **9000 - 12000**

664. **BOSS & Co. SINGLE TRIGGER SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 1/2" chambered; 26" shortened barrels, now cyl. & cyl. choked; exc. bright bores; strong reblued finish to barrels, presents exc.; silvery grey finish to locks & action; top rib engraved **BOSS & Co, 13 DOVER STREET, PICADILLY, LONDON. W.;** London V & P, **1 1/8 OZ NITRO PROOF** marks to barrels & action tables; action, fences, tangs & locks with Boss's signature rose & scroll engraving, sharply-defined & covering most surfaces; locks with no less than six floral bouquets, **BOSS & Co** within scroll banners; underside of action engraved **BOSS & Co/ PATENT**, an additional **BOSS'S PATENT/ No11278** ahead of trigger guard; gold **1** is inlaid to top rib, top lever & forend iron; assisted opening action locks up with some movement, strong springs & sears, mechanical single trigger & perfectly timed ejectors; manual safety with gold inlaid **SAFE**; screw heads vg.; walnut straight stock & splinter forend in vg. overall cond., a few minor handling marks & light bruising; vacant gold escutcheon to underside of stock; nicely figured walnut, stocked to the fences with tear drops to lock tails; chequering to wrist & forend is well-defined, bearing a few minor marks; small aged partial crack to underside of forend; metal-to-wood fit is vg. overall; fitted with a distressed foam rubber recoil pad, measures 13 1/4" LOP from trigger to end of walnut; 6lb 5oz weight; overall in vg. wo & cond. **#6073 L/R** **6000 - 8000**
665. **BRITISH INDIA PATTERN FLINTLOCK MUSKET TYPE II:** .758 Cal, 39" barrel with p. bore, dark & caked with oxidation scale throughout; mottled dark grey patina & patches of frosting majority of barrel, even grey patina to lockplate; mellow finish to brass furniture; border engraved lockplate marked **TOWER** to tail & crown over **GR** to centre; ordnance proofs marked to lhs breech; markings all clear & well-defined; strong lock springs & crisp sears, ring-neck cock; complete with swivels & repro ramrod; bayonet lug to top of barrel; walnut full stock presents v. well, general aged handling marks & scattered bruising, retains vg. metal-to-wood fit; plain brass buttplate with mellow patina; overall in vg. cond. **N/L c.1815**
Presents v. well **3000 - 3750**
666. **V.C. SCHILLING KAR. 88 B/A CARBINE:** 7.92x57m/m cal.; 5 rnd. mag.; 18 1/2" barrel with bright bore & sharply-defined rifling, some scattered pit peppering but g. overall; original blued finish to metalwork thinning to a mottled brown patina, original finish stronger in protected areas; top of breech marked **V.C. SCHILLING/ SUHL/ 1892.**, lhs of action marked **Kar 88**; rhs barrel band with unit markings **BIT.F.3.16.**; serial no. **7136e** marked to lhs breech, barrel & bolt; spoon handle bolt cycles smoothly, strong sears & springs; 5 – 12 graduated rear sights; well figured walnut stock in vgc. overall, some light storage marks & minor scuffs; armourers join repair to forestock with joining chip; steel buttplate; overall in vg. wo & g.+ cond. **#7136 L/R** **600 - 900**
667. **ENFIELD LEE-METFORD MK. I* B/A RIFLE:** .303 cal.; 8 rnd. single stack mag.; 30" barrel with f.+ bore, Metford rifling defined but peppered with fine to moderate pits; metalwork has developed a v. dark patina overall, pre refinish frosting present to most external surfaces but presents decent; rhs body socket marked cypher/**V.R/ ENFIELD/ 1890/ L.E./ I***; serial no. **9517/ I** marked to rhs breech & barrel, non-matching bolt marked with serial (no. **8735L**); bolt cycles smoothly, rifle retains volley sights, dust cover to bolt & bolt head, mag. cutoff, correct style mag with chain link; 6-18 graduated rear ladder sight; walnut stock presents decent, some scattered bruising & general handling marks, profiles well-defined; steel disc inlaid to rhs stock; steel buttplate with trap, butt tang marked **EFD/ B/ 442**; overall in exc. wo & g. to vg. cond. **#9517I L/R** **1100 - 1400**
668. **D.W.M. MFG. PORTUGUESE MAUSER MOD. 1904 B/A RIFLE:** 8x57m/m Mauser cal.; 5 rnd. integral mag.; 24" barrel with exc. bore, caked with oxidation scale, rifling appears defined; worn blued finish to metalwork now a silver-grey patina; **ESPINGARDA PORTUGUESA 6.5 MOD. 1904** to lhs of breech, crown/ **IC** monogram to top; DWM full name & **BERLIN** to lhs of action; matching bolt cycles smoothly, strong trigger sear; std. tangent sights with 2 – 20 graduations; no cleaning rod; woodwork presents well, bearing some spotted blemishes to surface but only light handling marks; overall in f. cond. **#818 L/R** **600 - 800**

669. **DUTCH GEWEER M.1895 B/A SERVICE RIFE:** 6.5×53m/mR; 5 rnd. mag.; 32” barrel with f. bore, dark & caked with oxidation, rifling appears defined; v. dark patina to metalwork with coverage of fine to heavy pitting to most metal surfaces, excluding non-matching bolt; lhs of action marked **HEMBRUG 1919**, top of breech marked **6785C**; bolt cycles freely, strong sears; 3 – 20 graduated rear sight; woodwork in sound original cond., bearing plenty of surface marks & bruising; rhs of stock inlaid with small brass plate marked **1-Ku./232**; steel butt plate; overall in f. wo & cond. **#67856** L/R *Would grade up.* **600 - 800**
670. **VERY RARE BRITISH PATTERN 1792 DUKE OF RICHMOND MUSKET** by **H. NOCK:** .73 Cal; 28” round barrel, smooth bore; g bore; hook breech with Ordnance proofs; mottled brown patina to barrel; **H NOCK** engraved & Ordnance marked screwless, crisp lock; fitted with modern flash guard; regulation brass furniture for this pattern musket; o/a vg walnut stock with repair to middle of forewood and near lock tail; stable age split below lock; clear 1786 storekeeper’s stamp to RHS of butt’. o/a vg wo & cond. c. 1795. *Barrel reduced from 42”, with rod & stock also reduced accordingly. A great arm deserving of restoration project. One of only 7 known examples. N/L* **3000 - 3500**
671. **BOER ERA D.W.M. MFG. MAUSER MOD. 1896 B/A RIFLE:** 7×57m/m cal; 5 rnd. integral mag.; 30” barrel with f. bore, some moderate pitting in grooves of lightly defined rifling; mottled grey patina to majority of metalwork externally; strong nitre blueing to mag. follower; D.W.M. full name over **BERLIN** to lhs of action; serial no. **2036** marked to lhs of breech, several small parts, non-matching bolt; mechanically exc. with smooth cycling bolt, g. trigger sears; std. sights with 4 to 20 graduations; blade front sight; missing cleaning rod; woodwork in overall vg. cond., light coloured walnut with only minor scattered handling marks & light bruising; rhs butt carved with ornate initials **C.C.** ; steel butt plate; overall in g. wo & g.+ cond. **#2036** L/R **900 - 1300**
672. **HISTORICALLY SIGNIFICANT CASED WESTLEY RICHARDS PINFIRE SHOT & BALL GUN:** 20 bore pinfire cal.; 25” twist damascus barrels with f. bores, patchy fine to moderate pitting throughout; original browned finish to barrels has thinned to a soft plum patina overall with g. pattern definition, small blemish to rhs barrels; soft grey patina to action & locks with traces of case colours in protected areas; top rib engraved **WESTLEY RICHARDS & Co. 170 NEW BOND ST LONDON.**; makers name marked again to plain lock plates; Birmingham proofs marked to barrels & action table along with **37** marked to both; Jones underlever action locks up tight, strong back action lock springs & sears, matching hammers; sling stud to underside of barrel & butt; nicely figured walnut straight stock & splinter forend, woodwork bearing a few surface marks & light bruising while retaining 80%+ of its original varnished finish; metal-to-wood fit is exc.; horn forend tip; steel buttplate; rhs butt with convex, ovate silver escutcheon engraved: **Presented to/ R. H. D. White Esq./ By the/ Queensland Government/ June 23rd 1868**; comes presented in a full length period oak case marked **J. EBENSTON/ MAKER/ BRISBANE**; case with sound partitions, blue baize lining with some insect damage; case contains a variety of original accessories incl. two piece loading press, **JAMES DIXON & Co** marked 20 bore pinfire roll crimper & capping tool, powder dippers & period ball mould; overall in vg. cond. *N/L An exceptional outfit which was presented to N.S.W. Bank manager Captain Robert White for ‘gallantry’ after a shootout with five bushrangers at the Currie Hotel in Gympie, QLD. The Rockhampton Bulletin Tuesday 23rd June 1868 quotes the Colonials Secretary’s Office, Brisbane: “it affords me very great pleasure to present to you, on behalf of the Queensland Government, a double-barrelled needle gun with ammunition and necessary implements as a token of their high appreciation of conduct so meritorious”. A great piece for the Australian collector.* **5000 - 6000**
673. **CONTINENTAL PINFIRE D.A. REVOLVER:** .38 pinfire cal.; 6 shot cylinder; 6” (151m/m) barrel with g.+ bright bore & sharply-defined rifling, some surface oxidation; silver-grey patina to metalwork with some brown light staining in areas; no makers name or proofs visible; frame, breech & cylinder with light coverage of scroll engraving; cylinder indexing well, strong springs & sears but hammer spur has broken off; chequered ebony grips, lhs grip has small copper stock tag nailed to top which has split the top half, rh grip vg.; overall in f. to g. cond. **#210** Pre 1900 L/R **300 - 500**

674. **MONTENEGRIN GASSER MOD. 1873 D.A. REVOLVER:** 11.3×36m/mR cal.; 6 shot cylinder; 7 1/2" (183m/m) round barrel with p. bore; 70% nickel plated finish to metalwork, majority of losses on cylinder & frame; lhs breech marked **GASSER/PATENT/ GUSS-STAHL**, lhs frame marked with **SCHUTZ-MARKE** trademark; **ELG** Belgian proof marked to face of cylinder; matching no. to cylinder & frame; the big clunky action functions well, strong springs & sears are holding well; frame with light coverage of primitive engraving; smooth bone grips present decent some general handling marks, repaired section to lhs grip & some partial hairline fractures; lanyard ring to butt of backstrap; overall in f. to g. cond. **#1904** L/R Pre 1900 **400 - 600**
675. **MONTENEGRIN GASSER MOD. 1880 D.A. REVOLVER:** 11.3×36m/mR cal.; 5 shot fluted cylinder; 4 3/4" (121m/m) barrel with p. bore, metal slag in grooves at muzzle, may have been plugged at some stage & removed; dark brown-grey patina to metalwork, some handling marks & frosting; **1829** marked to cylinder & rhs frame, faint proof to rhs breech; top-break action locks up with some movement, cylinder indexing but trigger return spring is v. weak/ broken; unusual cast grips depicting jungle scene of a soldier aiming revolver at big cat (leopard/jaguar/tiger); grips are matching & in g. cond., some handling marks; lanyard ring to butt of backstrap; overall in f. cond. **#1829** Pre 1900 L/R *A good talking piece with some very interesting grips.* **400 - 600**
676. **EXCEPTIONAL PRUSSIAN PRESENTATION REVOLVER by H. LEUE & TIMPE of BERLIN:** .44 Russian cal.; 6 shot cylinder; 6 1/2" (168m/m) octagonal barrel with near exc. bore, mirror with sharply-defined rifling overall, some small oxidation patches to surface but vg. overall; 70%+ original glossy blued finish to majority of metalwork presents well, thinning to an even soft grey patina on straps & trigger guard, frame with areas of strong case colours; front & rear sights retain much of their nitre blued finish; entire revolver with gold border & pin-dot inlay including barrel flats, frame, cylinder etc.; frame, straps & barrel with crisp oakleaf & scroll banner engraving, Imperial Eagle / Reichsadler motif engraved to trigger guard; cylinder finely engraved with cavalry & field battle scene; **H. LEUE & TIMPE HOFBUCHENM./ BERLIN** engraved to extractor rod; strong mechanically, cylinder indexing smoothly, strong spring tension & sears; some screw heads burred; carved ivory grips both in vgc., only minor surface marks to both & a mellow appearance; grip retaining screws with gold inlaid wreath surrounds; lanyard ring to butt of backstrap; overall in exc. wo & vg. cond. **#40680** Pre 1900 L/R *An superb revolver from Heinrich Leue & Johann Friedrich Timpe of Berlin. This piece commissioned to commemorate the Franco Prussian War 1870-1871.* **5000 - 6000**
677. **PRE-WAR ERFURT MFG. LUGER P08 S/A PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g. bore, sharply-defined rifling & relatively bright, some minor oxidation scale & grooves; 85%+ strong original blued finish to metalwork, honest holster wear to sides of muzzle & frame; small parts incl. extractor & safety with areas of strong straw finish; crown / **ERFURT** marked to top of toggle, **1912** to top of breech; serial no. **2562** marked to lhs breech, frame abbreviated **62** marked to all small parts excluding mag.; mechanically fine, strong springs & crisp sears, toggle retracts smoothly; vg.+ cond. walnut grip panels with sharply-defined chequering overall, some residue in lh grip but otherwise exc.; comes in **1915** dated **STEINMETZ/ BRESLAU** marked leather holster with spare mag. & multi tool; holster presents well, leather with some light wear overall & hole to rear; overall in exc. wo & vg. cond. **#2562** L/R Mfg. 1912 *A very nice, untouched example of a pre war Luger which features no stock lug to the back strap. Has seen very little use.* **1800 - 2400**
678. **WWII MAUSER MFG. LUGER P08 SERVICE PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g. to vg. bore, rifling is sharply-defined, some fine pitting overall & residue in grooves; what appears to be the original blued finish to metalwork presents well, honest wear to profiles thinning finish to a silvery grey patina, some small patches of pitting to front rhs frame; **1940** marked to top of breech, **42** marked to top of toggle; serial no. **103** marked to lhs breech & abbreviated **03** marked to all small parts; lhs breech marked with trio of Waffenamts, additional to barrel; toggle retracts freely, strong springs & sears, crisp trigger; none matching alloy base mag. (**#5551**) walnut grip panels are in g.+ cond., some general holster wear & handling marks to both but chequering remains well-defined; comes in 1916 dated brown leather holster with spare mag. & multitool; holster in g. overall cond., with general wear & tear, small hole in mag. housing; overall in exc. wo & g. to vg. cond. **#103** L/R Mfg. 1940 **1800 - 2200**

679. **SWEDISH HUSQVARNA MFG. M40 'LAHTI' S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4 1/2" (116m/m) barrel with vg. to exc. bright bore with sharply-defined rifling; blued finish to metalwork presents decent, thinning on frame to a mottled grey patina from holster wear; small patch of oxidation to rhs frame; lhs mantle marked **HUSQVARNA VAPENFABRIKS A.B., L** inspection marks to lhs breech, frame, barrel & small parts; pistol bearing British **BNP** reproofs to underside barrel, lhs of frame; serial no. **10832** marked to lhs frame, mantle; mechanically exc., bolt retracts freely, strong springs & sears; original chequered black plastic grip panels present well, some minor handling marks; comes with period vgc. leather holster, flap marked with trio of crown marks; holster housing a spare magazine; overall in exc. wo & g.+ cond. #10832 Pre 47' L/R **800 - 1200**
680. **SCARCE WEBLEY-FOSBERY MODEL 1902 AUTOMATIC REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (154m/m) barrel with vg. bore, bright with strongly defined rifling throughout, some superficial frosting; re-blued finish to metalwork presents well, still bearing some scattered light pits peppering barrel & frame; lhs of top strap marked with "**WEBLEY FOSBERY**", lhs of frame marked with **W & S** flying bullet trademark & **455 CORDITE**; **BV** proofs to lhs of top strap, chambers & rhs of frame; knurled hammer with strong spring tension & sears, cylinder indexing correctly, some movement on recoil rail but functions well; matching no. cylinder; hard rubber grips present v. well, sharply-defined chequering to both, small chip to head of rh grip & fine partial crack to lh grip under safety; lanyard ring to butt pf backstrap; comes with contemporary leather holster; overall in exc. wo & vg. cond. #4337 Pre 47' L/R **5000 - 7000**
681. **MASSIVE S/A AUTO MAG PISTOL MOD. 180:** .44 A.M.P cal.; 7 rnd. mag.; 6 1/2" (165m/m) barrel with exc. bright bore & sharply-defined rifling; bright brushed finish to stainless steel barrel & action, frame with matte finish; lhs action marked **AUTO MAG/ .44 AMP MODEL 180/ PASADENA. CALIFORNIA/ PAT PENDING**; bolt retracts 'freely' (needs a very firm grip), strong springs & sears, ventilated top rib; large chequered plastic grips are in vg. cond., sharply-defined chequering but both need a clean; comes in a generic black plastic carry case; overall in exc. wo & near exc. cond. #A00761 Post 46' L/R *An absolute behemoth of a pistol. Comes with an additional set of chequered walnut grips so you can feel just like Inspector Callahan in Sudden Impact, 1983.* **1500 - 2000**
682. **MERWIN & HULBERT LGE. FRAME POCKET ARMY S.A. REVOLVER:** .44 W.C.F (.44-40 Win.) cal.; 6 shot fluted cylinder; 7" (177m/m) barrel with f. bore, well-defined rifling but patchy pitting throughout, some heavier pits towards muzzle, remainder is bright; worn original blued finish to metalwork thinned to a plum patina, some wear & handling marks; defined single line **MERWIN & HULBERT Co.** patents to top of barrel, lhs of barrel markings **THE HOPKINS & ALLEN Manufacturing Co. Norwich. Conn. U.S.A.**; lhs of frame marked **CALIBRE/ WINCHESTER 1873**; mechanically vg, action locks up tight, strong springs & sears; action locks up with minimal movement, strong springs & cylinder indexing well; original hard rubber grips are in g.+ cond., chequering is defined, chequered motif to top of both, some light handling marks; lanyard ring to butt of backstrap; overall in vg. wo & g. cond. #20953 Mfg. c. 1876 L/R *A scarce example with only 5% of Merwin Hulbert production leaving the factory with a blued finish.* **2000 - 2500**
683. **SCARCE E. REMINGTON 1858 NEW MODEL CARTRIDGE REVOLVER:** .44 rimfire cal.; 6 shot cylinder; 8" (203m/m) octagonal barrel with g. bright bore, rifling is well-defined but some light pit peppering in grooves; revolver retains 50%+ thinning original glossy blued finish to majority of metalwork, mellow finish to brass trigger guard; top of barrel marked with lightly defined patents/ **E. REMINGTON & SONS. ILION. NEW YORK. U.S.A./ NEW MODEL**; strong springs & sears, cylinder indexing well; retains loading lever to underside of barrel but modified to fit the extractor rod, rhs frame milled for loading metallic cartridges; smooth walnut grips are in g. cond., some handling marks & light bruising but present well; overall in exc. wo & g. cond. #94043 Pre 1900 L/R *A nice example of these interesting transitional revolvers.* **1750 - 2250**

684. **WEBLEY MK. VI D.A. SERVICE REVOLVER & REPO BAYONET:** .455 Webley cal.; 6 shot fluted cylinder; 5" (149m/m) barrel with vg. bright bore & well-defined rifling, some powder residue in grooves; reblued finish to metalwork, some wear to profiles & small patchy losses to lhs barrel but presents well; lhs of the frame marked **WEBLEY / MARK VI / PATENTS / 1919**, lhs top strap marked **MARK "VI"; GR** proofs to barrel & chambers, broad arrows marked to several parts; action locks up tight, cylinder indexing correctly, strong springs & sears; original hard rubber grips in g. to vg. cond., some handling marks & scuffs but chequering remains well-defined; lanyard ring to butt of backstrap; comes with Pritchard-Greener bayonet & scabbard, reproduction piece with a wobbly locking mechanism; overall in exc. wo & g. cond. **#436979** L/R 1919 Mfg. **1000 - 1400**
685. **E. REMINGTON MOD. 1875 SINGLE ACTION 'IMPROVED ARMY' REVOLVER:** .44 W.C.F (.44-40 Win.) cal.; 6 shot fluted cylinder; 7 1/2" (190m/m) barrel with bright bore & crisp rifling, vg. overall; original nickel-plated finish to metalwork has worn, now a mottled grey patina overall, nickel finish remaining on protected areas; top of barrel marked with **E. REMINGTON & SONS. ILION. N.Y. U.S.A.**; mechanically strong, cylinder indexing well, crisp sears; original smooth walnut grips present decent, general aged handling marks & light bruising to both, chipping along rh grip butt edge; serial no. marked to frame under grips; lanyard ring to butt; overall in exc. wo & g. cond. **#13220** Pre 1900 L/R *A nice, honest example of Remington's answer to the Colt S.A.A. Around 25,000 of these were made in their 1875-1889 production run.* **2250 - 2750**
686. **REMINGTON 1858 NEW MOD. ARMY S.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (205m/m) octagonal barrel; bore with scattered patches of oxidation staining & fine pitting, would clean up but considered f.; thinning original blued finish to metalwork, 20%+ remaining with majority on barrel, spotted losses & a grey patina to remainder of revolver; pitting around strap & nipples; lightly defined three line **PATENTED. SEPT. 14. 1858/ REMINGTON & SONS. ILION, NEW YORK. U.S.A./ NEW-MODEL.** to top of barrel; cylinder indexing, strong springs & sears holding; pinched blade front sight; smooth walnut grips in vg. cond., nicely figured walnut & only light handling marks, present v. well; overall in g.+ cond. **#452** Pre 1900 L/R *Does not look to have seen much work.* **1100 - 1300**
687. **SCARCE DEANE-HARDING D.A. PERCUSSION REVOLVER:** 53 bore (.458 cal.); 5 shot cylinder; 6 1/8" (156m/m) octagonal barrel with vg. bright bore & sharply-defined three-groove rifling; original gloss blued finish to metalwork, 60% remaining, majority of losses on barrel trigger guard, lhs frame; some scattered small patches of pit peppering overall; border engraved frame, top strap engraved **DEANE & SON, LONDON BRIDGE.**, rhs frame engraved **DEANE-HARDING PATENT No. 5009 L**; London **V & P** proofs to lhs barrel, chambers; markings all sharply-defined; matching numbers to cylinder, underside of barrel; cylinder indexing well, strong springs & sears; two-piece frame, central bullet rammer; front sight has been glued into dovetail; single piece walnut grip in f. to g. cond., chequering remains sharply-defined, some handling marks & light chipping; steel but cap; overall in vg. wo & g. cond. **#5009L** Pre 1900 L/R **1200 - 1600**
688. **SMITH & WESSON SAFETY HAMMERLESS D.A. POCKET REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 3 1/2" (90m/m) barrel with g. to vg. bright bore, sharp rifling with two small spots of oxidation or fine pitting; revolver retains nearly all (95%+) of its original nickel finish to frame, cylinder & barrel, strong case colours & blueing to small parts, thinning on trigger guard; top of integral rib to barrel marked with crisp two-line **SMITH & WESSON SPRINGFIELD** address/ patents; mechanically exc., knurled grip safety allows action to index, d.a. only, with strong springs & sears; hard rubber grips bearing no visible wear, **SW** monogram & chequering to both are crisp, lhs grip retains patent markings to bottom; rh grip with chip to top rhs, fine crack to butt; overall in exc. wo & vg.+ cond. **#81460** Pre 1900 L/R *Remarkably well preserved. One for the S & W collector* **600 - 900**
689. **COLT OPEN TOP POCKET MOD. RIMFIRE REVOLVER:** .22 short cal.; 7 shot cylinder; 2 1/2" (62m/m) barrel with g. bore, sharply-defined rifling with some patchy frosting or oxidation scale, would clean up; thinning original blued finish to barrel & cylinder 40% remaining with an even grey patina to the difference; mellow finish to brass frame; small parts incl. hammer & trigger with flashes of strong nitre blueing; two-line **HARTFORD** address marked to top of barrel, lhs frame marked **22 CAL**; cylinder indexing correctly, strong springs & sears; silver blade front sight; screw heads vg.; smooth grips in vg., both retain 80%+ original varnish, some light surface marks; overall in vg. cond. **#66588** Pre 1900 L/R *A fine little example.* **800 - 1200**

690. **E. REMINGTON MOD. 95 U/O DERRINGER:** .41 rimfire short cal.; 3" (76m/m) barrels with g. bores, some patchy frosting/ light pitting, rifling is crisp; bright nickel finish to metalwork presents well, appears to have been a quality refinish, markings & profiles remain sharp; thinning blued finish to small parts; **REMINGTON ARMS CO. ILION. N.Y** marked to top of integral barrel rib; mechanically exc., strong springs, sears, striker selecting well & action locks up tight; hard rubber chequered grip panels present well, some light handling marks but chequering is well-defined; overall in g. to vg. cond. #**L98852** Pre 47' L/R **600 - 800**
691. **E. REMINGTON MOD. 95 U/O DERRINGER:** .41 rimfire short cal.; 3" (76m/m) barrels with g. to vg. bright bores, some minor oxidation scale or frosting but rifling is crisp; 40% original blued finish has thinned to a soft grey patina overall, original blueing still evident in protected areas; well-defined **REMINGTON ARMS CO. ILION. N.Y** marked to top of integral barrel rib; mechanically exc., strong springs, sears, striker selecting well & action locks up tight; gutta percha grip panels present well, chequering well-defined some v. minor handling marks, both appear slightly shrunken; overall in exc. wo & vg. cond. #**8845** Pre 1900 *A good, honest example of these iconic 19th century derringers* **600 - 800**
692. **PRE-WAR COLT MOD. 1911A1 S/A SERVICE PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5" (127m/m) barrel with vg. bright bore, sharply-defined rifling with some light pitting; pistol has been reblued, finish remains strong but still bearing some fine pit peppering in areas; lhs of slide marked with two-line patents, rampant horse trademark (faint), **COLT'S PT.F.A. MFG. CO/ HARTFORD. CT. U.S.A.**; rhs slide marked **MODEL OF 1911 U.S.ARMY**; rhs frame marked **UNITED STATES PROPERTY/ NO. 711967**; top of slide marked with **P** proof, lhs trigger guard marked with **VP** verified proof & **W** inspection mark; mechanically exc., slide retracts smoothly, strong sears & springs; replacement walnut grip panels with the earlier diamond pattern, both in g. cond. with well-defined chequering, some light handling marks; lanyard ring to butt of frame; overall in exc. wo & g. cond. #**711967** Mfg. 1937 L/R *A scare transitional 1911A1 still bearing the MODEL OF 1911 markings.* **2000 - 2500**
693. **POLISH SPORTOWY MOD. TT 33 S/A RIMFIRE PISTOL:** .22 LR cal.; 8 rnd. mag.; 4 1/2" (116m/m) barrel with exc. bore, sharply-defined rifling; blued finish to metalwork presents exc., some minor storage & handling marks; lhs slide etched **„Sportowy”**, top of slide marked with makers **11** in circle trademark/ **1955**; slide retracts freely, strong springs & sears; grooved black plastic grips; overall in exc. wo & near exc. cond. #**S7928** Post 46' L/R **300 - 500**
694. **CHINESE TYPE 51 S/A TOKAREV CLONE PISTOL:** 7.62x25m/m Tokarev cal.; 8 rnd. mag.; 4 1/2" (114m/m) barrel with exc. bore, dusty but looks to be unfired; blued finish to metalwork presents flawless, some minor storage marks; Chinese markings to top of slide, serial no. & **66** marked to lhs frame; slide retracts freely, strong springs & sears; grooved black plastic grips with five-point star to centres; overall in exc. wo & cond. #**85001** Post 46' L/R Mfg. between 1950-1954 **300 - 500**
695. **FRENCH UNIQUE MOD. D3 S/A RIMFIRE TARGET PISTOL:** .22 LR cal.; 10 rnd. mag.; 210m/m barrel with vg. bright bore & sharply-defined rifling; blued finish to metalwork presents decent, light wear overall; **“UNIQUE” Mod/D.3** & cal. marked to rhs slide; slide retracts freely, strong springs & sears; mag. a little still to release; crude replacement grips, some superficial surface cracks; overall in g. wo & cond. #**571585** Post 46' L/R **150 - 300**
696. **BELGIAN FOLDING TRIGGER PINFIRE REVOLVER:** 7.5m/m pinfire cal.; 6 shot cylinder; 85m/m octagonal barrel with dark & dirty bore, considered p.; metalwork has been cleaned back to a silvery grey patina overall; Liege proof to cylinder; cylinder is indexing & sears hold; crudely fashioned replacement wood grips; overall in f. wo & cond. #**Z026F** Pre 1900 L/R **50 - 100**
697. **SMITH of LONDON S/B PERCUSSION FOLDING TRIGGER PISTOL:** 42 bore; 1 3/4" turn-off round barrel with f. bore; metalwork has been cleaned back to a silvery finish, some light pitting still present; light scroll engraving to action, **SMITH** to lhs, **LONDON** engraved to rhs; Birmingham proofs to breech & barrel; action working well, strong springs & sears; flat sided walnut butt, some minor handling marks but presents well; overall in g. cond. **N/L** **400 - 600**

698. **SMITH of LONDON S/B PERCUSSION TURN-OFF PISTOL:** .40 cal.; 2" round barrel with p. bore; dark patina to majority of metalwork, some oxidation scale & fins pitting in areas; action with light coverage of scroll engraving, **SMITH** to lhs, **LONDON** to rhs, both within scroll banners; Birmingham proofs to breech & barrel; action needs work, trigger spring broken, some replacement screws; flat sided walnut butt in p. cond., losses to lhs head & cracks to rhs; overall in p. cond. **N/L** 200 - 400
699. **BELGIAN M. DOZIN D.A. FOLDING TRIGGER POCKET REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 1 1/2" (39m/m) barrel with p. bore; nickel finish to metalwork presents patchy; lhs breech marked **A&C**, Belgian proofs to rhs; **M.DOZIN/ BREVETTE** marked to frame under grips; action frozen, needs attention; walnut grips in g. cond., some wear to finish & general wear; overall in p. wo & f. cond. **#0007** Pre 47' L/R *Would grade up significantly with some minor work, main spring appears warped.* 50 - 100
700. **BELGIAN FOLDING TRIGGER RIMFIRE POCKET REVOLVER:** .22 Long cal.; 5 shot fluted cylinder; 44m/m barrel with g. bore & well-defined rifling; nickel finish to metalwork presents f., some handling marks & losses; **22L** to lhs frame, Belgian proofs to breech; cylinder indexing occasionally, missing some sort of floor plate on frame; chequered wooden grip panels present decent, some handling marks to both; overall in f. cond. **#472** Pre 47' L/R 100 - 200
701. **F.N. BABY BROWNING S/A VEST POCKET PISTOL:** .25 ACP; 6 rnd. mag.; 53m/m barrel with dirty bore, rifling is sharply-defined but considered f. until cleaned; blued finish to metalwork presents decent, honest holster wear to profiles; FN full name, Belgian address & **BROWNING'S PATENT DEPOSE** marked to rhs of slide; mechanically exc., slide retracts freely, crisp trigger; matching black plastic grip panels with **BROWNING** to top; grips in vgc. with sharply-defined chequering; comes in cigar box with spare pair of **FN/ BABY** grip panels; overall in g. wo & cond. **#288988** Post 46' L/R 200 - 400
702. **SMITH & WESSON MOD. 629 D.A. REVOLVER:** .44 Magnum cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with vg. bright bore & sharply-defined rifling; polished finish to stainless steel metalwork presents well, some minor surface marring; lhs barrel marked **SMITH & WESSON**, rhs marked **44 MAGNUM**; **SW** monogram trademark, four-line address to rhs frame; strong springs & sears, cylinder indexing well; original walnut two-piece grip in g. cond., **SW** silver medallions inlays, chequering well-defined; overall in exc. wo & g. to vg. cond. **#N874852** Post 46' L/R 800 - 1200
703. **SMITH & WESSON MOD. 686-6 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with vg. bright bore & crisp rifling, needs a clean; bright brushed finish to majority of stainless-steel metalwork, some surface marring; bright polished finish to cylinder; makers name & cal. marked to barrel, **SW** trademark monogram etched to lhs frame, four-line address stamped to rhs; cylinder indexing well, strong springs & sears; factory two-piece fancy walnut grips in vg. cond., some minor handling marks but chequering, acanthus scroll carved bordering etc. is all sharply-defined; overall in exc. wo & vg. cond. **#CZS8774** Post 46' L/R 600 - 800
704. **SMITH & WESSON MOD. 645 S/A PISTOL:** .45 ACP cal.; 8 rnd. mag.; 5" (127m/m) barrel with bright bore & sharply-defined rifling, needs a clean but appears vg.; stainless steel metalwork, brushed finish to sides of frame & slide, satin finish elsewhere, some handling marks & surface marring; **SMITH & WESSON** marked to lhs slide, four-line address; slide retracts freely, strong springs & sears; fitted with Pachmayr rubber slip on grip but missing all four retaining screws; overall in exc. wo & g. cond. **#TAM0070** Post 46' L/R 500 - 700
705. **ARGENTINE F.M.A.P MOD. 1927 S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5" (127m/m) barrel with bright bore & crisp rifling, needs a clean; thinning original blued finish to metalwork, honest holster wear to slide; lhs slide marked **D.G.F.M.- (F.M.A.P.)**, rhs marked **EJERCITO ARGENTINO/ SIST. COLT CAL. 11.25mm. MOD. 1927** along with a well-defined crest; matching slide & frame; slide retracts freely, strong springs & sears; grooved wooden grips in f. cond., general handling marks & chunk missing to rh grip above retaining screw; overall in exc. wo & f. to g. cond. **#65589** Pre 47' L/R *An interesting 1911 clone made by Fabrica Militar de Armas Portatiles* 400 - 600

- 706. RUSSIAN IZHEVSK MFG. MAKAROV S/A PISTOL:** 9×18m/m Makarov cal.; 8 rnd. mag.; 94m/m barrel with fine bore, mirror with crisp rifling; strong blued finish to metalwork, presents flawless & bearing only a few storage marks; **nx6335** marked to slide & frame, Izhevsk arsenal trademark & **1984** marked to lhs frame; mechanically strong, slide retracts freely; original bakelite grips in near exc. cond., a few superficial handling marks; overall in exc. wo & cond. **nx6335** Mfg. 1984 L/R **400 - 600**
- 707. BULGARIAN MFG. MOD. TTC S/A PISTOL:** 7.62×25m/m Tokarev cal.; 8 rnd. mag.; 4 1/2" (116m/m) barrel with g. bore & sharply-defined rifling, some superficial frosting; strong blued finish to metalwork, some minor handling marks overall; Bulgaria Arsenal Factory **10** mark to lhs trigger guard; slide retracts but requires a good oil, strong springs & sears; original black plastic grooved grips in g. cond., a few minor surface chips but both present well; overall in g. wo & vg. cond. **#CK5720** Mfg. 1953 L/R **400 - 600**
- 708. WALTHER PPK. S/A POCKET PISTOL:** .32 ACP cal.; 7 rnd. mag.; 84m/m barrel with vg. bright bore & sharply-defined rifling; original blued finish to metalwork presents well, light holster wear to finish on profiles; lhs of slide marked with **WALTHER** trademark banner, full name & **Modell PPK Cal. 7.65mm;** **N** proofs to rhs of slide & rhs of barrel at breech; slide retracts freely, strong springs & sears; vgc. brown plastic chequered grip presents well; **WALTHER** banner trademark & chequering to both sides of grip are well-defined, some light surface marks; overall in exc. wo & vg. cond. **#163806** Mfg. 1967 L/R **600 - 800**
- 709. RUSSIAN IZHEVSK MFG. MAKAROV S/A PISTOL:** 9×18m/m Makarov cal.; 8 rnd. mag.; 94m/m barrel with fine bore, mirror with crisp rifling; strong blued finish to metalwork, presents flawless & bearing only a few storage marks; **na2865** marked to slide & frame, Izhevsk arsenal trademark & **1987** marked to lhs frame; mechanically strong, slide retracts freely; original bakelite grips in near exc. cond., a few superficial handling marks; fitted with synthetic lanyard; overall in exc. wo & cond. **na2865** Mfg. 1987 L/R **400 - 600**
- 710. ENFIELD No.2 MK I D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (127m/m) barrel; vg. bright bore, sharply-defined rifling, some leading; black painted finish to metalwork presents well, thinning some minor handling marks & wear; **DT** & double star marks to rhs of frame; mechanically exc., action locks up tight, cylinder indexing well; grooved walnut grips with some handling marks, surface chips, f. to f. cond.; overall in exc. wo & g. cond. **#ZA208** Post 46" L/R **400 - 600**
- 711. ROMANIAN CUGIR MFG. MOD. TT-33C S/A PISTOL & HOLSTER:** 7.62×25m/m Tokarev cal.; 8 rnd. mag.; 4 1/2" (116m/m) barrel with vg. bore & sharply-defined rifling; strong blued finish to metalwork, some minor handling marks overall; serial no & Cugir arsenal mark to lhs frame, underside of frame laser etched with discreet **M-M** U.S. importers marks; slide retracts but requires a good oil, strong springs & sears; black plastic grooved grips in g. cond., a few minor surface chips but both present well; comes with period fitted leather holster, spare mag & cleaning rod; overall in g. wo & vg. cond. **#BP528** Mfg. 1953 L/R **500 - 700**
- 712. WWII ERA MAUSER MFG. '42 byf' P08 LUGER S/A SERVICE PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g. bore, rifling is sharply-defined with superficial frosting & fine pit peppering in patches; blued finish to metalwork presents well, thinning to a grey patina on top of the breech & at muzzle, some fine pitting to lhs muzzle; **42** marked to top of breech, **byf** to top of toggle; serial no. (struck **X** before) **8265** marked to lhs breech, abbreviated **65** marked to all externally visible small parts incl. mag. & spare mag.; pair Waffenamts **135** marks to rhs breech along with eagle proof, another on barrel; mechanically exc., toggle retracts smoothly, crisp sears; refinished chequered walnut grips panels both in g. cond., some light handling marks & general wear; comes with correct black leather hardshell holster marked with clear **jme** (Armee Marinehaus Berline)/ **1942/ WaA14 & P.08** stamps to back; overall in exc. wo & g. to vg. cond. **#8265** Mfg. 1942 L/R *A lovely outfit for the collector.* **2000 - 2500**
- 713. BULGARIAN MFG. MOD. TTC S/A PISTOL & HOLSTER:** 7.62×25m/m Tokarev cal.; 8 rnd. mag.; 4 1/2" (116m/m) barrel with vg. bore & sharply-defined rifling; strong blued finish to metalwork, some minor handling marks overall; Bulgaria wreath mark to lhs trigger guard; slide retracts but requires a good oil, strong springs & sears; original black plastic grooved grips in g. cond., a few minor surface chips but both present well & wreath crest to centre of both is defined; comes with period fitted leather holster, spare mag & cleaning rod; overall in exc. wo & vg. cond. **#CA3369** Mfg. 1950 L/R **500 - 700**

714. **BOXED F.N. BABY BROWNING S/A VEST POCKET PISTOL:** 25 ACP; 6 rnd. mag.; 53m/m barrel with shiny bore & crisp rifling, vg. to exc.; blued finish to metalwork presents exc., some dried grease & minor storage marks; FN full name, Belgian address & **BROWNING'S PATENT DEPOSE** marked to lhs of slide; mechanically exc., slide retracts freely, crisp trigger; matching black plastic grip panels with **FN** monogram to top, **BABY** to bottom; grips in vgc. with sharply-defined chequering; comes in original tatty cardboard box with manual & cleaning brush; overall in exc. wo & vg.+ cond. #114205 Post 46' L/R 400 - 600
715. **BOXED FRENCH MANURHIN MFG. MOD. PPK S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 85m/m barrel with bright bore & sharply-defined rifling, needs a clean but appears exc.; blued finish to metalwork is strong in areas but scattered patches of losses, fine pitting patches brings it down to fair cond.; lhs of slide marked with French address, trademarks & licenses; slide retracts freely, strong springs & sears; one-piece brown plastic grips with well-defined chequering, **MANURHIN** trademark embossed to both grips; comes in the original but tatty crocodile skin textured cardboard box, retains owner's manuals & built certificate; overall in exc. wo & f. cond. #291089 Post 46' L/R 200 - 400
716. **BOXED SMITH & WESSON MOD. 1902 HAND EJECTOR 'LADYSMITH' 1st MOD. REVOLVER:** .22 S.&W. rimfire; 7 shot fluted cylinder; 3" (78m/m) barrel with vg. bright bore, rifling well-defined & only a few small scattered pits; 80%+ original nickel finish to metalwork, some light pitting & staining to difference, mainly confined to cylinder; trigger & hammer with areas of strong case colours; sharply-defined markings, two-line **SPRINGFIELD** address to top of barrel, **22 S.&W. CTG** to lhs barrel; **SW** monogram trademark to lhs frame; mechanically g., strong springs & sears; majority of screw heads untouched; original hard rubber grips present exc., on small flat spot in otherwise sharply-defined chequering to rh grip, **SW** monograms to top of both grips; pistol comes in the original cardboard box with **DIRECTIONS FOR USE** trade label; box is in g.+ cond., front corners are tatty but presents well; overall in exc. wo & g. to vg. cond. #898 L/R *A nice, honest example of the first model Ladysmith. One of only 4,575 produced during the 1902 -1906 run.* 700 - 1000
717. **STIRLING S/B HAMMER SHOTGUN:** 12G, 2 3/4" chambered; 30" barrel, full choked, exc. bright bore; strong blued finish to barrel & vivid case colours to action, some scattered handling marks but presents decent; **STIRLING** marked to lhs barrel; action locks up tight, but some movement on head of stock; strong lock springs & sears, auto ejector; woodwork in g. overall cond., small partial crack around top tang but otherwise bearing only surface marks to finish; overall in vg. wo & g. cond. #19091 L/R *Hasn't seen much work.* 50 - 100
718. **REMINGTON MOD. 552 SPEEDMASTER S/A RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. mag.; 23 1/2" barrel with vg. bright bore & crisp rifling, could use a clean; relatively strong blued finish to barrel, some oxidation staining; bright finish to alloy receiver, some handling marks; lhs receiver marked **Remington Speedmaster 552**, top of barrel marked with **ILION, N.Y.** address & makers full name; action cycles freely, strong springs & sears; original sights; woodwork showing little wear and only v. minor handling marks overall, a partial crack either side of either side of stock head, no movement but would need attention; black plastic butt plate, fitted with period leather sling; overall in exc. wo & f. to g. cond. #97879 Cat D L/R 300 - 500
719. **BERETTA MOD. OLYMPIA S/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 20 1/2" round barrel with bright bore & sharply-defined rifling, some minor pits, g. overall; blued finish to metalwork presents ordinary, speckled with oxidation & scale on most surfaces; dull patina to brass breech & bolt handle; P. **BERETTA** & address to top of frame; bolt cycles freely, strong springs & sears; original fixed rear sight & blade front; hardwood stock bearing only light handling marks overall, toe of stock & bottom of buttplate have cracked through & require glueing; overall in exc. wo & f. cond. #3623 1953 Mfg. Cat C L/R *Would grade up significantly with some delicate rust removal.* 100 - 200

720. **WINCHESTER MOD. 1906 P/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. tube mag.; 20" barrel, muzzle has been crowned; bore in f. to g. cond., rifling is v. well-defined but peppered with light pitting throughout; blued finish to metalwork is f. overall, patchy with areas of surface oxidation speckling; strongly defined **WINCHESTER, NEW HAVEN** address to lhs barrel, calibre markings to lhs barrel at breech; action cycles freely, strong springs & sears, retains original sights; woodwork presents ordinary, general handling marks & bruising overall, grooved pump with partial crack to underside; retains original maker marked hard rubber buttplate; overall in vg. wo & f. cond. #392055 L/R 200 - 400
721. **CMC HOWA MOD. 1500 B/A SPORTING RIFLE:** .22-250 Rem. cal.; 5 rnd. mag.; 22" barrel with bright bore & sharply-defined rifling, some minor oxidation speckling towards muzzle but considered g. to vg. overall; blued finish to metalwork is f. overall, thinning to a grey patina on barrel; flaky blacked finish to alloy trigger guard & mag. floorplate; **MADE BY HOWA/ IN JAPAN** marked to rhs breech of barrel, makers name & model/ **OBERON, AUST.** address marked to lhs action; bolt cycles freely, crisp trigger; fitted with US Mfg. **LEUPOLD 3-9 x 40** scope on alloy bridge mount, clear optics; walnut stock in g. overall cond., some surface marks & light scuffs but sound; original plastic buttplate; overall in exc. wo & g. cond. #R000616 L/R 300 - 500
722. **ARISAKA ACTION B/A CUSTOM TARGET RIFLE:** .243 Win. cal.; 5 rnd. integral mag.; 26 1/2" heavy custom barrel with bright bore & sharply-defined rifling, dusty at muzzle end but appears exc.; blued finish to barrel presents decent, light wear, grey patina to action; Nagoya arsenal marking & original serial no. marked to lhs action, top of barrel marked .243" **WIN. BY. R.E.D. SEIP**; bolt cycles but can bind occasionally, custom bolt handle; dovetail mounts fitted to top of action; thumbhole laminated custom stock in vg. overall cond., some minor handling marks & bruising overall; fitted with **BOYDS** rubber recoil pad; overall in vg. wo & g. to vg. cond. #50205 L/R 200 - 400
723. **W.W. GREENER G.P. SHOTGUN:** 12G, 2 3/4" chambered; 30" barrel choked approx. full; g. to vg. bright bore, some patchy frosting; plum finish to action & blued finish to barrel with patchy surface oxidation staining, some patchy fine pitting in areas; makers name & address to lhs action, lhs breech marked with Birmingham **1 1/4OZ NITRO PROOF**; action functions freely, strong springs & sears, auto safety a little loose; walnut straight stock & forend in g. cond., some general handling marks overall, rhs stock with some bruising; chequering is defined; overall in vg. wo & f. cond. #2212 L/R 300 - 500
724. **CHARLES BOSWELL B.L.N.E S x S PIGEON SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. cyl & 1/2; g. bores, both need a clean but appear to have only patchy frosting in both; blued finish on barrels has worn to a grey patina which extends onto the small parts; **CHARLES BOSWELL MAKER 126 STRAND LONDON W.C.** engraved to top of file cut rib, pigeon motif engraved to breech section of top rib; Birmingham **1 1/4OZ NITRO PROOF** marks to barrel flats, **BSA** piled arms trademarks to each barrel; 80% coverage of acanthus scroll engraving to action with makers name within banner to both sides; action loose, locks are strong, auto safety; Greener style crossbolt & side clips; original splinter forend has been lacquered, presents ordinary but chequering defined, some minor chipping; walnut restock with bag style grip in near vgc., surface scratch to lhs & some minor marks; 15 1/4" LOP incl. 1 1/8" ventilated rubber recoil pad, 7lb 12oz weight; overall in g. wo & f. cond. #16518 L/R 300 - 500
725. **CHARLES BOWERMAN LTD B.L.N.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 1/4 & 3/4; vg. bores, both dirty but bright & free from pitting; original blued finish to barrels has thinned to a brown patina around forend, strong otherwise; border engraved action with some traces of case colours; top of rh barrel engraved **CHAS. BOWERMAN LTD, RELIANCE WORKS. BIRMINGHAM, ENG.** to top of lh barrel; Birmingham **1 1/8OZ NITRO PROOF** marks to barrel flats; action locks up tight & on face, strong locks & manual safety; walnut straight stock & splinter forend in g.+ cond., some minor handling marks overall & light chipping along lhs edge of forend but both are sound; well-defined chequering to wrist of stock & forend, butt of stock a little dull from rubber slip on recoil pad; 14 3/8" LOP to original grooved butt, 6lb 7oz weight; overall in exc. wo & g. to vg. cond. #772 L/R *A good honest gun for classic S x S shoots.* 700 - 900

726. **SAVAGE ARMS Co. MOD. 1920 B/A SPORTING RIFLE:** .250-3000 cal.; 5 rnd. mag.; 22" barrel with vg. bore & sharply-defined rifling, needs a clean; strong blued finish to metalwork, presents well overall with only minor handling marks; **SAVAGE ARMS CORP. & UTICA** address marked to top of barrel, cal. marked to lhs breech of barrel; **SAVAGE 1920 MODEL** marked to lhs breech of action above serial no.; bolt cycles smoothly, strong trigger sear; retains original pinned blade silver front sight & v-notch rear sights; fitted with **Nikon PROSTAFF** scope on alloy bridge mount, clear optics; walnut stock presents v. well with attractively figured walnut & sharply-defined chequering to grip & forestock; bearing a few minor handling marks overall & a subtle, partial, hairline crack running from lhs of top tang towards mag; retains its original steel buttplate with trademark stamped to toe; overall in exc. wo & near vg. cond. **#9367** L/R *A classic rifle that has seen very little work.* **600 - 800**
727. **BRNO MOD. ZKW-465 B/A SPORTING RIFLE:** .22 Hornet cal.; 6 rnd. mag.; 23" barrel with exc. bright bore & crisp rifling; blued finish to metalwork presents well, some minor storage marks but vg. overall; **22 HORNET** marked to top of barrel & **67** proof marked to lhs; breech marked **ZKW 465** & Brno full name to lhs action; bolt cycles freely, strong springs & sears, crisp double set triggers; original walnut stock has been modified, forestock has been shaved down & 'sleeved' with larger target style forewood, 1 3/4" walnut extension to butt & toe of stock has been replaced in a wedge; fitted with rubber recoil pad; overall in exc. wo & g. cond. **#31223** L/R *A great shooter but has lost its collector appeal.* **300 - 500**
728. **SAVAGE ARMS Co MOD. 219 S/S RIFLE:** .25 WCF (25-20 Win.) cal.; 26" round barrel with g. bore, bright overall with well-defined rifling, small patch of moderate pitting ahead of chamber; blued finish to metalwork, thinning to a plum patina on action, some oxidation staining on barrel; lhs breech has been drilled & tapped, fitted with **FIELD AUSTRALIA** mount which is housing a **tasco 1.75 – 5 x 20** scope, optics dusty & cloudy; action locks up tight, strong ejector & crisp trigger, auto safety; walnut stock & forend in f. cond., some general handling marks & small partial surface cracks to head of stock; large sticker to lhs stock outlining load data; overall in exc. wo & f. cond. **#VP020H** L/R **150 - 300**
729. **J. STEVENS A. & T. Co. MOD. 47 S/S RIMFIRE RANGE RIFLE:** .22 LR cal.; 28" heavy barrel with octagonal breech third, round remainder; bore with moderate pitting in breech half, lighter towards muzzle, rifling well-defined throughout; original blued finish to barrel has thinned to a speckled grey patina in most areas, patchy brown patina to action; top of barrel marked with clearly defined **CHICOPEE FALLS** address; action operates freely, strong springs & sears are holding; front globe sight & tang mounted period peep sight; some movement in barrel thread; Schnabel style forend & nightly figured walnut stock light handling marks & varnish wear to both but g. to vg. overall; retains its original vg. hard rubber buttplate with **STEVENS** & deer head motif to centre, a few superficial surface chips; overall in g. wo & f. cond. **#26158** L/R *An interesting little rifle that deserves some TLC* **200 - 400**
730. **L. REBLE S/B MARTINI STYLE SHOTGUN:** 12G, unknown chamber length; 31" barrel, round with octagonal breech half; vg. bright bore with some minor marks; thinning original blued finish to metalwork, has developed a plum patina on action & barrel has some oxidation staining; **L.REBLE LIEGE BELGIUM** marked to top of barrel; action operates freely, strong springs & sears; walnut stock with bag style grip, chequering showing wear, some handling marks but sound overall; forend with heavy bruising, p. cond.; ornate hard rubber buttplate with some chips to edge; overall in vg. wo & f.+ cond. **#4571** L/R *An interesting gun that'd clean up well.* **50 - 100**
731. **ITALIAN MFG. LYMAN S/B PERCUSSION HAWKEN RIFLE:** .45 cal.; 29" octagonal barrel with vg. bright bore & sharply-defined rifling, a little dusty at muzzle; strong bluing to barrel & vivid case colours to small parts, some light handling marks; makers name, U.S. address & Italian proofs marked to barrel; strong lock springs & sears to double set triggers; std. sights; retains ram rod; hardwood half stock in g. overall cond., some transport scuffs & knocks but would clean up; rhs stock inlaid with brass patch box, crescent buttplate; overall in exc. wo & g.+ cond. **#36762** L/R **300 - 500**
732. **ITALIAN RANSON 1863 PATT. ZOUAVE PERCUSSION MUSKET:** .58 cal.; 33" barrel with vg., bright bore & crisp three groove rifling; strong bluing to barrel & vivid case colours to small parts, some oxidation speckling overall; makers name & Italian proofs to barrel; strong lock springs & sears, std. sights; missing ram rod; woodwork in g.+ cond., some general handling marks & scuffs; brass furniture & patch box; fitted with leather sling; curved steel buttplate; overall in exc. wo & g. cond. **#2844** L/R **300 - 500**

733. **SAVAGE MFG. No. 4 MK. I* SPORTERIZED B/A TARGET RIFLE:** .223 Rem. cal.; 27" heavy stainless barrel with exc. bright bore & sharply-defined rifling, needs a clean; bright polished steel finish to barrel, some minor oxidation; original grey military finish & factory markings to **1942** dated action; bolt cycles freely, strong springs & sears; fitted with **BARSKA 6-24X44 R** scope on picatinny bridge mount, optics are a little cloudy; ordinary custom woodwork has been crudely sharpened around grip, general handling marks overall; thin rubber recoil pad; overall in exc. wo & f. cond. **#33C2554** L/R **200 - 400**
734. **LITHGOW MOD. 12 B/A RIMFIRE RIFLE:** .22 LR cal.; 7 rnd. mag.; 25" barrel with threaded muzzle & cap; bore dirty but appears vg. with sharply-defined rifling; blued finish to metalwork has developed a dark patina, some handling marks; **LITHGOW**, address, cal. markings to lhs barrel; bolt cycles freely, crisp trigger; retains std. sights, fitted with unmarked 3-9 x scope on alloy bridge mount; refinished stock presents well, some minor handling marks; original buttplate & grey spacer; overall in exc. wo & g. cond. **#59824** L/R **100 - 300**
735. **REMINGTON MOD. 591M B/A RIMFIRE SPORTING RIFLE:** 5m/m Remington rimfire cal.; missing 5 rnd. mag.; vg. bright bore & crisp rifling, a little dirty; blued finish to barrel has thinned to a grey patina, stronger on action; **REMINGTON ARMS CO.** & address marked to top of barrel along with **MODEL 591M/ FOR 5MM REM. ONLY**; bolt cycles but safety & trigger are frozen, needs work; fitted with **WEAVER V9-II 3-9** scope on bridge mount, optics are cloudy; hardwood stock in g.+ sound cond., some general handling marks & surface scuffs; retains original grip cap marked **REMINGTON / 5MM MAGNUM**; overall in f. to g. cond. **#1116522** L/R *An interesting rifle in need of some work.* **100 - 300**
736. **B.S.A. SPORTSMAN B/A S/S RIMFIRE RIFLE:** .22 LR cal.; 25 1/4" round barrel with vg. bright bore & sharply-defined rifling; blued finish to metalwork presents ordinary, some surface oxidation on action & muzzle half of barrel has thinned to a grey patina; BSA full name, address, trademark & **"SPORTSMAN"** marked to top of barrel, proofs to rhs breech of barrel; bolt cycles freely, strong springs & sears, std. sights; woodwork in near exc. cond., a few trace handling marks & possibly refinished but presents flawless; **BSA** trademark embossed to lhs stock; overall in exc. wo & g.+ cond. **#JB28777** L/R *Would make a great first rifle for the new shooter.* **100 - 300**
737. **B.S.A. MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/4" round barrel with f. to g. bore, well-defined rifling, fine pits throughout & dark grooves; silvery grey patina to metalwork, some patchy staining & pitting on barrel, pattern lightly etched on action; std. markings to action are well-defined; action operates freely, strong trigger springs & sears; incorrect rear sight & original front; woodwork in f. but sound cond., forewood a crude target style home fabrication & original stock has had grooves cut into comb; overall in g. wo & p. to f. cond. **#68896** L/R **50 - 100**
738. **GERMAN GECADO MOD. 60 S/S AIR RIFLE:** .177 cal.; 18" barrel with vg. bright bore; blue finish to metalwork presents well, some light wear & storage marks; makers name & marks to spring housing; g. spring tension; front glop & peep style rear sight, rubber eye piece perished; walnut stock in g. to vg. cond. overall, chequering to palm swell grip is well-defined; perished rubber recoil pad; overall in vg. cond. **#6620809** L/R **150 - 250**
739. **WEBLEY & SCOTT MOD. VULCAN S/S AIR RIFLE:** .22 cal.; 17" barrel with vg. bright bore; metal finishes present well, some minor handling marks & top of breech has been drilled & tapped; strong main spring but main/trigger sear not holding, needs work; peep sight; woodwork in f. overall cond., partial crack behind trigger guard; overall in f. cond. **#876975** L/R **20 - 50**
740. **G.R.I ISHAPORE B/A S.M.L.E SHOTGUN CONVERSION:** .410 cal.; 25" barrel with bright bore, some oxidation scale but considered g. overall; blued finish to metalwork has developed a dark patina, some fine pitting in areas; faint markings to rhs body socket incl. **SHT. LE/ III**; bolt cycles freely, strong springs & sears; retains original 2-20 graduated sights; woodwork in g. sound cond., some light handling marks & bruising but presents well; **512/** broad arrow/ **54** roundel stamp to rhs stock; original brass buttplate with trap; overall in vg. wo & g. cond. **#5588I** L/R **200 - 400**

741. **TIKKA MOD. M07 O/U COMBINATION GUN:** 12G, 2 3/4" chambered over .222 Rem. cal.; 25" shotgun barrel with vg. bright bore, choked approx. full; 24 1/2" (incl. muzzle break) rifle barrel with bright bore & well-defined rifling, some patchy dark spots, possibly oxidation scale or pitting, considered f. until cleaned; strong blued finish to metalwork overall, small patch of pitting to rhs breech, otherwise bearing only light handling marks; action locks up tight, barrel selector to lhs action, strong hammer springs & sears; knurled rib with flip up V-notch sights; hardwood stock & forend, skip-line chequering to grip & forend are well-defined, some general handling marks but head of stock is separating, small martial crack running an inch into wrist from top tang; overall in f. cond. **#41320** Cat B L/R *Would grade up significantly with some minor work.* 200 - 400
742. **MAUSER MOD. 98 B/A SPORTING RIFLE:** 7×64m/m cal.; 5 rnd. integral mag.; 26" barrel with exc. bright bore & sharply-defined rifling; strong reblued finish to metalwork, presents well, some minor pitting remains on small parts & bolt; **Mod. 98.** marked to lhs action, cal. marked to top of barrel; N proofs marked to lhs breech & barrel, Waffenamt mark to mag. well; bolt cycles freely, strong springs & crisp sears to double set triggers; quick-detachable mounts to breech & action; 30-200 graduated tangent sight with hooded blade front; sling swivels; walnut stock presents well, some handling marks & scuffs to otherwise sharply-defined chequering on grip & forestock; cheekpiece to lhs stock, black plastic grip cap & buttplate; overall in exc. wo & g. to vg. cond. **#5343** L/R *Appears to be a post war sporter build on a surplus military action.* 700 - 900
743. **BELGIAN S.P.R.L MAGI MFG. B.L.N.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with fixed chokes, approx. 3/4 & full; bright bores, vgc.; original blued finish to metalwork thinning to a dark plum patina, honest wear; silver-grey patina to action; leaf engraving to action with stag to either side; barrels marked with Belgian proofs & **MAGI**; action locks up tight & on face, strong springs & sears, double triggers & auto safety; walnut straight stock & splinter forend, some light handling marks but chequering is defined; 15" LOP incl. 1" ventilated rubber recoil pad; overall in exc. wo & g. to vg. cond. **#6888** L/R *A very solid side by side ready for the field.* 300 - 500
744. **JAMES W. ROSIER S/B HAMMER RIFLE:** .380 CF cal.; 20 3/4" octagonal barrel with g. bore, bright with sharply-defined rifling, some minor frosting; blued finish to barrel has developed a dark patina, some slight oxidation; lhs breech engraved **JAMES W. ROSIER MELBOURNE, J.R.** no. **18996** & Birmingham proofs marked to barrel; action locks up with some movement, top lever spring missing or broken, hammer is wonky on shank; blade front & fixed V-notch rear sight dovetailed to barrel; walnut splinter forend & semi-pistol grip stock present well, some scattered handling marks & surface chipping overall, chequering is defined; horn forend cap & steel grip cap; overall in f. cond. **#18996** N/L *A good, off-license antique project base.* 200 - 400
745. **JAMES W. ROSIER S/S FLOBERT PARLOUR RIFLE:** 6m/m flobert cal.; 22" octagonal barrel with g. smooth bore, some patches of frosting; soft grey patina to majority of metalwork, thinning on profiles; **J.W. ROSIER MELBOURNE** engraved to top of barrel, Liege **ELG** proof to lhs breech; strong lock spring but full-cock sear won't hold; basic sights dovetailed to barrel; original walnut stock has been cleaned back & refinished, someone has crudely attempted to chequer wrist, only lightly; metal sitting proud of woodwork; overall in f. cond. **#4716** N/L 200 - 400
746. **B.S.A LINCOLN JEFFRIES AIR RIFLE:** .22 cal.; 19" barrel with dirty bore, unknown cond.; plum-brown patina to majority of metalwork, some minor oxidation; serial no marked to rear of frame makers name marked to spring housing are indistinct; mechanically g., strong spring & sears, rotary breech operates freely; retains sights but rear V-notch is missing half; walnut stock is f., general handling marks & scuffs, heel of butt is rough; overall in p. to f. cond. **#S6285** L/R *A good little project.* 50 - 100
747. **WALTHER MOD. 53 AIR RIFLE:** .177 cal.; 17 3/4" barrel with vg. bore & sharply-defined rifling; original glossy blued finish to metalwork is spotted with some light patches of oxidation, would grade up with a clean; **WALTHER** banner trademark, model & cal. etc. marked to top of spring housing; mechanically strong, vg. spring tension & g. seals; fitted with factory **WALTHER** marked polymer peep sight & globe front; walnut stock bearing a few light handling marks but presents v. well, original black plastic buttplate; overall in exc. wo & g.+ cond. **#150593** L/R *A quality little German air gun.* 150 - 300

748. **IVER JOHNSON MOD. 2-X B/A RIMFIRE RIFLE:** .22 LR cal.; 22" barrel with vg. bright bore & crisp rifling, some minor frosting; thin mottled brown patina to majority of metalwork; maker full name & **FITCHBURG** address marked to top of barrel, model & patents to top of breech; bolt cycles freely, strong springs & sears, cocking piece forms unusual automatic safety; fixed sights dovetailed to barrel; basic walnut half stock in sound cond., some handling marks & scuffs but would clean up; steel buttplate with some surface oxidation; overall in exc. wo & f. cond. #47132 L/R *A few unusual features, a fun little first rifle or plinker.* 100 - 200
749. **BELGIAN S/S FLOBERT PARLOUR RIFLE:** 9m/m flobert cal.; 23" octagonal barrel with p. bore, needs a very good clean; metalwork cleaned back to silvery finish, some brown staining; Liege **ELG** proofs to lhs barrel; action appears complete but sears faulty; walnut stock has been cleaned back & crudely rechequered, pinned repairs through wrist; steel buttplate; overall in p. to f. cond. **N/L** 50 - 100
750. **J. STEVENS VISIBLE LOADING REPEATER P/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. tube mag.; 22" round barrel with f. bore, rifling is well-defined but some moderate pitting in areas; strong blued finish to barrel & small parts, vivid case colours to action, most metal surfaces speckled with light oxidation; top of barrel marked with makers full name & **CHICOPEE FALLS** address etc.; action cycles freely strong springs & sears, std, sights dovetailed to barrel; walnut pump woodwork presents well, hardwood stock bearing a few dark handling marks & missing buttplate; woodwork with a few fine partial cracks, f. cond.; overall in g. wo & cond. #893 L/R 150 - 300
751. **G. DECORTIS ROLLING BLOCK PARLOUR RIFLE:** 7m/m flobert cal.; 22 1/4" octagonal barrel with dirty, smooth bore, considered f. until cleaned; blued finish to barrel has developed a dark patina, silver grey patina to action & small parts; **G. DECORTIS** maker stamp & Liege **ELG** proofs to lhs barrel; some rather ornate relief floral engraving to action, tangs; action operates freely, strong lock springs & sears; fixed sights dovetailed to barrel; walnut straight stock & forend present well, some handling marks to surface, chequering is well-defined; overall in g. cond. **N/L** *An ornate piece that would grade up significantly with a clean.* 300 - 500
752. **WINCHESTER CANADA MOD. 39 S/S RIMFIRE RIFLE:** .22 LR cal.; 22" barrel with vg. bright bore & crisp rifling; strong blued finish to metalwork, some minor storage marks but presents well; makers name & model etc. stamped to lhs barrel; bolt cycles freely, strong springs & sears; std. sights; woodwork in g. sound cond., some light handling marks overall; original plastic buttplate; overall in exc. wo & g. to vg. cond. #CT071361 L/R 100 - 200
753. **B.S.A. SPORTSMAN FIVE B/A RIMFIRE RIFLE:** .22 LR cal.; missing 5 rnd. mag.; 25" barrel with f. bore, sharply-defined rifling, some light pitting; brown patina to metalwork has been cleaned back; BSA full name & model stamps to top of barrel, lightly defined; bolt cycles freely, strong springs & sears; std. sights; woodwork has been refinished, in g. sound cond.; overall in g. wo & f. cond. #K15166 L/R 100 - 200
754. **BOITO S/B HAMMER SHOTGUN:** 12G, 2 3/4" chambered; 28" barrel, choked approx. 3/4; dirty bore but appears g.; blued finish has developed a dark patina in thin areas; makers trademarks to sides of action; action locks up tight, lock functioning but spring tension feels light; hardwood forend & stock in g. cond., some light handling marks & bruising; overall in vg. wo & g. cond. #626549 L/R 50 - 100
755. **WINCHESTER COOEY MOD. 370 S/B HAMMER SHOTGUN:** 12G, 3" chambered; 30" barrel choked full; g. bright bore, needs a clean; thinning blued finish to metalwork presents f., some patchy brown patina; makers name & **MADE IN CANADA** to lhs breech; action locks up tight, strong lock springs & sears; woodwork in sound cond. but patchy finish presents ordinary; overall in exc. wo & f. cond. #C760403 L/R *Solid gun for the back of the ute.* 50 - 100
756. **GERMAN VOERE MOD. 2107 B/A RIMFIRE RIFLE:** .22 LR cal.; two 5 rnd. mags; 21 1/2" barrel with vg. bright bore & crisp rifling, needs a clean; makers name & model etc. stamped to lhs barrel; bolt cycles freely, strong springs & sears; std. sights, hooded front; woodwork in vg. sound cond., some light handling marks overall; original plastic buttplate; fitted with leather sling; overall in exc. wo & g. to vg. cond. #448591 L/R 1969 Mfg. 200 - 400

757. **BERETTA MFG. CARCANO M.91 B/A CARBINE:** 6.5×52m/m cal.; 5 rnd. integral mag.; 18" barrel with vg. bright bore, well-defined rifling some minor pitting; thinning blued finish to metalwork, some oxidation staining; dark patina to bolt; top of breech marked **1941 XIX/ BERETTA/ GARDONE/** bolt cycles well, strong sears; fixed rear sights; missing folding bayonet; woodwork in g. overall cond., some handling marks & bruising to surface, long crack running along handguard section; overall in g. wo & f. cond. **#JH3860** L/R **300 - 500**
758. **BELGIAN S/S FLOBERT PARLOUR RIFLE:** 7m/m flobert cal.; 23" octagonal barrel with blocked bore; dark patina & scale to majority of metalwork; Liege **ELG** proofs to lhs barrel; operates well, strong springs & sears; walnut stock has some partial aged crack from top tang; steel buttplate; overall in p. to f. cond. **N/L** **50 - 100**
759. **STH. AUST. MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with p. bore, dark & caked with oxidation; thinning original blued finish to metalwork has developed a dark patina, some patchy staining over the top; std. **VIC & B.S.A.** markings; action binds slightly when operating; std. sights, complete with swivels; walnut stock & forewood in g.+ cond., some light handling marks & surface grime but would clean up well, rhs stock marked with well-defined **CMF/ S.A.** markings; overall in p. to f. cond. **#42382** L/R *Suit parts or restore* **50 - 100**
760. **STH. AUST. MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with g. bore, relatively bright overall with sharp rifling, some light pitting; thinning original blued finish to metalwork, patchy scale to action, barrel; full name & **B.S.A.** piled arms trademark to lhs of action, **COMMONWEALTH OF AUSTRALIA** to rhs & Kangaroo trademark to top of breech; action locks up well & trigger crisp; std. tangent sights & blade front; woodwork is in sound cond., general handling marks & bruising but presents decent; **CMF/ S.A.** stamps to rhs butt; steel buttplate; overall in g. wo & f. to g. cond. **#71566** L/R **300 - 500**
761. **STIRLING MOD. 20 SEMI-AUTOMATIC RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. mag.; 20 1/2" barrel with exc. bright bore & sharply-defined rifling; blued finish to metalwork presents well, some light handling marks overall; **SQUIRES BINGHAM PHILIPPINES** address to rhs barrel; bolt cycles freely, strong springs & sears, threaded muzzle with cap; retains std. sights & fitted with period **HARKO 4x20** scope with dusty optics; woodwork in g. cond., some light handling marks & scuffs but confined mainly to surface finish; overall in exc. wo & g. cond. **#576203** Cat D L/R **300 - 500**
762. **KRICO MOD. 300 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. flush steel mag.; 22 1/2" barrel with exc. bright bore & sharply-defined rifling; blued finish to metalwork thinning in areas but presents well overall; **MADE IN GERMANY**, cal. marked to lhs barrel, **Krico** trademark to top; bolt cycles freely, strong springs & sears; retains original std. sights & fitted with some big, unsightly red dot sight, unknown working order; walnut stock presents well, some light handling marks & chequering remains well-defined but a partial fine crack to rhs stock running from bolt inlet will need attn.; overall in exc. wo & f. to g. cond. **#68241** L/R **250 - 400**
763. **LITHGOW S.M.L.E SHOTGUN CONVERSION:** .410 cal.; 25 1/4" barrel with dirty bore, appears g.; blued finish to metalwork has developed a dark patina overall, some oxidation staining; **.410 / SHOTGUN** stamped to charger bridge stub, std. mk **III*** markings to body socket are faint; bolt cycles freely, strong springs & sears; brass bead front sight; shortened forestock & original butt in sound cond., some handling marks & grazes to both; brass buttplate; overall in vg. wo & f. to g. cond. **#39684** L/R **150 - 300**
764. **AUST. MFG. ANGOSOMATIC 250 SEMI-AUTO RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. Lithgow style mag.; 23" round barrel with vg. bright bore & sharply-defined rifling; strong blued finish to metalwork, some light handling marks & receiver has been lacquered, would clean up well; lhs barrel marked **ANGASOMATIC250.PAT-NO9541**, serial no. **9652**, rhs barrel marked **MADE IN STH. AUST.**; fires from an open bolt, strong springs & sears, basic sights dovetailed to barrel; woodwork presents well, has some fine cracks running parrel with grain, crack to underside of forestock has been glued; overall in exc. wo & f. to g. cond. **#9652** Cat C L/R *Haven't been able to find any information on the rifle at all, similar design to the Gevarms of the same era.* **200 - 400**

765. **STIRLING MOD. 14 B/A RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. mag.; 24" barrel with vg. bright bore & sharply-defined rifling, some minor pitting; thinning blued finish to metalwork now a patchy dark patina; **SQUIRES BINGHAM PHILIPPINES** address to rhs barrel; bolt cycles freely, strong springs & sears, threaded muzzle with cap; retains std, sights & fitted with period **Nikko Stirling 4x28** scope with clear optics; woodwork in p. cond., handling marks & scuffs but no splits or cracks; overall in exc. wo & g. cond. #584955 Cat D L/R 100 - 200
766. **EGYPTIAN CITADEL MARTINI ENFIELD CARBINE:** .303 cal.; 21" barrel with f. to g. bore, sharply-defined Enfield rifling, some light pitting & needs a clean; soft plum patina developing on otherwise grey metalwork, some handling marks & peening in areas; lhs action marked with broad arrows, crescent moon & star motif/ **CITADEL/ 1905**, lhs breech marked with Birmingham proofs & **NITRO PROOF**; action operates well, strong springs & sears, std. sights; woodwork presents decent, some handling marks & bruising overall, armourers grafted repair to head of stock; overall in g. wo & cond. #1491 L/R *An interesting Egyptian assembled carbine using mainly British mfg. parts.* 400 - 600
767. **BRITISH SMALL FRAME MARTINI RIMFIRE RIFLE:** .22 LR cal.; 26 1/2" flat-top barrel with vg. bright bore & sharply-defined rifling; thinning blued finish has turned to a dark mottled patina in areas; rhs breech marked with Birmingham proofs, no visible makers name; action with 40% coverage of fine scroll & border engraving, presents well; action operates freely, strong springs & sears; globe front sight, vacant rear sight dovetail to barrel, adjustable peep rear sight fitted to back of frame; walnut semi-pistol grip stock & forend, two holes to lhs butt walnut, needs repair; chequering is well-defined & walnut is nicely figured steel buttplate; overall in exc. wo & f. cond. #18102 L/R *A good woodwork project, could easily be saved.* 100 - 200
768. **BERETTA SUPER SPORT S/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 20 1/2" round barrel with vg. bright bore & sharply-defined rifling, dusty at muzzle; blued finish to metalwork is strong overall, barrel with some patchy blemishes, presents ordinary; **1959** & proofs marked to lhs barrel; lhs receiver with makers name & **GARDONE** address; bolt retracts freely, strong trigger springs; fitted with mount to top of breech, original blade front sight; original walnut stock with some general handling marks & bruising, chequering to grip defined, g. overall cond.; retains original maker marked buttplate; overall in exc. wo & f. to g. cond. #D3554 Cat C L/R *Comes with three additional 5 round magazines.* 300 - 500
769. **ERMA-WERKE MOD. EG71 L/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. tube mag.; 18 1/2" round barrel with vg. bright bore & sharply-defined rifling; worn finishes to metalwork, brown patina on barrel & small parts, silver-grey patina on cast action, some pitting; **Made in West Germany** to rhs barrel, makers name & model to lhs; action cycles freely, g. springs & sears; std. sights; woodwork in f. cond., has been covered in grey steel upholstery studs, some fine cracks; overall in vg. wo & f. cond. #D65020 L/R 150 - 300
770. **J. STEVENS MOD. CRACK SHOT 26 S/S RIMFIRE RIFLE:** .32 rimfire cal.; 22" round barrel with f. bore, rifling is defined but patchy oxidation in areas, should grade up with a clean; mottled dark plum patina to metalwork, some light staining; top of barrel marked with **CHICOPEE FALLS** address, calibre etc., lhs action marked **CRACK SHOT -26**; falling block actions operates freely, sears holding; retains fixed sights; g. to vg. cond., straight stock & forend, have been refinished & bearing only traces of handling marks overall in g. cond. #1110 L/R 150 - 300
771. **WINCHESTER MOD. 94 LEGENDARY FRONTIERSMEN L/A RIFLE:** .38-55 Win. cal.; full length 7 rnd. tube mag.; 24" round barrel with dirty bore, appears vg. with sharp rifling throughout; barrel & mag. have been refinished, now bearing a bright chrome finish, original gold finish to action v. worn; the notorious salt cured walnut has rusted the metalwork on the lhs rear of action, breech area of barrel/action & rhs barrel, some heavier pitting on the barrel; std. *Legendary Frontiersmen* markings to gun; action cycles freely, strong springs & sears; original sights have been removed fitted with blade front, rear dovetail blank & side mount **LYMAN** peep sight; walnut presents decent, chequering sharply-defined, some repaired cracks to lhs forend & general handling marks overall; crescent steel buttplate; overall in vg. wo & p. to f. cond. #LF801 L/R 150 - 300

772. **WINCHESTER MOD. 320 B/A RIMFIRE RIFLE:** .22 LR cal.; missing mag.; 22" barrel with vg. bright bore & crisp rifling, needs a clean; strong blued finish to metalwork, some minor storage marks but presents well; makers name & model etc. stamped to lhs barrel; bolt cycles freely, strong springs & sears; std. sights; woodwork in vg. sound cond., some light handling marks overall; original plastic buttplate; fitted with leather sling; overall in exc. wo & g. to vg. cond. **#D65020** L/R **100 - 200**
773. **F.N. BROWNING MOD. TROMBONE P/A RIMFIRE RIFLE:** .22 long cal.; 12 rnd. tube mag.; 22" barrel with threaded muzzle cap; dirty bore, rifling appears sharply-defined but needs a clean; original blued finish to metalwork thinning to a grey patina on areas of barrel; F.N. full name & **HERSTAL** address marked to top of barrel; pump cycles smoothly, strong springs & sears; lhs action has been drilled & tapped, top has been fitted with **REDS/ MELB** marked dovetail mount, rings housing a **BUSHMASTER 4x28** scope with clear optics; woodwork in f. to g. but sound cond., light handling marks & flaky varnish overall; pump free from cracks; overall in vg. wo & f.+ cond. **#106298** L/R **200 - 300**
774. **VOERE MOD. K14 B/A SPORTING RIFLE:** .243 Win. cal.; 5 rnd. mag.; 24" barrel with f. to g. bore, overall bright with sharply-defined rifling, some leading & speckled oxidation; glossy blued finish to metalwork has some speckled blemishes & small spot of pitting on top of barrel, presents decent; makers name & **MADE IN GERMANY** marked to top of barrel, **75** proof to lhs breech; bolt cycles freely, strong springs & crisp trigger sear; fitted with **Nikko Stirling DIAMOND** mod. **4.5-14x50** scope on bridge mount, optics clear; walnut stock in g. to vg. overall cond., some light handling marks, skip-line chequering to grip & forewood are sharply-defined; fitted with perished ventilated rubber recoil pad; overall in vg. wo & g. cond. **#736210** L/R **300 - 500**
775. **LINCOLN JEFFRIES 'THE LIGHTWEIGHT 12 BORE' S x S HAMMER SHOTGUN:** 12G, 2" chambered; 28" twist damascus barrels, choked approx. 1/8 & 3/4; bright bores, some light pitting throughout & scattered moderate pitting at breech end; both barrels with some rivets & v. slight bulges; dark grey finish to barrels, pattern faint; **LINCOLN JEFFRIES** followed by three lines of awards incl. **AWARDED GOLD MEDAL MELBOURNE. 1889.** engraved to top rib, **THE/ LIGHTWEIGHT** (gold inlaid)/ **12 BORE** to top of rib towards breech; makers name & pair of dogs engraved to both locks, 60% fine scroll engraving to remainder of action; action locks up with some movement, strong locks with matching crescent hammers; walnut stock with bag style grip & dainty splinter forend, f. overall cond., large lifting chip to rhs head of stock needs attention, chequering worn; 15" LOP incl. rubber recoil pad & walnut extension; overall in p. cond. **#1979** L/R *An interesting little gun weighing in at a measly 5lb 11oz* **100 - 200**
776. **CHURCHILL M.17 B/A SPORTING RIFLE:** .30-06 Sprg. cal.; 5 rnd. mag.; 21 1/2" barrel with g. bore, rifling well-defined but peppered with fine pitting; blued finish to metalwork presents OK some minor wear & handling marks overall; **CHURCHILL GUNMAKERS LTD. & LONDON** address marked to top of barrel, London **V** proofs to lhs barrel & chamber; matching bolt cycles freely, strong springs & sears, retains factory sights; fitted with **OLIVON 4x32** scope on two-piece mounts; walnut two-piece stock in g.+ overall cond., some general surface marks, chequering to grip & forestock remains defined; cheek piece to lhs stock, fitted with ventilated rubber recoil pad & period plated leather sling; overall in vg. wo & g. cond. **#03987** L/R **400 - 600**
777. **S.K.B ARMS Co. MOD. 600 SMALL BORE U/O SHOTGUN:** .410 cal., 3" chambered; 26" barrels choked approx. 1/4 & 1/2; bores dirty but appear vg.; g. blued finish to barrels, silver coin finish to scroll engraved action with some losses; action locks up tight & on face, single selective gold trigger, manual safety & strong ejectors; walnut semi-pistol grip stock & forend in overall f. to g. cond., partial crack to bottom lhs of stock head, otherwise bearing only light to moderate handling marks; chequering to grip & forend is well-defined; 14" LOP incl. original plastic buttplate, 6lb 8oz weight; overall in vg. wo & f. to g. cond. **#S6673706** L/R *Would grade up significantly with a clean-up & some minor work* **250 - 500**

778. **B.S.A. SPORTSMAN FIFTEEN B/A RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. tube mag.; 25" barrel with bright bore & sharply-defined rifling, dusty towards muzzle but appears vg.+; strong original blued finish to metalwork presents well, some minor storage marks; B.S.A. full name. **MADE IN ENGLAND**, cal. & proofs marked to barrel; bolt cycles freely, strong springs & sears; std. sights dovetailed to barrel; walnut stock presents exc., some minor storage marks overall; defined winged **BSA** trademark embossed to lhs stock; retains original sling swivels to underside forestock & butt; overall in exc. wo & vg. to exc. cond. **#LE48817** L/R **300 - 500**
779. **TURKISH GAZELLE ARMS MOD. CNA400 S x S BLE SHOTGUN:** 12G, 3" chambered; 28" barrels, interchangeable chokes; exc. bright bores; exc. blued finish to barrels, minor storage marks; silver coin finish & large acanthus scroll engraving to action, small parts; Gazelle marked to lhs of demi bloc breech; action locks up tight, strong ejectors & single, selective, mechanical trigger; walnut stock & forend in near vgc. some light handling marks & wear to finish overall but presents well; chequering to semi pistol grip & forend remain sharply-defined, cheek piece to lhs stock; 14" LOP incl. buttplate; 6lb 13oz weight; overall in exc. wo & vg. cond. **#01C2561** L/R **400 - 600**
780. **I. HOLLIS & SONS MOD. THE BUSHBOY S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30" twist damascus barrels choked approx. 1/2 & 3/4; bores are bright, only light pitting in both, g.+ cond.; soft brown finish to barrels with vg. pattern definition; grey patina to action & small parts; top rib engraved **I. HOLLIS & SONS. BIRMINGHAM. THE BUSHBOY**; barrel flats with Birmingham black powder proofs; action locks up with minor movement, strong locks & crisp sears, bar action rebounding locks with matching hammers; original splinter forend bearing a few minor handling marks, quality walnut restock presents well with only light handling marks; chequering to forend & bag style grip is sharply-defined; 14" LOP to steel heel & toe plates, 6lb 9oz weight; overall in vg. wo & g.+ cond. **#72169** L/R **400 - 600**
781. **W.W. GREENER G.P. SHOTGUN:** 12G, 2 3/4" chambered; 30" barrel choked approx. 1/2; g. bright bore, some patchy frosting; mottled grey patina to metalwork with some patchy blued finish remaining in areas; makers name & address to lhs action, lhs breech marked with Birmingham **1 1/4OZ NITRO PROOF**; action functions freely, strong springs & sears; barrel not locking in place when action is opened, twists out & needing attention; walnut straight stock & forend in g. to vg. cond., some general handling marks overall, chequering is defined; retains original hard rubber buttplate with **GW** monogram to centre; overall in vg. wo & f. cond. **#6158** L/R **100 - 300**
782. **MARBLE ARMS 'GAME GETTER' MOD. 1921 O/U COMBINATION GUN:** .22 LR & .410, 2" chambered; 12" (305m/m) barrels with vg. bright bores, rifling is sharply-defined in top barrel; mottled brown patina to majority of metalwork, some pit peppering to rhs breech; lhs breech marked with **MARBLES/ GAME GETTER GUN/ GLADSTONE** address; action locks up tight, strong springs & sears to lock with barrel selecting hammer nose; extractor guide is a replacement, occasionally binds; original flat side walnut grip panels in vgc., some light handling marks; overall in g. cond. **#11686** Pre 47' L/R **300 - 500**
783. **HARRINGTON & RICHARDSON YOUNG AMERICA RIMFIRE REVOLVER:** .22 Long cal.; 7 shot fluted cylinder; 2" (51m/m) octagonal barrel with p. bore, rhs of rifling has been polished away at muzzle, otherwise ok; thinning original blued finish to metalwork, some handling marks & vice marks; **WORCESTER** address to barrel, model to top strap; cylinder indexing well, strong springs & sears, missing front sight; repo cast alloy grips in g. cond.; overall in f. cond. **#315943** Pre 47' L/R **50 - 100**
784. **WEBLEY & SCOTT MK. IV D.A. RIMFIRE RIFLE:** .22 LR cal.; 6 shot fluted cylinder; 6" (154m/m) barrel with vg. bright bore & sharply-defined rifling; blued finish to metalwork bearing some honest holster wear to cylinder & sides of barrel, some scattered patches of frosting to barrel; makers name & address to top of integral barrel rib, **MARK IV.22(LONG RIFLE)** marked to lhs top strap; **BNP** proofs to chambers & lhs barrel; action locks up tight, strong springs & sears, adjustable rear sight; original **Webley** marked chequered black plastic grips in g. cond., chequering a bit grubby but sharply-defined; overall in exc. wo & g. cond. **#16034** Pre 47' L/R **300 - 500**

785. **CZECH DUO MOD. VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 50m/m barrel with g. bore & well-defined rifling, some leading in grooves; reblued finish to metalwork presents decent, markings lightly defined; lhs slide marked with model, cal. / **F. DUSEK, OPOTSCHNO** (mfg.); slide retracts freely, strong springs; original black plastic grips with **DUO** roundel to centre & wicker pattern chequering, both in vg. cond.; overall in vg. wo & g. cond. #62538 1943 Mfg. L/R 250 - 400
786. **SMITH & WESSON VICTORY MOD. D.A. SERVICE REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (126m/m) barrel with g. to vg. bright bore & sharply-defined rifling; metalwork has been given a blacked finish, some losses, handling marks overall; two-line **SPRINGFIELD** address marked to top of barrel, makers name to lhs, cal. to rhs; rhs frame marked with **SW** monogram trademark at rear, **FTR\MA 54/** proof & **D** broad arrow **D** mark; top strap marked with ordnance bomb mark, **U.S. PROPERTY G.H.D.**; mechanically strong, cylinder indexing well; smooth walnut grips in f. cond., bearing plenty of handling marks & knocks but free from cracks; lanyard swivel to butt of backstrap; overall in exc. wo & g. cond. #V510124 Pre 47' L/R 400 - 600
787. **WEBLEY & SCOTT MK. IV. D.A. POCKET REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 3" (78m/m) barrel with vg. bright bore & crisp rifling, needs a clean; strong original blued finish to metalwork presents well, some light holster wear; **MARK IV .38** marked to lhs top strap, **WEBLEY & SCOTT LTD/ BIRMINGHAM** to top; mechanically exc., action locks up tight, strong springs & sears, cylinder indexing well; bolt safety to rear of frame; original plastic chequered grips with *Webley* to top of both, some handling marks but g. to vg. cond.; overall in exc. wo & vg. cond. #B32945 Post 46' L/R 400 - 600
788. **ENFIELD No. 2 MK. I D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; barrel has been shortened to 64m/m; dirty bore but appears g., well-defined rifling; reblued finish to metalwork presents ordinary, has been heavily polished, most markings are now faint; rhs frame **ENFIELD / No.2 crown MkI / 1939**, London **V & P** commercial proofs to chambers & lhs barrel; action locks up tight, cylinder indexing well; chequered walnut grips in g. overall cond., some handling marks; overall in vg. wo & f. to g. cond. #F9440 Mfg. 1939 L/R *Looks to have been a professional conversion to a pocket revolver.* 150 - 300
789. **HIGH STANDARD MOD. DOUBLE-NINE D.A. RIMFIRE REVOLVER:** .22 LR cal.; 9 shot fluted cylinder; 5 1/2" (140m/m) barrel with vg. bright bore & sharply-defined rifling; bright plated finish to frame, stainless steel cylinder & barrel, metalwork presents well with some minor storage marks; makers name & trademarks to lhs barrel, **HAMDEN, CONN., U.S.A.** & makers full name to rhs; mechanically exc., cylinder indexing well, strong springs & crisp sears; faux horn composite grips in g. overall cond., some minor handling marks & hairline partial crack to rh grip; overall in exc. wo & vg. cond. #1140665 Post 46' L/R *Would make a great plinker for the cowboy action shooter.* 400 - 600
790. **HARRINGTON & RICHARDSON MOD. PREMIER D.A. RIMFIRE REVOLVER:** .22 LR cal.; 7 shot fluted cylinder; 3" (78m/m) barrel with bright bore & crisp rifling, some scale in grooves; 80%+ original nickel finish to metalwork presents well, some surface marring & minor staining; **WORCESTER** address to top of integral barrel rib, **PREMIER 22 RIM FIRE** marked to lhs barrel; action locks up with some minor movement, cylinder indexing well, strong springs; original hard rubber grips in f. cond., worn flat spots to both & rh grip with some fine cracks to top; overall in vg. wo & g. cond. #178148 Pre 47' L/R 300 - 500
791. **SIMSON & Co MOD. 1922 VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 55m/m barrel with f. to g. bore, dirty but rifling appears well-defined; grey patina & fine pitting to majority of metalwork, some original blued finish in protected areas; **WAFFENFABRIKEN SIMSON & Co SUHL** marked to rhs frame; slide retracts with strong springs but trigger sear not holding; replacement wood grip panels with crude large chequering; overall in p. to f. cond. #1930 Pre 47' L/R *An interesting little pistol that would grade up significantly with some minor work.* 100 - 300
792. **WEBLEY & SCOTT MK. III. D.A. POCKET REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 3 1/8" (79m/m) barrel with g. to vg. bright bore & well-defined rifling; blued finish to metalwork presents decent, some light wear on profiles; **MARK "III" .38** marked to lhs top strap, **WEBLEY & SCOTT LTD/ BIRMINGHAM** to top; rhs frame marked with **D** broad arrow **D** mark, serial no. & patents; action locks up tight, strong springs & sears; original hard rubber chequered grips showing little wear but both with large chips to base; overall in vg. wo & g. cond. #37393 Pre 47' L/R 200 - 400

793. **SPANISH RUBY EXTRA D.A. REVOLVER:** .38 Spec. cal.; 6 shot fluted cylinder; 2 1/4" (55m/m) barrel with g. bore, sharp rifling but dirty & in need of a clean; reblued finish to metalwork, presents OK, some light pitting still evident; **RUBY/ EXTRA/ TRADEMARK** roundel mark to rhs frame, cal. to lhs barrel; cylinder indexing, springs & sears are strong; smooth walnut grips present poorly but bearing only light handling marks to finish, some v. small chips; overall in vg. wo & f. cond. #607486 Post 46' L/R 150 - 300
794. **SPANISH LLAMA MOD. XIII D.A. REVOLVER:** .32 S.&W. cal.; 6 shot fluted cylinder; 2 1/8" (52m/m) barrel with g. bore, needs a clean but rifling is sharply-defined; strong blued finish to metalwork, some handling marks & speckled oxidation; **LLAMA/ TRADEMARK** roundel mark to rhs frame; strong springs & sears, cylinder indexing well; original wood grips bearing a few handling marks but chequering remains well-defined; overall in exc. wo & g. to vg. cond. #709747 Post 46' L/R 250 - 400
795. **HARRINGTON & RICHARDSON MOD. VICTOR D.A. POCKET REVOLVER:** .22 short cal.; 7 shot fluted cylinder; 2" (51m/m) round barrel with g. bore & sharply-defined rifling, some speckled oxidation; 50% original blued finish with patchy losses to frame; **VICTOR/ 22 CAL R.F.** marked to top strap; cylinder indexing well, strong springs & sears; original hard rubber grips in g. to vg. cond., some light handling marks & wear but both present well; overall in exc. wo & g. cond. #109359 Pre 47' L/R 300 - 500
796. **SMITH & WESSON VICTORY MOD. D.A. SERVICE REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; barrel has been shortened to 75m/m, bore g. with sharp rifling; metalwork has been heavily polished back & reblued, presents ordinary; partial makers name & address to barrel, SW monogram trademark to rhs frame is faint; rhs frame marked with **MADE IN USA/ A broad arrow F/ FTR\ MA 55/** proof; cylinder indexing, strong springs & sears; original walnut grips in f. cond., some handling marks, shallow chips & wear to chequering; missing lanyard swivel to butt, butt marked **GHD**; overall in g. wo & f. cond. #V201247 Pre 47' L/R 100 - 200
797. **SPANISH ASTRA MOD. 357 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with g. bore, sharply-defined rifling but needs some powder & lead residue cleaned out; original blued finish to metalwork presents decent, some light holster wear on cylinder & muzzle; **ASTRA 357** marked to rhs barrel, trademark to rhs frame; mechanically strong, cylinder indexing well; original walnut two-piece grip in vgc., some light handling marks but chequering remains well-defined, some marks to butt; overall in exc. wo & g. to vg. cond. #R226573 Post 46' L/R 300 - 500
798. **LIEGEOISE D'ARMES S/A POCKET PISTOL:** .32 ACP cal.; 8 rnd. mag.; 80m/m barrel with g.+ bright bore & sharply-defined rifling; original blued finish to metalwork is thinning in areas, grey patina developing in thin areas; lhs slide marked with makers full name, **LIEGE (Belgique)**, patent; slide retracts smoothly, strong springs & crisp sears; unusual wood grip panels with stamped chequered pattern, both in g. cond.; overall in exc. wo & g. cond. #52018 Pre 47' L/R *Appears to be a Belgian copy or variation of the Eibar/ Ruby pistol.* 300 - 500
799. **SPANISH MFG. TRIOMPHE FRANCAIS MOD. VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 55m/m barrel with g. bright bore & sharply-defined rifling; blued finish to metalwork bearing light holster wear to profiles, some handling marks; "**TRIOMPHE FRANCAIS**" **PISTOLET AUTOMATIQUE** marked to lhs slide; slide retracts freely, strong springs & sears; original hard rubber grip panels, both with model running diagonally across, chequering defined but lh grip with some partial hairline cracks; overall in vg. wo & f. to g. cond. #1551 Pre 47' L/R *Thought to be mfg. by Apaoloza Hermanos of Zumorra but info is limited* 300 - 500
800. **PIEPER MFG. BAYARD PAT. MOD. 1908 VEST POCKET PISTOL:** .32 ACP cal.; 5 rnd. mag.; 57m/m barrel with vg. bright bore & sharply-defined rifling; thinning original blued finish to metalwork presents decent, honest even wear & some minor staining; lhs frame marked with makers name & address, **BAYARD** knight trademark above grip; slide retracts freely, strong springs & sears; original hard rubber grip panels with **BAYARD** to centre, defined chequering overall with one flat spot on rh grip; overall in exc. wo & g. cond. #187445 Pre 47' L/R *A nice honest example of these big bore(?) vest pocket pistols.* 400 - 600

801. **SPANISH STAR MOD. SI S/A POCKET PISTOL:** .32 ACP cal.; 8 rnd. mag.; 4" (102m/m) barrel with vg. bright bore & sharply-defined rifling; blued finish to metalwork presents well, some light holster wear to profiles; **STAR** trademarks & address to lhs slide; mechanically strong, slide retracts smoothly; original black plastic chequered grips with **STAR TRADE MARK** roundels to centres, both showing little wear; overall in exc. wo & vg. cond. #332237 Post 46' L/R *A nice honest example of these miniature Colt 1911's* 200 - 400
802. **BELGIAN PIEPER PAT. MODEL. 1920 VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 2" (51m/m) barrel with f. to g. bore, well-defined rifling but needs a clean, some light pitting; blued finish to metalwork, light wear to profiles & some minor staining; marking to lhs slide are faint; **N.PIEPER PATENT** to rhs; slide retracts freely, strong springs & sears; original hard rubber grip panels with **NP** monogram trademarks to centres, vgc.; overall in g. wo & cond. #44335 Pre 47' L/R 300 - 500
803. **P. BERETTA MOD. 948 S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 3 1/2" (85m/m) barrel with g. to vg. bright bore, some minor pitting towards muzzle but rifling remains sharply defined; blued finish to steel parts & blacked finish to alloy frame is thinning, general holster wear; lhs slide marked **P.BERETTA** with **Gardone** address, model etc.; slide retracts freely, strong springs & sears; black chequered plastic grips with **BERETTA** & trademark to top of both; overall in vg. wo & f. to g. cond. #84691N 1957 Mfg. L/R 300 - 500
804. **BELGIAN MELIOR NEW MODEL VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 2 1/4"(57m/m) barrel with f. bore, defined rifling but some oxidation scale in grooves; original blued finish to metalwork presents well, some light holster wear to profiles; **MELIOR** marked to lhs slide with patents; slide retracts freely, strong springs & crisp sears; original hard rubber grip panels in g. cond., chequering to both is defined, **MELIOR/ CRO/ LIEGE** to centre of both, some handling marks; overall in vg. wo & g.+ cond. #98431 Pre 47' L/R 200 - 400
805. **SPANISH MFG. YDEAL MOD. VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 47m/m barrel with dirty bore, rifling sharply-defined but some oxidation in grooves, appears g.+; blued finish to metalwork is strong, presents well; lhs slide marked with **PISTOLET AUTOMATIQUE "YDEAL"**; slide retracts freely, strong springs & sears holding; original hard rubber grips with **YDEAL** running across both, grips showing little wear but lh grip warped slightly; overall in g. cond. #2572 Pre 47' L/R *Made by Francisco Arizmendi of Eibar.* 300 - 500
806. **RUGER NEW MOD SINGLE-SIX S.A. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) round barrel with g. bright bore, some leading but should clean out; stainless steel with polished finish, showing some staining & surface marring; top of barrel **MADE IN THE 200th YEAR OF AMERICAN LIBERTY** marked to top of barrel, **SOUTHPORT** address to lhs; cylinder indexing well, strong springs & sears; original walnut grips, both with handling marks & scuffs, lh grip with large chip missing; overall in vg. wo & f. cond. #64-70289 Post 46' L/R 150 - 300
807. **SPANISH ASPIRI y CIA MOD. COLON S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 82m/m barrel with g. bore, some fine pitting but rifling remains sharply-defined; worn blued finish to metalwork with a plum patina, scattered pits to metalwork externally; **CAL 765 AUTOMATIC PISTOL "COLON"** to lhs slide; slide retracts freely, strong springs & sears; chequered walnut grip panels in f. cond., some handling marks & scuffs, staining, small crack to lh grip; overall in vg. wo & f. to g. cond. #1927V Pre 47' L/R 300 - 500
808. **AUSTRALIAN RETAILED F.N. BROWNING MOD. 1905 VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 53m/m barrel with f. bore, defined rifling but dark & dirty, needs a clean; original blued finish to metalwork presents well, some minor holster wear to profiles & minor speckled staining; lhs of slide marked with FN full name & Belgian address/ **BROWNING'S PATENT DEPOSE**; top lhs slide engraved **ALCOCK & PIERCE, MELBOURNE.**; mechanically exc., slide retracts smoothly, strong sears & springs; gutta percha grips with well-defined **FN** monogram & chequering to both, some handling marks; overall in g. cond. #510676 Pre 47' L/R 400 - 600

809. **SPANISH RUBY ARMS Co. VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 55m/m barrel with p. bore, may clean up but rifling indistinct under oxidation scale; makers name & patents marked to lhs slide, slide retracts freely, strong springs & sears; original gutta percha chips with **RUBY**, trademark to top of both; grips showing little wear but both warping & rhs is de-laminating; overall in f. cond. #17318 Pre 47' L/R 50 - 100
810. **SPANISH MFG. HELVECE MOD. VEST POCKET S/A PISTOL:** .25 ACP cal.; 6 rnd. mag.; 57m/m barrel with bright bore & sharply-defined rifling; blued finish to metalwork presents well, some light holster wear on profiles; lhs slide marked with makers name, <<HELVECE>> **PATENT**; slide retracts freely, strong springs & sears; original hard rubber grip panels in g. cond., chequering defined, **PATENT** to top of both & inlaid brass medallions with **LCV** monograms to centre; overall in vg. wo & g. cond. #86189 Pre 47' L/R *An interesting little pistol made by Fab. d'armes de Grande Précision of Eibar.* 300 - 500
811. **HARRINGTON & RICHARDSON MOD. TOP BREAK D.A. REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 58m/m barrel with has been shortened, crowned, f. to g. bore with light frosting & sharp rifling; bright nickel finish to metalwork, presents well; **WORCESTER** address to top of integral barrel rib; action locks up with some minor movement, cylinder indexing well, strong springs; original hard rubber grips, rh grip vgc. but lh with large chips missing; overall in g. wo & f. cond. #429835 Pre 47' L/R 150 - 300
812. **CZ MOD. VZOR 45 S/A VEST POCKET PISTOL:** .25 ACP cal.; 8 rnd. mag.; 64m/m barrel with vg. bright bore & sharply-defined rifling; strong original blued finish to metalwork, presents well with some minor storage war to front of slide; strong straw finish to small parts incl. trigger; **CZ** full name & trademarks to lhs slide; slide retracts freely, strong springs & d.a. only trigger; original single piece grip with glued crack to rhs; overall in exc. wo & g. cond. #B604723 Mfg. 1968 L/R 300 - 500
813. **TINY BELGIAN FOLDING TRIGGER D.A. POCKET REVOLVER:** .22 short RF cal.; 6 shot fluted cylinder; 1 1/2" (38m/m) barrel with f. to g. bore & sharply-defined rifling, some light oxidation; flaky original nickel finish to metalwork presents ordinary; **22** marked to lhs frame, crown/ **ML** to lhs breech; action needs an oil but is complete & cylinder indexes; chequered walnut grips with some worn spots but in g. sound cond.; overall in f. to g. cond. #9026 Pre 47' L/R 150 - 300
814. **SPANISH MFG. YDEAL MOD. VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 47m/m barrel with dirty bore, rifling defined but some leading & oxidation in grooves; blued finish to metalwork thinning to a plum patina on profiles; lhs slide marked with **PISTOLET AUTOMATIQUE "YDEAL"**; slide retracts freely, strong springs & sears holding; mother of pearl grips present well, rh grip with small chip to bottom lh corner; overall in g. cond. #16578 Pre 47' L/R *Made by Francisco Arizmendi of Eibar.* 300 - 500
815. **WEBLEY & SCOTT MOD. 1907 VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 53m/m barrel with p. bore, defined rifling but peppered with heavier pits; finely mottled grey patina to majority of metalwork; lhs slide marked with makers name/ **LONDON & BIRMINGHAM**/ cal.; slide retracts freely, strong springs & sears; original hard rubber grips in g. cond., sharply-defined chequering; overall in f.+ cond. #93302 Pre 47' L/R *A good candidate for a barrel swap.* 200 - 400
816. **FINE & SCARCE BAYARD MOD. 1923 S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 85m/m barrel with vg. bright bore & crisp rifling, needs a clean; strong blued finish to metalwork, some minor storage marks overall but presents superb; strong nitre bluing on small parts; **PIEPER HERSTAL BELGIUM** marked to lhs slide along with Bayard jousting knight trademark; markings are crisp; mechanically strong, slide retracts freely, strong springs & sears; original hard rubber grip panels in exc. cond., chequering & **BAYARD** to centre are sharply-defined overall in exc. wo & fine original cond. #34066 Pre 47' L/R *An interesting little pistol made to capitalize off the Browning 1910's success.* 400 - 600

817. **STEYR MOD. 1912 CHILEAN CONTRACT S/A SERVICE PISTOL:** 9×23m/m Steyr; 8 rnd. integral mag.; 5" (128m/m) barrel with exc. bright bore & sharply-defined rifling; blued finish to metalwork has developed a dark patina, thinning on slide but presents well; lhs slide marked with Chilean crest, **STEYR 1912 MOD. 1911**, rhs slide marked **EJERCITO DE CHILE**; serial no. marked to frame & slide; slide retracts freely, strong springs & sears; original grip panels in f. overall cond., lh with light marks & defined chequering but rh with heavy wear or bruising to bottom half; integral lanyard loop to butt; overall in exc. wo & g. to vg. cond. #2973B Pre 47' L/R **600 - 800**
818. **AUSTRALIAN RETAILED COLT MOD. 1908 VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 54m/m barrel with f. bore, rifling defined but grooves are frosted; original blued finish to metalwork has thinned to a plum patina, some stronger patches of bluing to protected areas; **HARTFORD** address & **PATENTS** to lhs of slide, **COLT AUTOMATIC/ CALIBRE 25** to rhs; top lhs slide engraved **ALCOCK & PIERCE, MELBOURNE.**; slide retracts freely, strong springs & sears; hard rubber grips with well-defined chequering, **COLT** to top & rampant horse to centres; overall in g. cond. #143035 L/R Mfg. c.1916 **400 - 600**
819. **HARRINGTON & RICHARDSON MOD. POLICE AUTO-EJECTING D.A. REVOLVER:** .38 S.&W. cal.; 5 shot fluted cylinder; 3 1/4" (83m/m) barrel with g. to vg. bright bore & sharply-defined rifling, some scattered patches of frosting; 80%+ nickel finish to majority of metalwork, thinning from holster wear to muzzle & front of cylinder; strong blueing to trigger guard; top of integral barrel rib marked with two-line **WORCESTER** address, **AUTO EJECTING 38 S.&W. CTGE.** marked to lhs; action locks up tight, cylinder indexing well, strong springs & sears, bobbed hammer; original grips with shot-target motifs & defined chequering, both with chips to butt flats but doesn't encroach on chequering, could be seamlessly repaired; overall in exc. wo & g. cond. #180977 Pre 47' L/R **300 - 500**
820. **SPANISH MFG. REGINA AMERICAN VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 55m/m barrel with f. bore, speckled with oxidation but rifling remains sharply-defined, would grade up; thinning original blued finish to metalwork, patchy with some staining; **AMERICAN AUTOMATIC PISTOL 'REGINA'** marked to lhs barrel; slide retracts freely, strong springs & sears; original gutta percha chips with crown motif/ **REGINA** to top of both; grips in vgc. with some minor inspect damage; overall in g. wo & f. to g. cond. #7944 Pre 47' L/R *Mfg. by Gregorio Bolumburo of Eibar* **200 - 400**
821. **HARRINGTON & RICHARDSON SAFETY HAMMERLESS POCKET REVOLVER:** .32 S.& W. cal.; 5 shot fluted cylinder; 3" (76m/m) barrel with crisp rifling, some scattered patches of frosting but considered g.; 90%+ original nickel finish to majority of metalwork, strong blued finish to small parts; markings & profiles sharply-defined; top rib marked with two-line **WORCESTER** address, cal. to lhs; initials **T.D.H.** have been etched through finish on both sides of frame, looks to have been a period 'modification'; action locks up tight, strong springs & sears; missing front sight; original grips, rh presents well, but lh grip with large slither missing to back; chequering & shot-target motif are all well-defined; overall in exc. wo & g. cond. #163938 Pre 47' L/R **200 - 300**
822. **ROSSI MOD. 27 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 45m/m barrel with dirty bore, rifling is sharply-defined; blued finish to metalwork, some light wear to muzzle & front of cylinder; makers name & Brazilian address to lhs barrel; **GRYCOL** Aus. Importers marks to rhs frame; cylinder indexing well, strong springs & sears; fitted with Pachmayr rubber grip; overall in vg. wo & g.+ cond. #136238 Post 46' L/R **200 - 400**
823. **WEBLEY & SCOTT MOD. 1908 S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 3 1/2" (89m/m) barrel with vg. bright bore & sharply-defined rifling; original blued finish has thinned to a dark patina overall, some light pitting on top of barrel; lhs slide marked with makers name, address, cal., **MADE IN ENGLAND**, the **W&S** winged bullet trademark; slide retracts freely, v. strong springs & sears; g. to vg. cond. chequered cast alloy grip panels; overall in exc. wo & g. cond. #77929 Pre 47' L/R **300 - 500**

824. **HOPKINS & ALLEN MOD. X.L. DOUBLE ACTION REVOLVER:** .38 S.&W. cal.; 5 shot fluted cylinder; 3" (78m/m) octagonal barrel with vg. bright bore & sharply-defined rifling, some scattered patches of oxidation; 80%+ original nickel finish to metalwork, some dark staining to difference; top strap marked with makers name/ patents/ **X.L. DOUBLE ACTION/ 38 CAL. CENTRE FIRE**; cylinder indexing well, strong springs & sears; original hard rubber grips both with sharply-defined chequering, lh grip with large chip to butt flat but otherwise vgc.; overall in exc. wo & g. cond. #766 Pre 47' L/R **300 - 500**
825. **COLT NEW POCKET MOD. D.A. REVOLVER:** 32 Colt cal.; 6 shot fluted cylinder; 2 1/2" (65m/m) barrel with g. bore, bright overall with sharp rifling, some scattered patches of light pitting; 20%+ original nickel plating to metalwork with a silver steel patina to difference, some minor staining; small parts retain areas of strong nitre bluing; three-line patents & **HARTFORD** address marked to top of barrel, **COLT D.A. 32** marked to lhs; lhs frame marked with faint rampant horse trademark, **COLT'S / NEW POCKET**; back strap has been stamped **R5379**; London **V & P** proofs marked to underside of barrel, chambers; mechanically strong, cylinder indexing well; original hard rubber grips with chips to font of butt, otherwise grips are vg. & showing little wear, chequering & **COLT** to top of both is sharply-defined; overall in vg. wo & f. to g. cond. #14865 L/R Mfg. c.1900 **400 - 600**
826. **PRE-WAR TULA ARSENAL NAGANT M.1895 S.A. REVOLVER:** 7.62×38m/mR Nagant cal.; 7 shot fluted cylinder; 4 1/2" (117m/m) barrel with f. to g. bore, rifling well-defined but some oxidation scale visible; original blued finish to metalwork has thinned to a mottled grey patina overall, some general handling marks and minor frosting; lhs frame marked with arsenal markings / **1912**, imperial mark to rhs rear of frame; mechanically vg., s.a. only action, cylinder indexing & sealing well; rh grip a smooth & crudely fashioned replacement, original lh grip & grip sections to straps are in f., refinished condition, lacquer filling chequering in areas; steel butt cap with hemi lanyard loop; overall in vg. wo & f.+ cond. #7543 L/R 1912 Mfg. *Would grade up significantly with some work on the grips & a clean.* **600 - 800**
827. **HARRINGTON & RICHARDSON HAMMERLESS TOP BREAK REVOLVER:** .22 LR cal.; 7 shot fluted cylinder; 3" (77m/m) barrel with bright bore & sharply-defined rifling, some light pit peppering; original blued finish to metalwork, thinning to a plum patina on sides of barrel, cylinder; top of integral barrel rib marked with two-line **WORCESTER** address, **22 RIMFIRE** marked to lhs; action locks up tight, cylinder indexing well but trigger return springs is sticky, needs an oil; original grips, lh grip in poor cond., glued chips & missing another larger chip; rh grip vg. with chequering & shot-target motif all well-defined; overall in f. to g. cond. #1688 Pre 47' L/R **300 - 500**
828. **WEBLEY & SCOTT MOD. 1912 S/A VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 45m/m barrel with f. bore, rifling is defined but grooves peppered with oxidation scale & light pitting; original blued finish to metalwork presents well, some minor holster wear to profiles & minor speckled staining; lhs slide marked with makers name, address, cal., the **W&S** winged bullet trademark, **MADE IN ENGLAND** marked to rhs slide; slide retracts a little stiff, strong springs & sears but needs an oil; original hard rubber grips present decent, light wear to chequering, lh grips with some partial, short cracks; overall in g. cond. #145533 Pre 47' L/R **400 - 600**
829. **COLT MOD. 1877 D.A. 'THUNDERER' REVOLVER:** .41 Colt cal.; 6 shot fluted cylinder; 2 1/2" (64m/m) barrel with dusty bore, rifling defined but some light pitting evident; flaky nickel finish to frame & barrel, grey finish to other steel parts; defined two-line address to barrel & patents to lhs frame; revolver is a hotchpotch of different parts, trigger guard & straps #80025, frame is #30862, cylinder non-matching; action has issue with cylinder stop, jams; the original gutta percha grips are free from cracks & chips but both showing plenty of wear; overall in p. wo & p. to f. cond. #30862 Mfg. 1881 L/R *Suit parts or a competent gunsmith.* **100 - 300**
830. **BELGIAN TOP BREAK POCKET RIMFIRE REVOLVER:** .22 RF cal.; 6 shot fluted cylinder; 75m/m barrel; blued finish to metalwork presents well, factory engraving to frame & cylinder is defined; mechanically p., chambers do not align with barrel & mouths of chambers have been bored out to compensate; chequered grips present well, rh grip with hairline crack; overall in f. cond. #205 Pre 47' L/R *Suit prop gun.* **50 - 100**

831. **ROSSI MOD. 70 D.A. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 3" (74m/m) barrel with vg. bright bore & crisp rifling, could use a clean; strong blued finish to majority of metalwork & vivid case colours to small parts; makers name & Brazilian address to lhs barrel, **GRYCOL** Aust. importers address to rhs frame; cylinder indexing well, strong springs & sears; g. cond. original two-piece grip, some light handling marks; overall in exc. wo & vg. cond. #678896 Post 46' L/R 200 - 400
832. **PIEPER MFG. BAYARD PAT. MOD. 1908 VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 57m/m barrel with f. bore, well-defined rifling but fine pit peppering throughout; thinning original blued finish to metalwork, honest even wear & some minor pitting; lhs frame marked with makers name & address, **BAYARD** knight trademark above grip; slide retracts freely, strong springs & sears; original hard rubber grip panels with **BAYARD** to centre, defined chequering overall with minor chipping to top rh grip; overall in vg. wo & f. cond. #26469 Pre 47' L/R 300 - 500
833. **SAVAGE ARMS Co. MOD. 1915 HAMMERLESS S/A PISTOL:** .32 ACP cal.; 10 rnd. double stack mag.; 3 3/4" (94m/m) barrel with vg. bright bore & sharply-defined rifling; 90%+ original gloss blued finish to metalwork, only light handling marks & speckled blemishes overall; trigger with strong case colours; two-line **SAVAGE ARMS CO., UTICA** address & patent marked to top of slide, model to lhs frame; slide retracts freely, strong springs & sears; original hard rubber grips present exc., some minor handling marks but chequering & **SAVAGE QUALITY** trademark to centre are sharply-defined; overall in exc. wo & vg. cond. #132815 Pre 47' L/R A fine example. 400 - 600
834. **SPANISH WALMAN PATENT MOD. 1914 S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 82m/m barrel with f. to g. bore, some light frosting but rifling is sharply-defined; original blued finish to metalwork, thinning to a dark plum patina n areas; lhs slide marked **AUTOMATIC PISTOL WALMAN PATENT/ MADE-IN-SPAIN**; slide retracts freely, strong springs & sears; walnut grip panels in g. cond., some handling marks but chequering is well-defined; overall in vg. wo & g. cond. #8042 Pre 47' L/R *Made by the Arizmendi Y Goenaga co.* 300 - 500
835. **SMITH & WESSON MOD. 37 AIRWEIGHT D.A. REVOLVER:** .38 Spl. 5 shot fluted cylinder; 3" (78m/m) barrel with ring bulge 1/2" from muzzle, 1" of rifling has been bored out; bright polished finish to stainless barrel & cylinder, alloy frame; std. markings, **AIRWEIGHT/ 38 SPL.CTG** marked to rhs barrel; cylinder indexing well, strong springs & sears; professional repair to hammer spur; original chequered walnut grips in g. cond., some handling marks; overall in f. cond. #233616 Post 46' L/R 50 - 100
836. **ITALIAN BODEO MOD. 1889 TYPE I D.A. REVOLVER:** 10.35x20mmR Italian ordnance cal.; 6 shot fluted cylinder; 3 1/2" (89m/m) round barrel with fine bore, bright with crisp rifling; worn blued finish to metalwork, presents ordinary, some staining & fine pitting to lhs barrel; lhs frame marked with makers name & **BRESCIA**; rhs frame marked with serial no. makers trademark; cylinder indexing well, strong springs & sears; chequered grips have darkened & could use a clean, some minor handling marks; lanyard ring to butt cap; overall in vg. wo & f. to g. cond. #B7209 Pre 47' L/R *Made by Metalurgica Bresciana Cia' Tempini of Brescia* 400 - 600
837. **SPANISH GARATE y ANITUA D.A. REVOLVER:** 8x27m/mR French Ordnance cal.; 6 shot fluted cylinder; 130m/m round barrel with f. bore, rifling is well-defined but fine pitting throughout, would grade up with a clean; enterally metalwork presents v. ordinary, varying severity of pitting to most surfaces & a dark patina overall; **GARATE y ANITUA & CIA Eibar (ESPANA)** marked to top of barrel; mechanically complete but cylinder indexing is out of alignment; original grips are darkened with oil but chequering is defined, would clean up; lanyard ring to butt of backstrap; overall in f. cond. #71020 Pre 47' L/R *An interesting revolver which was copied off the Colt 1899 design, most likely ordered by the French for the later part of WWI.* 200 - 400

838. **COLT POLICE POSITIVE D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with bright bore, rifling sharply-defined, a little dusty towards muzzle but vgc.; blued finish to metalwork presents well, honestly holster wear to muzzle, developing a plum patina in thin areas; defined **HARTFORD** address to top of barrel, **Police/(P)ositive.38** to lhs; defined rampant horse trademark to lhs frame; cylinder indexing well, strong springs & sears; original hard rubber grips let down only but a chip to rh grip butt, otherwise vg. with sharply-defined chequering; overall in exc. wo & g.+ cond. #117488 Mfg. c.1914 L/R 400 - 600
839. **SPANISH D.A. BRETON TOP-BREAK REVOLVER:** .38 S.&W. cal.; 5 shot fluted cylinder; 3 1/2" (91m/m) barrel with f. bore, sharply-defined rifling but some patchy light pitting; thin plum patina to metalwork worn to a grey finish overall; top of integral barrel rib marked **SMITH & WESSONS CARTRIDGES THESE/ THAT FIT BEST THE BRETON REVOLVER**; rhs frame marked with **GAC** monogram trademark; action locks up with some movement, cylinder indexing but cylinder stop worn; original hard rubber grips with **GAC** monogram to top of both, defined chequering, some repaired chips to butt; overall in f. to g. cond. #336424 Pre 47' L/R *An interesting S & W copy made by Garate Anitua y Cia* 200 - 400
840. **ROSSI MOD. PRINCESS D.A. RIMFIRE POCKET REVOLVER:** .22 LR cal.; 7 shot fluted cylinder; 2" (51m/m) barrel with dirty bore, appears g. with sharply-defined rifling; nickel finish to metalwork presents ordinary, bubbling & flaking in areas; makers name & address to lhs barrel; action functions, indexing ok; original plastic grips in g. cond., some light handling marks; overall in g. wo & f. cond. #0292 Post 46' L/R 200 - 400
841. **A.UBERTI MOD. NEW DERRINGER RIMFIRE PISTOL:** .22 Short cal.; 2 1/2" (63m/m) four-barrel cluster with vg. bright bores & sharply-defined rifling; strong blued finish to barrels & small parts, dull mellow finish to brass frame; makers name & model marked to barrels; action locks up with some movement, rotary striker indexing properly; ornate scroll pattern black plastic grips in g. cond.; overall in g. wo & cond. #18720 Post 46' L/R 300 - 500
842. **J.A.R. & CO MOD. CZAR S.A. REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 4" (101m/m) octagonal barrel with f. bore, well-defined rifling but peppered with some moderate pits; bright nickel finish to metalwork presents well, some minor staining around loading port, muzzle; top strap marked **J.A.R. & CO/ patents/ CZAR/ 32 CAL CENTRE FIRE**; mechanically strong, cylinder indexing well, crisp sears to spur trigger; overall in g. wo & cond. #8380 Pre 1900 L/R *Appears to be part of a small batch purchased from Hopkins & Allen, retailed by the J.A.R. co.* 400 - 600
843. **J.P. SAUER & SOHN MOD. 1913 S/A POCKET PISTOL:** .32 ACP cal.; 7 rnd. mag.; 3" (76m/m) barrel with g.+ bore, dirty but rifling remains sharply-defined & no heavy pitting; blued finish to metalwork has developed an even dark patina overall, some light wear to profiles & small parts retain their nitre blueing; **J.P. SAUER & SOHN SUHL** marked to top of slide; slide retracts freely, strong springs & sears; damaged to trigger guard, looks to have been glanced by a bullet; original hard rubber grips showing little wear, rh grip in vgc. but lh grip with chipped base section; overall in vg. wo & f. to g. cond. #7826 Pre 47' L/R 500 - 700
844. **WEBLEY & SCOTT MK. IV D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 4" (104m/m) barrel with vg., bright bore & sharply-defined rifling; blued finish to metalwork presents decent, honest holster wear to barrel & cylinder; **MARK IV 38** to lhs top strap, **WEBLEY & SCOTT. LTD** marked to top; serial no. to rhs of frame; action locks up tight, smooth double action & crisp s.a. operation, indexing well; black plastic grips in g.+ cond., well-defined chequering, some handling scuffs but free from cracks; overall in exc. wo & g. cond. #B1777 Post 46' L/R 300 - 500
845. **SPANISH LLAMA MOD. VIII S/A 1911 'CLONE' PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5" (127m/m) barrel with dirty bore, appears vg. with sharply-defined rifling; strong blued finish to metalwork with only light holster wear to front of slide; lhs slide marked **LLAMA CAL. 45**, rhs marked with **GABILONDO Y CIA.**, address; mechanically strong, slide retracts freely, integral ventilated rib to top of slide; chequered walnut grip panels present decent, some minor handling scuffs to rh grip; overall in exc. wo & g. to vg. cond. #683881 Post 46' L/R 500 - 700

- 846. PRE-WAR NAGOYA ARSENAL MFG. NAMBU TYPE 94 SERVICE PISTOL:** 8×22m/m Nambu cal.; 6 rnd. mag.; 3 3/4" (96m/m) barrel with g. to vg. bright bore & sharply-defined rifling, some patchy frosting; original blued finish to metalwork has developed an even dark patina overall, thinning on top of slide; some pit peppering to lhs but presents well; bright nickel finish to magazine; retains all its original Japanese markings which are sharply-defined, Nagoya arsenal marks to rhs frame; slide/ bolt retracts freely, strong springs & sears; original early style black bakelite grips are in vgc., chequering well-defined; overall in exc. wo & g. to vg. cond. **#6611** Mfg. **13.11** (November 1938). *A good insight into the high-quality fit & finish of Nambu pistols prior to WWII.* **900 - 1200**
- 847. KOKURA ARSENAL TYPE 26 D.A. SERVICE REVOLVER:** 9×22m/mR cal.; 6 shot fluted cylinder; 4 3/4" (120m/m) barrel with near exc. bore, crisp rifling & bright throughout with one miniscule spot of light pitting; blued finish to metalwork has thinned to an honest mottled brown-grey patina, free from any significant pitting; Kokura arsenal marks & serial no. marked to rhs frame; mechanically strong, action locks up with some minor movement, cylinder indexing well strong springs; original chequered hardwood grips are in vg. cond., only light handling marks to both, minor wear; lanyard ring to butt; overall in exc. wo & g. to vg. cond. **#28671** Pre 47' L/R *A lovely example that has escaped the heavy pitting we usually associate with Japanese sidearms.* **700 - 1000**
- 848. WWII NAGOYA ARSENAL MFG. NAMBU TYPE 14 SERVICE PISTOL:** 8×22m/m Nambu cal.; 8 rnd. mag.; 4 1/2" (112m/m) barrel with exc. bright bore & crisp rifling; original blued finish to metalwork has thinned to an even dark patina overall, some scattered small patches of pit peppering but presents v. well; pistol retains all its original Japanese markings which are sharply-defined, Nagoya arsenal marks to rhs frame; mechanically exc., bolt retracts freely, g. spring tension & strong sears; original grooved hardwood grips present v. well, only minor handling marks to both; overall in exc. wo & g. to vg. cond. **#5271** Mfg. 18.12 (December 1943) L/R *By far the finest bore on a Type 14 through our auctions.* **900 - 1200**
- 849. FINE Wm CASHMORE RETAILED WEBLEY NO. 2 D.A. REVOLVER:** .380 CF cal.; 6 shot fluted cylinder; 3" (75m/m) barrel with exc. bright bore & crisp rifling, some minor frosting but hard to fault; 80%+ original gloss blued finish to metalwork, majority of patchy loses to straps & rhs frame where a plum patina is developing; **Wm CASMORE/ BIRMINGHAM** marked to top strap, **380** engraved to lhs breech; **BV** Birmingham proofs to barrel & chambers; mechanically exc. cylinder indexing well, strong springs & sears; original chequered walnut birds-head grips in g.+ cond., some scuffs to rh grip but chequering remains sharply-defined; overall in exc. wo & g. to vg. cond. **#A380** Pre 47' L/R *Has seen v. minimal use.* **600 - 800**
- 850. COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 6" (152m/m) octagonal barrel; g. bore, bright with sharply-defined rifling, some minor pitting & oxidation; silvery-grey patina to majority of metalwork, patchy plum staining & scattered frosting on barrel, frame & cylinder; single-line **NEW YORK** address to top of barrel, lhs of frame marked **COLT'S/ PATENT**; roll stamped stagecoach scene to cylinder is v. well-defined; **187279** is marked to barrel, loading lever, frame, trigger guard & butt, replacement wedge; matching cylinder indexing but does bind slightly, strong springs & sears hammer; some screw heads burred; smooth walnut grip panels are in g. cond., chip to bottom & thin bruise to top of lh grip, rh grip with small graze along butt edge; overall in g. cond. **#187279** Mfg. 1861 L/R **1400 - 1800**
- 851. LEFAUCHEUX D.A. PINFIRE SOLID FRAME REVOLVER:** 9m/m pinfire cal.; 6 shot cylinder; 5 1/4" (133m/m) octagonal barrel with f.+ bore, rifling well-defined with some scattered patches of fine pitting; an honest dark plum-grey patina to majority of metalwork; top strap engraved **LEFAUCHEUX/ REVOLVER** & serial no. **7173** marked to front of frame; defined English style acanthus scroll engraving to slides of frame, small parts; cylinder indexing but stop sear is very light; interesting loading gate which swings down to action as extractor rod; single piece walnut grip in sound cond., chequering is showing wear but bearing only light handling marks; steel butt cap; overall in g. cond. **#7173** Pre 1900 L/R **600 - 800**

852. **COLT THIRD MODEL 'THUER' S/S DERRINGER:** .41 rimfire short cal.; 2 1/2" (64m/m) barrel with g. bore, clean overall with sharp rifling, some patchy frosting; 50% original blued finish to barrel, thinning to a plum patina in areas; frame retains 90%+ silver plating, some handling marks; screws heads retain faint nitre blueing; **-COLT-** marked to top of barrel, London **V & P** proofs to underside of barrel; serial no. to barrel flat **27636** but first two numbers have been struck, possibly at factory; strong lock spring & sears to spur trigger; silver blade front sight; smooth walnut grips retain 70%+ original varnish finish, some minor handling marks; overall in g.+ cond. **#636** Pre 47' L/R *One of the better examples to come through our auctions.* **600 - 800**
853. **SMITH & WESSON MOD. 1 1/2 S.A. POCKET REVOLVER:** .32 rimfire short cal.; 5 shot cylinder; 3 1/2" (90m/m) barrel with bright bore & sharply-defined rifling, some patches of light pitting; metalwork has been cleaned back & reblued, now bearing a streaky brown patina, some pit peppering still present; two-line **SPRINGFIELD** address to top of integral barrel rib is indistinct; action locks up well, minimal movement on hinge, spur trigger is frozen in place, will need attention; smooth bone grips, some surface cracking on both & surface chip to rh grip; overall in f. cond. **#4107** Pre 1900 L/R *Would grade up significantly with some minor TLC* **600 - 800**
854. **WWII ERA SPREEWERKE CVQ CODE P.38 S/A PISTOL:** 9x19m/m Luger cal.; 8 rnd. mag.; 5" (125m/m) barrel with f. bore, rifling is sharply-defined but peppered with small patches of light pitting & some scale, may grade up with a clean; what appears to be the original late war blued finish to metalwork presents very well, only light holster wear to profiles; lhs slide marked **P.38 cvq S; 88** Waffenamts marks to lhs frame & rhs slide; pistol has been reproofed & bearing British **BNP** proofs to frame, slide & top of barrel within port; mechanically exc., strong springs & sears; original chocolate brown bakelite grip is in vgc.+, only light handling marks overall, grooves remain well-defined; overall in vg. wo & cond. **#2344** Pre 47' L/R **1500 - 1800**
855. **E. REMINGTON & SONS ELLIOT FOUR-BARREL DERRINGER:** .32 rimfire short cal.; 3 1/2" (86m/m) barrel cluster; unusually fine bores, all are bright with crisp rifling, some minor frosting; patchy original blued finish to barrels with a mottled plum-brown patina to difference & frame; small parts retain their nitre blueing; lhs integral barrel rib marked with **MANUFACTURED BY E. REMINGTON & SONS. ILION. N.Y.**, rhs marked **ELLIOTS' PATENTS. MAY 29. 1860-OCT. 1. 1861**; action locks up tight, ring trigger spring tension is strong & rotary stringer is indexing; hard rubber/ gutta percha smooth grip panels present well, small graze to surface of lh grip base; overall in exc. wo & g. to vg. cond. **#9054** Pre 1900 L/R *A lovely, untouched example.* **700 - 1000**
856. **RETAILED W. TRANTER MOD. 1868 POCKET REVOLVER & LEATHER HOLSTER:** .380 CF cal.; 5 shot cylinder; 3" (78m/m) octagonal barrel with vg. bright bore & crisp rifling; worn blued finish to metalwork now a patchy grey patina overall; some minor repair or cleaning to rhs frame; rhs barrel engraved **COGSWELL & HARRISON/ 142 NEW BOND ST. LONDON**; lhs breech marked with **W.TRANTER'S /PATENT** stamp/ **60141**; Birmingham proofs to chambers & underside barrel; cylinder indexing well, strong springs & sears; extractor rod possible a replacement; single-piece walnut grip in vgc., some minor handling marks & inspect damage but chequering remains well-defined; comes in fitted leather holster, some general wear but still supple; overall in exc. wo & g.+ cond. **#60141** Pre 1900 L/R **400 - 600**
857. **T.C. FURNISS of TRURO RETAILED SPIRLET PAT. TIP-UP D.A. REVOLVER:** .450 CF cal.; 6 shot cylinder; 148m/m octagonal barrel with g. bore, sharply-defined rifling, some light pitting in patches; 30% original blued finish to metalwork in protected areas, plum patina to difference; **T.C. FURNISS / TRURO** engraved to top strap; lion stamp, **208/ ACIER FONDU** marked to lhs breech; Birmingham proofs marked to chambers & barrel; action locks up with some movement, cylinder indexing well, strong springs & sears; finely chequered walnut grips are showing wear, some minor handling marks to both but g. cond. overall; lanyard ring to butt; overall in g. wo & cond. **#208** Pre 1900 L/R *An interesting tip-up extracting design from Belgian gunmaker Albert Spirlet & Cie.* **500 - 700**

- 858. TIPPING & LAW DEN SHARPS PAT. PEPPERBOX DERRINGER:** .28 rimfire cal.; 3" (76m/m) barrels with p. bores, all four with oxidation & moderate pit peppering, may clean up; some original blued finish remaining on barrels in protected areas, grey mottled patina to remainder; dull mellow patina to brass frame with traces of silver plating in areas; partially worn **TIPPING & LAW DEN/ SHARPS PATENT** roundel stamp to lh frame; action operates freely, rotating striker indexes, strong springs & sears; non-matching but original grips, rh a walnut grip & lh a rosewood grip, both in g. cond. with minor handling marks; overall in f. to g. cond. #3380 Pre 1900 L/R **500 - 800**
- 859. BELGIAN No. 3 SMITH & WESSON D.A. 'RUSSIAN MOD.' REVOLVER:** .44 Russian cal.; 6 shot fluted cylinder; 6" (155m/m) barrel with g. bright bore, some scattered small patches of light pitting but rifling remains sharply-defined; worn blued finish, metalwork now bearing a patchy patina with some blueing remaining in protected areas; faint **SMITH & WESSON SPRINGFIELD** address & patents marked to top of integral barrel rib, Liege **ELG** proof to face of cylinder; action locks up with minor movement, strong springs & sears, cylinder indexing; vgc. walnut grips, some minor handling marks but chequering is well-defined; lanyard ring with period lanyard to butt; overall in g. wo & f. to g. cond. #U893 Pre 1900 L/R **500 - 700**
- 860. MANHATTAN FIREARMS Co. NAVY MOD. PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 4" (103m/m) octagonal barrel with fine bore, bright with crisp rifling, some superficial speckled frosting; original blued finish to barrel has thinned to a plum patina, some patchy blueing remains; mottled grey patina to cylinder & frame; dull patina to brass trigger guard & straps with some thinning patches of silver plating; two-line **MANHATTAN FIRE ARMS CO. NEWARK, N.J. / PATENTED MARCH 8, 1864** marked to top of barrel flat; cylinder roll stamped with five oval scenes incl. horseback, naval with rowboat & gun fight scene; action functioning well, crisp cylinder indexing, strong sears & springs; serial no. **2705** marked to barrel, trigger guard, frame & butt of back strap; German silver front blade sight, notch rear sight to nose of hammer; smooth walnut grips in g. cond. both retain 80%+ original varnish, some handling marks & patchy loses to both; overall in vg. wo & g.+ cond. #2705 Pre 1900 L/R *A very honest, untouched example of these lesser-known Civil War era revolvers.* **1500 - 1800**
- 861. COLT MOD. NEW LINE S.A. POCKET REVOLVER:** .32 Colt cal.; 5 shot fluted cylinder; 2 1/4" (58m/m) barrel with f. bore, patch of pitting to top of bore but otherwise clean with well-defined rifling; original blued finish to metalwork thinning to a plum patina on barrel, cylinder but quite strong in areas of frame; top of barrel marked with sharply-defined **HARTFORD** two-line address, **32 CAL** to lhs frame; cylinder indexing well, spur trigger with crisp sears; original hard rubber grips in g. to vg. cond., chequering v. well-defined overall, **COLT** to top of both; overall in g. cond. #21520 Mfg. 1884 L/R **500 - 700**
- 862. SMITH & WESSON MOD. M&P D.A. SERVICE REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (126m/m) barrel with exc. bore & sharply-defined rifling; armourers matte grey packetized re-finish to metalwork, presents well with evidence of frosting to frame; makers name, two line address & patents, cal. marked to lh, top & rhs barrel respectively; back strap stamped **18646**; cylinder indexing well, strong springs & sears; chequered walnut grips in f.+ cond., some handling dings & marks; lanyard swivel to butt; overall in exc. wo & g. cond. #805828 Pre 47' L/R *Thought to be South African police issue.* **600 - 800**
- 863. GERMAN VENUS S/A POCKET PISTOL:** .32 ACP cal.; 7 rnd. mag.; 76m/m barrel with g. bore, dirty grooves but rifling remains well-defined; strong reblued finish to metalwork, presents OK; lhs slide marked **AUTOMATIC PISTOL 'VENUS' PATENT/ CAL 765**, rhs frame marked with **No34567**; mechanically vg., slide retracts freely, strong springs & sears; original gutta percha grips showing little wear, **VENUS** to top of both & chequering is v. well-defined, some insect damage to rh grip; overall in exc. wo & g. cond. #34567 L/R Mfg. 1912 – 1914 **300 - 500**
- 864. STAR MODEL PD S/A PISTOL:** .45 ACP cal.; 6 rnd. mag.; 100m/m barrel with ring bulge 2" from muzzle; thinning blued finish to slide, some wear to blacked finish on profiles of alloy frame; makers name & Spanish address to lhs slide; slide retracts freely, strong springs & sears; solid brass magazine base attachment; crudely fashioned replacement wood grips; overall in f. cond. #415277 post 46' L/R *Suit parts or re-barrel.* **50 - 100**

865. **UNUSUAL BELGIAN HAMMERLESS FOLDING TRIGGER POCKET REVOLVER:** .32 CF cal.; 5 shot fluted cylinder; 48m/m barrel with p. to f. bore, oxidation throughout, rifling appears defined; metalwork with a brown patina overall, some original blueing evident in protected areas; **CAL – 7.65** marked to lhs frame, Belgian **PV** proofs to barrel & frame; missing main spring & grips but otherwise appears complete; overall in p. wo & f. cond. #7700PD Pre 47' L/R *An interesting little gun* 25 - 50
866. **BAYARD MOD. 1923 S/A VEST POCKET PISTOL:** .25 ACP cal.; 6 rnd. mag.; 2 1/4" (51m/m) barrel with dirty bore, rifling is well-defined but needs a clean; blued finish thinning, slide has developed a patchy brown patina; lhs slide marked with **BELGIUM** address, Bayard jousting knight trademark; slide is stiff to retracts & doesn't fully close, needs work before firing; original hard rubber grip panels in g. cond., chequering & **BAYARD** are defined; overall in f. cond. #9327 Pre 47' L/R 50 - 100
867. **MAUSER MOD. 1914 S/A POCKET PISTOL:** .25 ACP cal.; 8 rnd. mag.; 3 1/8" (80m/m) barrel with g.+ bore, some powder residue in grooves, rifling sharply-defined; original blue finish to metalwork presents well, some speckled oxidation & v. minor pit peppering; trigger & some other small parts with areas of strong nitre bluing; lhs of slide marked **WAFFENFABRIK MAUSER A.-G. OBERNDORF A.N. MAUSER'S PATENT, MAUSER** trademark to lhs of frame; slide retracts freely, strong springs & sears, cocking indicator not functioning; single piece walnut grip in g.+ cond., some light handling marks & bruising, chequered panels to sides is defined; overall in exc. wo & g.+ cond. #23204 Pre 47' L/R 400 - 600
868. **IVER JOHNSON D.A. TOP BREAK RIMFIRE REVOLVER:** .22 long cal.; 7 shot fluted cylinder; 6" (152m/m) barrel with fine bore, bright with sharply-defined rifling; 60%+ original nickel finish to metalwork, majority of losses to lhs barrel; **IVER JOHNSON ARMS & CYCLE WORKS/ FITCHBURG MASS. U.S.A.** marked to top of barrels integral top rib; action locks up tight, cylinder indexing well; walnut single piece walnut grip in g. overall cond., some light handling marks & losses to original varnish finish; overall in exc. wo & g. cond. #32871 Pre 47' L/R 350 - 500
869. **HARRINGTON & RICHARDSON MOD. SAFETY HAMMER VEST POCKET REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 1 1/8" (41m/m) octagonal barrel, g. bore with some minor oxidation, rifling is crisp; bright nickel finish to metalwork presents v. well, only light handling marks & a tiny patch of losses; top strap marked **VEST POCKET/ SAFETY HAMMER**, patents marked to bobbed hammer; cylinder indexing well, strong springs & sears; vg. original hard rubber grips present well, light wear to both; overall in exc. wo & vg. cond. #33673 Pre 47' L/R 300 - 500
870. **WEBLEY D.A. "R.I.C." REVOLVER:** .380 cal.; 5 shot cylinder; 3" (76m/m) octagonal barrel with p. bore, first portion of barrel has had rifling polished out; silvery steel finish to metalwork, some fine pitting in areas; markings to top strap have been ground off; Birmingham proofed; strong cylinder indexing & springs; single piece walnut grip in g. cond. chequering well-defined; overall in p. cond. #824 Pre 1900 L/R *Suit prop gun or paper weight.* 50 - 100
871. **HARRINGTON & RICHARDSON MOD. YOUNG AMERICA POCKET REVOLVER:** .22 RF cal.; 7 shot fluted cylinder; 2" (51m/m) octagonal barrel with f. bore, rifling is well-defined but some light oxidation scale in grooves; nickel finish metalwork, some patchy losses & marring; **WORCESTER** address marked to lhs barrel, **YOUNG AMERICA/ DOUBLE ACTION** marked to top strap; cylinder indexes but trigger return spring is broken; original hard rubber grips present well, light wear to both; overall in f. cond. #220889 Pre 47' L/R 50 - 100
872. **HARRINGTON & RICHARDSON MOD. YOUNG AMERICA POCKET REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 2" (52m/m) octagonal barrel with dusty bore, appears vg.+ with sharply-defined rifling; original blued finish to metalwork presents well, some thin spots; **WORCESTER** address marked to lhs barrel, **YOUNG AMERICA/ DOUBLE ACTION** marked to top strap; strong springs & crisp sears, cylinder indexes but spins back occasionally; original hard rubber grips in vg. cond., some light storage marks; overall in g.+ cond. #302804 Pre 47' L/R 200 - 400

873. **BELGIAN FOLDING TRIGGER PINFIRE POCKET PISTOL:** .30 cal. pinfire cal.; 6 shot cylinder; 3 1/2" (88m/m) octagonal barrel with p. bore; nickel plated finish to metalwork presents ordinary, patchy losses on barrel & cylinder; Liege **ELG** proof to cylinder, additional **A** proofs to barrel & frame; strong springs & sears, indexing well; missing extractor rod assembly; smooth walnut grips with some handling marks & surface bruising but sound; overall in p. to f. cond. #5 Pre 1900 L/R 150 - 250
874. **SMITH & WESSON MOD. 79G AIR PISTOL:** .177 cal.; 8 1/4" (210m/m) barrel with dirty bore, appears vg.; matte black coating to metalwork, bearing some general handling marks but presents well; SW trademark to lhs frame, address to rhs; mechanically appears compete, action functions freely; brown plastic chequered grips in g. cond. overall in vg. cond. #0095162 Post 46' L/R 100 - 200
875. **ALLEN & WHEELOCK MFG. ALLEN PAT. SIDE HAMMER RIMFIRE REVOLVER:** .22 RF short; 7 shot cylinder; 3" (76m/m) octagonal barrel, speckled with oxidation scale but remainder is bright, three-groove rifling is crisp; trace amount of original blued finish remains in protected areas, mottled brown patina to remainder of metalwork; barrel marked with **ALLEN & WHEELOCK, WORCESTER** address/ patents; cylinder indexing, strong springs & sears; original smooth walnut grips in g. cond., some handling marks & peening; overall in g. to vg. cond. #640 Pre 1900 L/R 400 - 600
876. **HIGH STANDARD MOD. 102 SPORT KING S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 170m/m round barrel with vg. bore, sharply-defined rifling; blued finish to metalwork thinning slightly on barrel, some light handling marks but presents well; makers name & **HAMDEN** address to rhs breech, **SPORT KING** to lhs frame; slide retracts freely, strong springs & sears; original bakelite grips with brass trademark medallions inset to centres, some light handling marks; overall in exc. wo & g. cond. #1086039 Post 46' L/R 200 - 400
877. **WEBLEY & SCOTT LTD MK. III TARGET PISTOL:** .22 LR cal.; 10" (251m/m) round barrel with vg. bright bore & sharply-defined rifling; matte blued finish to barrel, some most rub spots, glossy blued finish to action with some speckled staining; model & calibre to lhs breech, makers name/ **BIRMINGHAM** to lhs frame; action locks up tight, strong springs & sears; original thumb rest bakelite grips with some minor handling marks but chequering remains sharply-defined; overall in exc. wo & g. cond. #6003 Post 46' L/R 150 - 300
878. **WALTHER LP MOD. 2 S/S AIR PISTOL:** .177 cal.; 9 1/2" (240m/m) barrel with dirty bore, appears g.+ with sharply-defined rifling; matte grey finishes to metalwork present well, light handling marks & scuffs overall; lhs breech marked with **WALTHER** trademark banner, model & **Carl Walther Ulm/Do.;** mechanically complete but feel like it needs a new seal, won't hold pressure; black plastic grips a little grubby but in g. cond.; overall in f. cond. #19324 Post 46' L/R 50 - 100
879. **RUGER MK I S/A TARGET PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) barrel with exc. bore & crisp rifling; blued finish to metalwork thinning & bearing handling marring; full name & address marked to lhs of barrel, **RUGER**, cal. & **MARK I** marked to lhs of receiver; bolt retracts freely, could use an oil, crisp trigger; adjustable rear sight; thumb rest grips with adjustable palm rest in g.+ cond., some handling marks to glossy finish; overall in exc. wo & g. cond. #15-58530 Post 46' L/R 300 - 400
880. **HAMMERLI MOD. 210 OLYMPIA S/A TARGET PISTOL:** .22 short cal.; 150m/m barrel with bright bore & sharply-defined rifling, needs a clean; blued finish to metalwork, some light wear to finish on profiles & general blemishes; **Hammerli International, LENZBURG/ SWITZERLAND** marked to lhs of slide, **Olympia** to rhs; slide retracts freely, crisp trigger; missing extractor; fitted with barrel weight/ muzzle break and barrel has been ported; two-piece walnut thumb rest grips with defined chequering panel, some handling marks & scratches; overall in f. to g. cond. #11052 Post 46' L/R 100 - 300
881. **DRULOV MOD. 70 S/S TARGET PISTOL:** .22 LR cal.; 195m/m barrel with vg. bright bore & sharply-defined rifling; strong re-blued finish to metalwork, some handling marks; **Drulov** marked to lhs of frame; crisp trigger & strong springs but poorly repaired extractor sits proud, jamming when opening; single piece walnut grip with some modifications, in sound cond.; overall in f. to g. cond. #1868 Mfg. 1963 L/R 50 - 100

882. **ROSSI MOD. 68 D.A. TARGET REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 6" (151m/m) barrel with dirty bore, appears bright with sharply-defined rifling; blued finish to metalwork, some light wear overall, speckled blemishes & scattered handling marks; makers name & address to lhs barrel, rhs barrel marked **38 ESPECIAL**; Aust importer **GRYCOL** marks to rhs frame; cylinder indexing well, strong springs & sears; fitted with thumb rest grips, some handling marks & fine cracks; overall in g. wo & cond. #111521 Post 46' L/R *Appears to be a model 68 which has been fitted with a longer barrel & target style grips* 200 - 400
883. **CROSMAN ARMS Co. MK. II TARGET CO2 AIR PISTOL:** .177 cal.; 196m/m barrel with dirty barrel, appears g.+; black painted finish to metalwork is flaking in areas, presents ordinary; makers name & model marked to lhs breech; appears complete, rotary locking breech, trigger release etc. are functional; black polymer grips bearing a few handling marks & scuffs; overall in f. cond. #1002944 Post 46' L/R 50 - 100
884. **HIGH STANDARD 'THE SHARPSHOOTER' 103 SERIES S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) heavy barrel with dirty bore, appears vg. with crisp rifling; original blued finish to metalwork, thinning in areas but presents well; **THE SHARPSHOOTER/** cal. marked to lhs breech, **HAMDEN** address to rhs; slide retracts smoothly, strong springs & sears but trigger return v. sticky, adjustable rear sights; original chequered walnut grip panels in g. cond., some minor handling marks & finish flaking to lhs thumb rest; overall in g. cond. #G01054 Post 46' L/R 100 - 200
885. **GECADO MOD. 6 S/S AIR PISTOL:** .177 cal.; 7" (181m/m) barrel with dirty bore, rifling well-defined; blued finish to metalwork finely speckled with some minor oxidation but presents decent; top of spring housing marked with **GECADO** trademark/ **MOD. 6**, lhs marked **MADE IN GERMANY**; action operates freely, g. spring tension & seals hold; brown polymer thumb rest stock in sound cond. but has been roughed up with sandpaper for extra grips; overall in g. wo & cond. #039332 Post 46' L/R 50 - 100
886. **HUNTER INC. MOD. FRONTIER SIX-SHOOTER S.A. REVOLVER:** .357 Mag.; 6 shot fluted cylinder; 6" (150m/m) barrel with dirty bore, considered f. until cleaned; thinning blued finish to blued steel parts, blacked finish to cast straps & other parts has thinned to a grey finish; **BY HUNTER INC. FIREARMS MFG. CO./ MADE IN WESTERN GERMANY** to lhs barrel, model to rhs; cylinder indexing well, g. springs & solid sears; faux stag horn grip in sound cond.; overall in g. wo & f. cond. #30488 Post 46' L/R 200 - 400
887. **GERMAN EUSTA MFG. DETECTIVE MOD. REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 2" (48m/m) barrel with dirty bore; patchy finish to cast steel frame, presents v. ordinary; makers name & **MFG. WEST GERMANY** to lhs barrel, model to rhs; action needs work, binds up when opening & indexing; brown plastic grips in g. sound cond. #2590 Post 46' L/R 50 - 100
888. **IVER JOHNSON TOP BREAK D.A. POCKET REVOLVER:** .32 S.&W. cal.; 5 shot fluted cylinder; 3" (76m/m) barrel with g. bright bore & sharply-defined rifling, needs a clean; thinning blued finish to metalwork, has been removed from frame; action locks up tight but missing trigger spring & pin, otherwise appears complete; vg. original hard rubber grip panels with ornate bordering & owl trademark to top of both; overall in f. cond. #55901 Pre 47' L/R 50 - 100
889. **RELIC CHAMELOT DEVIGNE MOD. 1873 D.A. REVOLVER:** 11mm French Ordnance (11.46x17mmR) cal.; 6 shot cylinder; 4 1/2" (115m/m) barrel; metalwork is heavily corroded in areas, has been cleaned back in areas; amazingly still indexes, strong springs & sears; f. walnut grips; overall in relic cond. #H18868 Pre 1900 L/R 50 - 100
890. **SQUIRES BINGHAM MOD. THUNDER CHIEF D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4" (102m/m) barrel with bright bore & sharply-defined rifling, vgc.; blued finish to metalwork presents OK, thinning from holster wear; makers name, model & **MADE IN THE PHILIPPINES** to lhs barrel; cylinder indexing when properly aligned but jams & binds, needs work; wooden two-piece grips in p. cond., have been crudely shaped; overall in f. cond. #187308 Post 46' L/R 50 - 100

891. **CHINESE NORINCO MOD. NZ75 S/A PISTOL:** 9×19m/m Luger cal.; 15 rnd. mag.; 4 1/2" (115m/m) barrel with vg. bright bore & sharply-defined rifling; strong blued finish to metalwork, some light storage wear but presents exc.; makers name & model marked to lhs slide & frame; slide retracts freely, strong springs & sears; with **HOGUE** brand rubber grip; overall in exc. wo & vg. to exc. cond. #303722 Post 46' L/R **300 - 500**
892. **LIEGE UNITED ARMS Co. TOP BREAK RIMFIRE REVOLVER:** .22 Long cal.; 6 shot fluted cylinder; 80m/m barrel with dirty bore; metalwork cleaned to a silver finish; makers name to barrel; mechanically p. needs, axis pin wobbly; original matching hard rubber grips in g. sound cond.; overall in p. cond. #GRI234 Pre 47' L/R **20 - 50**
893. **COLT THIRD MOD. 1860 ARMY PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (203m/m) barrel with vg. bright bore & sharply-defined rifling, needs a clean; strong blued finish to barrel & cylinder, vivid case colours to frame & mellow finish to brass trigger guard, straps; finishes present exc., a few minor handling & storage marks; **NEW-YORK** address to barrel, crisp naval engagement scene to cylinder; mechanically exc., strong springs & sears; screw heads untouched; smooth walnut grips in vgc., some minor handling marks; overall in exc. wo & vg. to exc. cond. #210442 Post 46' L/R *The crème de la crème of percussion revolvers, almost certainly unfired.* **500 - 700**
894. **COLT THIRD MOD. 1860 ARMY PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (203m/m) barrel with g. bright bore & sharply-defined rifling, some minor speckled oxidation; blued finish to barrel & cylinder, case colours to frame & mellow finish to brass trigger guard, straps; finishes are thinning but markings are crisp, presents OK; **NEW-YORK** address to barrel, crisp naval engagement scene to cylinder; mechanically exc., strong springs & sears; smooth walnut grips in g. to vgc., some light handling marks & general handling darkening; overall in exc. wo & g. cond. #210511 Post 46' L/R **200 - 400**
895. **STURM RUGER NEW MODEL SINGLE-SIX S.A. REVOLVER:** 22LR & 22 WMR cal.; 6 shot fluted cylinder; 6 1/2" (165m/m) barrel with dirty bore, appears g. with sharp rifling; blued finish to metalwork presents decent, light holster wear in areas; top of barrel marked with **STURM RUGER** address; lhs of frame marked with **RUGER** over **NEW MODEL**, **.22 CAL.** over **SINGLE-SIX**; mechanically exc., cylinder indexing correctly, crisp sears & strong springs; adjustable rear sight & blade front sight; smooth walnut grips in g. to vg. cond., some handling wear & light marks, trademark medallion inlaid to both; comes with additional .22 WMR cylinder marked with matching roll stampings; overall in exc. wo & g. cond. #65-28756 Post 46' L/R **500 - 700**
896. **SMITH & WESSON MOD. 14-2 S.A. REVOLVER:** .38 Spl. cl.; 6 shot fluted cylinder; 6" (148m/m) barrel with vg. bright bore & sharply-defined rifling, needs a clean; blued finish to metalwork is strong, some minor holster wear but present well; **SMITH & WESSON** marked to lhs barrel, cal. to rhs; four-line address & **SW** monogram trademark to rhs frame; s.a. only action indexing smooth, strong springs & sears to wide grooved trigger & hammer; fitted with **Pachmayr GRIPPER**, needs a clean; overall in exc. wo & g. to vg. cond. #K763676 Post 46' L/R **300 - 500**
897. **MIDDLE EASTERN FLINTLOCK HOLSTER PISTOL:** .50 cal.; 11 1/2" octagonal barrel with unknown bore cond., plugged with paper; mottled brown patina& frosting to iron metalwork, bright finish to brass furniture; large musket style lock functioning well, strong springs & sears; large brass trigger guard; walnut full stock decorated with silver pin dot inlays which extent through to forestock; woodwork in f. overall cond., large filled & repaired crack through grip; overall in f. cond. **N/L** **500 - 800**
898. **TURKISH-OTTOMAN FLINTLOCK BLUNDERBUSS:** 12 bore approx., flaring to 1 7/8" at muzzle; 11 1/2" twist damascus barrel, bore cond. unknown, plugged with paper; grey steel finish & some light staining to majority of metalwork incl. iron furniture; g. pattern definition to barrel; some light engraving and what appears to be the makers marks to lockplate; strong springs & sears to lock; woodwork in p. overall cond., extensive borer damage has eaten away wrist under the surface finish, more but less severe borer damage to forestock; heel tang to buttplate is sprung upwards; overall in p. to f. cond. **N/L** **600 - 900**

- 899. CASED COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 5" (126m/m) octagonal barrel; f. cond. bore with patchy oxidation & fine pitting throughout but rifling remains v. well-defined, would grade up with a clean; attractive soft plum-grey mottled patina to majority of metalwork; mellow patina to brass straps; defined two-line **NEW-YORK** address to top of barrel, lhs of frame marked **COLT'S/ PATENT**; serial no. **53023** marked to barrel assembly, frame, trigger guard & butt, matching cylinder which retains a well-defined stagecoach roll stamped scene; cylinder indexing well., strong sears & springs; smooth walnut grips present well, general light wear & small surface graze to lh grip, some general surface marks; comes presented in contemporary fitted case, maroon velvet lining, facsimile **DIRECTIONS FOR LOADING** paper label, no accessories; overall in g.+ cond. **#53023** Mfg. 1852 L/R *A nice original example of a 1849 pocket* **1500 - 2000**
- 900. CASED GLOCK MOD. 21 S/A PISTOL:** .45 ACP cal.; 10 rnd. mag.; 4 3/4" (120m/m) barrel with vg. bright bore & sharply-defined rifling; matte black finish to metalwork presents exc., some trace amounts of wear on profiles; lhs slide marked with **GLOCK** trademark, **21 AUSTRIA .45 Auto**; serial no. marked to frame & slide, barrel numbered **BDDP520**; slide retracts freely, strong springs & sears, black polymer frame with some minor handling marks; comes in maker marked black plastic carry case with cleaning brush; overall in exc. wo & vg. cond. **#DPH866** Post 46' L/R **500 - 700**
- 901. CASED I.W.I MOD. JERICHO 941 'BABY EAGLE' S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4 3/4" (120m/m) barrel with vg. bright bore & sharply-defined polygonal rifling; matte black finish to metalwork, presents well with only minor storage marks overall; lhs frame marked **DESERT EAGLE PISTOL/ ISRAEL WEAPON INDUSTRIES (IWI) LTD**, rhs marked with **MAGNUM RESEARCH** importers marks; mechanically strong, slide retracts freely, d.a. trigger; black polymer grip panels with IWI trademarks to centre; comes in the original **MAGNUM RESEARCH** black plastic carry case; overall in exc. wo & exc. cond. **#41305715** Post 46' L/R **800 - 1200**
- 902. KELTEC MOD. PMR-30 RIMFIRE PISTOL:** .22 WMR cal.; 30* rnd. mag.; 142m/m barrel with exc. bore & sharply-defined rifling; strong blued finish to slide subframe, khaki polymer frame & slide outer all present well, some minor handling marks; **KEL-TEC CNC INC/ COCOA FL USA** extruded to lhs of frame, **PMR-30** to rhs; top of breech marked **.22/ WMR**; slide retracts freely, v. strong springs & sears; polymer frame with a few minor handling marks; comes in original maker marked black plastic carry case with spare 10 rnd. polymer magazine; overall in exc. wo & vg. cond. **#WGG97** Post 46' L/R *Please note: *Alloy pop-rivet mag. capacity pin has fallen out, now taking the original 30 rounds of .22 WMR!* **700 - 900**
- 903. STURM RUGER MOD. 22 CHARGER S/A PISTOL:** .22 LR cal.; 9 rnd. polymer rotary mag.; 10" (253m/m) barrel with vg. bright bore & sharply-defined rifling; strong matte black finish to metalwork, presents well; top of barrel marked with full name & **SOUTHPORT** address, lhs receiver marked **RUGER 22 CHARGER**; bolt cycles smoothly, strong springs & sears; fitted with **tasco PRO Point Plus** on the factory picatinny rail, works well; laminated saw handle stock in exc. cond., some minor handling marks overall, fitted with spring loaded bipod; comes in maker marked soft carry case with owner's manual; overall in exc. wo & vg. to exc. cond. **#490-33753** Post 46' Cat H L/R **700 - 1000**
- 904. CASED NORINCO MOD. 1911A1 S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5" (126m/m) barrel with dirty bore, appears vg. with sharply-defined rifling; strong blued finish to metalwork, presents exc.; lhs slide marked with **NORINCO** trademark, **M1911A1**; slide retracts freely, strong springs & sears; grip safety with extended spur; original black chequered polymer grips in exc. cond.; comes in maker marked black plastic carry case with spare mag. & cleaning brush; overall in exc. wo & cond. **#BAAU058** Post 46' L/R **500 - 700**
- 905. CASED STURM RUGER VAQUERO S.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with exc. bright bore & sharply-defined rifling; bright polished finish to stainless steel metalwork, some minor surface marring but presents well; lhs barrel marked with **SOUTHPORT** address, lhs frame marked **RUGER VAQUERO/ cal.**; mechanically fine, strong springs & sears, cylinder indexing well; fitted with white faux horn grips, both in vgc.; comes maker marked plastic carry case with the original smooth walnut grips, both in vgc.; overall in exc. wo & vg. cond. **#58-87608** Post 46' L/R **600 - 800**

906. **WEBLEY R.I.C. NO. 1 D.A. REVOLVER:** .450 cf. cal.; 6 shot cylinder; 4 1/2" (112m/m) barrel with dusty bore, appears g. with sharply-defined rifling, some frosting; grey finish to metalwork is speckled with patches light oxidation, should clean up well; lhs frame marked with **W&S** winged bullet trademark/**WEBLEY'S/ R.I.C / No1450CF**; cylinder indexing well in d.a. but won't hold in s.a., appears complete; retains extractor rod; single piece walnut grip in g. cond., chequering remains well-defined, some light handling marks; steel butt cap with lanyard ring; overall in f.+ cond. **#6523** Pre 1900 L/R *Would grade up significantly with some minor work.* 200 - 300
907. **W. GRIFFITHS RETAILED W. TRANTER MOD. 1868 D.A. POCKET REVOLVER:** .28 RF cal.; 5 shot cylinder; 2 1/2" (66m/m) octagonal barrel with f. bore, rifling well-defined but peppered with some light pitting, oxidation; brown patina to majority of steel parts, barrel, trigger guard with flashes of strong original blueing in between patchy oxidation scale; dull mellow finish to brass frame & straps; top of barrel engraved **W. GRIFFITHS MANCHESTER** engraved to top of barrel, lhs breech stamped with **W.TRANTER'S PATENT/ 60587**; border engraved frame; mechanically fine, cylinder indexing well, strong springs & sears; single piece walnut butt with sharply-defined chequering, some minor handling marks; brass butt retains original threaded extractor rod; overall in g. wo & cond. **#60587** Pre 1900 L/R *Would clean up to be a lovely little collectible revolver.* 300 - 500
908. **HARRINGTON & RICHARDSON MOD. PREMIER D.A. RIMFIRE REVOLVER:** .22 LR cal.; 7 shot fluted cylinder; 3" (78m/m) barrel with bright bore & crisp rifling, some light pitting; 90%+ original nickel finish to metalwork presents well, some surface marks; **WORCESTER** address to top of integral barrel rib, **PREMIER 22 RIM FIRE** marked to lhs barrel; action locks up tight, cylinder indexing well, strong springs; original hard rubber grips in g. cond., some worn flat spots to sides but otherwise present well, shot target motif to top of both; overall in vg. wo & g. cond. **#178441** Pre 47' L/R 300 - 500
909. **BRITISH BAR HAMMER PEPPERBOX PISTOL:** .38 cal.; 3" (78m/m) six-barrel cluster with f. bores, some oxidation scale & light pitting, would grade up; dark grey patina to barrels & small parts, some frosting & oxidation scale; Birmingham proofs marked to flutes of barrel cluster; light coverage of lightly defined acanthus scroll to frame & straps; mechanically strong, barrels indexing well, strong springs & original nipples; smooth walnut grips in g. cond., some minor handling marks to both; overall in f. to g. cond. **#JW143** Pre 1900 L/R 500 - 700
910. **STURM RUGER NEW MODEL SINGLE-SIX S.A. REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with dusty bore, sharply-defined rifling, appears vg.+; blued finish to metalwork presents decent, light holster wear in areas; top of barrel marked with **STURM RUGER** address; lhs of frame marked with **RUGER** over **NEW MODEL**, **.22 CAL.** over **SINGLE-SIX**; mechanically exc., cylinder indexing correctly, crisp sears & strong springs; adjustable rear sight & blade front sight; smooth walnut grips in g. cond., some handling wear & marks, trademark medallion inlaid to both; overall in exc. wo & g. cond. **#65-41892** Post 46' L/R 500 - 700

End of Australian Fine Arms Auction 11

Please note: Any items that do not meet the reserve will be passed-in during the auction and then uploaded to a secondary timed auction, almost immediately.

The timed auction will run for another 7 days.

Due to the bidding platforms system, there will be no referred bids