LOT No.

Australian Fine Arms & Collectables
Auction 12. 14 & 15 November 2026

1.	**BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. steel mag.; 24 3/4" barrel with vg. bore, bright with sharply defined micro-groove rifling; strong original blued finish to barrel, some minor storage marks & dust, matte finish to action; **BRNO MOD. 2** marked to barrel, **67** proofs to action & breech; bolt cycles freely, strong springs & sears; factory tangent rear sights, blade front sight with hood; walnut stock presents well, some light handling marks & scuffs; chequering to grip is crisp; retains sling swivels & original buttplate; overall in exc. wo & g. to vg. cond. **#143954** L/R	**500 -**	**700**
2.	**HOWA MFG. CMC MOUNTAINEER B/A SPORTING RIFLE:** .243 Win. cal.; 4 rnd. mag.; 22" barrel with vg. bright bore & sharply defined rifling, needs a clean; strong blued finish to majority of metalwork, only minor storage marks overall presents exc.; some minor loses to finish on alloy trigger guard & mag. floorplate; **CMC AUSTRALIA MOUNTAINEER / OBERON. MFG. IN JAPAN TO RABBIDGE SPEC.** marked to lhs. action, cal. marked to lhs. barrel; bolt cycles freely, strong springs & sears; fitted with **Tasco 3-9X40** scope on bridge mount, clear optics; Monte Carlo style walnut stock with raised cheek piece/ comb, semi-pistol grip with cap, sharply defined skip-line chequering; woodwork in vgc.+ cond., let down only by some minor bruising to lhs, otherwise exc.; Howa black grooved plastic buttplate; overall in exc. wo & vgc. **#R006321** L/R	**600 -**	**800**
3.	**B.S.A. MFG. LEE-SPEED BOLT-ACTION SPORTING RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. bore, well-defined Enfield rifling, grooves a little dark, fine pin-prick pitting throughout; blued finish to metalwork still quite strong on action & protected areas, thinning to a plum patina on profiles, barrel; rhs. body socket marked **LEE-SPEED** / **PATENTS** / **B.S.A. Co**; lhs. breech & barrel marked with commercial Birmingham **BV** proofs, **NITRO PROOVED & FOR CORDITE ONLY**; matching no bolt cycles freely, strong springs & sears; express sights with silver inlaid sighting lines, standing 100yd & folding 200, 300, 400 yd leaf's, 5-100 yd. ladder; **MARBLE NO 50** front sight; charger bridge to action, sling studs to underside stock & barrel; nicely figured walnut stock & fore-end, chequering to both is well-defined, bearing only light handling marks overall; brass buttplate with trap; overall in vg. wo & g.+ cond. **#19679** L/R	**1000 -**	**1400**
4.	**STURM RUGER M.77 B/A SPORTING RIFLE:** .22 Swift cal.; 5 rnd. integral mag.; 24" barrel with exc. bright bore & sharply defined rifling; strong gloss blued finish to majority of metalwork, only minor storage marks overall presents exc.; some minor loses to finish on alloy trigger guard & mag. floorplate; **STURM RUGER & CO, SOUTHPORT** address to top of barrel, cal. to lhs. & **RUGER M77** marked to lhs. action with serial no.; bolt cycles smoothly, strong springs & crisp trigger, top rang safety; correct pattern 1" rings fitted; walnut stock in g.+ overall cond., chequering to semi-pistol grip is sharply defined, some light handling marks & losses to varnish finish, still presents well; original rubber recoil pad; overall in exc. wo & g. to vg. cond. **#771-80368** L/R	**500 -**	**700**
5.	**TIKKA MODEL T3X BOLT-ACTION SPORTING RIFLE:** .223 Rem. cal.; 5 rnd. polymer mag.; 22 1/2" barrel with exc. bore & crisp rifling; satin finish to stainless steel metalwork, presents exc., some minor storage marks & staining; lhs. barrel marked **CAL. 223 Rem. 12" MADE IN FINLAND**, lhs. action marked **TIKKA T3X**; bolt cycles freely, strong springs & crisp sears; fitted with **VORTEX DIAMONDBACK 4-12X40** scope on two-piece mounts; black polymer stock with rubber recoil pad, some minor storage marks overall but hard to fault; overall in exc. wo & as new cond. **#N75182** L/R ***Great package, suit new gun buyer.***	**700 -**	**900**

6. **BROWNING X-BOLT BOLT-ACTION SPORTING RIFLE:** .223 Rem. cal.; 5 rnd. polymer rotary mag.; 22 1/2" barrel with exc. bore & crisp rifling; black satin finish to majority of metalwork, some minor storage marks but hard to fault; lhs. barrel marked with **BROWNING ARMS COMPANY, UTAH** address, rhs. marked **X-BOLT CAL. 223 REM 1-8"**; mechanically fine, bolt cycles smoothly, strong springs & sears; fitted with **3-12X44 ZEROTECH** model **THRIVE** scope on Leupold two-piece mounts; walnut stock in vgc., some minor surface marks to satin polymer finish but presents exc.; chequering to forestock & palm-swell grip is well-defined; **INFLEX** tec. soft rubber recoil pad; overall in exc. wo & near exc. cond. **#BRJP50758YZ354** L/R ***Suit new gun buyer.*** **700 - 900**

7. **TIKKA MODEL T3X BOLT-ACTION SPORTING RIFLE:** .243 Win. cal.; 5 rnd. polymer mag.; 22 1/2" barrel with exc. bore & crisp rifling; satin finish to stainless steel metalwork, presents exc., some minor storage marks; lhs. barrel marked **TIKKA PY51586** / **CAL. 243 Win. MADE IN FINLAND**, lhs. action marked **TIKKA T3X**; bolt cycles freely, strong springs & crisp sears; fitted with **4-16X60 ZEROTECH** model **THRIVE** scope on Leupold two-piece mounts & folding bipod to forestock; black polymer stock with rubber recoil pad, some minor storage marks overall but hard to fault; overall in exc. wo & as new cond. **#Y51586** L/R ***Suit new gun buyer, orange dealer stickers still on stock.*** **800 - 1200**

8. **STH. AUST. MARKED W.W. GREENER MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with g. bore, rifling is sharply defined but dirty, would grade up with a clean; blued finish to metalwork is thinning to a dark plum patina & silver grey on profiles, some light oxidation staining & dried grease in areas; **W.W. GREENER MAKER BIRMINGHAM** to lhs. of action & top of barrel, **COMMONWEALTH OF AUSTRALIA** to rhs. & Kangaroo trademark to top of breech; action locks up well & trigger crisp; std. tangent sights & blade front; woodwork presents decent, some light handling marks & bruising overall, chips to underside of stock head & armourers repair to lhs. butt at toe; rhs. butt marked with well-defined **SOUTH AUSTRALIA** – **MLY FORCES** roundel / **1021**, some minor vice marks to roundel; overall in vg. wo & f. to g. cond. **#9249** L/R Would grade up significantly with a clean. **300 - 500**

9. **ENFIELD SNIDER-ENFIELD MK. I CAVALRY CARBINE:** .577 cal.; 21 1/2" round barrel with g.+ bore & sharply defined rifling, would grade up with a clean; silver-grey patina under patchy payer of dried grease to metalwork, looks to have been cleaned back; mellow patina to brass furniture; lock tail marked with crown/ **V.R**, centre marked **1857** / **ENFIELD**; top of breech & barrel marked with **SNIDER** / **PATENT**, fletched arrow trademarks; commercial proofs to lhs. barrel; action a little sticky with grease but locks up tight, strong lock; std. sights, retains swivels to barrel band & underside of stock; woodwork presents well, some light handling marks & aged crack between lock screw & breech but otherwise in g.+ cond.; brass buttplate tang marked with **E D V** / **22**; overall in exc. wo & f. to g. cond. #EDV22 **N/L** **600 - 800**

10. **ENFIELD MARTINI-ENFIELD MK II CAVALRY CARBINE:** .303 cal.; 21" barrel with f.+ bore, rifling is sharply defined, some frosting & a little dark with lead fouling, would grade up with a clean; blued finish to metalwork thinning to a mottled grey & plum patina, some scuffs & handling marks; lhs. action Crown / **V.R** / **ENFIELD** / **1901** / **M.E. 303** / **C.C.II**, rhs. action marked with **I.C.I ENFIELD** markings; Broad arrow marks to breech; action cycles freely, strong springs & sears; 6-20 graduated rear sights; woodwork in f. cond., only minor handling marks overall but some dark staining in patches aged surface cracks around butt; buttplate with some pitting; overall in g. wo & f. cond. **#109** L/R **400 - 600**

11. **LITHGOW S.M.L.E MK. III R.F.I. SHOTGUN CONVERSION:** .410 cal.; 25 1/4" barrel with fine, bright bore; blued finish to metalwork has developed a dark patina overall, some oxidation staining; std. mk **III** markings to body socket, lhs. marked **.410** / **RFI** / **1968**; bolt cycles freely, strong springs & sears; original 2-20 graduated rear sights; woodwork in g. sound cond., dark appearance with only light handling marks overall; armourers repairs to butt, small lifting chip section to lhs. handguard; brass buttplate; overall in exc. wo & g. cond. **#B42025** L/R **150 - 300**

12. **L.S.A. CO MARTINI-ENFIELD MK. I SERVICE RIFLE:** .303 cal.; 30” barrel with f.+ bore, rifling is sharply defined, a little dirty & some frosting but would grade up; blued finish to metalwork quite strong, some light surface oxidation & wear to profiles; lhs. action Crown / **V.R** / **ENFIELD** / **1895** / **M.E. 303** / **I**, rhs. action marked with **L.S.A.Co** markings & **VIC GOV** roundel; action cycles, a little gummed up with dried grease but sears & springs are strong; 6-18 graduated rear sights; no swivels or rod; woodwork in g. sound cond. overall, some handling marks & bruising, darkened appearance; handguard with some cracks & sides of butt with light vice marks; steel buttplate; overall in g. wo & f. cond. **#8556** L/R **300 - 500**

13. **WESTLEY RICHARDS ENFIELD PATT. 14 NO. 1 B/A RIMFIRE TRAINING RIFLE:** .22 LR cal.; 25 1/4" barrel with vg. bright bore & sharply defined rifling, some v. minor scattered pits; blued finish to action remains strong, some light were & speckled blemishes, finish thinning to a plum patina on mag.; rhs. body socket marked ***WESTLEY RICHARDS & Co***/ **22 PAT I**/ **14 NO 1** / **A.G. PARKER** full name, address; lhs. body socket marked **ENFIELD** / **1905** / **SHT LE** / **CON D II**; matching no. bolt cycles freely, correct rear sights with windage adjustment V-notch altered to U; woodwork is in f. to g. but sound cond., surface marks, light bruising & spotted discolouration’s to finish overall, would clean up well; rhs. butt marked with defined **ENFIELD** roundel mark, inlaid brass disc stamped with unit markings; brass buttplate with trap; overall in exc. wo & g. cond. **#7765** Cat A L/R ***A good, honest example that would grade up with an oil.*** **700 - 900**

14. **MECHANICAL GUNS Co MFG. PEABODY MARTINI RIFLE:** 577-450 cal.; 33 1/8” barrel with p. bore, v. dirty but rifling appears sharply defined, would grade up with a clean; brown patina, oxidation scale & moderate pitting to majority of metalwork, presents ordinary; lhs. action marked **PEABODY & MARTINI PATTEN** / **MANF BY MECHANICAL GUNS CO** / **MEDAL** then indistinct markings, rhs. marked with faint crown / **DERIV** / **1885** / **III**; broken main strip & small hole in top of breech; woodwork is dark, some handling marks & bruising but generally sound, aged crack to underside of forestock; overall in p. cond. **N/L** ***An interesting piece hiding under years of surface grime & build up.*** **200 - 400**

15. **B.S.A. No. 5 MK. I JUNGLE CARBINE & BAYONET:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; vg. bore, sharply defined rifling, some minor frosting; thinning grey finish to metalwork, presents decent but developing a brown patina in areas; lhs. action marked **No.5Mk.1.**, lhs. body socket marked **M47C** / **1947** / **ENGLAND** / serial no.; **BNP** proofs to barrel; non-matching bolt cycles freely, strong springs & sears; retains std. sights & fitted with **3-9 Redfield** scope on bridge mount, clear optics, fitted with dust covers; woodwork in generally sound cond., some light handling marks overall, has been fitted with sporter stock which has a ventilated recoil pad & right handed cheek piece; handguard is cracked & has been scalloped for scope; comes with f. to g. cond., **WSC** marked bayonet, complete with steel scabbard; overall in exc. wo & f. to g. cond. **#BK6429** L/R **500 - 700**

16. **I. HOLLIS & SONS SNIDER ACTION ROOK RIFLE:** .442 cal. centrefire; 24" barrel with g.+ bore & sharply defined rifling, would grade up with a clean; mottled dark plum patina to majority of metalwork, some dried grease & light oxidation; ***I. HOLLIS & SONS. LONDON*** / ***AMMUNITION .442*** marked to barrel; makers name again to border engraved lockplate; Brimham proofs marked to breech; Mk II style action locks up well, strong lock spring but sears a little scratchy; standing & pair folding leaf’s to rear sight, front sight dovetailed to top of barrel; walnut half stock is sound, some light handling marks & scuffs & chequering to forestock, wrist is lacking definition, would all clean up well; steel buttplate; overall in g. wo & f. cond. #7863 **N/L** **500 - 700**

17. **CARVED BOER D.W.M. MAUSER MOD. 1895 B/A RIFLE:** 7×57m/m cal.; 5 rnd. integral mag.; 30” barrel with p. bore, some moderate pitting in areas & rifling is worn; mottled grey patina to majority of metalwork externally, patchy oxidation scale over the top; strong nitre blueing to mag. follower; D.W.M. full name over **BERLIN** to lhs. of action; serial no. **3233** marked to lhs. of breech, several small parts, non-matching bolt; mechanically exc. with smooth cycling bolt, g. trigger sears; std. sights with 4 -20 graduations; blade front sight; missing cleaning rod; woodwork in original cond., walnut with scattered handling marks & bruising; rhs. of forestock below sights carved with large ***F. Z O O N***; steel buttplate with oxidation scale & light pitting; overall in g. wo & g.+ cond. **#3233** L/R **900 - 1300**

18. **LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. to vg. bore, sharply defined rifling, a little dull with frosting throughout; original military grey phosphate finish to metalwork still strong, light wear on profiles; rhs. body socket marked with **MA/ LITHGOW/ S.M.L.E/ III*/ 1941**; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; serial no. **B87505** marked to rhs. breech, barrel, nose cap & bolt; woodwork presents decent, some scattered bruising & lighter handling marks; rhs. stock marked with standard **M.A./ LITHGOW/ SMLE III* HV /1941** markings; brass buttplate with trap; overall in vg. wo & g.+ cond. **#B87505** L/R ***A nice honest example*** **700 - 900**

19. **VICTORIAN MARKED FRANCOTTE CADET RIFLE:** .297-230 Morris long cal.; 27 1/2" barrel with f. bore, rifling remains v. well-defined but peppered with moderate pitting; dark patina to majority of metalwork, some patchy surface oxidation; B.S.A. full name/ **BIRMINGHAM 1907** marked to top of barrel; lhs. action marked with **VICTORIAN GOVERNMENT**/ crown stamp, small **FRANCOTTE** roundel trademark to top; action cycles freely, crisp trigger; std. sights; missing cleaning rod; woodwork presents well with exception of some scratches or cracks to lhs. butt, otherwise with general handling marks & light bruising; lhs. stock marked with well-defined **VICTORIAN GOVERNMENT**/ crown stamp; steel buttplate; overall in g. wo & f. to g. cond. #3311 **N/L** **500 - 700**

20. **WINCHESTER MODEL 1873 LEVER ACTION RIFLE:** .44 WCF (.44-40 Win.) cal.; 6 rnd. half-length tube mag.; 24" round barrel with f. bore, rifling well-defined & relatively bright but peppered with moderate pitting throughout; reblued finish to metalwork presents poorly, patchy blemishes to barrel, some scattered patches of light pitting & scoring to lhs; two-line **WINCHESTER'S¸ NEW HAVEN** address / **KING'S-IMPROVEMENT** patents roll-stamped to lhs. of barrel, v. faint **44 W.C.F.** marked to top of barrel at breech; underside of brass cartridge elevator engraved with faint ***44 CAL***; serial no. has been removed; action cycles smoothly, strong springs & sears; buckhorn rear sight & pinched silver blade front; refinished walnut straight stock & forewood, some minor handling marks & darker areas but retains vg. metal-to-wood fit; smell chip repair to head of stock; crescent steel buttplate with sliding brass trap; overall in g. wo & cond. ***#3791PD*** L/R **500 - 700**

21. **CZ BRNO MOD. ZH 303 UNDER OVER SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels with ventilated top rib, choked approx. full & full, vg. bright bores; original blued finish to metalwork, thinning in areas & some lacquer in areas; minor oxidation staining, fine pitting on barrels & action; ; lhs. top marked **MADE IN CZECHOSLOVAKIA** & with Brno full name; action locks up tight, strong sears to double triggers, auto safety to front of trigger guard; woodwork has been cleaned & lacquered, amateur job & presents ordinary; some minor handling marks, but skip-line chequering to both remains defined;
14 5/8" LOP incl. original buttplate; overall in exc. wo & f. to g. cond. **#3-305734** L/R **400 - 600**

22. **EARLY WINCHESTER 1892 L/A SADDLE RING CARBINE:** .44 WCF (.44-40 Win.) cal.; 6 rnd. half-length tube mag.; 20" round barrel with f. bore, rifling well-defined & relatively bright but peppered with moderate pitting throughout; original finish has darkened to a plum patina, patchy oxidation scale & frosting to majority of metalwork; well-defined markings, two-line **NEW HAVEN** address to lhs. barrel, lhs. near breech marked **44 W.C.F**, std. markings to top tang; action cycles smoothly, strong springs & sears; std. 2-20 ladder rear sight & pinned blade front sight; walnut stock & forewood in g. cond., wood-to-metal fit is vg., some general light handling marks & bruising, dark areas around buttplate but presents well; aged surface crack to lhs. forewood; curved steel buttplate; overall in g. wo & f.+ cond. **#63284** L/R Mfg. 1894 **500 - 700**

23. **W. HODGETTS S/B PERCUSSION FOWLER WALL HANGER:** 14 bore; 32 1/2" twist damascus barrel with dark & dirty bore; dark plum patina to barrel with even oxidation scale; dark grey patina to locks & small parts; ***W. HODGETTS*** engraved to lock, Birmingham proofs to underside of barrel; strong lock springs, sears holding; original hammer; replacement ramrod; walnut half stock presents well, only light handling marks & minor losses, chequering well-defined; steel buttplate; overall in f. cond. **N/L** ***Presents well, perfect for the bar wall.*** **200 - 300**

24. **W.H. TISDALL S x S PERCUSSION FOWLER WALL HANGER:** 13 bore; 30" twist damascus barrels bearing a few dings, bores internally f. to g.; brown patina to barrels with g. twist pattern, grey patina to locks & small parts; pitting to breech area of barrels; ***W.H. TISDALL*** engraved to locks & top rib, Birmingham proofs to underside of barrel; strong lock springs, sears holding; original matching hammers; replacement ramrod; walnut half stock has been cleaned up, presents v. well, only light handling marks & chequering to wrist & forestock is well-defined; steel buttplate; overall in g. cond. **N/L** **300 - 400**

25. **W. HODGETTS S/B PERCUSSION FOWLER WALL HANGER:** 15 bore; 30" barrel with dark & dirty bore; v. dark patina to barrel, some plum streaks, handling marks & pitting around breech; ***W. HODGETTS*** engraved to lock, Birmingham proofs to underside of barrel; strong lock springs, sears holding; original hammer; replacement ramrod; walnut half stock presents well, has been cleaned up but plenty of repairs throughout; steel buttplate; overall in p. cond. **N/L** ***One for over the mantlepiece*** **100 - 300**

26. **YUGOSLAVIAN ZASTAVA MFG. MOD. 48 B/A SERVICE RIFLE & BAYONET:** 7.92×57m/m Mauser cal.; 5 rnd. integral mag.; 24" barrel with vg. bright bore & well-defined rifling some speckled frosting towards muzzle; strong blued finish to metalwork, some oxidation staining/blemishes & scattered storage marks overall; serial no. marked to rhs. breech & bolt; matching bolt cycles smoothly, strong springs & sears; 2-20 graduated rear tangent sight, hooded front sight; hardwood stock in vgc., some light handling marks & bruising; lhs. butt marked **36417**; polished steel cupped buttplate with chamfered heel; fitted with leather sling to factory mounts; comes with vg. cond. Persian long bayonet, clean blade & retains steel scabbard; overall in exc. wo & vg. cond. **#V19926** L/R **600 - 800**

27. **BRAZILIAN ITAJUBA MFG. MAUSER MOD. 1908/34 B/A SERVICE RIFLE:** .30-06 Sprg. cal.; 5 rnd. integral mag.; 24" barrel with vg. bright bore, v. bright with sharply defined rifling; blued finish to metalwork strong to most parts but has thinned to a patchy brown patina on action, some frosting; **FABRICA DE ITAJUBA'-BRAZIL** marked to lhs. action, partially worn Brazilian crest to top of breech, **MOD.08/34 .30** marked to rhs; non-matching bolt cycles freely, strong springs & sears; std. 2-20 sights, blade front; hardwood stock has been re-finished, profiles are rounded but bearing only a few light handling marks overall; fitted with older leather sling; steel buttplate; overall in exc. wo & g. cond. **#17318** L/R **500 - 700**

28. **POLISH MFG. M44 MOSIN NAGANT BOLT ACTION SERVICE CARBINE:** 7.62×54m/mR; 5 rnd. integral mag.; 20 1/2" barrel with g. bore, v. well-defined rifling, a little dull from fine frosting; strong blued finish to majority of metalwork, some minor storage & handling marks but presents well; top of breech marked with **11** within circle makers mark (Lucznik Fabryka Broni) / **1952** / serial no.; serial no. has been restamped to lhs. breech & modern re-proofs to underside of barrel before muzzle; non-matching bolt cycles freely, strong springs & sears; std. 1-10 graduated rear sight, globe front; retains steel cleaning rod & folding spike bayonet to rhs; hardwood stock in g.+ cond. overall, has been lightly refinished, bearing some light handling marks & bruises overall; steel buttplate; fitted with older/ period canvas sling; overall in vg. wo & g. to vg. cond. **#BD19576** L/R **600 - 900**

29. **BRITISH FLINTLOCK VOLUNTEER SHORT MUSKET by MORTIMER of LONDON:** .750 cal.; 32" barrel with f. bore, dark & with surface oxidation scale but doesn't appear heavily pitted; barrel has been cleaned back to a silvery grey patina, some fine pitting to breech area, dark grey patina to lock; mellow patina to brass furniture; **WARRANTED** marked to lock tail, **MORTIMER/ LONDON** below pan; London **V** & **P** proofs to lhs. breech; border engraved lock & ring-neck cock; strong lock springs & sears; V-notch rear sight & bayonet lug front sight; unusual diagonal ram rod channel to facilitate loading with bayonet affixed, brass pipes turning from lhs. to underside; walnut full stock in vgc., some light handling marks & bruising overall but presents well; brass buttplate; comes with socket bayonet with exaggerated 'S' bend to last third of blade; dark patina & fine pitting; overall in g. cond. **N/L C1810** **1800 - 2100**

30. **RARE BANK OF IRELAND BRITISH INDIA PATTERN FLINTLOCK MUSKET:** .760 cal.; 39" barrel with vg. bright bore, some light pitting in areas, Tower private proofs to breech with Ordnance acceptance crown stamp; grey patina to majority of metalwork, consistent moderate pit peppering to majority of barrel but still presents quite well; mellow patina to brass furniture; border engraved lock with **TOWER** marked to tail, Royal cypher/ **GR** & small crown stamp beneath pan; mechanically strong, locks springs with vg. tension, strong springs; complete with swivels & steel ram rod; walnut full stock in vgc., some general handling marks & bruising, a couple of light vice marks & aged partial crack to lock tail point; woodwork retains exc. metal-to-wood fit, markings are all crisp & appears to bear most of its original finish; rhs. butt marked with **67**/ **BANK OF IRELAND** with Harp of Erin roundel stamp & another Ordnance Storekeeper's stamp also; inspection marks to underside of butt & lhs. below breech; brass buttplate, heel tang marked with large **4**/ **17**; comes with period Ordnance socket bayonet marked **WOOLLEY**/ **DEAKIN CO** on blade, sock marked with **W/ C32**; overall in vg. wo & cond. c. 1805 **N/L** ***A rare musket from the Bank of Ireland's private Militia*** **2500 - 3000**

31. **DANZIG ARSENAL MFG. GEWEHR 98 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 30” barrel with f. bore, well-defined rifling, a bit dull & some light pitting towards muzzle; silver-grey patina to action, dark grey patina to remainder of metalwork; top of breech marked with defined crown over **DANZIG/ 1917**, **Gew. 98.** marked to lhs. action; trio of proofs to rhs. breech; un-numbered bolt cycles freely, strong springs & sears; 4-20 graduated early style ramp rear sights; retains steel cleaning rod; walnut stock presents decent & remains unrestored, defined inspection marks to rhs. butt; woodwork bearing general handling marks & some bruising; steel buttplate; fitted with period tatty leather sling; overall in g. wo & f. to g. cond. **#9928** L/R ***Fitted with period protective flip-up muzzle protector.*** **800 - 1000**

32. **ENFIELD MARTINI-HENRY MK. II SERVICE RIFLE:** 577–450 cal.; 33 1/8” barrel with g.+ bore & well-defined rifling, a little dull & some light oxidation scale; original finish to metalwork has turned a flat, dark plum patina overall, frosting to most surfaces; rhs. of action has patina cleaned back around markings, **V.R./ ENFIELD / 1882./** Board of Ordnance stamp/ **III./ 1.**; trigger spring at fault/ missing, strong main spring; std. sights slightly bent; bayonet lug & sling swivel to rhs. of front barrel band; retains steel cleaning rod; woodwork in g. overall cond., with the exception of a deep dent to underside of forestock, bearing only light general handling marks & bruising; **192** has been stamped to rhs. butt, **92** to lhs; steel buttplate; overall in f. cond. #192 **N/L** ***A good sound gun that would grade up significantly with some minor work & a clean.*** **600 - 800**

33. **BOER WAR ERA D.W.M. MFG. MAUSER MOD. 1897 B/A RIFLE:** 7×57m/m cal.; 5 rnd. mag.; 30” barrel with f. bore, rifling lightly defined & peppered with pitting, may grade up with a good clean; original blued finish to metalwork has thinned to a grey patina, some staining in areas & pitting externally to muzzle end of barrel; lhs. action marked with D.W.M full name / **BERLIN**, lhs. breech, woodwork below & bolt marked with serial no. **6636**; matching bolt cycles freely, strong sears & springs; 4-20 graduated rear ladder sight & blade front; retains steel cleaning rod, sling swivels; original walnut stock & forewood are in f. to g. original cond., extensive surface marks, light bruising & spotted blemishes but free from any serious damage, some vice marks; steel buttplate; overall in f. cond. **#6636** L/R ***Would tidy up well.*** **500 - 700**

34. **STEYR MFG. GEWEHR MOD. 71 BOLT ACTION RIFLE:** 11.15×60m/mR cal.; 33 1/2" barrel with g.+ bore, some frosting but rifling is sharply defined; finely mottled plum patina to majority of metalwork, markings & profiles remain sharply defined; mellow patina to brass trigger guard; top of barrel marked with **OESTERR.WAFFFB.GES**, five proofs to rhs. barrel, another three to breech; **Mod.71** marked to lhs. action; non-matching bolt cycles freely, strong springs & sears, std. sights; retains steel cleaning rod, sling swivels & fitted with modern leather sling; woodwork in g.+ original cond. overall, some general light handling marks & bruises to surface but retains vg. metal-to-wood fit, inspection marks to rhs. butt & underside of wrist are all sharply defined; steel buttplate; overall in vg. wo & g. cond. #9010 **N/L** ***A nice honest rifle.*** **1000 - 1400**

35. **WINCHESTER MOD. 1910 SELF-LOADING RIFLE:** .401 W.S.L cal.; 5 rnd. box mag.; 20” barrel with vg. bright bore & sharply defined rifling; thinning blued finish to metalwork, some surface marks & light oxidation staining on receiver, presents decent; lhs. barrel marked with three-line **WINCHESTER NEW HAVEN** address, patents and followed by **-401 CAL.** , **NICKEL STEEL** markings; top tang marked **WINCHESTER/ TRADE MARK**/ patents/ **MOD. 1910 S.L.**; base of mag. has been ground back & restamped with calibre; mechanically exc., v. strong main spring, bolt cycles freely; std. cloverleaf rear sight missing elevator ramp, tapered brass bead front; walnut fore-end & stock present well, some general handling marks & loses to refinish; some repairs & cracks to underside of stock; original bakelite buttplate sticky taped in place, missing a screw; overall in exc. wo & f. to g. cond. **#10875** Cat D L/R **750 - 900**

36. **WINCHESTER MOD. 1910 SELF-LOADING RIFLE:** .32 W.S.L cal.; 5 rnd. box mag.; 20” barrel with g. to vg. bright bore & sharply defined rifling, fine pin-prick pitting throughout; worn original blued finish to metalwork, now a soft grey patina to most surfaces, silvery grey patina on receiver; bolt retains areas of strong nitre blueing; lhs. barrel marked with two-line **WINCHESTER NEW HAVEN** address, patents and followed by **-.32 CAL.**; top tang marked **WINCHESTER/ TRADE MARK/ MOD. 1905 S.L.**; mechanically exc., v. strong main spring, bolt cycles freely; std. flat top rear sight, pinched silver blade front sight; walnut stock & fore-end in g. overall cond., presents well but bottom section of stock has been cracked through & reattached; some minor handling marks elsewhere; original bakelite buttplate; overall in exc. wo & f. to g. cond. **#29038** Cat D L/R **750 - 900**

37. **SPANDAU MFG. GEWEHR MOD. 71/84. BOLT ACTION RIFLE:** 11.15×60m/mR cal.; 8 rnd. tube mag.; 33 1/2" barrel with g.+ bore, some frosting but rifling is sharply defined; dark grey patina to majority of metalwork, a brown patina to action, some frosting in areas; top of barrel marked with crown/ **SPANDAU**, four proofs to rhs. barrel, another to breech; IG. **Mod.71/84.** marked to lhs. action; matching bolt cycles freely, strong springs & sears; std. 4-16 graduated rear ladder sight, blade front; retains steel cleaning rod, swivels; woodwork in g. original cond. overall, some general handling marks & bruises to surface but retains vg. metal-to-wood fit, inspection marks to rhs. butt & underside of wrist are all sharply defined; steel buttplate; overall in vg. wo & g. cond. #8326 **N/L** **1000 - 1400**

38. **WEBLEY & SCOTT LTD SERVICE AIR MK II AIR RIFLE:** .22 cal.; 25 1/2" barrel with f. bore, sharply defined rifling, some light pitting in patches; dark patina to metalwork with finely mottled dark staining to most external surfaces; makers name to lhs. frame, **WEBLEY SERVICE AIR MARK II** marked to lhs. spring housing; v. strong springs & sears, functions well; std. adjustable V-notch rear sight & blade front; walnut stock in g. overall cond., some light handling marks, chequering remains well-defined; original horn buttplate; overall in g. wo & f. to g. cond. **#1613** L/R **200 - 300**

39. **MASTER DIANA DELUXE AIR RIFLE:** .22 cal.; 21 1/2" barrel with g. bore & sharply defined rifling, needs a clean; dark patina to metalwork, some patchy oxidation towards muzzle & light speckling overall; top of spring housing marked with eagle/ crown mark/ **MASTER/ DIANA** / **DE LUXE**; action function but main spring tension is light; adjustable V-notch rear sight & blade front; walnut stock in g. cond., some light surface marks & spotted staining but would clean up well; overall in g. cond. **#6020** L/R ***Thought to be a Japanese mfg. rifle*** **100 - 150**

40. **B.S.A STANDARD MODEL 'L' AIR RIFLE:** .177 cal.; 17" barrel with dirty bore, appears g.; dark plum patina to majority of metalwork, some light oxidation staining, frosting; underlever cocking lever, strong springs & sears; std. adjustable V-notch rear sight & blade front; saw-handle walnut stock in g. overall cond., a few light handling marks & bruises, minor chips but sound; defined pressed chequering, scuff to lhs; overall in g. wo & f. cond. **#L8418** L/R **200 - 300**

41. **R.O.F FAZAKERLEY No. 4 MK. 2 B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. bore, sharply defined rifling, some light pit peppering throughout; grey finish to metalwork, some light wear on profiles but presents decent; lhs. action marked **No4 MK2(F)/ 1/50 PFI71 622**; non-matching bolt cycles freely, strong springs & sears; std. 4-13 graduated rear sight; woodwork in f. cond., what appears to be the original butt has been lacquered, in g. sound cond..; forestock with p. metal-to-wood fit around body socket; grooved hand guard; brass buttplate with trap; overall in vg. wo & f. cond. **#AA27820** L/R **400 - 600**

42. **R.O.F MALTBY No. 4 MK. I B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bright bore & sharply defined two-groove rifling; dark reblued finish to metalwork, frosting to most surface; some heavier pitting to corner of mag. & rhs. action; markings to lhs. action are borderline indistinct; non-matching bolt cycles freely, strong springs & sears; std. 4-13 graduated rear sight; woodwork in vgc., some light handling marks but presents exc., sharply defined grooved to handguard; khaki canvas sling fitted to original swivels; original alloy buttplate with trap; overall in exc. wo & f. to g. cond. **#7931** L/R **500 - 700**

43. **LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. bore, relatively bright with sharply defined rifling, grooves needs a clean; original matte military phosphate finish presents decent, some lacquered overrun from woodwork; rhs. body socket marked with **MA/ LITHGOW/ S.M.L.E/ III*/ 1941**; matching numbers marked to rhs. breech, barrel, nose cap; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; nose cap has been honed out for heavy barrel; original woodwork has been lacquered, still bearing some handling marks & bruises in areas, **LITHGOW** markings to rhs. butt appear to be defined under the finish; fitted with period canvas sling; brass buttplate; overall in vg. wo & f. to g. cond. **#3908** L/R **400 - 600**

44. **LITHGOW SHT. LE MK. III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. bright bore & sharply defined rifling, some minor oxidation speckling & needs a clean; grey finish to metalwork presents well, thinning on profiles; rhs. body socket marked with **A** within star/ **LITHGOW**/ **SHT.LE**/ **III** / within shield/ **1916**; matching no. bolt cycles well, strong springs & sears; original 2-20 graduated rear sights & retains volley sights; barrel a later Lithgow replacement; non-matching nose cap; woodwork in g. sound cond., some surface handling marks & light bruising; **MA 12**/**44** marked to rhs. butt after wrist; brass buttplate with trap; fitted with modern leather sling; overall in vg. wo & g. cond. **#35793** L/R **600 - 800**

45. **R.O.F FAZAKERLEY No. 4 MK. 2 B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bore, sharply defined rifling, needs clean; military blacked finish to metalwork presents well, some light wear on profiles; lhs. action marked **No4 MK 2 A15495**/ **F 57 FTR**; serial no. marked to bolt & magazine; a painted 43 has been applied to lh. mag., butt & cocking piece; matching bolt cycles freely, strong springs & sears; std. 4-13 graduated rear sight; woodwork in g.+ cond. ordinary refinish is grubby, but woodwork only bearing a few scattered handling marks, a dent to lhs. handguard; 23 stamped to lhs. wrist; brass buttplate with trap; overall in exc. wo & g.+ cond. **#A15495** L/R ***Would clean up well.*** **600 - 800**

46. **WWII ERA R.O.F. FAZAKERLEY No. 5 MK. I JUNGLE CARBINE:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; vg. bore, sharply defined rifling, needs clean; military blacked finish to metalwork presents well, some light wear on profiles; lhs. of action marked with crisp **No5 MKI ROF (F)/ 11/ 44**/ **C6549**; **BNP** proofs to top breech, barrel ahead of handguard; matching bolt cycles freely, strong sears; std. peep sights with **2** – **8** graduations & knurled sight slide to ladder; woodwork in vg. cond. overall, a few handling marks & light bruising but presents extremely well; standard cupped buttplate with rubber centre; fitted with older canvas sling; overall in exc. wo & vg. cond. **#C6549** L/R **1000 - 1500**

47. **WWII 'AR/41 CODE' MAUSER MFG. K98K B/A SERVICE RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 23 3/4" barrel with f. to g. bore, slightly dull & with fine, pin-prick pitting throughout but rifling remains sharply defined; original blued finish to metalwork has developed a dark patina overall, some light wear & frosting patches in areas; red finish to bolt release strong, thinning on extractor; top of breech marked with **ar** / **41**, lhs. marked with **X** over **1099**/**e**, serial no. again to lhs. barrel; **Mod. 98** to lhs. action; rifle bearing several proofs, rhs. breech marked with trio of Waffenamts, eagle proof to lhs. breech & barrel; rhs. barrel marked with U.S. importers marks; majority of parts are non-matching; bolt cycles freely, strong springs & sears; 1-20 graduated tangent sight, blade front sight with hood; retains steel cleaning rod; original laminated stock presents well, general battlefield handling marks & bruising but structurally sound, g.+ cond.; **1099** marked to lhs. & underside, faint Waffenamt & **H** mark to rhs. butt; fitted with leather sling; overall in vg. wo & g. cond. **#1099e** L/R ***Presents well, perfect for the military competition shooter.*** **1200 - 1500**

48. **BRITISH FLINTLOCK COMMERCIAL MUSKET:** .760 cal.; 42" barrel with f. bore, powdery oxidation scale throughout; metalwork has been cleaned back to a silver-grey patina overall, fine pitting remains on most steel surfaces, bright mellow finish to brass furniture; unmarked lockplate, British acceptance marks to lhs. breech; lock possibly a conversion back from percussion, sparks well but not made to a standard pattern; replacement ram rod, retains swivels; walnut full stock presents decent, some surface handling marks & light bruising, metal-to-wood fit is ordinary in areas; **74** stamped & pair roundel marks to lhs. butt; overall in f. cond. **N/L** ***Presents well. Possibly made for the trade.*** **800 - 1200**

49. **BRITISH COMMERCIAL FLINTLOCK CARBINE WALL HANGER:** .760 cal.; 25 3/4" barrel with p. bore; dark patina to metalwork & heavy pitting to majority of metalwork, worst around breech; brass furniture has been lacquered; indistinct makers name to centre of lock, London **V** & **P** proofs to lhs. breech; lockplate has been converted to percussion & back to flintlock, crude replacement cock, pan & frizzen; originally musket length, forewood & barrel shortened; top tang cracked; woodwork in p. cond., insect damage through butt, has been poorly refinished with lacquer & still bearing some grazes; overall in p. cond. **N/L** **400 - 600**

50. **FRENCH FLINTLOCK SHORT RIFLE:** .690 cal. approx.; 31" barrel with f. bore, dirty towards muzzle but some bright areas towards breech, rifling is sharply defined; metalwork has been polished back, silver-grey finish to majority & some brown staining in areas; bright finish to brass furniture; all markings have been polished off; strong lock springs & sears, retains steel cleaning rod & swivels; walnut stock bearing a few light handling marks & bruises overall, lhs. of comb has been scalloped out; some stamps to lhs. stock around lock screws; overall in f. to g. cond. **N/L** **1000 - 1300**

51. **MANNLICHER MOD. 1888 B/A SPORTING RIFLE by H. SCHERPING of HANNOVER:** 8×57 Jm/m cal.; 5 rnd. capacity, requires en-bloc clip; 25" octagonal barrel with full length rib, vg. bright bore & sharply defined rifling; original blued finish to barrel & action has developed an even plum patina overall, presents well; magazine / clip housing with areas of vivid case colours, nitre blueing remains on some small parts; top rib engraved ***H. SCHERPING, HANNOVER***; spoon handle bolt cycles freely, strong springs & crisp sears to double set triggers; V-notch standing & one folding rear sight, blade front, both dovetailed to integral top rib; top tang with seamless folding peep sight; sling swivels to underside of stock & barrel; walnut half stock in vg. cond., some minor surface blemishes to finish but retains exc. metal-to-wood fit & chequering to bag style grip is sharply defined; underside of butt inletted with five cartridge magazine; original chequered horn buttplate; overall in exc. wo & vg. cond. **#2803** L/R ***A classic rifle in lovely untouched condition, bordering on fine.*** **2000 - 2500**

52. **IMPRESSIVE SWISS S/S SCHUETZEN RIFLE by HERRMANN & DETTWYLER:** .22 Long rimfire cal.; 32" heavy round barrel with g. bright bore & well-defined rifling, some light pitting; reblued finish to barrel, some handling marks & light oxidation speckling; top of barrel stamped **E. PETER, TORINO.**, lhs. stamped **KRUPP-STAHL**; silvery-grey patina to action & small parts; action ornately engraved with acanthus scroll & floral engraving, relief style with fine punch-dot stippling to difference; lhs. action engraved with ornate three layer scroll banner engraved **HERMANN & DETTWYLER** , **BOCKTEN SUISSE**; rhs. of action intricately engraved with Crown motif over a **C I E** monogram in gold; screw heads engraved; action operates but dried grease has made it sticky, strong springs & double set triggers; barrel almost certainly a later replacement, fitted with globe sight, no rear sight; missing screw to underside of action; equally ornate walnut stock & fore-end, the latter with lifting cracked slither along lhs, needs attention; some light handling marks to woodwork otherwise; relief carved floral bordering to well-defined chequering on fore-end & wrist of stock, mascaron grotesque carved to underside of wrist adjoining cheek piece; Schuetzen style buttplate with matching engraving; overall in vg. wo & g. to vg. cond. **#128** L/R ***Look past the barrel and to some best quality engraving & craftsmanship. Truly a work of art.*** **1000 - 1500**

53. **ALEX HENRY S x S SHOT & BALL HAMMER GUN:** 8 bore; 23" damascus barrels with g. bores, bright with only light pitting in areas; brown finish to barrels with g. pattern definition, grey patina to locks & action; majority of metalwork is spackled with small patches of oxidation but not heavily pitted; lhs. of barrels has been lightly etched with serial no. **APX 1961**; top rib engraved ***ALEXR HENRY, EDINBURGH AND LONDON/ MAKER TO THEIR ROYAL HIGHNESS THE PRINCE OF WALES AND DUKE OF EDINBURGH***; London **V** & **P** proofs to flats & action tables; 70% coverage of best scroll engraving to locks & action, **ALEXR HENRY** within banner engraved to both locks; Jones under lever action locks up tight, bar-action rebounding locks are strong, left hand hammer spur is partially chipped off; some movement in fore-end; walnut splinter fore-end & straight English style stock in f. cond., fore-end with some chipping around edges, chequering lightly defined; stock cracked through the wrist & has been poorly repaired; replacement hard rubber buttplate; overall in g. wo & f. cond. #4108 **N/L** **3000 - 3500**

54. **OPERATIONAL AUSTRALIAN LYSAGHT MFG. OWEN SUBMACHINE GUN:** 9×19m/m Luger cal.; 32 rnd. box mag.; 10" barrel with compensator; dull bore, rifling is crisp, some minor frosting, g.+ overall; majority of the gun has been refinished in a light green paint, some light handling marks & losses; lhs. of frame marked **OWEN 9MM MK.1. 43**, bottom of frame marked with **LYSAGHT PK. AUSTRALIA PAT. PENDING**; markings remain well-defined, some pitting visible under painted finish & bolt has areas of heavy pit peppering; serial no. **177** is a re-stamp, marked to lhs. frame; fully functional, mechanically strong, fires from open bolt; fire selector to lhs. frame, one sling swivel to lhs. frame; rhs. offset factory peep rear & blade front sight; bakelite grip & foregrip are sound, hardwood butt bearing a few bruises; overall in exc. wo & f. cond. **#177** **Cat E / Dealers only** L/R ***A nice operational example.*** **4000 - 6000**

55. **AUTO-ORDNANCE THOMPSON FULL-AUTO CONVERTED MOD. 1927 A1 CARBINE:** .45 ACP cal.; 50 rnd. drum magazine; 16" barrel + compensator, bright bore & well-defined rifling, some pin-prick pitting/ frosting towards muzzle; original blued finish to metalwork presents well, some light handling marks & surface marring, still presents well; lhs. receiver marked **MODEL OF 1927 A1** / serial no., **THOMPSON SEMI-AUTOMATIC CARBINE**; rhs. marked with patents, **AUTO-ORDNANCE CORPORATION/ WEST HURLEY, NEW YORK, U.S.A.**; mechanically exc., strong springs & sears, semi-automatic only, fires from an open bolt; compensation needs fixing, spins on thread; 50 round drum mag. marked with makers name & trademarks, some oxidation staining; walnut furniture is in vgc., grip, foregrip & butt all bearing only light handling marks overall, some minor bruising to lhs. butt; curved steel buttplate; curved steel buttplate; overall in exc. wo & vg. cond. **#10355** **Cat E / Dealers only** L/R **5000 - 7000**

56. **FRENCH MAS MOD. 36 B/A RIFLE:** 7.5×54m/m French; 5 rnd. integral magazine; 22 1/2" barrel with g. to vg. bore & sharply defined rifling, a little dull overall, some frosting; thinning grey phosphate finish to metalwork, patchy black painted finish remains on action; **MAS Mle 1936** / serial no. **4087** to lhs. of action; non-matching trigger guard & mag. floorplate; std. peep sight with 2 – 12 graduations, hooded front sight; bolt cycles freely & trigger crisp; retains original spike bayonet in vgc.; woodwork in g. sound cond., some light handling marks & bruising overall but presents well, walnut is nicely figured on butt; rhs. of butt marked with faint roundel, lhs. marks with serial no.; steel buttplate with some light storage marks; overall in exc. wo & g. cond. **#4087** L/R **1000 - 1400**

57. **AUSTRALIAN LEADER DYNAMICS MODEL T2 MK. 5 SEMI-AUTO RIFLE:** .223 Rem. cal.; 20 rnd. box mag.; 12" barrel with 5" over-bored extension; rifling is defined but peppered with moderate pitting & fouling throughout needs a clean but considered f. overall; dark grey phosphate finish to frame & small parts is strong, some handling marks & surface marring, presents decent; blued finish to magazine is thinning; rhs. mag. well of frame marked **CALIBRE 5.56 mm/ LEADER DYNAMICS** / **MADE IN AUSTRALIA**, **MODEL T2 MK 5** / **S/N 002262**; lhs. marked with U.S. importers marks; bolt cycles freely, strong springs & sears; original black fibreglass reinforced plastic furniture, **LD** trademark & makers name marked to grip & butt; overall in f. to g. cond. **#002262** Cat D L/R **1500 - 2000**

58. **WWII ERA SWEDISH LJUNGMAN MOD. AG-42 SEMI-AUTO SERVICE RIFLE:** 6.5×55m/m cal.; 10 rnd. box mag.; 25 1/2" barrel with vg. bore, bright & well-defined rifling; original blued finish to majority of metalwork presents well, thinning slightly in areas; black painted finish to bolt, some minor losses; lhs. of breech marked with crown/ **C** inspectors mark, **1943**/ serial no. **2019**, rhs. marked with **S.S.**; serial no. has been crudely hand etched to bolt; action operates smoothly, strong springs & sears, factory ported barrel; std. adjustable rear sight & globe front; hardwood stock presents well, some scattered handling marks & light bruising but profiles remain sharp; rhs. of stock inlaid with brass disc marked **Torped**/ **Overslag**.; steel buttplate; overall in exc. wo & g. to vg. cond. #**2019** Cat D L/R **600 - 800**

59. **BRNO MOD. 2-E 'EUROPEAN' B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 24 3/4" barrel with vg. bore, bright with sharply defined rifling; strong blued finish to metalwork, some minor handling & storage marks but presents exc., matte finish to action; **BRNO ARMS MOD. 2-E** marked to barrel, **84** proofs to action & breech; bolt cycles freely, strong springs & sears; missing tangent rear but retains hooded front sights; fitted with **Nikko Stirling 6×40 GOLD CROWN** scope on two-piece mounts; fitted with platted leather sling on factory sling swivels; European style stock in vg.+ cond. overall, some minor handling marks & spotted blemishes to finish; Schnabel forewood & raised comb; overall in exc. wo & vg. cond. **#350317** L/R **700 - 900**

60. **REMINGTON MOD. 700 B/A SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. integral mag.; 24" barrel with exc. bright bore & sharply defined rifling; strong blued finish to metalwork, some minor oxidation speckling to lhs. barrel, otherwise exc.; lhs. barrel marked with full name & **ILION** address, lhs. action marked ***Remington***/ **MODEL 700**; bolt cycles freely, strong springs & crisp sears; fitted with period **LEUPOLD 8X** scope on bridge mount, optics clear, extended hood; vg. stock, bearing only a few minor surface marks to the bright glossy polymer finish; skip-line pressed chequering to grip & forestock are well-defined; original buttplate; overall in exc. wo & vg. cond. **#B6254912** L/R c.1980's ***A good early example of a 700, well before quality control deteriorated.*** **700 - 900**

61. **BELGIAN F.N. MOD. F.A.L. SEMI-AUTOMATIC RIFLE:** .308 Win. cal.; 20 rnd. box mag.; 24" barrel incl. compensator; dull bore, rifling remains well-defined but needs a clean, some light pitting, considered f.; black enamel painted finish to metalwork, 80%+ remaining, some handling marks & scuffs but presents decent; lhs. of receiver marked **F.A.L. cal. 308**, rhs. marked with **FABRIQUE NATIONALE D'ARMES DE GUERRE _HERSTAL BELGIQUE**; 2-6 graduated rear peep sight, blade front; mechanically exc., strong springs & sears, cycles freely; 20 rnd. mag. retaining much of its black finish; furniture in g., sound cond., grey polymer hand guard, black polymer grip & walnut butt all bearing only light handling marks, some light bruising & dark patches to butt; original pressed steel buttplate; overall in g. wo & cond. **#3365** Cat D L/R **4000 - 6000**

62. **ARMALITE AR-10 SEMI-AUTO RIFLE by ARTILLERIE-INRICHTINGEN:** 7.62×51mm NATO; 20 rnd. box mag.; 20" barrel plus 3 1/2" flash hider; well-defined rifling, some patchy frosting in grooves, g.+ cond.; phosphate/parkerized finish to receiver & frame is strong, some surface marring & light handling marks but presents well; lhs. mag. well-marked **Patents pending**, **ARMALITE** / **AR10** / **mfd by AI** trademark, **Nederland**; British **BNP** proofs to lhs. breech & barrel; bolt cycles freely, strong springs & sears; fitted with **Bushnell ELITE 3200** scope on homemade bridge mount; complete with sling swivels, bayonet lug to underside of barrel; maroon-brown fibreglass furniture g. sound cond., a few handling marks & scuffs overall; knurled steel buttplate with trap; overall in vg. wo & g. cond. **#002918** Cat D L/R **5000 - 8000**

63. **THOMPSON RAMO WALLAGE MFG. SELECT-FIRE M.14 E2 RIFLE:** .308 Win. cal.; 20 rnd. box mag.; 24" barrel incl. compensator; vg. bright bore & well-defined rifling, some fouling in grooves; phosphate/parkerized finish to receiver & frame is strong, some surface marring & light handling mark; strong blued finish to barrel & gas cylinder; back of receiver/ frame marked **U.S. RIFLE** / **7.62 – M M M14** / **TRW** trademark / **598406**; mechanically exc., strong springs & sears, select fire tab to rhs; 2-8 graduated rear peep sight, blade front; original brown fibreglass reenforced plastic handguard, green painted finish to fibreglass stock; stock is in f. cond., some fractures to both sides of furniture below action; fitted with period green canvas sling; overall in exc. wo & g. cond. **#598406** **Cat E / Dealers only** L/R **6000 - 8000**

64. **COLT MFG. AR-15 MODEL SP1 SEMI SEMI-AUTO RIFLE:** .223 Rem. cal.; 20 rnd. box mag.; 16" heavy barrel, plus muzzle brake; vg. bore & sharply defined rifling, needs a clean but appears bright; grey phosphate/parkerized finish to receiver & frame is strong, some surface marring & light handling marks but presents decent; lhs. mag. well marked **COLT/ AR-15**, rampant horse trademark/ **CAL..223** / **MODEL SP1** / **SER. SP08567**, lhs. frame marked with three-line name & **HARTFORD** address; bolt cycles freely, strong springs & sears; std. sights to top of integral carry handle; black plastic handguard, replacement rubber **HOGUE** brand grip & fitted with **MOC FIXED CARBINE** polymer stock; overall in exc. wo & vg. cond. **#SP81054** Cat D L/R c.1977-78 **2000 - 2500**

65. **UNIVERSAL FIREARMS 2nd GEN. M1 SEMI-AIUTO CARBINE:** .30 carbine (7.62×33mm) cal.; 15 rnd. box mag.; 18" stepped barrel with exc. bright bore & sharply defined rifling; blued finish to metalwork thinning in areas, some minor staining; top of breech marked **UNIVERSAL**/ address/ **CAL. 30**; bolt retracts freely, strong springs & sears; adjustable rear peep sight, perforated steel handguard; lhs. receiver has been drilled & tapped; walnut stock in sound cond., some light handling marks & bruising overall; butt has been drilled through on angle; steel buttplate; overall in exc. wo & f. to g. cond. **#211640** Cat D L/R **500 - 800**

66. **CZECH CZ MFG. VZ 52-57 MODEL SEMI-AUTO RIFE:** 7.62×39m/m cal.; 30 rnd. mag.; 23" barrel incl. flared flash hider; exc. bright bore & crisp rifling; strong parkerized finish to receiver, bolt & other small parts with black coated finish, some light handling marks but strong overall; lhs. breech marked **She**/ **57** proof/ serial no. **Az 35082,** rhs. breech marked **Vz 52** / **57**; bolt cycles freely, strong springs & sears, std. 1-9 graduated rear tangent sight & blade front; black painted finish to hardwood stock & handguard bearing a few light handling marks but in g. sound cond.; serial no. marked to lhs. butt; cupped steel buttplate; overall in exc. wo & g. to vg. cond. **#AZ35082** L/R **700 - 1000**

67. **HOWA MODEL 1500 B/A SPORTING RIFLE:** .223 Rem. cal.; 10 rnd. polymer mag.; 24” fluted heavy barrel with bright bore & crisp rifling, some scattered spots of fine pitting towards muzzle, considered g.; strong blued finish to metalwork with some speckled blemishes to rhs. barrel & light handling marks overall; **Howa Model 1500** / **MADE IN JAPAN, IMPORTED BY LSI, RENO, NEVADA**; bolt cycles freely, strong springs & sears; fitted with **Bushnell 3-9X32 EG** scope on factory action dovetails & bi-pod to underside of forestock; soft synthetic stock bearing a few minor surface marks but presents well; synthetic ammo holder fitted to stock; rubber recoil pad; overall in vg. wo & g. to vg. cond. **#B237655** L/R **500 - 700**

68. **CHINESE JIANSHE ARSENAL MOD. SKS SEMI-AUTO RIFLE:** 7.62×39m/m cal.; 10 rnd. integral mag.; 20 1/2" barrel with exc. bore & sharply defined riffling; strong grey phosphate finish to metalwork, even grey finish to bolt; lhs. receiver marked with makers trademark, Cantonese markings, model & calibre; matching no. bolt cycles freely, strong springs & sears; std. 3-10 graduated tangent sight & globe style front; folding bayonet; hardwood stock & handguard with red painted finish, a few handling marks & bruises from transport; fitted with green canvas sling; overall in exc. wo & vg. cond. #**2306625** Cat D L/R ***Bore & majority of metalwork are still in the original packing grease.*** **700 - 1000**

69. **TURKISH UZKON MOD. LA887 LEVER-ACTION SHOTGUN:** 12G, 3” chambered; 5 rnd. tube mag.; 28” barrel with ventilated top rib & interchangeable choke, bore dirty but appears vg.; matte black finish to metalwork bearing a few surface scuffs & marks; **UZKON** trademark to rhs. receiver; action cycles freely, strong springs & sears; walnut furniture in near vgc., a few minor handling marks & scuffs but chequering remains sharply defined; black rubber recoil pad; overall in vg. wo & g.+ cond. **#UZ154301** Cat B L/R **300 - 500**

70. **W.E. EKINS RETAILED WEBLEY S x S HAMMER SHOTGUN:** 12G, 2 3/4" chambered; 32” steel barrels choked approx. half & full; dark reblued finish to barrels, still bearing some of the scattered pitting; grey patina to action & locks; ***W.E. EKINS ADELAIDE*** engraved to top rib, ***P. WEBLEY & SONS*** / ***BIRMINGHAM*** marked to underside of barrels, **NITRO PROOF 1 1/4 OZ** marks to barrel flats; 40% coverage of fine scroll engraving to action, ***W.E. EKINS*** engraved to both locks; action locks up tight & on face, strong rebounding back-action locks; brass replacement firing pins, chipped lock screw; walnut semi-pistol grip stock & splinter fore-end, the latter is worn & bearing some minor chipping around edges; stock presents well but has fine aged crack running between top of both lock tails, otherwise bearing only light handling marks; 14 3/4" LOP incl. original grooved horn buttplate; overall in g. wo & f. cond. **#62853** L/R ***A quality gun, rare to find with heavier nitro proofing. Would grade up significantly with some minor TLC.*** **400 - 600**

71. **ANSCHUTZ MODEL 54 MATCH RIMFIRE RIFLE:** .22 LR cal.; 28” heavy round barrel with exc. bore & sharply defined rifling; glossy blued finish to metalwork is strong overall, some speckled blemishes around barrel markings & scattered marks elsewhere but presents well; top of barrel marked **Anschutz Mod. 54. Match**, lhs. marked **Cal.22 long rifle**; **J.G. Anschutz** full name marked to lhs. action; bolt cycles freely, strong springs & crisp sears; fitted with **Bushnell 3-9X32 EG** scope on factory action dovetails & bi-pod to underside of forestock; walnut thumb rest stock with right-handed cheek piece; some minor handling marks, chequering to grip remains sharply defined; hard rubber buttplate; overall in exc. wo & g.+ cond. **#06563** L/R ***Would grade up. A big solid tact driver.*** **800 - 1200**

72. **EARLY COLT MFG. AR-15 MODEL SP1 SEMI SEMI-AUTO RIFLE:** .223 Rem. cal.; 20 rnd. box mag.; 20” barrel plus flash hider; well-defined rifling, some patchy frosting in grooves, g.+ cond.; phosphate/parkerized finish to receiver & frame is strong, some surface marring & light handling marks but presents well; lhs. mag. well marked **COLT/ AR-15**, rampant horse trademark/ **CAL..223** / **MODEL SP1** / **SER. SP08567**, lhs. frame marked with three-line name & **HARTFORD** address; bolt cycles freely, strong springs & sears; std. sight to top of integral carry handle, fitted with **COLT** marked **3X20** optics; fibreglass reinforced black polymer furniture incl. handguard, grip & butt, all in vgc., some minor surface marks overall; grooved black plastic buttplate; overall in vg. wo & cond. **#SP08567** Cat D L/R c.1966 **2500 - 3000**

73. **SMITH & WESSON MOD. 916A PUMP-ACTION SHOTGUN:** 12G, 3” chambered; 4 rnd. tube mag.; 18” barrel, cylinder bored; vg. bright bore; blued finish to metalwork, thinning slightly & some light oxidation staining, presents decent; lhs. barrel marked with name, model/ **SPRINGFIELD** address; **SW** monogram trademark to lhs. action; action cycles freely, strong springs & sears; walnut pump & stock are in vg. cond., some light handling marks to both but only surface; overall in exc. wo & g.+ cond. **#512B41** Cat C L/R **400 - 600**

74. **WWII ERA INLAND DIV. M1 SEMI-AIUTO SERVICE CARBINE:** .30 carbine (7.62×33mm) cal.; 15 rnd. box mag.; 18” barrel with f. to g. bore, bright with sharply defined rifling, some scattered patches of light pitting; parkerized finish to metalwork presents well, some light handling marks & wear overall; top of breech marked **U.S. CARBINE/ CAL. 30**, rear of receiver marked **INLAND DIV.**/ serial no.; top of barrel before muzzle marked **INLAND DIV. / GENERAL MOTORS / 9-43**; mechanically vg., strong springs & sears; std. peep style rear sight; replacement blued mag.; walnut stock & handguard in sound cond., some light handling marks & grafted replacement section to centre of butt where sling swivel has been attached; steel buttplate; overall in exc. wo & g. cond. **#876696** Cat D L/R **700 - 900**

75. **LANBER MOD. 2187 UNDER OVER SHOTGUN:** 12G, 3” chambered; 30” barrels, ventilated ribs & interchangeable chokes; exc. bores; strong glossy blued finish to barrels, some minor storage marks, silver coin finish & gold game bird inlay to action; makers name to lhs. top barrel & underside of action; action locks up tight, strong ejectors, mechanical single trigger; walnut stock & fore-end in g. to vg. cond., some minor scuffs to otherwise sharply defined chequering, otherwise exc.; 14 3/8” LOP incl. 3/8” rubber recoil pad; overall in exc. wo & vg. cond. **#13-03-01366-09-12-76** L/R ***Make a great gun for the new clay target or field shooter.*** **500 - 700**

76. **AUSTRIAN STEYR-MANNLICHER A.U.G. SEMI-AUTO BULLPUP RIFLE:** .223 Rem. cal.; 30 rnd. polymer mag.; 20” barrel + compensator; exc. bright bore with sharply defined rifling; black painted finish to alloy frame, carry handle, some minor handling marks & storage marks confined mainly to profiles; matte black finish to steel parts, barrel etc; mechanically exc., bolt retracts freely, strong springs & sears; sling swivels; alloy picatinny rail fitted to carry handle has been drilled & tapped, fitted with Trijicon **ACOG 4X32** optics with tritium reticle, **Trijicon** red rod sight on top & peep sight to lhs; optics are clear, works well; the distinctive furniture made from fibreglass-reinforced ‘polyamide 66’, some light handling marks overall but in vgc. sound cond.; rhs. stock with integral extruded **STEYR-MANNLICHER AUSTRIA / AUG**, user warnings to lhs; overall in exc. wo & vg. cond.+ **#JL223S** Cat D L/R ***Comes with camo carry soft case with five additional polymer magazines.*** **10000 - 15000**

77. **VERNEY CARRON MOD. SPEEDLINE VELOCE LEVER-RELEASE SHOTGUN:** 12G, 3” chambered; 4 rnd. tube mag.; 28” barrel with ventilated top rib, interchangeable choke; exc. bright bore; matte black phosphate finish to metalwork presents exc., some minor storage marks but has seen little use; **VERNEY-CARRON a SAINT-ETTIENNE / MADE IN FRANCE** marked to rhs. barrel, makers name & model marked to receiver; bolt retracts freely, strong springs & sears; walnut semi-pistol grip stock & fore-end in exc. cond., the beautifully figured select walnut bearing only minor handing marks; chequering is sharply defined; overall in exc. wo & cond. **#17VL00714** Cat B L/R ***The cream of the crop for bolt release shotguns. These were retailing for over $3,500 a few years back.*** **700 - 1000**

78. **WINCHESTER MOD. 501 PIGEON GRADE O/U SHOTGUN:** 12G, 2 3/4" chambered; 30” barrels with ventilated top & mid ribs, fixed chokes approx. 1/2 & 3/4; vg. bright bores; strong blued finish to majority of metalwork, some light handling wear thinning underside of action; ***WINCHESTER***, chambering/ **NEW HAVEN** address to lhs. barrel, **PIGEON GRADE** marked to top rib; presentation grade engraving to action with silver inlaid bordering, cock & hen partridge gold inlay to both sides of action, crisp scroll & woodland scene engraving to difference; action locks up tight, single selective gold trigger, strong ejectors are well timed; breech of barrels still retain much of the factory jewelling; walnut stock & fore-end present well, some light handling marks to both but vgc. overall; chequering to fore-end, side panels & semi-pistol grip is sharply defined; 13 3/4" LOP incl. 7/8” original ventilated rubber recoil pad; overall in exc. wo & vg. cond. **#PK534575** L/R ***Has been a top quality gun and has seen little use.*** **1000 - 1500**

79. **WINCHESTER MOD. 8500 TRAP O/U SHOTGUN:** 12G, 2 3/4" chambered; 30” ported barrels with ventilated top & mid ribs; choked approx. 1/2 & 3/4, vg. bright bores; blued finish to metalwork, thinning from handling wear on action, small patch of pitting; lhs. top barrel marked ***WINCHESTER* 8500 TRAP** & **EAST ALTON** address; plain action with inlaid silver border; action locks up with movement w/o fore-end, tight when fitted, strong ejectors, single adjustable & selective single trigger; nicely figured American black walnut stock & fore-end, some minor handling marks to both, chequering a bit dirty but remains well-defined; 14 1/8” LOP incl. 1/2" rubber recoil pad; overall in g. wo & cond. **#K543100E** L/R ***A good honest example that would grade up with some TLC.*** **400 - 600**

80. **WINCHESTER MOD. 101 PIGEON GRADE U/O SHOTGUN:** 12G, 2 3/4" chambered; 30” barrels with ventilated top & mid ribs, choked approx. 3/4 & full; vg. bright bores; thinning original blued finish to barrels; silver coin finish & light scroll engraving to action; ***WINCHESTER*** & address marked to lhs. top barrel, **PIGEON GRADE** to top rib; action locks up with some movement, ejectors strong & well timed, single selective trigger; nicely figured walnut fore-end & stock, Monte Carlo style raised comb & semi-pistol grip; chequering is well-defined, some light handling marks over woodwork but presents well; 14 3/8” LOP incl. 1” rubber ventilated recoil pad; overall in g. wo & cond. **#PK392239** L/R **400 - 600**

81. **EDDYSTONE MODEL. 1917 B/A SERVICE RIFLE:** .30-06 Sprg. cal.; 5 rnd. mag.; 26” barrel with f.+ bore, a bit dark & pin-prick pitting to otherwise sharply defined rifling; patchy plum-grey patina to majority of metalwork, some frosting on breech; top of breech marked **U.S.** / **MODEL OF 1917** / **EDDYSTONE** / **1144979**, lhs. action marked with ordnance flaming bomb; bolt cycles freely, strong springs & sears; 2-16 graduated sight; complete with sling swivels; woodwork in g. sound cond., has been heavily refinished, stained & given a gloss finish, some minor handling marks overall; steel buttplate with trap; overall in g. wo & cond. **#1144979** L/R **600 - 800**

82. **EARLY PRODUCTION BRNO ZKW-465 B/A SPORTING RIFLE:** .22 Hornet; 5 rnd. mag.; 23” barrel with p. to f. bore, rifling is defined but scattered moderate pitting throughout; original blued finish to metalwork, thinning to a grey patina on barrel & trigger guard; top of barrel marked **,22x36Ho**, lhs. marked with **49** proof, lhs. breech marked **ZKW 465**, action marked with full name / **NARDODNI PODNIK**; bolt cycles freely, strong trigger sear but missing second set trigger; std. sights, 100 yd standing & folding 150, 200 leaf’s; retains swivels; walnut stock is sound, chequering is worn & some handling marks, light bruises; slither of lhs. forewood loss, grafted section to toe of butt; replacement buttplate; overall in f. cond. **#11520** L/R **200 - 400**

83. **WINCHESTER MOD. 101 UNDER OVER SHOTGUN:** 12G, 2 3/4" chambered; 26” barrels with ventilated top rib, choked approx. cyl. & cyl.; vg. bright bores; strong original blued finish to metalwork, presents well & only minor wear to profiles; **MODEL 101** ***WINCHESTER*** & address marked to lhs. top barrel, **MADE IN JAPAN** to rhs; light coverage of scroll engraving to action & tangs; action locks up tight, strong, well-timed ejectors & mechanical single trigger; retains almost all the original jewelling to breech of barrels; g. to vg. woodwork, only light handling marks to gloss finish, chequering to semi-pistol grip & fore-end is still sharply defined; 13 3/8” LOP incl. 1 1/8” rubber recoil pad; overall in exc. wo & near vg. cond. **#K384379** L/R ***Has seen little use, perfect for a junior shooting starting out.*** **600 - 800**

84. **MIROKU MOD. 800 UNDER OVER SHOTGUN:** 12G, 2 3/4" chambered; 30” barrels with ventilated top rib, choked approx. 3/4 & full; vg. bright bores; blued finish to barrels & small parts is strong overall, some small patches of rust to lhs. breech area of top barrel has been cleaned back to a silvery grey patina; silver coin finish to action, some light pitting to lhs; action & tangs with coverage of floral scroll engraving; action locks up tight, strong, well-timed ejectors & selective single trigger; walnut fore-end & semi-pistol grip stock with Monte Carlo style raised comb, would be considered vgc. with exception of surface scratch to rhs. butt, otherwise bearing only light handling marks, chequering & tear drops are sharply defined; 14 3/8” LOP incl. original 1” ventilated rubber recoil pad; overall in exc. wo & f. cond. **#86736PZ** L/R ***Limited use, would be a great & cheap shooter.*** **300 - 500**

85. **MIROKU MOD. 800 UNDER OVER SHOTGUN:** 12G, 2 3/4" chambered; 30” barrels with ventilated top rib, choked approx. 3/4 & full; g. bright bores, some light pitting ahead of chambers in top barrel; strong blued finish to barrels, some minor wear on profiles; silver coin finish to action with coverage of floral & scroll engraving; action locks up tight, strong, well-timed ejectors & selective single trigger; walnut fore-end & semi-pistol grip stock with Monte Carlo style raised comb, only light handling marks overall; chequering & tear drops are sharply defined; 14 3/8” LOP incl. original 1” ventilated rubber recoil pad; overall in exc. wo & g. to vg. cond. **#80059PZ** L/R **600 - 800**

86. **ANSCHUTZ MODEL 1530-1534 B/A CENTREFIRE RIFLE:** .222 Rem. cal.; 5 rnd. mag.; 24" barrel with vg.+ bright bore & sharply defined rifling; strong blued finish to metalwork some minor speckled blemishes but presents v. well; **Anschutz Modell 1530-1534** / **Cal. 222 Remington** marked to top of barrel, full name & **West-Germany** marked to lhs. action; **77** proof to lhs. breech of barrel; bolt cycles freely & trigger is crisp but bolt will twist down when opened fully, needs attention; std. folding rear sight & hooded front; plastic mag. base is chipped but functions; sling swivels to underside of forestock & butt; hardwood stock in vgc., some minor handling marks overall but presents exc.; original grooved buttplate; overall in vg. cond. & g. wo **#1120609** L/R **400 - 600**

87. **SWEDISH CARL GUSTAF MAUSER MOD. 1896 B/A RIFLE:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 30" barrel; f. to g. bore, well-defined rifling but some light pit peppering throughout, dull but may clean up; original blued finish to metalwork has thinned slightly to a plum patina in areas, fine speckling of oxidation overall; polished steel bolt & internals, areas of nitre bluing to small parts; **CARL GUSTAFS STADS /GEVARSFAKTORI /1903** marked to top of breech; matching bolt cycles smoothly; std. sights fitted with 3-6 graduations; retains steel cleaning rod; sling swivels to barrel band & underside of stock; woodwork in g.+ cond., has been cleaned back & refinished, some bruising to lhs. forestock but otherwise bearing only light marks; brass disc inlaid to rhs. of stock marked with several numbers & **Torped Overslag**; matching steel buttplate; overall in vg. wo & g. cond. **#135494** L/R **700 - 900**

88. **ANSCHUTZ MODELL 54 B/A RIMFIRE TARGET RIFLE:** .22 LR cal.; 10 rnd. mag.; 20" heavy barrel with exc. bright bore & crisp rifling; strong blued finish to metalwork, some minor storage marks but hard to fault, presents exc.; top of barrel marked **Anschutz Modell 64 Cal. 22 l.r.**; makers name to lhs. action, **Ulm Germany**; bolt cycles freely, strong springs & sears; adjustable trigger; dovetailed action; target stile walnut stock with wide, flat bottomed forestock & raised comb, some minor handling marks & light wear to profiles; rhs. stock inlaid with **ANSCHUTZ** banner; adjustable rubber buttplate; overall in exc. wo & cond. **#3094497** L/R **700 - 900**

89. **MOSSBERG MOD. 500E SMALL BORE PUMP-ACTION SHOTGUN:** .410 cal., 3" chambered; 26" barrel with ventilated top rib, full choked; vg. bright bore; grey coated finish to majority of metalwork presents exc., some minor handling marks overall, black finish to mag. tube; makers name, chamberings etc to marks barrel, underside of action marked **Mossberg** / **NORTH HAVEN** address/ **500E 410 GA**; pump cycles freely, strong springs & sears; walnut furniture in vg+ cond., some minor handling marks overall but presents exc., pressed chequering is well-defined; ventilated rubber recoil pad; overall in exc. wo & cond. **#K636134** Cat C L/R **500 - 700**

90. **19th CENTURY AFGHAN JEZAIL FLINTLOCK MUSKET:** .58 cal.; 38" round barrel with flared muzzle; p. bore, red powdery oxidation throughout; grey patina & reddish oxidation staining to majority of twist-iron barrel & lockplate; lock appears to be marked with the East India Company crest & **MANTON** to centre, lock holds spring tension but rough; retains ram rod & fitted with swivels; hardwood full stock decorated with primitive brass bands & inlays around butt; horn buttplate; overall in f. cond. **N/L** **500 - 700**

91. **S.W. SILVER & CO. MARTINI-HENRY TAKE-DOWN 'TRANSVAAL' RIFLE:** 577-450 cal.; 27 1/2" barrel with g. bright bore & sharply defined rifling, would grade up with a clean; barrel appears to have been shortened slightly; original blued finish to metalwork has turned to a dark patina, some patchy oxidation staining & thin spots overall; ***S.W. SILVER & Co CORNHILL, LONDON*** is engraved to top of barrel, lhs. marked **FOR .577/.450 CASE** & Birmingham proofs; Braendlin Armoury trademark to lhs. action; top of breech marked with makers name / **TRANSVAAL** / **RIFLE**; action operates freely, strong springs & sears, takedown function needs attention, some movement when locked; express sights with platinum sighting lines, standing 100yd & folding 200, 300 yd leaf's, 400-100 yd. ladder; walnut fore-end & straight stock in sound cond., some chipping to head of stock but otherwise bearing only light surface marks & residue buildup; chequering to fore-end & wrist are defined; fore-end inlaid with silver escutcheon bearing **CSE** monogram; perished original rubber buttplate; overall in g. wo & cond. #14248 **N/L** ***A quality gun with some interesting history. Would grade up significantly to a good shooter with some minor work***. **1000 - 1500**

92. **BELGIAN JANSSEN FILLS & Co S x S PERCUSSION SHOTGUN:** 19 bore; 33" barrels with g. bores, both dirty but no significant pitting in either; strong original blued finish to barrels has darkened, locks & breech with vivid case colours under some dried oil residue; top rib *inlaid* ***SPECIAL QUALITY JANSSEN FILLS Co LIEGE BELGIUM*** & then engraved **AMAZONAS**; light engraving to locks; strong lock springs & sears; steel sling swivels & ram rod; walnut half stock in g.+ sound cond., some light handling marks & scuffs, chequering to grip is well-defined; large **1096C** stamped to rhs. stock above German silver & iron patch box; steel buttplate; overall in vg. wo & g.+ cond. #51708 **N/L** ***Would grade up significantly with a clean. Plenty of barrel thickness, looks to have been made for shot & ball.*** **700 - 900**

93. **BRITISH PATT. 1853 TWO-BAND PERCUSSION RIFLE:** .670 cal.; 31 1/2" barrel with f. bore, dirty but only light pitting throughout; plum patina to metalwork, thinning to top of barrel between bands; dull mellow patina to brass furniture; markings are faint; **V.R**. inspection marks to lhs. breech, locked marked with Crown / **V.R** to tail & 1**864**/ **ENFIELD** to centre; lock functions strong sears; missing ram rod, retains two swivels; walnut stock presents dark, a little dirty but bearing only light handling marks & scattered bruising overall; brass buttplate with extensive light marks; overall in f. cond. **N/L** **700 - 900**

94. **WINCHESTER MOD. 9422 L/A RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. tube mag.; 20" round barrel with bright bore & sharply defined rifling overall, some light pitting to bottom of bore towards muzzle, g. overall; blued finish to metalwork quite strong but bearing some light handling marks & scuffs to finish; lhs. of barrel marked with ***WINCHESTER***, model, calibre & address; mechanically exc., cycles smoothly; original cloverleaf sights, front retains hood; woodwork in sound cond., handling bumps & bruises overall, fitted with sling swivels to underside of forewood & butt; ; factory plastic **WINCHESTER** marked chequered buttplate; overall in exc. wo & f. cond. **#F210635** L/R ***A cheap plinker.*** **300 - 500**

95. **WINCHESTER MOD. 9422M XTR L/A RIMFIRE RIFLE:** .22 WMR cal.; 10 rnd. tube mag; 20" barrel with bright bore & crisp rifling; blued finish to metalwork remains quite strong but with some patches of light oxidation & staining, would grade up with a clean; lhs. of barrel marked with ***WINCHESTER***, model, calibre & address; mechanically exc., cycles smoothly; original cloverleaf sights, front retains hood; woodwork in g. sound cond., some light handling marks bruising to rhs. of wrist chequering & spotted blemishes to finish; factory plastic **WINCHESTER** marked chequered buttplate; overall in exc. wo & g. cond. **#F696593** L/R ***Would come up a treat with some TLC*** **400 - 600**

96. **JM MARLIN MOD. 1895 410 LEVER ACTION SHOTGUN:** .410 cal.; 4 rnd. tube mag.; 22" round barrel with vg. smooth bore; strong original blued finish to metalwork, some patchy light oxidation staining in areas but presents decent, would clean up; lhs. barrel marked with **MARLIN** full name, **NORTH HAVEN** address/ **MODEL 410 ** 410 BORE 2-1/2" CHAMBER CYL. BORE** & **JM** stamp to lhs. before breech; action cycles freely, strong springs & sears; std. sights; vg. walnut stock & fore-end, a few scattered handling marks but presents exc. & chequering remains sharply defined; overall in exc. wo & g. to vg. cond. **#91050243** Cat B L/R ***Has seen little work, be a fun little gun for bunnies & rats on the run.*** **600 - 800**

97. **LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bright bore, rifling is crisp; original matte military phosphate finish presents v. well, some minor marks but very strong; black painted finish to magazine; rhs. body socket marked with **MA**/ **LITHGOW**/ **S.M.L.E**/ **III***/ **1945**; matching numbers marked to rhs. breech & nose cap; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; woodwork is in vg. cond., some scattered handling marks & bruises but presents as unissued; rhs. stock marked with crisp **MAO**/ **SMLE** / **III*** / **1945**, **HV** marks; brass buttplate has oxidized slightly to a dull green patina; overall in exc. wo & g. to vg. cond. **#F37888** L/R **600 - 800**

98. **LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. to vg. bore, rifling is sharply defined but bore a little dull; original matte military phosphate finish presents v. well, some minor marks but very strong; black painted finish to magazine; rhs. body socket marked with **MA**/ **LITHGOW**/ **S.M.L.E**/ **III***/ **1945**; matching numbers marked to rhs. breech & nose cap; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; woodwork is in g. to vg. cond., some scattered handling marks & paint to underside of butt but presents as unissued; rhs. stock marked with crisp **MAO**/ **SMLE** / **III*** / **1945**, **HV** marks, top of comb stamped with large **S**; brass buttplate with tarnished patina; overall in vg. wo & vg. cond. **#F39527** L/R **600 - 800**

99. **FINE WWII ERA AUSTRALIAN S.M.L.E NO. 1 MK. III HT SNIPER RIFLE & SCOPE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with fine bore, crisp rifling & bright; arsenal phosphate/parkerized finish to majority of metalwork is v. strong, some v. minor wear & handling marks to profiles but presents exc.; **rhs.** body socket marked with crown/ **G.R.** / **ENFIELD** / **1913** / **SHT LE** / **III**, serial no. **9168** over **T** marked to rhs. breech, & nose cap, **9168** marked to bolt; **H** marked to top of barrel; matching bolt cycles freely, strong springs & sears; std. 2-20 graduated rear tangent sight, front sight with pressed metal protective cover; fitted with period canvas sling to factory swivels; comes with Pattern 1918 telescopic scope in original canvas carry case & with leather dust caps; scope tube roll-marked **SIGHT TELESCOPIC** / **PATT. 1918 (AUST)** /**A.O.C** / **V** / **1944** / **D^D**; front of scope mount marked **1034** & rhs. tube lightly hand marked ***RIFLE No 9168***; scope is clear; Australian coachwood forewood & butt presents exc., with exception of an older scratch to lhs. butt & small bruising to rhs. forewood would be exc., a few v. minor handling marks elsewhere; exc. metal-to-wood fit; rhs. stock marked with **MA** / **4/45**, well-defined; brass buttplate with trap; overall in exc. wo & near exc. cond. **#9168 T** L/R **6000 - 8000**

100. **SCARCE BRITISH DOUBLE PERCUSSION BAYONET PISTOL by COGSWELL of LONDON:** .48 cal.; 4 1/4" (108m/m) octagonal barrels with g. bores; mottled grey patina to majority of metalwork, some minor pitting put presents well, markings & engraving remains sharply defined; original case colours remain in protected areas on frame; top rib engraved ***COGSWELL 224 STRAND LONDON***, London **V** & **P** proofs to underside of both barrels; light acanthus scroll engraving to frame & small parts; strong lock springs & crisp sears, matching flat side hammers; captive ramrod & folding bayonet with 3 1/2" triangular blade, spring loaded with release to top strap; vg. walnut stock, some of the finest flat top English style chequering to majority, sharply defined; some minor handling marks to butt; vg. metal-to-wood fit; vacant silver escutcheon to spine of stock; overall in vg.+ cond. **#2906** Pre 1900 L/R **2750 - 3000**

101. **BRITISH SINGLE BARREL PERCUSSION TRAVELLING PISTOL by MORTIMER of LONDON:** 19 bore; 8 1/2" octagonal twist damascus barrel with g. bore, some light pitting; soft plum-grey patina to barrel & bottom rib, some patches of staining but presents well, twist pattern is well-defined; grey patina to lock & small parts; bevelled lockplate with stepped tail, light coverage of acanthus scroll engraving & ***MORTIMER*** engraved to centre; ***LONDON*** engraved to top of barrel, Birmingham proofs to underside of barrel; flintlock to percussion drum conversion, strong lock springs & sears, integral V-notch rear sight to top tang, silver bead front sight; original ebony ram rod with worm & cap; walnut half stock with German forewood cap, vg. overall cond., chequering to grip is sharply defined; vg. metal-to-wood fit; vacant silver escutcheon to spine of stock; overall in g. to vg. cond. **N/L** ***A lovely example.*** **2250 - 2500**

102. **BRITISH S/B PERCUSSION PISTOL by FENTON of LONDON:** .46 cal.; 5 1/2" octagonal steel barrel with p. bore; dark patina, some handling marks & light pitting to barrel; bright finish to German silver frame & trigger guard, some handling marks & vice marks; Fenton London engraved to top of frame, Birmingham proofs to lhs. barrel & breech; strong lock springs & sears, hammer loose on shank; captive ramrod, V-notch rear sight & squashed silver bead front; replacement walnut stock is poorly fitted; overall in p. cond. **N/L** ***Would grade up with some TLC*** **500 - 700**

103. **BRITISH DOUBLE PERCUSSION TRAVELLING PISTOL by ANSELL of PERTH:** 17 bore, (.652 cal.); 6 1/8" (155m/m) twist damascus barrels with g. bores, some frosting to both; even plum patina to majority of metalwork, exposed parts of barrels with fine, pin-prick pitting, protected underside retains strong original browned finish & vivid case colours; ***ANCELL PERTH*** engraved to top rib, London **V** & **P** proofs marked to each barrel; border & light coverage of acanthus scroll to back-action lockplates, ***ANCELL*** engraved to both; strong lock springs & sears, matching flat side hammers with some movement on shanks; captive ramrod; silver bead front sight; walnut full stock in vg. cond., some minor handling marks & bruising overall but chequered remains well-defined, exc. metal-to-wood fit; vacant silver escutcheon to spine of stock; overall in vg. cond. **#1216** Pre 1900 L/R ***A lovely example in a large calibre, looks to have been made as a howdah pistol.*** **3250 - 3500**

104. **BRITISH PEPPERBOX PERCUSSION PISTOL by ADKINS of BEDFORD:** .35 cal.; 2 1/2" (66m/m) barrel cluster, dark & dirty bores both don't appear heavily pitted; dark patina to majority of metalwork, some patchy oxidation scale & light pitting but presents decent; ***ADKINS*** engraved to lhs. action, ***BEDFORD*** to rhs; Birmingham poofs marked to flutes of barrel cluster; light coverage of defined scroll engraving to frame & straps; mechanically strong, bare action hammer indexing well, strong springs; smooth walnut grip panels in g. sound cond., some light handling marks & bruising; grip screw is burred; overall in g. cond. **#49239PD** Pre 1900 L/R **500 - 700**

105. **ENFIELD No. 2 MK. I D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (127m/m) barrel with vg. bright bore & sharply defined rifling, small patch of frosting; blued finish to metalwork has darkened, presents flat & thinning on profiles, some minor staining; patch of pit peppering on cylinder; rhs. frame marked with **ENFIELD** / **No.2** crown **MkI** / **1939**, London **V** & **P** commercial proofs to chambers & lhs. barrel; action locks up tight, cylinder indexing well, bobbed hammer; walnut grooved grips, both are sound but present dark & dull, grooves remain well-defined, some handling marks; lanyard ring to butt of backstrap; overall in vg. wo & f. to g. cond. **#G599** Mfg. 1939 L/R **500 - 700**

106. **ENFIELD No. 2 MK. I D.A. SERVICE REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (127m/m) barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork has developed a dark grey patina, some handling marks overall & thinning to a grey patina on profiles; rhs. frame marked with **ENFIELD** / **No.2** crown **MkI** / **1931**; broad arrow marks & inspection marks to most parts; cylinder indexing well, action locks up with movement; worn grooved walnut grips, some surface scuffs & marks; lanyard ring to butt; overall in g. wo & f.+ cond. #**K2067** Mfg. 1931 L/R **300 - 500**

107. **HARRINGTON & RICHARDSON HUNTER MODEL RIMFIRE REVOLVER:** .22 Long cal.; 7 shot fluted cylinder; 10" (252m/m) octagonal barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork thinning to a grey patina, some patches of fine pitting to barrel; **WORCESTER** address to lhs. barrel, **HUNTER MODEL** marked to top strap; cylinder indexing well, strong springs & sears; two-piece walnut grip bearing a few handing marks & scuffs but sound; comes in fitted hide holster; overall in exc. wo & f.+ cond. **#156997** Pre 47' L/R **250 - 400**

108. **BRITISH BRASS FLINTLOCK POCKET PISTOL:** .450 cal.; 1 3/4" round, turn-off barrel with g. bore; slightly dull mellow patina to brass barrel & frame, iron lock & small parts have been cleaned to a grey finish but pitted; trophée d'armes motif engraving to action; Birmingham proofs to underside of breech & barrel; top of barrel has been stamped later with **W-X 4079**; strong lock springs & sears, sliding safety; smooth walnut flat-side stock in sound cond., some handling marks & scattered peened bruises; overall in f. cond. **N/L** **600 - 800**

109. **BRITISH S/B PERCUSSION TRAVELLING PISTOL by PORDAY:** 28 bore; 6" octagonal barrel with f. to g. bore, some light pitting; browned finish to barrel, thinning on profiles, twist pattern well-defined, some light pitting in areas; grey patina to back action locks & furniture; German silver forewood cap & staple escutcheons; lightly engraved back-action lock engraved ***Porday***, Birmingham proofs to underside of barrel; strong lock springs & sears, incorrect hammer fitted, wobbly on shank; V-notch rear sight & silver bead front; double silver bands to breech; quality contemporary ramrod with worm; walnut half stock in g.+ cond., chequering to grip is well-defined, metal-to-wood fit is vg.; vacant ovate escutcheon to spine of stock; overall in g. cond. #962 **N/L** **700 - 900**

110. **HARRINGTON & RICHARDSON M5 S/B FLARE PISTOL:** 10G; 4 1/4" barrel with f. bore, some patchy light pitting; dark patina to majority of metalwork, some patchy frosting in areas; top of barrel roll stamped **PISTOL, VERY, 10 GAGE, M5** / H & R full name / **WORCESTER** address; **UNITED STATES PROPERTY** marked to rhs. frame, **NOT INTERCHANGEABLE** to lhs; action locks up tight, strong lock; walnut grip in f. to g. cond., general handling marks & light bruising, chequering defined; overall in f. to g. cond. #3559 **N/L** **300 - 500**

111. **BELGIAN FOLDING TRIGGER PINFIRE POCKET REVOLVER:** 7m/m Pinfire cal.; 6 shot cylinder; 3 1/4" (84m/m) octagonal barrel with dark & dirty bore; original blued finish thinning to a plum patina, some minor staining but presents well; **ELG** Liege proof to cylinder; cylinder indexing well, strong springs & sears; walnut chequered grip panels are in near exc. cond., chequering is sharply defined, some minor handling marks to both; overall in g.+ cond. **#25** Pre 47' L/R ***A nice honest example.*** **300 - 500**

112. **REMINGTON SMOOT NO. 4 S.A. POCKET REVOLVER:** .41 RF short cal.; 5 shot fluted cylinder; 2 1/2' (64m/m) barrel with p. to f. bore, defined rifling but peppered with pitting; bright nickel or chrome refinish to metalwork, some fine pitting & frosting patches still present; lightly defined **E.REMINGTON & SONS ILION. N.Y.** to top of barrel; cylinder indexing well, crisp sears to spur trigger; cylinder pin with some scoring to knurling; faux ivory grip panels in f. cond.; overall in f. to g. cond. **#1884** Pre 1900 L/R **300 - 500**

113. **J.R. COOPER PATENT PEPPERBOX PERCUSSION REVOLVER:** 85 bore (.380 cal.); six 3" (76m/m) barrel cluster, all bores with oxidation scale but would clean up, some pitting; dull grey patina to majority of metalwork, flutes of barrel cluster retain vivid case colours; Birmingham proofs to barrel flutes; **J.R. COOPER'S/ PATENT** engraved within scroll banner to lhs. side plate; frame & side plates with light coverage of scroll engraving; ring trigger, under hammer action, lock is strong & barrels indexing, a missing nipple; smooth walnut grips are in g. cond., light handling marks to both & patchy varnish, small chip to rh grip; overall in f.+ cond. **#41506PD** Pre 1900 L/R **500 - 700**

114. **LONDON COLT SECOND MOD. S/S DERRINGER:** .41 rimfire short cal.; 2 1/2" (64m/m) barrel with g. bright bore & sharply defined rifling, some patchy fine pitting; even grey patina to majority of metalwork, some minor staining & some patches of original blueing on barrel remains; top of barrel flat marked with Maltese cross **+COLT'S PT.F.A. MFG, Co/ HARTFORD CT. U.S.A.**, **NO.2+**; pair of London **V** & **P** proofs marked to underside of barrel; light scroll motif engraved to sides of frame; markings & engraving all sharply defined; mechanically fine, action locks up tight, lock springs strong, sears crisp; German silver front sight; walnut grips in g. cond., flat-top chequering is sharply defined, some minor handling marks & bruising to butt; overall in exc. wo & g.+ cond. **#5259** Pre 1900 L/R **700 - 900**

115. **CONTINENTAL CALVARY STYLE FLINTLOCK PISTOL:** .68 cal.; 9" round barrel with p. bore; dark plum patina to barrel & dark grey patina to locks, some handling marks, pitting & oxidation staining to both, presents ordinary; no visible markings to pistol, lhs. breech appears to have had proofs polished off; lock does function, ring neck cock & brass pan, cock loose on shank; brass furniture with bright finish, some handling marks; captive ramrod; walnut full stock is sound., some handling marks & light bruising, metal-to-wood fit is generally ordinary; overall in p. cond. **N/L** **400 - 600**

116. **JAMES. W. ROSIER RETAILED D.A. RIMFIRE REVOLVER:** .38 rimfire cal.; 5 shot cylinder; 5 1/8" (130m/m) octagonal barrel with f. bore, rifling well-defined, some patchy oxidation & light pitting; dark plum-grey patina to metalwork, some patchy dark staining, some light pitting but presents original; top strap marked ***JAMES W. ROSIER, MELBOURNE***; Birmingham proofs to barrel & chambers; border & fine scroll engraving to frame; action at fault, not indexing but main spring & sears strong; f. screw heads; original single piece walnut grip in g. cond., some worn spots to chequering & light handling marks; missing lanyard swivel to steel butt cap; overall in f. cond. **#222** Pre 1900 L/R ***No makers name, sharing characteristics with an 1868 Tranter.*** **400 - 600**

117. **WEBLEY & SCOTT LTD. MARK VI D.A. REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with exc. bright bore & sharply defined rifling; original blued finish to metalwork has thinned to an even grey patina, some original finish remaining in protected areas; **WEBLEY & SCOTT LTD/ LONDON & BIRMINGHAM** stamped to top of integral barrel rib, makers name, **W&S** winged bullet trademark to lhs. frame & **MARK VI** marked to lhs. top strap; lhs. barrel marked **.450/455**, **BV** commercial proofs to barrel, cylinder & small parts; mechanically exc., action locks up tight, cylinder indexing well; vgc. original hard rubber grips, some v. minor surface marks & chequering remains sharply defined; lanyard ring to butt; overall in exc. wo & g. cond. **#450333** Pre 47' L/R **600 - 800**

118. **DEANE ADAMS & DEANE D.A. DRAGOON PERCUSSION REVOLVER:** 38 bore (.497 cal.); 5 shot cylinder; 7 1/2" (190m/m) octagonal barrel; bore f. with light to moderate pits peppering the well-defined rifling; 20%+ original blued finish to metalwork, scattered patches remain on barrel, frame, grey patina & some light frosting elsewhere; top strap engraved ***DEANE ADAMS & DEANE. 30 KING WILLIAM ST T LONDON BRIDGE.***; London **V** & **P** proofs to chambers & lhs. barrel; frame with acanthus scroll engraving; ***No. 9277 R*** engraved to rhs. frame & cylinder; markings & engraving lightly defined; mechanically g., cylinder indexing correctly, strong springs & sears; single piece walnut grip with sharply defined chequering, g. to vgc. overall, some minor handling marks & has shrunken slightly; steel butt cap with trap; overall in g. cond. **#9277R.** Pre 1900 L/R **1200 - 1400**

119. **ROTH-STEYR MOD. 1907 SEMI-AUTOMATIC PISTOL:** 8×18.6m/m Roth-Steyr cal.; 8 rnd. integral mag.; 5 1/4" (127m/m) barrel with g. to vg. bright bore & sharply defined rifling, some lead residue that needs cleaning; 80%+ original blued finish to metalwork, has darkened slightly & thinning to a grey patina to lhs. frame, straps; some minor pit peppering to lhs. barrel housing & general light staining; strong straw finish to extractor; top of frames integral rib marked **WAFFENFABRIK STEYR**, rhs. frame marked **12384**; mechanically complete, bolt retracts freely & springs are strong, trigger a little gummed up with dried grease; original grooved walnut grips are in g. cond., some light handling marks to grooves, confined mainly to rh grip; rh grip inlaid with centre steel disc marked **1LUR/ 18**; integral lanyard loop to butt; overall in g. wo & vg. cond. **#12384** Pre 47' L/R **1600 - 1900**

120. **SPANISH CAMPO-GIRO MOD. 1913/16 SEMI-AUTO PISTOL:** 9×23m/m Largo cal.; 8 rnd. mag.; 6 3/8" (165m/m) barrel with vg. bright bore, rifling sharply defined & bright overall, some leading; original blued finish to metalwork has thinned to a grey patina in areas, some frosting & handling marks; lhs. frame marked **<Pist.a aut.a mod. 1913-16>** / serial no, top of slide marked **CAMPO-GIRO/PAT. 34798-54214/1904-1913** / star & wreath motif/ mfg. name **ESPERANZA/ Y /UNCETA/ GUERNICA.**; mechanically g., strong spring & sears, V-notch rear sight & blade front; original walnut chequered grip panels in f. cond., some general handling marks & wear, a few flat spots to lhs. grip & rh grip with dent; lanyard loop to butt; overall in exc. wo & g. cond. **#7285** Pre 47' L/R ***An interesting design, Spain's first locally designed automatic pistol.*** **1400 - 1800**

121. **COLT MOD. JUNIOR VEST POCKET S/A PISTOL:** .25 ACP cal.; 6 shot mag.; 2 1/4" (56m/m) barrel with vg. bright bore & sharply defined rifling; strong blued finish to slide, alloy frame retains 95%+ of its blacked finish, only light handling marks overall; **HARTFORD** address marked to lhs. slide with rampant horse trademark, rhs. marked with **COLT AUTOMATIC**, cal.; slide retracts freely, strong springs & sears; chequered walnut grip panels in exc. cond., chequering is sharply defined, only minor handling marks; silver **COLT** medallion inlaid to both; overall in exc. wo & near exc. cond. **#OD53337** Post 46' L/R **400 - 600**

122. **S.W. SILVER & Co. RETAILED WEBLEY R.I.C. D.A. REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 3 1/2" (92m/m) barrel, has been relined, g. bright bore & sharply defined rifling, some minor pitting & oxidation towards muzzle; patchy original nickel finish to metalwork, plum patina to remainder; barrel has been polished back to steel in areas; retailers name marked to top strap / **87 CORNHILL LONDON**; lhs. frame marked **WEBLEY'S** / **R.I.C.** / **No1.476CF** / flying bullet trademark / **6166**; top of barrel has been marked **.455**, modern **BNP 6 TONS** reproofs to underside of barrel; cylinder indexing well, strong springs & sears; retains ejector rod; single-piece walnut grip in sound cond. chequering showing wear & some light bruising but presents decent; steel butt cap with lanyard ring; overall in g. wo & f. cond. **#6166** Pre 1900 L/R **300 - 500**

123. **COLT MOD. JUNIOR VEST POCKET S/A PISTOL:** .25 ACP cal.; 6 shot mag.; 2 1/4" (56m/m) barrel with vg. bright bore & sharply defined rifling; strong blued finish to slide, alloy frame retains 95%+ of its blacked finish, only light handling marks overall; **HARTFORD** address marked to lhs. slide with rampant horse trademark, rhs. marked with **COLT AUTOMATIC**, cal.; slide retracts freely, strong springs & sears; chequered walnut grip panels in exc. cond., chequering is sharply defined, only minor handling marks; silver **COLT** medallion inlaid to both; overall in exc. wo & near exc. cond. **#OD08845** Post 46' L/R **400 - 600**

124. **BRITISH MFG. BULLDOG STYLE D.A. POCKET REVOLVER:** .380 cal.; 5 shot cylinder; 2 5/8" (67m/m) octagonal barrel with vg. bright bore & sharply defined rifling; original blued finish to metalwork. 70% remaining with grey patchy losses to difference; border engraved frame, no makers marks but stamped with Birmingham proofs to chambers, barrel; mechanically complete, cylinder indexes intermittently, strong lock springs & sears, retains ejector rod & loading gate; vg. walnut grips, the fine chequering is sharply defined, only minor handling marks; overall in g. to vg. cond. **#76790** Pre 1900 L/R **400 - 600**

125. **DGG / ARMI SAN PAOLO REMINGTON 1858 PERCUSSION REVOLVER & HOLSTER:** .44 cal.; 6 shot cylinder; 8" (204m/m) octagonal barrel with g. bore, largely bright & rifling sharp, some speckled oxidation; blued finish to metalwork, some minor handling wear & staining; **DGG** trademark & serial no. marked to butt; cylinder indexing well, strong springs & sears; smooth walnut grips in g. cond.; comes in **BIANCHI** leather holster; overall in exc. wo & g. cond. **#109953** L/R c.1960's ***Made by mfg. partners Donoinelli, Grassi & Gazzola before they transitioned to Armi San Paolo in 1971.*** **150 - 300**

126. **VERY FINE WEBLEY & SCOTT LTD. MOD. 1910 AUTOMATIC PISTOL:** .38 Auto cal.; 8 rnd. mag.; 3 1/2" (127m/m) barrel with vg. to exc. bright bore & sharply defined rifling; pistol retains 90%+ of the original high polish, glossy blued finish to majority of parts, some blotchy losses to muzzle end of barrel & light wear on straps but presents exceptionally well; bright polished finish to trigger, safety & other small parts; lhs. slide marked with **W & S** flying bullet trademark, **WEBLEY & SCOTT LTD/ LONDON & BIRMINGHAM** / **.38 AUTOMATIC PISTOL**; **BV** proofs to barrel, slide & frame, matching numbers; all markings are sharply defined; slide retracts smoothly, strong springs & sears, locks up tight; screw heads all vgc., mostly untouched; V-notch adjustable rear sight dovetailed to top of slide, blade front; original hard rubber grips are in vgc., small glued crack to base of rh grip; both grips present v. well & chequering is sharply defined; integral lanyard loop to butt; overall in exc. wo & near exc. cond. **#66346** Pre 47' L/R ***A fine example*** **1500 - 2000**

127. **SCARCE WEBLEY & SCOTT LTD. MOD. 1913 SELF-LOADING PISTOL MK. I NAVY:** .455 Webley Auto cal.; 7 rnd. box mag.; 5" (127m/m) barrel with vg. to exc. bright bore & sharply defined rifling, some minor leading in grooves; original blued finish to metalwork has thinned to a grey patina in areas, some light staining & v. minor pit peppering on straps but presents well; 30% original blueing remains in protected areas, rhs. of slide; lhs. slide marked with **W & S** flying bullet trademark, **WEBLEY & SCOTT LTD/ PISTOL SELF-LOADING .455 MARK I N / 1914**; acceptance marks, proofs to barrel, slide & frame; mechanically fine, strong springs & sears, slide retracts freely, grip safety, windage adjustable rear V-notch sight & blade front; original walnut grip panels in g. to vg. cond., chequering remains well-defined, some general wear to finish & a graze to base of rh grip has taken off small section of chequering; lanyard ring to butt; comes in older generic leather holster, marked **HAND SEWN**; overall in exc. wo & g.+ cond. **#4575** Pre 47' L/R ***A very honest, original example of a desirable pistol.*** **4000 - 5000**

128. **PERCUSSION TRAVELLING PISTOL by PATRICK of LIVERPOOL:** 38 bore; 7 1/2" twist damascus barrel with g. bore, some minor pitting but would grade up with a clean; patchy dark patina & minor pitting on barrel, even patina on lock & small parts; ***PATRICK*** engraved to lock, ***LIVERPOOL*** to top of barrel & Birmingham proofs to underside; border & light scroll engraved bar-action lock, strong springs & sears; semi-buckhorn style rear sight dovetailed to barrel, silver bead front sight; hooked breech; quality repro ramrod; walnut full stock in g. to vg. cond., presents v. well, bearing only light handling marks overall, chequering to grip; vacant square escutcheon to spine of grip below top tang; overall in g.+ cond. **N/L** **900 - 1100**

129. **FLINTLOCK OFFICERS PISTOL by PROSSER of LONDON:** 11 bore; 9" flat top barrel with f. bore, some, light pitting in patches but would grade up; dark plum patina to majority of metalwork with scattered pit peppering to lock & barrel; ***LONDON*** engraved to top of barrel flat, ***PROSSER*** engraved to lock below starburst motif; British proofs to lhs. breech of barrel; ornate pineapple finial, rosettes to trigger guard; bevelled lockplate with stepped tail, swan neck cock with sliding half-cock safety, roller frizzen; V-notch rear sight to top tang & blade front sight; strong lock springs & sears; correct style ebony ramrod with iron worm, repaired crack through centre; smooth walnut full stock presents v. well, some light handling marks & bruising overall, aged crack running through ramrod channel, only visible with rod removed; overall in g. cond. **N/L** **1800 - 2200**

130. **PERCUSSION BELT PISTOL by J & B SMITH of LONDON:** 16 bore; 6" round twist-damascus barrel with f. bore, rifling is well-defined, peppered with light pitting throughout; grey patina to metalwork, some dark staining in areas, faint twist pattern to barrel; ***J & B Smith London*** engraved to top of barrel, name again to lockplate; bevelled lockplate with stepped tail, light coverage acanthus scroll engraving which extends past barrel address, on trigger guard & tangs; percussion converted lockplate, g. spring tension, sears holding, half-cock sliding safety; V-notch rear sight & silver bead front; belt clip to lhs. stock, captive ramrod; walnut stock presents well, with exception of partial aged crack running from ramrod thimble to rhs, bearing only light handling marks; square silver escutcheon to spine of grip engraved with initials ***ALI***; flat-top chequering is well-defined; overall in g. cond. **N/L** **1000 - 1400**

131. **COLT OPEN TOP POCKET RIMFIRE S.A. REVOLVER:** .22 short cal.; 7 shot cylinder; 2 3/8" (60m/m) barrel with f. bore, some light oxidation & pitting visible; grey patina & some oxidation staining to barrel & cylinder; mellow patina to brass frame; some light handling marks & minor peening to metalwork; defined two-line **HARTFORD** address marked to top of barrel, faint **22CAL** marked to lhs. frame; original serial no. **86** / **855** marked to barrel & butt has been re-stamped **1887**; missing trigger & main spring, needs work; smooth walnut grips present f., patchy finish to lh. grip & lifting chip to head, rh grip in near vgc.; overall in p. cond. **#1887** Pre 1900 L/R ***Suit parts or project.*** **150 - 300**

132. **FACTORY ENGRAVED COLT OPEN TOP POCKET RIMFIRE S.A. REVOLVER:** .22 short cal.; 7 shot cylinder; 2 3/8" (60m/m) barrel with g. bore, sharply defined rifling, some pitting towards muzzle; 60%+ original nickel finish to barrel & cylinder, loses around muzzle & front of chamber/ breech area has flaked to a grey patina; 95%+ original silver plating to frame; two-line **HARTFORD** address marked to top of barrel, **22CAL** marked to lhs. frame; scroll engraving to frame, straps cylinder & barrel; cylinder indexing, strong springs & sears but some movement between barrel, frame; smooth ivory grips are in vgc. some minor dark partial hair line cracks extending from grip screws; overall in g.+ cond. **#49392** Pre 1900 L/R **700 - 900**

133. **COLT OPEN TOP POCKET RIMFIRE S.A. REVOLVER:** .22 short cal.; 7 shot cylinder; 2 3/8" (60m/m) barrel with f. bore, some oxidation & pitting visible, would grade up with a clean; patchy nickel finish to barrel & cylinder, dark patina & fine pitting to difference; some light handling marks to frame but retains 90% silver plating; two-line **HARTFORD** address marked to top of barrel, **22CAL** marked to lhs. frame; cylinder indexing, lock strong but some play in cylinder; smooth walnut grips in f. cond. overall, some traces of original varnish remains, older scratch to rh grip; overall in f. cond. **#97976** Pre 1900 L/R **400 - 600**

134. **FACTORY ENGRAVED COLT OPEN TOP POCKET RIMFIRE S.A. REVOLVER:** .22 short cal.; 7 shot cylinder; 2 3/8" (60m/m) barrel with g. bore, some minor pitting but rifling remains defined; original nickel finish to steel barrel & cylinder, worn to a grey patina on barrel but still strong on cylinder; 950%+ silver plating to brass frame; two-line **HARTFORD** address marked to top of barrel, **22CAL** marked to lhs. frame; factory acanthus scroll & stippled engraving to sides of frame; cylinder indexing, strong springs & sears but some movement between barrel, frame; mother of pearl grip present v. well, some minor handling marks & fine partial fracture to rhs. grip; overall in g. cond. **#61647** Pre 1900 L/R **700 - 900**

135. **UNUSUAL BELGIAN FOLDING TRIGGER PINFIRE REVOLVER:** 8m/m pinfire cal.; 6 shot cylinder; 3 1/2" (89m/m) round barrel with g. bright bore & sharply defined rifling, some patchy frosting; worn original blued finish to metalwork, still strong in some protected areas but thinning to brown to grey patinas; **ELG** Liege proof to cylinder; strong springs & sears, cylinder indexing well; unusual lever to rhs. frame pulls down & removes barrel off cylinder for loading; smooth walnut grips in vgc., some minor handling marks; overall in vg. wo & g. cond. **#3912** Pre 1900 L/R ***An interesting little design we've not seen before.*** **400 - 700**

136. **ROYAL ARTILLERY MARKED WEBLEY MK. II D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with g. bright bore, rifling is lightly defined, peppered with light pitting throughout; original blued finish to metalwork, various stages of wear with strong bluing remaining in protected areas, thinning to a plum patina on frame & cylinder, barrel with grey patina; lhs. frame marked **WEBLEY / MARK II / PATENTS**; broad arrows & inspection marks to top strap, chambers & other small parts; back strap marked **10.99 / R A / A / 99** (Royal Artillery A Battery); cylinder indexing, strong springs & sears, action locks up with some movement; original hard rubber grips, chequering to both still defined but showing wear, some light handling surface marks; lanyard ring to butt of birds head grip; overall in g. wo & g.+ cond. **#63496** Pre 47' L/R ***A well presented example.*** **1200 - 1500**

137. **WEBLEY MK IV D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 4" (100m/m) barrel with exc. bore & sharply defined rifling; blued finish to metalwork presents decent, some light holster wear around muzzle & on cylinder; lhs. of top strap marked **MARK IV .38**, top marked **WEBLEY & SCOTT LTD/ BIRMINGHAM**, rhs. marked **MADE IN ENGLAND**; British **3 ½ TONS** proofs to lhs. of barrel, chambers; cylinder indexing well, strong springs & sears, action locks up tight; black bakelite grips with ***Webley*** to top of both; grips present OK but have chips to underside, some general handling marks & scuffs; overall in exc. wo & g. cond. **#B3627** Post 46' L/R **400 - 600**

138. **FINE WEBLEY MK. IV D.A. RIMFIRE POCKET REVOLVER:** .22 LR; 6 shot fluted cylinder; 3" (76m/m) barrel with exc. bore & crisp rifling; 90%+ original blued finish to metalwork, only minor handling marks overall & some wear to butt of backstrap; **MARK IV .22 (LONG RIFLE)** to lhs. top strap **BNP** proofs to barrel, chambers; mechanically exc., strong cylinder indexing, locks up tight; push bar safety to rear of frame; black plastic grips in exc., cond.; overall in exc. wo & near exc. cond. **#B19169** Post 46' L/R **400 - 600**

139. **WALTHER P.38 SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 5" (125m/m) barrel with fine, bright bore & crisp rifling, almost certainly unfired; grey phosphate finish to barrel & slide is strong, blacked finish to alloy frame, metal finishes bearing only trace storage marks overall; lhs. slide marked with **WALTHER** trademark banner, full name / **P38 Cal. 9mm**, rhs. slide proofed & marked **7/63**; mechanically exc., strong springs & sears; black polymer chequered grip panels are near exc., a few minor storage marks to both; overall in exc. wo & cond. **#215034** Mfg. 1963 L/R **500 - 700**

140. **BELGIAN FOLDING TRIGGER PINFIRE REVOLVER:** 7m/m pinfire cal.; 6 shot cylinder; 3 5/8" (86m/m) octagonal barrel with dusty bore, considered p. until cleaned; grey patina to metalwork some handling marks & fine pitting in areas, vice marks to sides of frame; **ELG** Liege proof to cylinder; broken trigger spring, main spring is strong; smooth walnut grips in g. sound cond., some light handling marks & present dull; overall in f. cond. **#4073** Pre 47' L/R ***Would grade up with minor work***. **50 - 100**

141. **COLT MOD. 1873 S.A.A. FRONTIER SIX SHOOTER REVOLVER:** .44 WCF (.44-40 Win.) cal.; 6 shot fluted cylinder; 7 1/2" (190m/m) barrel with bright bore & sharply defined rifling, some minor frosting & small patch of pitting; original blued finish to barrel, cylinder & small parts is patchy, speckled losses to blueing now a grey patina, a few minor patches of frosting but no significant pitting; case colours to frame area quite strong in areas, especially on the rhs; top of barrel marked with single line **COLT'S PT. F.A. MFG, Co HARTFORD, CT, U.S.A.** & lhs. marked **COLT FRONTIER SIX SHOOTER**; lhs. frame marked with patents & rampant horse trademark roundel; **176718** marked to frame, trigger guard & butt of backstrap; markings are v. well-defined; mechanically exc., strong springs & sears, cylinder indexing is crisp; original screws retains much of their nitre blueing, some light burring; original hard rubber grips are in fine cond., hard to fault; chequering & rampant horse motif to top of both are all sharply defined, grip screw looks to be untouched; overall in vg. wo & g. cond. **#176718** Mfg. 1898 L/R ***An honest pre 1900 example that has seen next to no use.*** **1800 - 2200**

142. **F.N. BROWNING MOD. 1900 S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 4" (101m/m) barrel with vg. bright bore & sharply defined rifling; original blued finish to metalwork thinning to a grey patina on profiles, some cold blue touch up to front of slide; standard markings to lhs. slide, **FN** ovate trademark/ **BROWNING'S-PATENT/ BREVETTE S.G.D.G.** marked to lhs. frame; serial no. **100775** marked to rhs. sights, slide, frame; slide retracts freely, strong springs & sears, coking indicator to top of slide; original hard rubber grips a little dull, some wear to chequering & **FN** monogram to top of both, scuff to rh grip; lanyard loop to lhs. butt; overall in vg. wo & g. cond. **#100775** Mfg. c.1910 L/R **500 - 700**

143. **COLT MOD. ARMY SPECIAL D.A. REVOLVER:** .38 Special cal.; 6 shot fluted cylinder; 6" (152m/m) barrel with g. bore, bright with well-defined rifling, some scattered minor pitting; original blued finish to metalwork, 70% remaining & thinning to a grey patina from holster wear on profiles of cylinder, frame & sides of barrel; two-line **HARTFORD** address & patents marked to top of barrel, **COLT ARMY/SPECIAL 38** to lhs, markings are sharply defined; Rampant colt trademark to lh. side plate; cylinder indexing well, strong springs & sears; original hard rubber grips present v. well, aged small chip to lh grip & repaired hairline crack to butt of rh grip; **COLT** to top of both grips, chequering is well-defined; overall in exc. wo & g. cond. **#438773** Mfg. c.1919 L/R **600 - 800**

144. **GERMAN J.P. SAUER & SOHN WESTERN SIX-SHOOTER REVOLVER:** .44 Mag. cal.; 6 shot fluted cylinder; 6" (151m/m) barrel with exc. bright bore & sharply defined rifling; original blued finish to metalwork, thinning from holster wear in areas but presents decent, some minor handling marks; lhs. barrel marked with **MADE IN WESTERN GERMANY**/ makers name, rhs. marked **SAUER WESTERN SIX-SHOOTER**/ cal.; cylinder indexing well, strong springs & crisp sears; replacement front blade sight; smooth walnut grips in sound cond., some light handling marks & wear to both; overall in exc. wo & g. cond. **#D2597** L/R Mfg. 1968 **500 - 800**

145. **BELGIAN THOLET ARMS Co BULLDOG POCKET REVOLVER:** .380 cal.; 6 shot fluted cylinder; 66m/m barrel with f. to g. bore & sharply defined rifling; dark grey plum patina & fine pitting majority of metalwork; makers name to top strap, **ELG** Liege proof to cylinder; trigger return spring broken, otherwise appears to index well; finely chequered walnut grips bearing some light wear & bruising; overall in f. cond. **#1216** Pre 47' L/R ***A good little project, would grade up well.*** **50 - 100**

146. **N.S.W. GAOLS MARKED ENFIELD 1884 MARK II. D.A. SERVICE REVOLVER:** .476 cal.; 6 shot 'church steeple' fluted cylinder; 5 7/8" (148m/m) barrel with exc. bore & sharply defined Henry style rifling; grey patina to majority of metalwork has been cleaned, some surface marring in areas but protected areas retains spots of strong original blued finish; rhs. frame marked with crown/ **V.R.** / **ENFIELD** / **1884.** / **II.**; broad arrow marks to rhs. frame, inspection marks to chambers & majority of small parts; mechanically exc., strong springs & sears, cylinder indexing well & action locks up tight; smooth walnut grip in g. sound cond., some minor handling marks & bruising but presents well; lhs. of grip marked **N.S.W.** / **No 31**, rhs. marked with broad arrows & **GAOLS**; overall in exc. wo & g. to vg. cond. **#A3081** Pre 1900 L/R **1200 - 1500**

147. **SMITH & WESSON MOD. 10-5 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 3" (78m/m) barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork worn to grey on barrel & areas of frame, serial no. has been crudely etched to lhs. frame; name & cal. marked to barrel, four-line **SPRINGFIELD** address, **SW** monogram marked to rhs. frame along with two large 65 stamps; cylinder indexing well, strong springs & sears; original walnut grips in g. cond., chequering defined, some handing marks & wear; overall in exc. wo & p. to f. cond. **#D988389** Post 46' L/R ***Cheap gun for the range.*** **150 - 300**

148. **STURM RUGER OLD ARMY S.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 7 1/2" (192m/m) round barrel with exc. bright bore & sharply defined rifling; bright brushed finish to metalwork presents exc. some minor handling marks & marring; full name & address to barrel, **RUGER OLD ARMY** to lhs. frame; cylinder indexing well, strong springs & sears; smooth walnut grips showing some wear to finish, darkening but in g.+ sound cond.; overall in exc. wo & g.+ cond. **#145-05353** Post 46' L/R **300 - 500**

149. **SMITH & WESSON MOD. VICTORY RIMFIRE CONV. D.A. REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with vg. bright bore & crisp rifling, slight bulge 3" from muzzle visible externally but not internally; reblued finish to metalwork, thinning from holster wear to cylinder, muzzle, some blemishes; British **BNP** proofs to lhs. barrel, chambers, **S&W** trademark to rhs. fame partially indistinct, **MADE IN USA** to front of frame; mechanically strong, cylinder indexing well, vg. spring tension; walnut grips in g. cond., some minor handling marks & bruising; overall in f. cond. **#V606476** Pre 47' L/R **50 - 100**

150. **SMITH & WESSON MOD. 686-6 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with exc. bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; maker marked black rubber chequered grip in vgc.; overall in exc. wo & vg.+ cond. #**DJC5063** Post 46' L/R **600 - 800**

151. **SCARCE ENFIELD ENFORCER BOLT-ACTION SNIPER RIFLE:** 7.62×51m/m NATO cal.; 10 rnd. box mag.; 27 1/2" hammer forged heavy barrel with exc. bright bore & sharply defined rifling; black Suncorite / black enamel finish to metalwork is strong, some minor flaked losses in areas but presents well; spiral forged pattern to barrel still well-defined; lhs. of action marked **ENFORCER 7.62m/m 320** over **D73 PAT.APP FOR.**; serial no. **320** marked to magazine & bolt; bolt cycles freely, strong springs & sears; fitted with period **PECKAR** / **BERLIN** 4-10 X scope; lhs. action fitted with **Parker Hale PH5E4** peep sight mount; front globe sight; fitted with bipod, leather & canvas sling; woodwork in g. sound cond., some light handling marks & streaky dark staining across the right-handed cheek piece; forestock & grip has been given a home stippled finish; fitted with ventilated rubber recoil pad; overall in exc. wo & g. cond. **#320** L/R **2500 - 3000**

152. **St. ETIENNE MFG. M16 BERTHIER B/A RIFLE:** 8×50m/mR Lebel; 5 rnd. en-bloc magazine; 32" barrel with exc. bright bore & sharply defined rifling; strong original blued finish to metalwork, presents exc., thinning only slightly in areas to a subtle plum patina; lhs. action marked ***St Etienne*** **M LE M.16**, rhs. breech marked **MAS 1917**; proofs & serial no. marked to lhs. barrel; matching numbers rifle, incl. bolt which cycles smoothly, strong springs & sears; 9-24 graduated rear ladder sight; complete with swivels & ring to rhs. barrel band; woodwork presents well, some handling marks & bruising to surface; lhs. butt marked with serial no; steel buttplate; overall in exc. wo & g.+ cond. **#FG95467** L/R **700 - 1000**

153. **STEYR M.95 STRAIGHT-PULL RIFLE:** 8×56m/mR Steyr cal.; 5 rnd. integral mag.; 30 1/2" barrel with g.+ bore, well-defined rifling, grooves a little dull & with some fine pitting; blued finish to majority of metalwork has developed a dark, satin finish, some light wear & handling marks; bolt has been cleaned back to a bright steel finish; top of breech marked **STEYR**/ **M.95**; bolt cycles freely, strong springs & sears; matching numbers marked to breech, barrel & has been crudely etched to bolt; 6 – 26 graduated rear sights; woodwork in sound cond., has had an older refinish & presents poor, patchy varnish & light handling marks to most surfaces; rhs. stock marked with serial no.; steel buttplate; overall in vg. wo & f. cond. **#8683C** L/R **600 - 800**

154. **STEYR MFG. 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with g.+ bore, bright with well-defined rifling, some fine pitting & needs a clean; bright steel finish to action & bolt, blued finish to remainder of metalwork has thinned to a dark grey patina, some marring & minor oxidation staining; top of breech marked with well-defined crown/ **STEYR**/ **1890**, one faint proof to rhs. & serial no. marked to lhs. breech & barrel; **Gew. 88** marked to lhs. action; matching rifle incl. bands, small parts incl. screws; matching bolt cycles smoothly, strong springs & sears; 5-20.5 graduated rear sight; retains steel cleaning rod; fitted with period leather sling to factory swivels; woodwork in vg. overall cond., some light handling marks & small bruises but presents v. well; inspection marks to rhs. of butt are well-defined; polished steel finish to steel buttplate; overall in exc. wo & g. to vg. cond. **#7033** L/R **700 - 1000**

155. **B.S.A. SHT.LE MK III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g. to vg. bore, needs a clean but rifling is sharply defined; blued finish to metalwork has developed a dark patina overall, thinning to a plum patina in areas incl. mag.; rhs. body socket marked with sharply defined (possible restamp) Crown/ **G.R.** / **B** (no following marks visible) / **1942** / **SHT.LE** / **III*** **SHT.LE**/ **III***; bolt cycles freely, strong springs & sears; serial no. has been restamped to rhs. breech, bolt & nose cap; std. 2-20 graduated rear sights; woodwork in f. but sound cond., some marks & scattered bruising to majority, armourers repair to heel of butt; brass buttplate with trap; overall in vg. wo & f. cond. **#10711** L/R ***Presents grubby but would grade up with a clean & service.*** **400 - 600**

156. **ENFIELD SHT.LE MK. III* B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g.+ bore, needs a clean but rifling is sharply defined, a little dull; blued finish to metalwork has developed a dark patina overall, some patchy oxidation & thinning to a plum patina in areas; rhs. of body socket marked **E.R.** Cypher/ **ENFIELD** / **1915** / **SHT. LE / III***; serial no. has been restamped to bolt, period markings to rhs. breech, barrel & nose cap; bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sights; woodwork in f. but sound cond., handling marks & scattered bruising to majority, armourers repair to rhs. of butt; brass buttplate with trap; overall in vg. wo & f. cond. **#M6638** L/R **400 - 600**

157. **E.R.A. REMINGTON MFG. ENFIELD P.14 B/A SERVICE RIFLE:** .303 cal.; 5 rnd. integral mag.; 26" barrel with g.+ bore, rifling sharply defined but fine frosting throughout; original blued finish to metalwork appears to be thinning to a grey patina in areas although that has been obscured by grease residue to most of metalwork; rhs. breech marked **ERA** / **487537**, British **GR** proofs to lhs. action; matching bolt cycles freely, strong springs & sears; 2 – 16 graduated rear sight; woodwork in f. but sound cond., handling marks & scattered bruising to majority, some peening to rhs. butt, nothing too sinister; steel buttplate with trap; overall in exc. wo & g. cond. **#487537** L/R ***Description sounds harsh but remains a good shooter with some battlefield 'character' to woodwork. Would clean up well.*** **600 - 900**

158. **B.S.A. Co COMMERCIAL LEE-ENFIELD B/A RIFLE:** .303 cal.; 10 rnd. mag.; 30" barrel with g. bore, rifling is sharply defined some but fine frosting throughout, grooves a little dark; original blued finish covered in grease residue, thinning to a plum-brown patina on mag & dust cover; rhs. body socket marked **B.S.A.Co.**, lhs. breech **FOR CORDITE ONLY** marked; matching bolt cycles freely, strong springs & sears; retains mag. cut off & dust cover; 6-18 graduated rear sight; woodwork in g.+ sound cond., some minor handling marks & bruising overall but presents well, stock a lighter colour; brass buttplate with trap; overall in vg. wo & g. cond. **#30236** L/R **600 - 800**

159. **SPARKBROOK LEE-ENFIELD MK. I* BOLT-ACTION RIFLE:** .303 cal.; 10 rnd. mag.; 30" barrel with f. bore, fine pitting throughout, Metford rifling is defined; blued finish to metalwork presents decent, thinning to a plum patina in areas & some patchy oxidation staining; rhs. body socket marked with crown/ **V.R.** / **SPARKBROOK** / **1901** / **L.E.** / **I***; top of barrel marked **MOTTY SPECIAL** & with B.S.A piled arms trademark; matching bolt cycles freely, strong springs & sears; retains mag. cut off & dust cover; 6-18 graduated rear sight; woodwork presents well, some fine aged carack to forewood before barrel band but otherwise bearing only light handling marks overall; rhs. butt marked with **SPARKBROOK** roundel, lhs. with period **WO** / **HH MOWBRAY** / **IS** stamps; brass buttplate with trap, tang marked **550**; overall in f. to g. cond. **#81025** L/R **500 - 700**

160. **R.F.I. ISHAPORE B/A SERVICE RIFLE 2A1:** 7.62×51m/m NATO cal.; 10 rnd. box mag.; 25 1/4" barrel with exc. bright bore & sharply defined rifling; black paint finish to metalwork, some patchy loses in areas but 70%+ remains; thinning in areas to a grey or plum patina; rhs. body socket marked with crest/ **RIFLE** / **7.62 mm 2A1**/ **R.F.I.** / **1967**; matching bolt cycles freely, strong springs & sears; 2-8 graduated sights; fitted with period canvas sling to factory swivels; woodwork in g. cond., some aged surface cracks to lhs. forestock running out front body socket, otherwise woodwork bearing general handling marks & bruising; lhs. butt with painted **103/41**; grey alloy buttplate with trap; overall in exc. wo & g. cond. **#X3514** L/R **500 - 700**

161. **TIKKA MFG. MOSIN NAGANT M.27 B/A SERVICE RIFLE:** 7.62×54m/mR; 5 rnd. integral mag.; 28" barrel; exc. bright bore & crisp rifling; strong blued finish to metalwork presents v. well, some light storage marks & blemishes; top of barrel marked with Tikka triangular trademark, **45881** / **F** / **1932**; lhs. breech marked **7,62 mm Russ** & proof mark; matching bolt cycles freely, strong springs & sears; 4-8 graduated rear sight, blade front; retains steel cleaning rod; three-piece hardwood stock presents exc., some scattered light handling marks but free from cracks & repairs; steel buttplate; overall in exc. wo & g. to vg. cond. **#45881** L/R **900 - 1200**

162. **QUEENSLAND POLICE MARKED B.S.A. Co SHT.LE MK. I* B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g.+ bore, needs a rifling is well sharply defined, a little dull; blued finish to majority of metalwork is strong, some minor oxidation to nose cap but action been protected by dried grease; rhs. of body socket marked **E.R.** Cypher/ **B.S.A. Co** / **1906** / **SHT. LE / I***; top of breech marked with **Q** broad arrow **P** mark; non-matching bolt cycles freely, strong springs & sears; early 2-20 graduated sights with windage adjustments; woodwork presents quite well, some scattered handling marks & scuffs; lhs. butt marked with broad arrow / **Q.G** / **P** / **1907**, markings well-defined; brass buttplate with trap; overall in vg. wo & g. cond. **#S93832** L/R **400 - 600**

163. **FINE P. ORR & SONS RETAILED WINCHESTER MOD. 1895 LEVER-ACTION SPORTING RIFLE:** .35 W.C.F cal.; 5 rnd. box mag.; 24" round barrel with exc. bright bore & crisp rifling, some superficial frosting but hard to fault; original glossy blued finish to metalwork, 90%+ remaining, presents well, some surface marks to receiver & speckles of staining, fine pin-prick pricking overall, majority of wear to magazine; hammer & some small parts with strong case colours under a film of dried grease; lhs. of action marked **MANUFACTURED BY THE WINCHESTER REPEATING ARMS CO.** / **NEW HAVEN,CONN.U.S.A.PAT.NOV.5.95.NOV.12.95. AUG.17.97.JAN. 25.98.**; lhs. barrel marked ***MADE FOR P. ORR & SONS. MADRAS.***, **- NICKEL STEEL BARREL-** / **ESPECIALLY FOR SMOKELESS POWDER**, top of barrel marked with **35 W.C.F.**; model markings to top tang; mechanically fine, strong springs & sears, action cycles freely; express rear sight with single standing 1, & folding 2, 3 leaf's, all three inlaid with platinum sighting lines; **LYMAN** marked blade front sight with ivory bead; walnut straight stock & Schnabel style fore-end with ebony inlaid tip; woodwork presents v. well, some light handling marks & bruising overall with the worst to small section to underside of forewood; shotgun style buttplate retains most of the blued finish; overall in exc. wo & vg. cond. **#55684** L/R Mfg. c.1907 ***An exceptional example made even more incredible considering it was delivered to the tropical climate of the subcontinent.*** **6000 - 8000**

164. **WINCHESTER MOD. 1885 LOW WALL S/S RIFLE:** .22 WCF cal.; 26" octagonal barrel with g.+ bright bore & sharply defined rifling, some scattered patches of light pitting; rifle retains much of its original finishes, blueing to barrel has thinned & darkened slightly with spackled plum patina & blemishes overall, speckled plum oxidation staining continues on action with the original case colours still quite strong beneath; sharply defined **WINCHESTER NEW HAVEN** address & **22 W.C.F.** marked to top of barrel, **1** marked to underside ahead of forewood; action operates freely, strong springs & sears, locks up tight but missing firing pin; steel blade front sight & carbine style rear sight dovetailed to barrel, period tang mounted peep sing fitted; walnut straight stock with crescent style steel buttplate, Schnabel style forestock; woodwork bearing a few scattered handling marks & aged scuffs but presents v. well, training much of the original varnish finish & exc. metal-to-wood fit; overall in vg. wo & g.+ cond. **#85038** L/R A **1500 - 2000**

165. **WINCHESTER MOD. 1886 LEVER ACTION RIFLE:** .36-56 W.C.F cal.; 9 rnd. full length tube mag.; 26" octagonal barrel with g. bore, sharply defined rifling with some light scattered pit peppering, a small score in one of the grooves; original blued finish to barrel & mag. is still 80%+, thinning to a plum patina in areas, on profiles; grey finish to action with a soft brown patina in areas; top of barrel marked with the two-line **-MANUFACTURED BY THE -/ - WINCHESTER'S-REPEATING ARMS. NEW HAVEN. CONN.U.S.A.-** & **38-56 W.C.F.** to barrel ahead of breech; **-MODEL 1886-** to top tang; action cycles freely, strong springs & sears; semi-buckhorn rear sight & fine pinched blade front sight with tapered bead, both dovetailed to barrel; woodwork in vgc., original walnut straight stock & forewood have been lightly cleaned back, bearing only minor handling marks while retaining exc. metal-to-wood fit, wood still sitting proud; crescent steel buttplate; overall in vg. wo & g.+ cond. #7761 **N/L** Mfg. c.1887 ***A lovely example of these iconic rifles with the benefit of antique status.*** **6000 - 8000**

166. **WINCHESTER MOD. 1876 LEVER ACTION RIFLE:** .45-60 W.C.F cal.; full length tube mag.; 28" octagonal barrel with relatively bright bore & sharply defined rifling, fine to moderate pit peppering throughout, f. overall; metalwork bearing a soft plum patina to the majority, traces of original blued finish remain in protected areas; some patches of plum staining & frosting but presents well overall; two-line **WINCHESTER'S-REPEATING-ARMS. NEW HAVEN. CT.** over **KING'S-IMPROVEMENT-PATENTED-MARCH 29.1866. OCTOBER 16. 1860** marked ahead of rear sight to top barrel flat, ***CAL.45 60*** marked to top of barrel after breech; ***45-60*** engraved to underside of brass cartridge elevator; **MODEL 1876** to top tang; action cycles freely, strong springs & sears; carbine style **1876** marked rear sight with 2-10 graduated ladder; pinched brass blade front sight; majority of screw heads are badly burred; walnut straight stock & forewood present well, some minor handling marks, light bruising but retains vg. metal-to-wood fit other than some small chipped loses along bottom tang; crescent steel buttplate with sliding brass trap; overall in g. wo & cond. #25138 **N/L** **5000 - 7000**

167. **SCARCE COLT MEDIUM FRAME LIGHTING P/A SADDLE RING 'BABY' CARBINE:** .44 WCF (.44-40 Win.) cal.; 12 rnd. full length tube mag.; 20" round barrel with dull bore, rifling is v. well-defined but peppered with light to medium pits throughout, <u>slight ring bulge</u> at muzzle; patchy brown-grey patina & frosting to most surfaces, some scattered patches of pitting, confined mainly to top of action; top of barrel marked with well-defined two-line **HARTFORD** address, lhs. at breech marked with large **44 Cal.**; rampant horse trademark to lhs. action is faint; action cycles freely, springs & sears are strong; correct style sights; walnut stock & pump handle in f. cond. but present OK, some older repaired cracks to pump, straight stock has been refinished, a couple of aged surface cracks to lhs. wrist; curved steel buttplate; overall in f. cond. **#65323** L/R **600 - 800**

168. **COLT MEDIUM FRAME LIGHTING P/A SADDLE RING CARBINE:** .44 WCF (.44-40 Win.) cal.; 12 rnd. full length tube mag.; 20" round barrel with f. bore, rifling is v. well-defined but peppered with light to medium pits throughout; metalwork has developed a brown patina, some patches of light pitting, frosting to most surfaces but presents decent; top of barrel marked with well-defined two-line **HARTFORD** address, lhs. at breech marked with large **44 Cal.**; action cycles well, doesn't bind and springs, sears remains strong; V-notch rear sights & pinched silver blade front sight; walnut straight stock & pump handle woodwork in f.+ cond., some general light handling marks & bruising, aged surface crack to lhs. butt & grafted repair section to pump handle; curved steel buttplate; overall in g. wo & f.+ cond. **#66181** L/R **800 - 1200**

169. **COLT MEDIUM FRAME LIGHTING PUMP ACTION RIFLE:** .44 WCF (.44-40 Win.) cal.; 14 rnd. full length tube mag.; 26" round barrel with relatively bright bore & well-defined rifling, some patchy pit peppering; plum-brown patina, scattered dark patches of fine pit peppering to majority of metalwork, presents decent; top of barrel marked with well-defined two-line **HARTFORD** address, top at breech marked with large **44 Cal.**; rampant horse trademark to lhs. action is faint; action cycles smoothly, strong springs & sears; carbine style rear sight & large silver blade front sight; woodwork in f. to g. overall cond., walnuts straight stock & pump handle have been lacquered, some scattered handling marks still present; chip to rhs. stock head & grafted section to butt lhs; small aged crack to pump handling, chequering still defined; crescent steel buttplate; overall in g. wo & f.+ cond. **#63662** L/R **700 - 900**

170. **WINCHESTER MODEL 1873 L/A SADDLE RING CARBINE:** .44 WCF (.44-40 Win.) cal.; 12 rnd. full length tube mag.; 20" round barrel, bore relatively bright & rifling remains sharply defined, some fine pitting throughout & scattered moderate pits; original finish has thinned to an even soft plum patina on most metal surfaces, some minor speckled frosting in patches & handling marks but presents well; top of barrel backed with well-defined **NEW HAVEN** address/ **KING'S IMPROVEMENT** patents, top of barrel after breech marked **44 W.C.F.**, base of brass cartridge elevator marked ***44 CAL.***; action cycles smoothly, strong springs & sears, saddle ring to lhs. action; std. carbine sights; walnut stock & forewood has been lightly refinished, still bearing a few scattered handling marks but presents v. well & retains vg. metal-to-wood fit; curved steel buttplate with sliding brass trap; overall in g.+ wo & cond. **#395612B** L/R ***A very nice, honest example of these iconic carbines.*** **1000 - 1500**

171. **WINCHESTER MOD. 1885 LOW WALL S/S RIFLE:** .38 WCF (.38-40 Win.) cal.; 24" octagonal barrel with f. bore, relatively bright overall, breech end with some heavier pit peppering but rifling remains well-defined throughout; original blued finish to barrel has thinned slightly with a plum patina developing on profiles; finely mottled grey patina on action with some small parts retaining flashes or case colours; well-defined **WINCHESTER NEW HAVEN** address & **38 W.C.F.** marked to top of barrel, **1** marked to underside ahead of forewood; mechanically strong, action cycles smoothly, strong springs & sears; incorrect **1873** carbine sight fitted to factory dovetail, iron blade front sight; original walnut straight stock & forewood in g. cond., some light handling marks & scattered minor bruising but presents well, shotgun style butt with smooth steel buttplate; overall in g. wo & cond. **#36781** L/R ***A nice honest example.*** **800 - 1200**

172. **SCARCE DOCUMENTED NORTH-WEST MOUNTED POLICE WINCHESTER MOD. 1876 L/A CARBINE with LETTER & CARTRIDGE BELT:** .45-70 Winchester cal.; full length 8 rnd. tube mag.; 22" round barrel with v. bright bore & sharply defined rifling, some scattered patches of frosting & light pitting but g.+ overall; original blued finish to metalwork has thinned to a plum-brown patina on action, 30% finish remaining, some staining & appears to have been lacquered; hammer & lever with areas of strong case colours; metalwork with some light handling marks but free from significant pitting; two-line **WINCHESTER'S-REPEATING ARMS. NEW HAVEN.CT./ KING'S-IMPROVEMENT-PATENTED-MARCH 29. 1866. OCTOBER. 16. 1860.** roll-stamped to top of barrel flat, **45-75 / CF** marked to top of barrel at breech; underside of brass cartridge elevator engraved ***44 * 75***; **MODEL 1876** marked to top tang; action cycles freely, strong springs & sears; **1876** marked & 2-10 graduated rear sight, pinched standing front; saddle ring to lhs. action; walnut straight stock & full length forestock both present well overall; some scattered bruises & grazes, general handling marks to both, chipped section to rhs. head, partial aged crack to tip of forestock; vg. metal-to-wood fit; underside of stock behind bottom tang stamped with defined **LOF.204.**; curved steel buttplate; comes with what is thought to be the original canvas & leather "Prairie" cartridge belt/ bandolier marked **WATERVLIET/ ARSENAL**, **A.R. SMITH**; cartridge belt is showing age & some canvas has split but remains complete; overall in vg. wo & g. cond. #46194 **N/L** ***Comes complete with a Cody Museum letter confirming the carbine was shipped from the 'warehouse on August 1, 1885' as part of 'Order number 22020'. Additionally, a Mounted Police Research & Consulting letter is supplied which details further history of the carbines. A very interesting piece for the Winchester collector.*** **9000 - 12000**

173. **WINCHESTER MOD. 1873 HALF-OCTAGONAL BARREL L/A RIFLE:** .44 W.C.F (.44-40 Win.) cal.; half length, 6 rnd. tube mag.; 24" half octagonal barrel with f. to g. bore, rifling remains v. well-defined, some light to moderate pitting in bands throughout but still quite bright; original blued finish has thinned to an even dark plum patina overall, some patches of darkened frosting but presents honest, some traces of original blued finish in protected areas; two-line **WINCHESTER'S-REPEATING ARMS. NEW HAVEN.CT./ KING'S-IMPROVEMENT-PATENTED-MARCH 29. 1866. OCTOBER. 16. 1860.** roll-stamped to top of barrel flat, **44 W.C.F.** marked to top of barrel at breech; underside of brass cartridge elevator engraved ***44 CAL***; **MODEL 1873** marked to top tang; action appears complete but brass elevator does bind upon close when cycled, otherwise strong springs & sears; semi buck horn rear sight & pinched nickel silver blade front sight dovetailed to barrel; walnuts straight stock & forewood are in g. to vg. cond., vg. metal-to-wood fit, some light handling marks & bruising overall; forewood & stock retain 50%+ original varnish finish; crescent steel buttplate with sliding brass trap, some light pitting; overall in g. cond. **#426782B** L/R Mfg. c.1892 ***Would grade up with some minor work.*** **1200 - 1500**

174. **SPRINGFIELD ARMOURY MOD. 1873 TRAPDOOR RIFLE:** .45-70 Govt. cal.; 32 5/8" barrel with vg. bright bore & crisp rifling, a couple patches of fine pitting; original blued finish to metalwork has thinned to a dark patina, some speckled staining but free from any significant pitting, presents v. well; breech block with some areas of vivid case colours; top of breech marked **U.S./ MODEL / 1873**, centre of lock marked with eagle & shield motif, **U.S./ SPRINGFIELD**; missing firing pin but lock springs & seas remain strong, action locks up tight; 6-12 graduated sights; retains swivels & steel cleaning rod; walnut stock presents well, some light handling marks overall & some crudely etched initials lightly marked to lhs. butt; roundel inspection mark to underside of wrist & boxed **SM** cartouche to lhs. wrist are all v. well-defined; 19 marked to rhs. stock; bruise to lhs. forestock but otherwise hard to fault, metal-to-wood fit is exc.; curved steel buttplate with U.S. marked to heel tang; overall in g. to vg. cond. **#260252** L/R **800 - 1200**

175. **FINE TURKISH CONTRACT MAUSER MFG. MOD. 1887 B/A RIFLE:** 9.5×60m/mR cal.; 8 rnd. tube mag.; 30" round barrel with exc. bright bore, a few small patches of superficial frosting but rifling is crisp; rifle retains all its original finishes, blueing to barrel & some small parts remains strong but has darked slightly, bright steel finish to action with some minor staining & assorted small parts with areas of strong nitre bluing; lhs. action marked with Mauser Oberndorf full name in Osmanli script 'Oberndorfda Mavzer silah fabrikasi'; serial no. & sight graduations all in script; mechanically fine, bolt cycles butter smooth, strong springs & sears; retains sling swivels & side mounted brass tipped steel ramrod; walnut stock presents v. well, retaining exc. metal-to-wood fit while bearing only light handling marks & some minor bruising; steel buttplate; overall in exc. wo & vg. cond. #93432 **N/L** **1000 - 1500**

176. **PORTUGUESE STEYR-GUEDES M.1885/6 S/S RIFLE:** 8×60m/mR Guedes cal.; 32 1/2" barrel with g. to vg. bore & sharply defined rifling; original blued finish to metalwork still quite strong but has darked & covered with v. light oxidation speckled staining; lh of action marked with **M ./. 1885 * STEYR 1886 * CE. W.G.** roundel stamp, rhs. of action marked with Luis I royal cypher; serial no. **3755** marked to lhs. breech, barrel, woodwork, internal parts; marking are well-defined; std. ladder sights with 5 to 20 graduations; action working well, strong springs & crisp sears, sliding trigger guard safety; retains steel cleaning rod; woodwork g.+ sound cond., a few scattered handling marks & bruises but presents well, honest; v. well-defined **STEYR** roundel stamp to rhs. of stock; steel buttplate; overall in exc. wo & g.+ cond. #3755 **N/L** **900 - 1300**

177. **N.S.W. ISSUE N.A. & A. Co ALEX HENRY MOD. 1871 SERVICE RIFLE:** 577–450 cal.; 31 1/4" long knox form barrel with vg. bright bore & sharply defined rifling, needs a clean; silvery grey patina to action with some minor patchy frosting externally but presents well; lhs. action marked **HENRY'S/PATENT**, rhs. action marked **N.A. & A. Co LD/ 1877**; lhs. breech & barrel marked with Birmingham proofs; mechanically strong, falling block action locks up tight, strong lock springs & sears; std. 5-10 graduated rear sight, bayonet lug & sling swivel to rhs. of front barrel band; retains steel cleaning rod; original walnut stock & forewood present well, light bruising & handling marks but retains exc. metal-to-wood fit, **N.S.W/ AJ 135** stamped to rhs. butt are sharply defined; steel buttplate; overall in exc. wo & g. cond. #1031 **N/L** **1000 - 1400**

178. **FRENCH MODELE 1859 PERCUSSION MUSKET by St. ETIENNE:** .70 cal.; 34" barrel with dark bore, three groove rifling is sharply defined but patchy light pitting patches in areas; dark patina & frosting to majority of metalwork, some heavier pitting around breech; lock tail marked **Mre Impale**/ **de St Etienne**, **S 1862** marked to rhs. breech & **Mle 1859** marked to top tang; strong lock springs & sears, complete with swivels, brass tipped ram rod; 150 to 1100 yd graduated rear sight & blade front; woodwork in g. cond., quite dark & bearing a few aged scratches to forewood, general light handling marks & minor cracks to butt; **1862** dated roundel stamp to rhs. butt; steel buttplate with some moderate to heavy pit peppering; overall in f. cond. **N/L** **700 - 1000**

179. **SOUTH AUST. ISSUE B.S.A. & M. Co MARTINI-HENRY MK. III SERVICE RIFLE:** 577–450 cal.; 33 1/8" barrel with g. bore, a little dull but rifling remains sharply defined, some light pitting; original finish has thinned to a grey patina, slight plum colouring in areas; metalwork with some minor pit peppering & handling marks but presents well; rhs. of action marked with cypher/ **V.R./ B.S.A. M.Co / 1885./** Board of Ordnance mark/ **III./ 1.** along with **SA** marks which have been struck off with large broad arrows; mechanically strong, action locks up well, strong springs & sears; std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs. of front barrel band; retains steel cleaning rod; original woodwork has been refinished but presents well, some light handling marks, bruising & repaired cracks to forestock; pair broad arrows marked to lhs. butt, rhs. with faint roundel; overall in vg. wo & g. cond. **#E128** N/L **800 - 1200**

180. **ENFIELD PATT. 1853 THREE-BAND PERCUSSION MUSKET:** .580 cal.; 39" barrel with exceptionally good barrel, bright with sharply defined three-groove rifling, some superficial oxidation; light grey-plum patina to barrel, some spotted staining but free from any significant pitting; silvery grey finish to lockplate, light finish to brass trigger guard & buttplate; bordering engraved lock & hammer, Royal cypher/ **V+R** to lock tail, **1856** to centre; acceptance marks to breech; strong lock springs & sears, complete with snap cap on brass chain, ram rod & swivels; 5-9 graduated rear sight; woodwork in g. sound cond., some general handling marks & light bruising but retains vg. metal-to-wood fit, presents well; rhs. butt marked with **1867** broad arrow roundel stamp; brass buttplate, heel tang marked **P**/ **52**; overall in vg. wo & g.+ cond. **N/L** **900 - 1300**

181. **PORTUGUESE STEYR-KROPATSCHEK M.1886 B/A RIFLE:** 8×56m/mR; 8 rnd. tube mag.; 32 1/2" barrel with g. bore & well-defined rifling, some leading & may grade up with a clean; blued finish to metalwork has darkened & thinned in areas to a grey patina, honest wear & no significant pitting externally; lhs. action marked **OE.W.F.G. STEYR**/ **1886**, lhs. action & butt marked with Luis I royal cypher; non-matching bolt cycles freely, strong springs & sears; 4-17 graduated rear ladder sight, complete with swivels & steel cleaning rod; nicely figured walnut stock, some handling marks & light bruising in areas; aged partial crack to rhs. stock below action; **STEYR 1886** roundel to rhs. butt is well-defined; steel buttplate; overall in vg. wo & g. cond. #H759 **N/L** **800 - 1200**

182. **SPANDAU MFG. MAUSER MOD. 71/84 B/A SERVICE RIFLE:** 11×60m/mR cal.; 8 rnd. tube mag.; barrel has been shortened(?) to 18 1/2"; bore is bright with sharp rifling, considered g. until cleaned properly, some leading on lands towards muzzle but may grade up; dark grey patina to metalwork, some light frosting on action & some patches of light pitting on barrel but presents well; **SPANDAU** marked to top of barrel, lhs. action marked **D.G. Mod. 71/84**; non-matching bolt cycles smoothly, strong springs & sears; V-notch rear sight marked 1, folding 3,5 leaf's; walnut full stock in g. overall cond., general bruising & handling marks overall but presents well, small armourers repair to lhs. above trigger; inspection marks to rhs. butt well-defined; overall in vg. wo & g. cond. #2565 **N/L** **700 - 900**

183. **TOWER MFG. SNIDER-ENFIELD MK. I TWO-BAND RIFLE:** .577 Snider cal.; 30 1/2" barrel with vg. bright bore & sharply defined three-groove rifling, some minor frosting but hard to fault; dark patina to metalwork overall incl. iron furniture, thinning to a brown patina on barrel; Royal cypher to lock tail, **TOWER**/ **1870** marked to centre, top of breeched marked with **SNIDER** /fletched arrow/ **PATENT** mark, Birmingham proofs to lhs. barrel; action locks up well, strong springs & sears; 5-1250 graduated sights, swivels to barrel band & bottom tang, incorrect rod; woodwork presents decent, nicely figured walnut bearing light general handling marks & light bruising; steel buttplate; overall in exc. wo & f. to g. cond. **N/L** **700 - 900**

184. **B.S.A. Co SNIDER-ENFIELD MK. II THREE-BAND RIFLE:** .577 Snider cal.; 36 1/2" barrel with g. bore, some fine pitting in areas but general bright, three-groove rifling is well-defined; patchy brown patina to barrel, grey finish to lockplate & dull patina to brass furniture; Royal cypher/ **V.R** to lock tail, **1863/ ENFIELD** to centre; top of breech marked **B.S.A. Co**; action locks up well, strong springs & sears; 5-1250 graduated sights, swivels to barrel band & trigger guard, retains steel cleaning rod; with the exception of a large & deep gouge to rhs. of the butt, woodwork would be considered vg., elsewhere bearing only light handling marks & bruising while retaining vg. metal-to-wood fit; part of the **ENFIELD** roundel to rhs. butt visible, lhs. butt marked with diamond **D C** cartouche; brass buttplate with tang to heel marked **33**/ **329**; overall in vg. wo & f. cond. #33/329 **N/L** **700 - 900**

185. **NZ ISSUE SNIDER-ENFIELD MK. III ARTILLERY CARBINE:** .577 Snider cal.; 21 1/2" barrel with f. to g. bore, quite bright & three-groove rifling remains well-defined, some oxidation scale & scattered light pitting; silvery-grey patina to metalwork barrel speckled with some dark staining & light pitting; dull mellow patina to brass furniture; Royal cypher/ **V.R** to lock tail, **1871/ ENFIELD** to centre; **WD** & acceptance marks to lhs. breech & barrel along with added serial no.; lock spring strong & sears holding, locking mechanism to breech frozen; 6-10 graduated rear sight; complete with steel cleaning rod & swivels; woodwork in g. to vg. cond., some light handling marks overall, metal-to-wood fit is g.; clear **ENFIELD** roundel stamped to rhs. butt, double broad arrows to lhs; tang to heel of brass buttplate marked **NZ**/ broad arrow/ **868**; overall in f. cond. #E129 **N/L** **700 - 900**

186. **TOWER MFG. SNIDER ENFIELD MK. III RIFLE:** .577 Snider cal.; 23 3/4" barrel with f. to g. bore, quite bright & three-groove rifling remains well-defined, some light pitting; brown-grey patina to metalwork, patches of moderate pitting to barrel, peening on breech; mellow finish to brass furniture; Royal cypher to lock tail, **TOWER**/ **1884** marked to centre, top of breeched marked with **SNIDER** /fletched arrow/ **PATENT** mark, Birmingham proofs to lhs. barrel; strong lock springs & sears, breech lock up OK, some movement; reversed 5-10 graduated rear sight; woodwork has been shortened, ramrod groove filled & refinished overall; only minor storage marks to woodwork, a minor surface crack behind lock tail; brass buttplate; overall in f. cond. #2525 **N/L** **500 - 700**

187. **SWEDISH CARL GUSTAF M.1867 REMINGTON ROLLING BLOCK RIFLE:** 12.17×42m/m CF cal.; 33" barrel with g. bore, generally bright with sharply defined rifling, some scattered pits; silvery-grey patina to metalwork with some light staining in areas & general handling marks, presents well; rhs. action marked with crown/ **C**/ **1869**, serial no. marked to barrel, action, woodwork & buttplate; mechanically fine, action operates freely, strong springs & sears; std. 4-8 rear sight, brass blade front sight; complete with steel cleaning rod & swivels; hardwood stock & forewood in g. cond., some light handling marks overall; rhs. butt inlaid with brass escutcheon stamped **K.A.K.**/ **B**/ **No96**; brass buttplate; overall in vg. wo & g. cond. #573 **N/L** **700 - 1000**

188. **RARE YORK CITY MILITIA BRITISH FLINTLOCK SHORT LAND PATTERN MUSKET by ROBERT WATKIN:** .745 cal.; 42" barrel with f. bore; silvery grey patina to majority of metalwork, some brown staining & light pitting in areas, presents well; dull mellow patina to brass furniture; lhs. breech of barrel marked with faint London **V** & **P** proofs, **RW** touch mark & **No 141** engraved to top of barrel; pattern 1730 lock marked **R** / **WATKIN**; strong lock springs & sears, unbridled pan, replacement correct style swan-necked cock; retains sling swivels, a correct style replacement ram rod; walnut full stock presents well, has darkened in areas & bearing some scattered handling marks & bruising but retains vg. metal-to-wood fit; lhs. butt stamped with large **Y+C** / **119**; brass buttplate with some bruising, light engraving to heel; overall in vg. cond. **N/L** c.1745 ***During the Jacobite Rebellion York City bought 159 of these muskets from Watkin in 1745 for its defence. A rare gun in remarkable condition.*** **5000 - 7000**

189. **BRITISH PERCUSSION MUSKET by BARNETT of LONDON & BAYONET:** .78 cal.; 39 1/4" barrel, f. bore with some patchy light pitting in areas; streaky grey patina & frosting to majority of iron barrel & lock, light pit peppering around breech & lock; even dull mellow patina to brass furniture; lhs. breech of barrel marked with London **V** & **P**, Birmingham commercial proofs; **BARNETT** / **LONDON** marked to centre of lock; patt. 1839 type lock with bun-nut to hammer, strong springs & sears; retains sling swivels, a correct style replacement ram rod; vg. cond. walnut full stock, has had a light refinish but presents well, still bearing some handling marks & bruising overall; comes with correct P/1839 style socket bayonet and brass mounted brown leather scabbard; overall in g.+ cond. **N/L** c.1845 ***Muskets of this type were bought by banks & factories etc. for defence.*** **1100 - 1300**

190. **SCARCE L.A. Co PATT. 1853 TYPE 4 VOLUNTEER FORCES PERCUSSION RIFLE & BAYONET:** .577 cal.; 39" barrel with vg. bright bore & sharply defined three-groove Enfield rifling; barrel retains flashes of original blued finish, thinning to a plum patina, patchy frosting to remainder, presents well with crisp profiles & markings; even dull mellow patina to brass furniture; lhs. breech of barrel marked with London **V** & **P** commercial proofs; correct un-bordered percussion lock with crown **V.R** to tail & **1863 / L.A.Co.** to centre; strong lock springs & sears; regulation 5-10 graduated rear & blade front sights; complete with original snap cap, sling swivels & ramrod; walnut full stock in vgc., some light handling marks but retains exc. metal-to-wood finish; butt rhs. with **LONDON ARMOURY BERMONDSEY 1864** roundel; comes with vgc. correct factory made patt. 1853 socket bayonet & correct black leather brass mounted leather scabbard with integral frog stud; overall in exc. wo & vg.+ **N/L** ***A fine example, these rifles were highly sought for their quality & accuracy.*** **1400 - 1700**

191. **SCARCE LAND TRANSPORT CORPS ISSUED PATT. 1842 PERCUSSION CONSTABULARY CARBINE:** .653 cal.; 26 1/2" barrel with g.+ bright bore, only light pitting towards muzzle; grey patina & light to moderate pit peppering to majority of barrel, markings remain sharply defined; even dull mellow patina to brass furniture; border engraved lock with dark grey-brown patina & some slight pitting, crown **V-R** to tail & **1855 TOWER** to centre; **TP** stamp & inspection marks to lhs. breech; strong lock springs & sears; complete with sling swivels & ramrod, Lovell bayonet catch; g. cond. & sound walnut full stock with minor storage, handling bruises, darker areas at barrel pins & centre of butt on both sides; clear ordnance **III.C.R.** stamps to butt rhs. & v. faint maker mark **BOND** to underside; brass butt, tang marked with **LTC / C / 22** (Land Transport Corp); vg. wo. & cond. **N/L** **800 - 1100**

192. **SCARCE LAND TRANSPORT CORPS ISSUED PATT. 1842 CONSTABULARY CARBINE & BAYONET:** .653 cal.; 26 3/4" barrel with f. bore, some patchy light pitting but remainder is bright; dark patina to barrel, some scattered pit peppering to breech, frosted remainder; dull mellow patina to brass furniture; border engraved lockplate with crown / **VR** to tail & **1854** / **TOWER** to centre; ordnance proofs to lhs. breech; strong lock springs & sears, complete with sling swivels & ramrod, Lovell bayonet catch; vgc. walnut full stock, light storage marks & bruising overall, older armourer repairs to rear barrel pins; clear ordnance stamp to butt rhs. & maker **TIPPING & LAWDEN** to underside; lhs. forestock marked **S. PRESCOTT** between lock screws; butt tang with dark verdigris /oxidation, stamped **LTC** / **C** / **7** (Land Transport Corp); comes with correct socket bayonet with spring catch & original black leather brass mounted scabbard, both in g.+ cond.; overall in vg. wo & cond. **N/L** **1000 - 1300**

193. **VERY RARE BRITISH PATT. 1853 TYPE 1 ENFIELD PERCUSSION RIFLE (1st Model):** .577 cal.; 39 1/2" barrel with vg. bore, bright with sharply defined three-groove Enfield rifling, some light pitting towards muzzle; strong original blued finish to metalwork, some minor surface marks & thin spots on profiles have developed a plum patina but presents exceptionally well; bright steel finish to lock with some minor staining; dull mellow patina to brass furniture; border engraved lock marked with crown / **V+R** to tail & **1854** / **ENFIELD** to centre; ordnance inspection marks to lhs. breech of barrel; strong lock springs & sears, complete with snap cap & chain; retains original type 1 ramrod, swivels; 5-9 graduated rear sight; vg. walnut full stock, some handling marks & scattered peening to rhs. butt, minor loses along ramrod channel; butt rhs. with **PIMLICO WO 1861 2** roundel showing this was refurbished at that facility in 1861; brass buttplate; overall in exc. wo. & vg. cond. **N/L** ***These were issued to the army during the Crimea War, later refurbished & issued to Colonial & Volunteer forces*** **1800 - 2200**

194. **VERY RARE BRITISH PATTERN 1853 TYPE 1 ENFIELD PERCUSSION RIFLE (1st Model):** .577 cal.; 39" barrel with g. bright bore, well-defined Enfield three-groove rifling, some patchy light pitting; strong, even plum patina to barrel, some moderate pitting around breech but markings remain defined; dark patina to steel lock; dull mellow patina to brass furniture; border engraved lock crown / **VR** to tail & **1855 / TOWER** to centre; several ordnance marks to lhs. breech; strong lock springs & sears, complete with original type 3 ramrod, swivels; 5-10 graduated rear sight; g. to vg. walnut full stock, darker appearance & bearing some light handling marks & bruising but retains exc. metal-to-wood fit; butt rhs. with faint **PIMLICO 1863 2** roundel showing this was refurbished at that facility in 1863; brass butt tang with **V / BWK6 / 69** (Berwick Volunteer Rifles, Earlstoun Company, rifle 69); overall in vg. wo. & g.+ cond. **N/L** ***These were issued to the army during the Crimea War, later refurbished & issued to Colonial & Volunteer forces*** **1700 - 2000**

195. **NEPALESE ISSUE ENFIELD MARTINI-HENRY PATT. A 'LONG LEVER' MK IV. RIFLE:** .577–450 cal.; 33 1/8" barrel with g. to vg. bright bore & well-defined rifling, some light pitting; original blued finish to metalwork has developed a dark patina overall, thinning in some areas, presents well; lhs. barrel marked **N E P.** / **N.S.**; rhs. action marked with cypher / **V.R.** / **ENFIELD** / **1887.** / **IV.** / **1**; standard British proofs to breech & action; distinctive long lever action operates smoothly, strong springs & sears; 5 – 13 graduated rear sights; retains correct style steel cleaning rod & fitted with brass muzzle cap; retains period leather sling; walnut stock in g. cond., some general handling marks & light bruising overall; British Ordnance **RM ENFIELD 1V** roundel, Nepalese cartouche & roundel marks to rhs. stock are well-defined; overall in exc. wo & g. to vg. cond. #819 **N/L** ***A good honest example*** **1000 - 1400**

196. **SCARCE BRITISH ENFIELD MARTINI-HENRY PATT. B 'LONG LEVER' MK IV. RIFLE:** .577–450 cal.; 33 1/8" barrel with g. to vg. bright bore & well-defined rifling, some light pitting; original blued finish to metalwork has developed a dark patina overall, thinning on top of barrel in some areas, presents decent; rhs. action marked with cypher / **V.R.** / **ENFIELD** / **1887.** / **IV.** / **1**; standard British proofs to lhs. breech & action along with **WD** marks; distinctive long lever action operates smoothly, strong springs & sears; 5 – 13 graduated rear sights; retains correct style steel cleaning rod & fitted with brass muzzle cap; fitted with period leather sling; woodwork in g.+ cond., some light handling marks & bruising but presents v. well & marking remain well-defined; butt rhs. with British Ordnance **RM ENFIELD** / **1V** / **2** roundel & **B** / **546**, butt lhs. with large **S** / **230**; steel buttpalte with brass screws; overall in exc. wo & g.+ cond. **N/L** ***Probably a trials example*** **1000 - 1400**

197. **IRON BARREL PERCUSSION CONV. BLUNDERBUSS by COLLIS of OXFORD:** 12 bore, flaring to 1 1/4" at flared muzzle, fair bore some patchy oxidation & some light pitting; 15" barrel, octagonal breech section transitioning to ornate wedding band, round remainder with pair of bands at muzzle; metalwork incl. iron furniture has been cleaned, now with an even silver-grey patina overall, fine pitting to majority of barrel, some small parts; ***COLLIS***/ ***OXFORD*** engraved to centre of lockplate, top of breech flat with sunken **COLLIS**/ pair star/ **OXFORD** & crown cartouche, pair British proofs **IC** boxed cartouche stamp to lhs. flat & an added, lightly etched serial no. has been marked to lhs; border engraving to bevelled lockplate, acorn style finial; older drum percussion conversion, plain hammer; older ramrod with iron worm; strong lock springs & sears; walnut full stock presents well, has been lightly cleaned back, some pinned repairs in various areas, older cracks to end of forestock; head of stock below top tang ornately carved with clamshell style motif, large iron escutcheon inlaid to wrist; steel buttplate with grey patina, some frosting; overall in g. wo & cond. **N/L** **4000 - 5000**

198. **SCARCE & MASSIVE BRITISH SEA SERVICE BRASS BARREL FLINTLOCK BLUNDERBUSS by WILDON of LONDON:** 2 bore approx. (1 1/3" cal.) flaring to 1 bore at muzzle; 21 3/4" solid brass three-stage cannon mouth barrel; dusty bore but appears g.; bright mellow finish to barrel & brass furniture; silver grey finish to lock with some brown staining; lhs. breech of barrel marked with sunken London **V** & **P** proofs, **R*W** touch mark; centre of lock marked with large script ***Wilson***; strong lock spring & sears, massive ring neck cock, early flat-banana lock with unbridled pan, correct style replacement ramrod; walnut full stock in g. sound cond., some light handling marks & bruising overall, small chip repair to breech tang apron; rhs. butt stamped with what appears to be another London **V** & **P** inspection mark, **1754**; flat brass buttplate; overall in vg. wo & cond. **N/L** c.1750 ***A tremendous example of massive proportions. Has been well looked after for the last quarter millennia!*** **6000 - 8000**

199. **FINE & SIGNIFICANT L.A. Co SNIDER-ENFIELD MK. III VOLUNTEER FORCES PRIZE RIFLE:** .577 Snider cal.; 36 1/2" barrel with vg. bright bore & sharply defined three-groove Enfield rifling, spotted with patches of light pitting; original blued finish to barrel thinning slightly to an even plum patina, grey finish to lockplate & mellow patina to brass furniture; correct un-bordered lock with crown / **V.R** to tail & **1862** / **L.A.Co.** to centre; top of breech marked **L.A.C / JA^{S} KERR & Co / 54 KING / WILLIAM St**; lhs. breech & barrel marked with London **V** & **P** proofs; strong lock springs & sears, breech locks up tight; 5- 950 graduated rear sight; complete with snap cap & chain, brass muzzle cap, original swivels & ramrod; vg. cond. walnut full stock, presents exceptionally well, bearing only light handling marks overall while retains exc. metal-to-wood fit; rhs. butt marked with **LONDON ARMOURY / 1867** roundel above **36 KING Wm STREET E.C.**, markings are crisp; lhs. butt inlaid with silver plaque which is engraved **I R B / O.C^{o}.** / **1st Prize Presented by** / **BROAD ST WARD CLUB** / **3rd Class Rangers** / **WON BY** / **Pr^{te} H.C. Masterman / 2nd Novr 1867**; overall in exc. wo & vg.+ cond. **N/L** **1800 - 2250**

200. **COLONIAL VIC. ISSUE LANCASTER VOLUNTEER PERCUSSION SHORT RIFLE:** .577 cal.; 31 7/8" barrel with exc. bright bore, oval bore rifling; original blued finish to metalwork has thinned to a plum patina on barrel, grey elsewhere incl. iron furniture; some faint case colours remaining in protected areas on lock; border engraved lock marked **CHARLES LANCASTER / LONDON**; London **V** & **P** proofs to lh breech; top of breech marked with small **LANCASTERS PATENT**; strong lock springs & sears, correct 5-0 graduated sight with platinum sighting line; complete with snap cap, brass muzzle cover/sight protector, swivels & original matching numbers ram rod; walnut full stock in vgc., some light handling marks & bruising to original finish but presents well, exc. metal-to-wood fit; steel buttplate tang marked **VF** / broad arrow **1455** (Victoria Forces); overall in exc. wo & vg.+ cond. #1455 **N/L** **1100 - 1500**

201. **BRITISH PATT. 1858 NAVAL PERCUSSION RIFLE by TOWER:** .577 cal.; 33" barrel with vg. to exc. bore with well-defined five-groove rifling; original blued finish to barrel is still strong but has darkened, light oxidation speckling has developed a plum patina over the top; grey finish to lock & dull mellow patina to brass furniture; border engraved lockplate marked with crown **V.R** to tail & **1859** / **TOWER** to centre; strong lock springs & sears, comp with swivels & ramrod; sword bar to rhs. barrel; 5-11 graduated rear sight; woodwork in sound cond., extensive handling marks & bruising overall, two small holes to lhs. butt; rhs. butt marked with sharply defined **PIMBLICO** / **WO** / **1861** roundel & **2**; brass buttplate; overall in exc. wo & f. to g. cond. #214 **N/L** ***Has seen little work, mechanically in fine condition.*** **900 - 1200**

202. **L.S.A. Co MARTINI-HENRY COMMERCIAL RIFLE:** .577-450 cal.; 33 1/8" barrel with vg. bright bore & sharply defined henry rifling; original blued finish to metalwork, thinning to grey on areas of barrel, presents dark overall, some minor staining on barrel; plain action with only the **LAC** monogram trademark/ **L.S.A. Co** stamped to rhs; London **V** & **P** proofs to lhs. barre & action; mechanically strong, action locks up tight, strong springs & sears; std. 5-12 graduated rear sights, retains steel rod & swivels; woodwork in g. overall cond., has been cleaned back & refinished, reddish appearance, bearing only light handling marks & some chip repairs to top, head of stock; steel buttplate; overall in exc. wo & g.+ cond. #29 **N/L** ***Has seen little use.*** **700 - 1000**

203. **COWLES DUNN & Co RETAILED MARTINI ACTION ROOK RIFLE:** .380 rook cal.; 26 1/2" with g. to vg. bore, rifling is sharply defined, some frosting & light pitting; blued finish to metalwork has thinned to an even plum patina overall, some case colours remain in protected areas; machines pattern to both sides of action are sharply defined; top of barrel flat engraved ***COWLES DUNN & Co SYDNEY N.S.W.***; Birmingham proofed; action operates freely, strong springs & sears; standing & two folding leaf's to rear sights, platinum sighting lines to both, tapered blade front sight; walnut semi-pistol grip stock & fore-end present well, large chips to rhs. head of stock, otherwise woodwork bearing only light handling marks, chequering is sharply defined; steel buttplate; overall in exc. wo & g. cond. #360 **N/L** **800 - 1200**

204. **NEPALESE ISSUE ENFIELD MARTINI-HENRY PATT. C 'LONG LEVER' MK IV. RIFLE:** .577–450 cal.; 33 1/8" barrel with exc. bright bore & sharply defined rifling, hard to fault; original blued finish to metalwork has developed a dark patina overall, small patch of pit peppering to lhs. action but otherwise exc.; lhs. barrel marked **N E P.** / **N.S.**; rhs. action marked with cypher / **V.R.** / **ENFIELD** / **1887.** / **IV.** / **1**; standard British proofs to breech & action; distinctive long lever action operates smoothly, strong springs & sears; 5 – 13 graduated rear sights; retains correct style steel cleaning rod & fitted with brass muzzle cap; retains period leather sling; walnut stock in vg.+ cond., some general handling marks & light bruising overall; British Ordnance **RM ENFIELD 1V** roundel, Nepalese cartouche & roundel marks to rhs. stock are well-defined; overall in exc. wo & g. to vg. cond. #10746 **N/L** **1200 - 1400**

205. **N.S.W. MARKED ALEX HENRY 1871 TWO-BAND SHORT RIFLE:** 577-450 cal.; 30 1/8" barrel with dark bore, Henry rifling is well-defined but oxidation scale & build up throughout, would grade up with a good clean; dark brown patina & light to moderate pit peppering to metal surfaces externally; lhs. barrel & action marked **HENRY'S PATENT**, maker markings to rhs. are indistinct; **1874** marked to lockplate; action locks up tight, strong springs & sears; std. 5-10 graduated rear sights & blade front; bayonet lug to front band; incorrect rod; woodwork has been cleaned back, presents well but some little spots of filled repairs; rhs. butt marked with broad arrow **S** marks, **N.S.W.** / **N.B.** / **263**; steel buttplate with dark patina & pit peppering; overall in f. cond. #263 **N/L** **700 - 1000**

206. **ALEX HENRY SNAP-ACTION HAMMER ROOK RIFLE:** .442 cal.; 24 1/2" octagonal barrel with bright bore, sharply defined rifling, some light pitting but g.+ overall; original blued finish to barrel has thinned to an even grey patina, silver-grey patina on action & small parts, some minor staining but presents well; top of barrel engraved ***A. HENRY, EDINBURGH*/ *SIZE .442 C.F.*** to lh flat; push-forward underlever action locks up tight, strong non-rebounding lock springs & sears; one standing, two folding rear sight & tapered blade front are dovetailed to barrel; woodwork presents v. well overall, chequering is sharply defined to fore-end & semi-pistol grip; steel buttplate; overall in vg. wo & cond. #420 **N/L** ***A lovely example.*** **1200 - 1600**

207. **QLD. GOVT. MARKED ENFIELD SNIDER-ENFIELD MK. III LONG RIFLE:** .577 Snider cal.; 36 1/2" barrel with f. bore, rifling sharply defined but speckled with light oxidation to surface, some light pitting; plum-brown patina to metalwork, some patches of pit peppering & light wear to patina on profiles; dull mellow patina to brass furniture; lock marked with cypher/ **V.R** to tail, **ENFIELD**/ **1870** & ordnance mark to centre; **III** marked to top of breech, ordnance & **WD** marks to lhs. breech, barrel; strong lock springs & sears, action operating freely; std. sights, retains the steel ram rod & swivels; woodwork in g. overall cond., some light handling marks & bruising, minor loss & aged crack to lhs. forestock running to lock screw; metal-to-wood fit is vg.+; lhs. butt marked with double broad arrow mark, **Q G**; brass buttplate, tang marked **QG**, **733**; overall in g. wo & cond. #733 **N/L** **1200 - 1600**

208. **IMPRESSIVE 19th CENTURY SOUTH ASIAN MATCHLOCK LONG GUN:** 13 bore; 43" brass barrel with f.+ bore, dusty; attractive mellow patina to brass barre which has been decorated with fish scale engraving from first barrel band through to the muzzle, some patches of oxidation to lhs. barrel; iron lock & furniture with plum patina & oxidation; lock functions, pan with swivel cover; primitive V-notch rear sights & bead front; bamboo or reed barrel bands, steel ram rod; the distinctive hardwood full stock remains in g.+ cond., some light handling marks overall & cracks before join in forewood; some ornate cravings to forestock under breech; overall in vg. cond. **N/L** **1000 - 1500**

209. **N.S.W. MARKED B.S.A. & M. Co SNIDER-ENFIELD MK. III CAVALRY CARBINE:** .577 cal.; 19 1/2" round barrel with f.+ bore, fine pitting throughout but rifling remains sharply defined; mottled plum patina to majority of metalwork, some scattered patches of fine pitting; bright mellow finish to brass trigger guard; lock marked with crown/ **V.R.** to tail, **B.S.A. & M. Co** / **1885** to centre; **III** marked to top of breech; mechanically strong, action locks up tight, strong lock springs & sears; std. sights; walnut half stock in g.+ cond., presents dark but bearing only light handling marks overall & retains vg. metal-to-wood fit; rhs. butt marked **N.S.W.** / **P.S.C.C.** / **134** / faint roundel below; brass buttplate with trap, contains the original two-piece steel cleaning rod; overall in g. wo & cond. #134 **N/L** ***A good honest example issued to the N.S.W. Public School Cadet Corps.*** **1200 - 1600**

210. **E. LEFAUCHEUX PINFIRE REVOLVING CARBINE:** .44 cal. pinfire cal.; 6 shot cylinder; 22" round barrel with vg. bright bore & sharply defined rifling; reblued finish to metalwork is quite strong overall some patches of pit peppering to barrel & one on cylinder; top of barrel engraved with script ***E. Lefaucheux Ble a Paris***, makers name to lhs. frame & rhs. marked **LF 1931**; strong lock springs & sears, cylinder indexing intermittently, needs attention; integral V-notch to hammer, bead front sight dovetailed to top of barrel; vg. walnut straight stock, some light handling marks but retains vg. metal-to-wood fit; overall in g. cond.+ #1931 **N/L** **1000 - 1400**

211. **REMINGTON NO. 4 ROLLING BLOCK TAKE-DOWN RIFLE:** .32 RF cal.; 22 1/2" octagonal barrel with f. bore, needs a clean & generally quite bright with well-defined rifling, patchy pitting in areas; blued finish to metalwork has developed a plum patina, thinning to grey on profiles; full name & **ILION** address to top of barrel, **.32 SHORT OR LONG R.F.** to lhs. breech; action functions well, take down mechanism locks up tight; std. sights dovetailed to barrel; woodwork has been refinished but presents decent, only light handling marks overall; steel buttplate; overall in g. wo & cond. **#I304915** L/R **300 - 500**

212. **FINE A.D. JANSEN RETAILED SNIDER-ENFIELD SPORTING RIFLE:** .577 cal.; 24" round barrel with g. bright bore & sharply defined rifling, some speckled oxidation throughout but would clean up; rifle has been expertly refinished, strong case colours to lock & breech, gloss blued finish to trigger guard & barrel all present well, some minor handling marks; top of barrel marked ***AD JANSEN, ARQUEBUSIER DU ROI, BRUXELLES.***; Birmingham proofs to lhs. barrel & breech, top of breech marked with **SNIDER PATENT** & fletched arrow trademark; makers name, border & light coverage of crisp acanthus scroll engraving to lock & small parts; strong lock springs & sears, Mk I style breech locks up tight; standing 50yd rear sight with folding 100, 150 & 200 yd leaf's, tapered blade front sight; walnut half stock presents well, exc. metal-to-wood fit, & sharply defined to wrist & forestock, the latter with horn cap; some light handling marks & minor bruising; steel buttplate with strong case colours; overall in vg. wo & cond. #49 **N/L** **1500 - 2000**

213. **UNUSUAL CONTINENTAL S x S PERCUSSION DOUBLE RIFLE:** .625 cal.; 29" smooth bore barrels with f. bores, some pitting but confined mainly to rh barrel, both need a clean; browned finish to barrels has thinned to a grey patina, damascus twist pattern is defined; darker grey patina to majority of small parts & locks, some blueing remains on trigger guard; top rib has been marked with unclear **RABAKT** & **81**, no maker marks or proofs; well-defined scroll & shell engraving to locks, small parts; strong lock springs & sears, unusual crescent shaped hammers, recessed waterproof percussion fences; sling stud to underside of barrel & stock; retains ebony ramrod with worm & cap; walnut half stock in vg. cond., some light handling marks & bruising, chequering is defined but has been lacquered over; rhs. butt has a period label stuck on, markings are indistinct; steel buttplate; overall in g. to vg. cond. #1895 **N/L** ***A top quality gun, we would speculate the gun was made in Europe & sent to , retailed by 'Rabakt' in the sub-continent.*** **1800 - 2400**

214. **SCARCE N.S.W. POLICE MARKED CALISHER & TERRY BREECH-LOADING PERCUSSION CARBINE:** 30 bore; 21 1/2" round barrel with p. bore, caked with oxidation scale & debris, rifling appears defined; dark plum patina & pit peppering to majority of metalwork, markings remains defined; top of breech marked **TERRY'S PATENT 30 BORE**, top of barrel, ahead of sights engraved ***CALISHER & TERRY MAKERS TO H.M. WAR DEPARTMENT***.; border engraved lockplate with makers name; action operates, strong lock springs & crisp sears; crack & repair to hammer spur; std. sights, retains cleaning rod; walnut full stock in p. cond., several cracks to forewood, some losses around lockplate & general handling marks overall; **NSW POLICE** stamps to lhs. butt & forestock, rhs. butt marked with large **N.S.W.** / **302**, roundel stamp: **MADE FOR B.BERT & Co BY CALISHER & TERRY**, **8 PALL MALL LONDON EAST** to centre; steel buttplate with strap, similar patina, some pitting; overall in f. cond. #320 **N/L** **1000 - 1500**

215. **CUSTOM TIKKA M55 BOLT ACTION SPORTING RIFLE & RELOADING EQUIP.:** 6×47m/m Lapua cal.; 5 rnd. mag.; 24" replacement barrel with bright bore & crisp rifling, one small spot of pitting, otherwise exc.; glossy blued finish to metalwork presents exc. some minor storage marks; bright polished finish to bolt; lhs. barrel marked **6 X 47**, lhs. action marked with serial no. **TIKKA M55** & proof mark; action cycles smoothly, strong springs & crisp trigger; walnut stock in vgc. overall, some minor handling marks but presents v. well; skip-line chequering to forewood & palm swell grip is sharply defined; raised comb & rubber recoil pad; overall in exc. wo & vg.+ cond. **#550-158022** L/R ***Comes with set of RCBS dies & a Cadbury icecream tub full of approx. 100 cases, some primed. Custom barrel completed by Bob De Vries*** **600 - 900**

216. **PARKER-HALE SAFARI SUPER B/A SPORTING RIFLE:** .243 Win. cal.; 5 rnd. mag.; 22 1/2" barrel with f.+ bore, still bright & rifling is defined but some oxidation & fine pitting in areas; strong blued finish to metalwork, some surface oxidation in areas; **PARKER-HALE LTD BIRMINGHAM, ENGLAND** marked to top of barrel, model to lhs. action; Mauser action cycles freely, strong springs & sears; retains std. sights, fitted with ***Sight*** **5-13X40 POWERZOOM** scope on two-piece mounts; walnut stock with right-handed cheek piece, grip & forestock caps; g.+ overall cond., some light handling marks but chequering is well-defined; perished rubber recoil pad; overall in vg. wo & f. cond. **#AL430S** L/R **300 - 400**

217. **FINE N.Z. ISSUE SAVAGE No. 4 MK. I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with fine, bright bore & crisp two-groove rifling, still partially in grease; matte grey phosphate finish to metalwork showing only traces of storage marks but majority is still in the original cosmoline packing grease; lhs. action marked **No.4.MK I***, **U.S. PROPERTY** to top; **55C3735** marked to lhs. body socket, **49060** & **N /|\ Z** marked to bottom of body socket, base of mag.; matching bolt (#**49060**) cycles freely, strong springs & sears; std. sights 2-13 graduated rear ladder sight; woodwork presents exc., some light handling marks & speckled blemishes but hard to fault; grooved handguard section; grey alloy buttplate with trap, patchy grease; overall in exc. wo & unissued cond. **#52C0791** L/R ***About as good as it gets, outside of the wrapper. Appears to be unfired.*** **1000 - 1400**

218. **SAKO AIII SUPER DELUXE BOLT ACTION SPORTING RIFLE:** .270 Win. cal.; 5 rnd. mag.; 24 1/2" barrel with vg. bright bore & sharply defined rifling; gloss blued finish to metalwork presents exc., some trace amounts of storage marks but hard to fault; **SAKO Cal. 270** marked to top of barrel at breech, **MADE IN FINLAND** to lhs; lhs. action marked **AIII** & serial no, rhs. breech marked **D.W.C. 088**; mag. floor plate inlaid with silver antelope motif; bolt cycles freely, strong springs & sears; fitted with period German **PECAR** / **BERLIN 4-10**X scope on two-piece mounts, clear optics & fitted with dust caps; the distinctive & nicely fired walnut stock is in exc. cond., only light handling marks overall, chequering with ornately relief carved leaf bordering with stippled surrounds; right handed cheek piece& factory ventilated rubber recoil pad; forewood & grip cap, the latter with vacant silver convex escutcheon; overall in exc. wo & cond. **#546202** L/R ***A top quality example from their relatively short 1978-1981 production run.*** **2000 - 3000**

219. **LITHGOW SHT.LE NO. 2 MK. IV* B/A TRAINER RIFLE:** .22 LR cal.; 25 1/4" barrel with vg.+ bore & sharply defined rifling; grey military phosphate finish to metalwork, some light wear & dried grease overall, presents well; rhs. body socket marked with **A** within star/ **LITHGOW**/ **SHT.LE/III*** within shield/ **1918**; matching bolt cycles smoothly, strong springs & sears; magazine without internals; matching nose cap; std. sights with 2 - 20 graduations; woodwork in g. to vg. cond., original condition only light handling marks & scuffs overall, presents well; rhs. of stock marked with **R** / **MA** / **No2** / **Mk.IV*** / **6/47**; brass buttplate with trap; overall in exc. wo & g.+ cond. **#64583** L/R **700 - 900**

220. **EARLY L.S.A. Co LEE-ENFIELD MK. I* B/A RIFLE:** .303 cal.; 8 rnd. single stack mag.; 30 1/4" barrel with g. bore, sharply defined rifling is peppered with some fine pitting but still quite bright overall; blued finish to metalwork has developed a dark patina overall, plum patina on action; mag. with some heavy pit peppering; rhs. of body socket marked cypher/ **V.R.** / **L.S.A. Co** / **1892** / **L. E. / I***; top of barrel marked **LITHGOW**; non-matching bolt cycles freely, strong springs & sears; retains mag. cut-off, bolt dust cover, front volley sight assembly with dial & swivels; woodwork in g. sound cond., has had a light clean up, some minor handing marks & bruising overall but presents well; rhs. butt marked with **ENFIELD** roundel, **3** / **AK** / **518** marks & broad arrows; steel buttplate with trap, missing one of the brass screws; overall in vg. wo & g. cond. **#7180B** L/R **700 - 900**

221. **PORTUGUESE STEYR-KROPATSCHEK M.1886 B/A RIFLE:** 8×56m/mR; 8 rnd. tube mag.; 32 1/2" barrel with g. bore & well-defined rifling, may grade up with a clean; metalwork has been cleaned back to mottled grey patina overall, pitting still remains along wood line of barrel, patches on action; lhs. action marked v. faint **OE.W.F.G. STEYR**/ **1886**, lhs. action & butt marked with Luis I royal cypher; non-matching bolt cycles freely, strong springs & sears; 4-17 graduated rear ladder sight, complete with swivels & steel cleaning rod; woodwork presents well, has had a light clean up; nicely figured walnut stock, some v. light handling marks & bruising in areas; **STEYR 1886** roundel to rhs. butt is well-defined; steel buttplate; overall in vg. wo & f. to g. cond. #AA387 **N/L** **600 - 800**

222. **WWII ERA LONG BRANCH ENFIELD No.4 MK. I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore, sharply defined rifling; strong military grey phosphate finish to metalwork, thinning on profiles but presents exc.; **No.4 MKI*/ LONG BRANCH/ 1942** & small **cAs** roundel stamp to lhs. of action; lhs. of body socket marked with **75C6393** & another struck serial no.; unnumbered bolt cycles freely, strong springs & sears; std. two aperture flip up peep sights; lhs. action & body socket has been drilled & tapped for side mount; woodwork is hard to fault, a few minor storage marks overall but presents exc.; grey alloy buttplate with only minor marks; overall in exc. wo & vg.+ cond. **#75C6393** L/R ***Ready for the range.*** **600 - 800**

223. **AMBERG MFG. MAUSER GEW 98 B/A RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 30" barrel with dark bore, oxidation scale throughout but rifling does appear well-defined; metalwork has been cleaned back to a silvery finish on action & some other parts, grey patina to some other parts; top of breech faint crown over **AMBERG**/ **1907**, **Gew. 98.** marked to lhs. action; serial no. **6560a** marked to lhs. barrel, breech, barrel bands & mag. floor plate; non-matching bolt cycles freely, strong springs & sears; 4-20 graduated early style ramp rear sights; retains cleaning rod & fitted with older leather sling to factory swivels; woodwork is sound, has been refinished but still bearing some staining & scattered handling marks overall; hole through butt & forestock for wall mount; overall in g. wo & f.+ cond. **#6560a** L/R **400 - 600**

224. **D'ARMES TULLE MFG. LEBEL MOD. 1886/ 93 B/A SERVICE RIFLE:** 8×50m/mR Lebel cal.; 8 rnd. tube mag.; 32" barrel with bright bore & well-defined rifling, some light pitting, g. overall; blued finish to metalwork has developed a dark grey flat finish overall, some handling marks & minor oxidation speckling; lhs. action marked **MANUFACTURE D'ARMES**/ ***Tulle*** (script), **MLE 1886 M 93**; inspection marked & serial no. marked to lhs. breech, **MA T.1905** marked to rhs; matching no. bolt cycles freely, strong springs & sears; 4-8 graduated rear sight & blade front; complete with swivels; woodwork presents well, some handling marks & surface bruising; a few armourers repairs to stock & forestock; lhs. butt marked with defined ***RI* 56573**; overall in exc. wo & g.+ cond. **#56573** L/R ***A good honest example.*** **900 - 1200**

225. **LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE & BAYONET:** .303 cal., 10 rnd. mag.; 25 1/4" barrel with f. bore, rifling is well-defined but overall dark & peppered with moderate pits throughout; original military phosphate finish to metalwork is v. strong, some minor oxidation staining & wear on profiles but presents well; rhs. of body socket marked **MA** / **LITHGOW** / **S.M.L.E. /III*/ 1941**; matching nose cap; non-matching bolt cycles freely, strong springs & sears; std. 2-20 graduated rear sights; woodwork in unusually nice, unissued condition, only minor handling marks overall; rhs. stock marked with standard but crisp **M.A./ LITHGOW/ SMLE III* HV /1942** stamps; comes with vgc. bayonet, marked **SLAZ 52** to grips, leather scabbard; fitted with canvas sling; overall in g. wo & vg. cond. **#67814** L/R **700 - 900**

226. **CARL GUSTAV SWEDISH MAUSER M.96 B/A RIFLE & BAYONET:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 30" barrel; g.+ bore, bright with well-defined rifling throughout, some fine pin-prick pits; strong blued finish to majority of metalwork, bright polished finish to barrel & internals, presents well, some light storage marks; **CARL GUSTAFS STADS** / **GEVARSFAKTORI** /**1906** marked to top of breech; matching bolt cycles smoothly; std. sights fitted with 3-20 graduations; retains steel cleaning rod, top of breech & action have been drilled & tapped; sling swivels to barrel band & underside of stock, woodwork in near vg. overall cond., bearing only a few handling marks & knocks, profiles remain sharply defined & presents v. well; fitted with non-matching g. to vg. cond. bayonet with steel scabbard & leather frog; missing brass disc to rhs. of stock; overall in exc. wo & g.+ cond. **#188062** L/R **500 - 800**

227. **SWISS 'SCHMIDT-RUBIN' K11 STRAIGHT-PULL LONG RIFLE:** 7.5×55m/m cal.; 5 rnd. mag.; 30" barrel with exc. bright bore & sharply defined rifling; original blued finish to metalwork presents well, 90%+ thinning v. slightly on profiles, some minor staining; lhs. breech & barrel, bolt & mag. marked with serial no. **439034**; lhs. action marked with U.S. importers details; distinctive straight-pull bolt with bakelite handle & ring cocking piece; action cycles smoothly, strong springs & sears; 3-20 graduated tangent sights & blade front; fitted with period Swiss marked leather sling; woodwork in g. cond., some handling marks & bruising overall; steel buttplate; overall in exc. wo & g.+ cond. **#439034** L/R ***Comes with original brass, steel muzzle cap, several modern polymer & original cardboard stripper clips. A very nice example which is ready for the range.*** **900 - 1200**

228. **RIFLE SHOPPE INC. MFG. FLINTLOCK H. NOCK VOLLEY GUN:** .50 cal.; seven 20" round barrel cluster, bright bores with some patchy oxidation starting, g. cond. but would grade up with a clean; plum browned finish to majority of metalwork presents well, bright finish to brass trigger guard & buttplate; rh barrel marked **H. NOCK**, lockplate marked with crown motif, **G.R**, **TOWER**; crossed pendant proofs to each of the barrels, frame; **THE RIFLE SHOPPE** stamped to underside of barrel cluster; mechanically strong, lock sparks well, sears are crisp; retains steel ramrod, some oxidation staining; nicely fired walnut stock in exc. wo & g. to vg. cond. **#007001** Cat B L/R ***An impressive looking piece at a fraction of the price of an original and yes, all seven barrels go off at once…*** **1500 - 2000**

229. **IMPRESSIVE CASED SWEDISH MODEL. 1867 ROLLING BLOCK CUSTOM RIFLE:** 45-120 Sharps cal.; 32” barrel with octagonal breech half, round remainder; dirty bore but appears exc. with crisp rifling; rifle has been completely rebuilt & refinished, vivid case colours to action, strong glossy blued finish to barrel & bright polished finish to breech & small parts; some light oxidation staining, speckling in areas; Husqvarna mfg. action, all matching numbers; custom barrel marked **.45 – 3 ¼**; mechanically fine, breech cycles freely, strong springs & sears; globe front sight with spirit level, tang mounted peep sight with rotary apertures, 0-20 graduated elevations; impressive walnut custom stock & fore-end, some minor handling marks to both but chequering remains sharply defined, nicely figured grain & right handed cheek piece; black rubber recoil pad; comes in custom fitted full length case with variety of accessories incl. spare sights, turn screws etc.; overall in exc. wo & g. to vg. cond. **#10097** L/R ***A top quality built that would grade up further with some TLC.*** **1500 - 1800**

230. **CASED & FACTORY ENGRAVED D. PEDERSOLI MOD. 1874 LONG RANGE RIFLE:** .45-70 Govt. cal.; .32” octagonal barrel with exc. bright bore & sharply defined rifling; the strong blued finish to the barrel & bright coin finish to action & small parts is speckled with oxidation, presents ordinary but would clean up well, no heavy pitting; underside of barrel marked with makers name, model, cal. & serial no.; action & tangs has been engraved with acanthus scroll with stippled pattern between, buffalo motif to centre of the lock, initials **BR** marked to rhs; lock tail marked ***R. Sanzogni*** inc.; mechanically fine, falling block action locks up tight, strong spring tension & crisp double set trigger sears; globe front sight, rear replaced with spirit level, tang mounted peep sight with rotary apertures, 0-3 graduated elevations; nicely figured walnut straight stock & fore-end, some minor surface marks & blemishes to finish but presents v. well; German silver fore-end cap, curved steel buttplate with matching coin finish & engraving; rifle comes presented in custom full length fitted case, partitioned for loading tools, 20 case & cleaning rod; case with facsimile **Sharps Rifle Co** trade label; overall in exc. wo & g. cond. **#SH12136** L/R ***Has seen little work, would grade up significantly with a delicate clean.*** **1500 - 1800**

231. **GREEN RIVER RIFLE WORKS FLINTLOCK LONG RIFLE:** .40 cal.; 42” octagonal barrel with g.+ bright bore & sharply defined rifling, some fouling in patches, would grade up with a clean; consistent browned patina or finish to metalwork, presents exc.; lhs. breech marked with **GRRW 2913**; strong lock springs & sears, swan necked cock, waterproof pan with roller frizzen, double set triggers; fixed V-notch rear sight & silver blade front sight dovetailed to barrel; impressively figured curly maple full stock presents v. well, bearing only minor handling marks overall; right handed subtle cheek piece with some bone inlay; crescent steel buttplate with matching patina; overall in vg. wo & g.+ cond. **#2913** L/R **600 - 800**

232. **GREEN RIVER RIFLE WORKS PERCUSSION HAWKEN RIFLE:** .54 cal.; 34” octagonal barrel with g.+ bright bore & sharply defined rifling, some fouling in patches, would grade up with a clean; consistent browned patina or finish to metalwork, presents well, some spotted light oxidation staining; lhs. breech marked with **GRRW GP1643**; strong lock springs & sears, double set triggers; fixed buckhorn rear sight & silver blade front sight dovetailed to barrel; impressively figured curly maple half stock presents v. well, bearing only minor handling marks overall; right-handed cheek piece; pewter forewood cap; crescent steel buttplate with matching patina; overall in vg. wo & g.+ cond. **#GP1643** L/R **600 - 800**

233. **SCHOLEFIELD S x S SMALL BORE HAMMER SHOTGUN:** 28G, 2 3/4" chambered; 30” barrels choked approx. cyl. & cyl.; g. to vg. bore, need a clean but only light pitting ahead of chambers; strong blued finish to barrels, some v. minor oxidation speckling; locks & action retains areas of strong case colours; top rib engraved ***SCHOLEFIELD. LONDON & BIRMINGHAM***, along with Zulu shield **TRADE MARK**; Birmingham proofs to barrel flats; light coverage of scroll engraving to action & dried grease; action locks up tight & on face, rebounding bar action locks are strong; chambers have been taken out from 2 1/2"; vg. woodwork, only v. minor handling marks to splinter fore-end & stock, chequering to fore-end & bag style grip is well-defined; 13 3/4" LOP incl. original horn buttplate, 5lb 6oz weight; overall in vg. wo & near vg. cond. **#83583** L/R **700 - 1000**

234. **VINNICOMBE ENGRAVED J.M. MARLIN MOD. 1895SS L/A RIFLE:** 45-70 Govt. cal.; 4 rnd. half mag.; 22" round barrel with g. to vg. bore, sharply defined micro-groove rifling, some frosting; blued finish to metalwork is strong overall, some minor speckled oxidation in areas, would clean up well; **MARLIN** full name, **NORTH HAVEN** address/ model & cal. etc. marked to lhs. barrel along with the **JM** stamp; border engraved action with stag game scene to lhs, tiny **PJV** initials hidden in the grass; action cycles smoothly, strong springs & sears; fitted with peep sight mount to lhs. action, hammer spur extension & **LEUPOLD 2-7** scope on Q.D. mounts, dusty optics; retains std. sights; fitted with padded leather sling; walnut stock & forewood in g. to vg. cond., some minor handling marks overall but presents well, sharply defined chequering with Fleur-de-lis borders; fitted with period Pachmayr white line ventilated rubber recoil pad; overall in vg. wo & g. cond. **#17075418** L/R ***Would grade up with a delicate clean & bearing some fine engraving from Phil Vinnicombe.*** **1300 - 1700**

235. **VINNICOMBE ENGRAVED UBERTI MOD. 1866 LEVER ACTION S.R. CARBINE:** .44 W.C.F (.44-40 Win.) cal.; 10 rnd. tube magazine; 19" round barrel with vg. bright bore & sharply defined rifling; blued finish to barrel, mag & small parts is strong in areas, some oxidation scale & blemishes; brass frame with patchy orange tarnished patina; makers name & **GARDONE** to top of barrel; sides of action ornately engraved with acanthus scroll & floral engraving, stag motif to lhs, stippling between scroll; **PJV 71** mark to bottom tang; action cycles freely, strong springs & sears; folding rear sight, blade front to barrel; band; g. cond. woodwork, some surface handling marks & scuffs overall; curved brass buttplate; overall in exc. wo & g. cond. **#21588** L/R ***Presents well with some master engraving from Phil Vinnicombe.*** **700 - 1000**

236. **J.M. MARLIN MOD. 1894CBC COWBOY COMPETITION L/A RIFLE:** .45 Long Colt cal.; 10 rnd. full length tube mag.; 24" octagonal barrel with vg. bright & sharply defined rifling; strong blued finish to barrel & mag., vivid stripey bands of case colours to action & lever; finishes are strong but speckled with v. light oxidation in areas; **MARLIN** full name, **NORTH HAVEN** address/ **1894 COWBOY COMPETITION** & cal. etc. marked to lhs. barrel along with the **JM** stamp; action cycles smoothly, strong springs & sears; std. folding rear sight & bras beaded blade front sight; g.+ cond. woodwork, some surface handling marks & scuffs overall; original buttplate; overall in exc. wo & g. to vg. cond. **#97202386** L/R **1000 - 1400**

237. **SMITH & WESSON MOD. 686-4 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (149m/m) barrel with exc. bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks, marring & powder staining around breech; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; maker marked black rubber chequered grip is spotted with white mould; overall in exc. wo & f.+ cond. #**BUB4904** Post 46' L/R ***Would clean up well, not much can go wrong with stainless.*** **200 - 400**

238. **SMITH & WESSON MOD. 422 RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 6" (155m/m) barrel with bright bore & sharply defined rifling, some minor marks; strong blued finish to slide, blacked finish to alloy frame showing light wear to profiles & general handling marks; **SMITH & WESSON** / serial no. to lhs. frame, rhs. marked with **MODEL 422** to tail & four-line address above trigger; slide retracts freely, strong springs & sears; original walnut grip panels with some handling marks wear to finish , chequering is well-defined; overall in vg. wo & f. cond. **#TCE2340** Post 46' L/R **150 - 300**

239. **HIGH STANDARD SUPERMATIC S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) barrel with exc. bright bore & sharply defined rifling; thinning blued finish to metalwork with some patches of staining, presents ordinary; makers name marked to lhs. of slide, **SUPERMATIC** / **CITATION** to lhs. of frame; slide retracts freely, strong springs & sears; unusual hardwood grips, both are in sound cond. but bearing surface marks & light bruising; overall in exc. wo & f. cond. **#2464385** Post 46' L/R **150 - 300**

240. **UMAREX / WALTHER MFG. COLT GOVT MOD. RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 5" (127m/m) barrel with vg. bright bore & sharply defined rifling; black finish to metalwork, some light handling marks; **COLT'S GOVERNMENT MODEL** / **CAL. 22 LONG RIFLE** & rampant horse trademark to lhs. slide, **UMAREX** importer & **MADE BY CARL WALTHER GERMANY** to rhs. frame; slide retracts freely, strong springs & sears; black polymer chequered grips; overall in exc. wo & vg. cond. **#TCE2340** Post 46' L/R ***Comes with three additional magazines.*** **300 - 500**

241. **SPRINGFIELD ARMORY MOD. 1911-A1 S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 5” (127m/m) g. bright bore & sharply defined rifling, some lead fouling in grooves; thinning blued finish to slide, some speckled blemishes; bright finish to stainless frame & small parts; lhs. slide marked with cal. & model, rhs. marked **SPRINGFIELD ARMORY** & crossed cannons trademark; slide retracts freely, strong springs & sears but slide release v. stiff, needs attention; chequered walnut grip panels in sound cond., some handling marks & scuffs; overall in g. cond. **#NM93336** Post 46’ L/R **300 - 500**

242. **STEYR MOD. 1912 SEMI-AUTOMATIC PISTOL:** 9×23m/m Steyr; 8 rnd. integral mag.; 5” (128m/m) barrel with vg. bright bore & sharply defined rifling, needs a clean; blued finish to metalwork has developed a dark patina, thinning on profiles & some fine pit peppering in areas but presents well; strong straw finish to extractor, some small parts; lhs. slide marked **STEYR 1917**, serial no. marked to frame & slide; slide retracts freely, strong springs & sears; original walnut chequered grip panels in vgc., some minor handling marks to both but chequering remains sharply defined; integral lanyard loop to butt; overall in exc. wo & g. to vg. cond. **#894u** Pre 47’ L/R **700 - 900**

243. **HUNGARIAN FEG MOD. AP S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 4” (100m/m) barrel with exc. bright bore & sharply defined rifling; g. blued finish to slide & steel parts, blacked finish to alloy frame is v. strong, only a few minor handling marks; **Cal. 7.65mm Browning**/ **MADE IN HUNGARY FEG-BUDAPEST** to lhs. slide; slide retracts freely, strong springs & sears; black polymer grips in vg. cond., some light handling marks to both; overall in exc. wo & vg.+ cond. **#BB88086** Post 46’ L/R **300 - 500**

244. **I.W.I. JERICHO MOD. 941 / DESERT EAGLE S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4 3/4" (120m/m) vg. bore, polygonal rifling is well-defined; satin black finish to slide is strong, some minor storage marks; lhs. of polymer frame marked **DESERT EAGLE PISTOL** / **ISRAEL WEAPON INDUSTRIES (IWI) LTD**, rhs. marked with importers **MAGNUM RESEARCH** & their address; mechanically strong, slide retracts freely, strong springs & sears; black polymer frame in exc. cond., some minor handling marks; overall in exc. wo & cond. **#38303454** Post 46’ L/R **700 - 900**

245. **F.N. BROWNING HI POWER SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4 3/4" (119m/m) barrel with dirty bore, leading & powder residue throughout but rifling is sharply defined; strong blued finish to metalwork presents well, only light wear to profiles; **FABRIQUE NATIONALE HERSTAL** marked to lhs. slide, **BROWNING S.A.** / **MADE IN BELGIUM** to rhs; mechanically exc., strong springs & sears; black polymer grips in vgc., some minor handling marks but showing little wear to chequering; lanyard ring to lhs. butt; overall in vg. wo & cond. **#245NW74732** Post 46’ L/R ***Comes with additional 10 rnd. magazine.*** **700 - 900**

246. **WWII GERMAN OCCUPIED F.N. BROWNING HI POWER SERVICE PISTOL:** 9×19m/m Luger cal.; 13 rnd. mag.; 4 3/4" (119m/m) barrel with vg. bore & sharply defined rifling, bright but peppered with pin-prick pitting; strong blued finish to metalwork, presents well, some speckled blemishes & wear on profiles; lhs. of slide marked with FN full name/ **HERSTAL BELGIQUE**/ **BROWNING’S PATENT DEPOSE**; **rhs.** frame & slide marked **7592**, base of front strap, magazine base is stamped with **LGK ST** / **1387**; Waffenamt mark to lhs. trigger guard, ‘eagle’ proof to rhs. & another to slide; slide retracts smoothly, strong sears & springs, fixed V-notch rear sight; black plastic grips, appear to be modern replacements; overall in exc. wo & vg. cond. **#22704** Pre 47’ L/R **1500 - 1750**

247. **WWII ERA MAUSER MFG. ‘41 byf’ P08 LUGER S/A SERVICE PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4” (102m/m) barrel with g. bore, rifling is sharply defined with superficial frosting & fine pit peppering; reblued finish to metalwork presents decent, thinning to a dark plum patina in areas & bearing some patches of fine pitting; **41** marked to top of breech, **byf** to top of toggle; serial no. **1730** marked to lhs. breech, abbreviated **30** marked to all externally visible small parts excl. mag.; pair Waffenamt **135** marks to rhs. breech along with eagle proof, another on barrel; British **BNP** proofs to breech, barrel & toggles; mechanically exc., toggle retracts smoothly, crisp sears; walnut grip panels in f.+ cond., some light wear & bruising but chequering remains defined overall, ; overall in exc. wo & g. cond. **#1730** Mfg. 1941 L/R **1500 - 1750**

248. **COLT MOD. 1911A1 S/A SERVICE PISTOL:** .45 ACP cal.; 7 rnd. box mag.; 5" (125m/m) barrel with g. bore, rifling sharply defined but some pit peppering in grooves; Dulite finish to metalwork presents well, thinning slightly & bearing some light surface marks; lhs. of slide marked **REMINGTON RAND INC./ SYRACUSE, N.Y. U.S.A.**, rhs. of slide marked **1385**; lhs. of frame with **P** inspection mark below mag. release, **GHD** above; rhs. marked **UNITED STATES PROPERTY/ NO. 2255376/** & **M1911A1 U.S. ARMY**; Colt **VP** triangle proof to lhs. trigger guard; faint crossed cannon ordnance mark to rear of frame; front strap marked with **1668** & Chinese **滬公** markings; mechanically exc., slide retracts smoothly, strong sears & springs; incorrect mag. fitted; brown chequered plastic grips in vgc. cond., trace amounts of handling marks; overall in vg. wo & g. to vg. cond. **#2255376** Mfg. c. 1945 L/R ***Appears to be a late WWII Chinese 'lend lease' Colt frame, fitted with a Remington slide. Remains a nicely presented & useable piece.*** **1500 - 2000**

249. **COLT MOD. 1911 S/A SERVICE PISTOL:** .45 ACP cal.; 7 rnd. box mag.; 5" (125m/m) barrel with f. to g. bore, consistent pin-prick pitting throughout but rifling remains sharply defined; metalwork has been reblued which has thinned to a patchy brown-grey patina overall, fine pit peppering to majority of surfaces; lhs. of slide marked with **COLT'S PT. F.A. MFG. CO. HARTFORD, CT. U.S.A./** patents; no markings to rhs. of slide; **P** marked below mag release, **W.B.** boxed inspector mark above; spurious serial no. to rhs. of frame has been restamped upside down; slide retracts smoothly, strong sears & springs; chequered walnut grips present well, some light handling marks but chequering well-defined; overall in vg. wo & g. cond. **#820496** Pre 47' L/R **1200 - 1800**

250. **ERFURT MFG. LUGER P08 S/A PISTOL w/ TWO MATCHING MAGAZINES:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with vg. bright bore, sharply defined rifling but with scattered fine pit peppering towards muzzle; original blued finish to metalwork has developed a charcoal grey patina overall, some minor oxidation staining & scattered patches of frosting but presents well; trigger, safety & other small parts retain strong straw finish; crown / **ERFURT** marked to top of toggle, **1916** to top of breech, four proofs to rhs; serial no. **9715** marked to lhs. breech, frame abbreviated **15** marked to all small parts including fitted magazine and the additional mag.; mechanically fine, strong springs & crisp sears, toggle retracts smoothly; vg.+ cond. walnut grip panel, some dust in the sharply defined chequering, showing only minor handling marks; overall in exc. wo & g. to vg. cond. **#9715** L/R Mfg. 1916 **1800 - 2200**

251. **SCARCE TOKYO ARSENAL MFG. MOD. 1904 'PAPA' NAMBU PISTOL & HOLSTER:** 8×22m/m Nambu cal.; 8 rnd. mag.; 4 3/4" (117m/m) barrel relatively bright bore, rifling is well-defined but peppered with fine pitting throughout; original blued finish to metalwork has turned to a dark patina overall, fine pitting to most areas & some scattered patches of heavier pit peppering to frame & main spring housing; faint straw finish to trigger guard; Kanji markings to rhs. are partially obscured by pitting/ serial no. **2923**; arsenal marks to top of breech; mechanically complete but bolt retracts a little stiff, cocks intermittently, requires a strip & clean; original 1-5 graduated rear tangent sight & blade front; lanyard swivel to rear of frame, grip safety to front strap working well; correct style non-matching magazine; original matching hardwood grips in g. sound cond., some general handing marks & both have darkened but chequering remains well-defined, both with only light handling marks; comes with a correct style brown leather clamshell holster, g. overall cond. with some light scuffs but stitching still sound & leather still quite supple; overall in f. to g. cond. **#2923** Pre 47' L/R **1800 - 2200**

252. **D.W.M MFG. LUGER P08 ARTILLERY S/A PISTOL & MATCHING SHOULDER STOCK, HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 200m/m barrel with f.+ bore, rifling sharply defined but peppered with light to moderate pits; original blued finish to metalwork presents well, thinning to a grey patina on profiles from holster wear; trigger, safety & other small parts retain much of their straw finish; finishes present well & free from any significant pitting; ***DWM*** trademark marked to top of toggle, **1917** to top of breech; all visible numbers are matching excluding mag. which is marked **8975**; mechanically exc., trigger crisp, toggle retracts freely; tangent sight with **1-8** graduations; chequered grip panels in exc. cond., sharply defined chequering with trace amounts of handling marks overall; pistol comes in correct style leather holster marked **G. ROTHMUND & CO/ HAMBURG/** b and with matching number flat side shoulder stock, both in vgc., light wear & handling marks; holster retains multitool & cleaning rod; overall in g. wo & vg. cond. **#2439** Mfg. 1917 L/R ***A nicely presented offering for the Luger collector.*** **2500 - 3000**

253. **D.W.M MFG. LUGER P08 ARTILLERY S/A PISTOL & MATCHING SHOULDER STOCK, HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 200m/m barrel with vg. to exc., bright bore, sharply defined rifling; original blued finish presents well, thinning slightly to a grey patina on barrel, profiles, some minor staining in areas; faint strong straw finishes to small parts incl. trigger & safety; ***DWM*** trademark marked to top of toggle, **1917** to top of breech; rhs. breech marked with four German proofs, London **P** proof, additional British proofs to underside of barrel; **3217** marked to lhs. breech, frame & barrel, all visible numbers are matching excl. mag.; toggle retracts freely, strong springs & sears; tangent sight with **1-8** graduations; chequered grip panels in vgc. cond., sharply defined chequering with only minor handling marks overall; comes with vgc. matching number walnut flat side paddle stock & unmarked leather holster; holster body is g.+ & sound but straps are distressed; overall in exc. wo & g. to vg. cond. **#3217** L/R Mfg. 1917 ***A very nice, honest example of a First World War era artillery Luger.*** **2200 - 2500**

254. **VERY SCARCE MAUSER C.96 SEMI-AUTOMATIC CARBINE SERIAL NO. "67":** 7.63×25m/m cal.; 10 rnd. integral mag.; 11 3/4" (300m/m) barrel with g. to vg. bore & sharply defined five groove rifling, some minor pit peppering; original blued finish to metalwork has thinned to a plum grey patina overall, some minor handling marks, staining in areas but presents v. well; small parts incl. safety, sights & bolt stock retain areas of their original nitre bluing; top of long breech roll stamped with three-line **WAFFENFABRIK** / **MAUSER / OBERNDORF A/N**; serial no. **67** stamped to lhs. breech, frame & to shoulder stock; rhs. breech marked with small Mauser antler proof; mechanically strong, bolt retracts freely, strong sears & g. spring tension; long extractor; original **50** to **500** meter graduated tangent rear sight & globe front sight with conical bead; large ring hammer & milled frame, retains much of its tooling marks; walnut stock is in vgc., button release slides stock off lug for transportation, walnut is nicely figured & bearing only light handling marks overall, small aged partial crack to rhs. of top tang; bulbus grip with well-defined English style flat-top chequering, buffalo horn grip cap & original hard rubber buttplate still with sharply defined chequering & Mauser monogram to centre; forestock has had some crack repairs & been refinished, slither of walnut to rhs. has been grafted on as a repair; overall in vg. wo & g. to vg. cond. **#67** Cat H Pre 1900 L/R ***A lovely, early & honest example of a very rare pistol. One for the C.96 collector & especially with a two-digit serial number.*** **12000 - 16000**

255. **SCARCE 'TROMMELMAGAZIN' TM-08 SNAIL DRUM MAGAZINE:** 32 rnd. capacity to suit 9m/m Luger; blued finish to metalwork developed a dark patina, patches of fine pitting to most surfaces but profiles & markings remain well-defined, presents well; marked **12**, **17**, **27**, **32** & serial no. **253780**; appears complete, good spring tension overall in g.+ original cond. **N/L** **1500 - 2000**

256. **EXTREMELY RARE WW1 GERMAN SNAIL DRUM LOADING TOOL:** grey finish to majority, some fine peening marks to surface but presents well; crown/ **S** inspection mark to lhs. of body; strong springs; a good honest example of the German designated Schneckentrommel-Ladewerkzeug (Snail-drum magazine loading tool) **N/L** ***A very desirable piece for the WWI German military collector.*** **1500 - 2000**

257. **SCARCE 'TROMMELMAGAZIN' TM-08 LUGER/ MP18 SNAIL DRUM MAGAZINE:** 32 rnd. capacity to suit 9m/m Luger; majority of metalwork with a plum brown patina, patchy oxidation scale & light to moderate pits peppering most surface; marked **12**, **17**, **27**, **32** & serial no. **212432**; appears complete, good spring tension; overall in g. original cond. **N/L** ***A fair but functional example*** **1000 - 1500**

258. **PRE-WAR WALTHER MODEL HP S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 5" (125m/m) barrel with vg. bright bore, some frosting in areas; blued finish to metalwork has developed a dark patina, some holster wear to profiles & fine pin-prick pitting in areas; lhs. slide marked with **WALTHER** banner trademark, **Waffenfabrik Walther Zella-Mehlis(Thur)**/ **Walthers Patent Cal. 9m/m** followed **by Mod HP**, rhs. has had Waffenamt ground off to centre & top rhs, serial no. crudely marked to rhs; mechanically strong, slide retracts freely, strong springs & sears; two-piece bakelite grooved grips in g. sound cond., rhs. is a black replacement, reproduction, original maroon coloured section bearing only light handling marks; overall in exc. wo & f. to g. cond. **#14213** Pre 47' L/R **1200 - 1600**

259. **MAUSER MOD. 1910 SEMI AUTO POCKET PISTOL:** .25 ACP cal.; 8 rnd. mag.; 3" (76m/m) barrel with f. to g. bright bore, frosting throughout & some scattered light pits, rifling remains well-defined; 70%+ original blued finish to metalwork, thinning to a grey patina from holster wear on profiles; trigger & some small parts with areas of strong nitre bluing; lhs. slide marked ***MAUSER-WERKE A.G. OBERNDORF A.N.***, rhs. marked **Cal. 6,35**; lhs. frame marked with **MAUSER** trademark; mechanically strong, slide retracts freely, strong springs & sears; g. to vg. walnut single-piece grip, chequering panels to both sides is defined, some general wear & minor handling marks; overall in exc. wo & g. to vg. cond. **#384588** Pre 47' L/R ***Nice honest example, bordering on fine.*** **500 - 700**

260. **FINE MAUSER MOD. 1914 SEMI AUTO POCKET PISTOL & SPARE MAG.:** .32 ACP cal.; 7 rnd. mag.; 3 3/4" (86m/m) barrel with g. bright bore, some fine pit peppering, rifling remains well-defined; 90%+ original blued finish to metalwork, minor thinning from holster wear on profiles; trigger & some small parts with areas of strong nitre bluing; lhs. slide marked **WAFFENFABRIK MAUSER A.-G. OBERNDORF A.N./ MAUSER'S PATENT**, rhs. marked **MAUSER 7,65**; lhs. frame marked with **MAUSER** trademark; mechanically strong, slide retracts freely, strong springs & sears; vg. to exc. walnut single-piece grip, chequering panels to both sides is well-defined, some v. minor handling marks; comes with period spare magazine; overall in exc. wo & vg. cond. **#399485** Pre 47' L/R **700 - 1000**

261. **J.P. SAUER & SOHN MOD. 1913 SEMI-AUTO POCKET PISTOL:** .32 ACP; 7 rnd. mag.; 3" (76m/m) barrel with vg. bright bore & sharply defined rifling; original blued finish to metalwork has thinned & developed a dark patina, some scattered patches of light pit peppering; lhs. slide marked **PATENT.**, top marked ***J.P. SAUER & SOHN, SUHL*** & sunken trademark cartouche; mechanically strong, slide retracts freely, strong springs & sears; original hard rubber grip panels are in vgc., some minor marks but chequering, **S&S** trademark to both is sharply defined; comes in fitted, period pig skin holster, darkened with oil but g.+ cond., & marked with defined **FRANZ HERMANN/ -ERFURT- / 1915**; overall in exc. wo & f. to g. cond. **#48246** L/R ***Pistol is mentioned in the biography of Tasmanian soldier and WWI Gallipoli veteran Private William Charles Grose. Was brought back to Australia after the First World War and has remained in private hands for several decades.*** **800 - 1000**

262. **WWII WALTHER MFG. 'AC 41' CODE P.38 SERVICE PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 120m/m barrel with f. bore, sharply defined rifling throughout, extensive but fine pit peppering throughout; blued finish to metalwork, appears to be an armourers refinish, thinning to a grey patina on profiles of slide & around muzzle, some fine pin-prick pitting in areas; lhs. slide marked **P.38**, **ac 41** & **6311h**; serial no. marked to lhs. slide & frame, **359** Waffenamts to several parts; mechanically exc., slide retracts freely, strong springs & sears; two-piece brown bakelite grip in g. to vg., sound cond., some light handling marks but presents well; comes in **JWa 41** & **P.38** marked leather holster; overall in exc. wo & vg. cond. **#6311h** L/R Mfg. 1941 **1500 - 1800**

263. **PRE-WAR ERFURT MFG. LUGER P08 S/A PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g.+ bore, sharply defined rifling, frosting throughout but still very bright; 80%+ original blued finish to metalwork, presents well with light holster wear confined mainly to profiles; trigger, safety & other small parts with strong straw finish, some other small parts retain strong nitre bluing; crown / **ERFURT** marked to top of toggle, **1913** to top of breech; serial no. **7886** marked to lhs. breech, frame abbreviated **86** marked to all small parts excluding mag. (#**7850**); markings are sharply defined; mechanically fine, strong springs & crisp sears, toggle retracts smoothly; g.+ cond. walnut grip panels with well-defined chequering overall, some light handling marks but presents well; comes in g. cond. brown leather holster marked **F. SCHUTZ/ OFFENBACH A/M/ 1917**; overall in exc. wo & g.+ cond. **#7886** L/R Mfg. 1913 ***A very nice, bordering on fine example of a pre-war Luger. No stock lug to back strap.*** **1750 - 2250**

264. **FINE WWII BYF/ 43 CODE MAUSER P.38 SERVICE PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4 7/8" (125m/m) barrel with vg. bright bore & sharpy defined rifling, some minor frosting; original blued finish to metalwork is strong, 95%+ with majority of light wear confined to profiles of slide; lhs. slide marked **P.38**, **byf/43** & rhs. marked with pair **135** Waffenamt & eagle marks, serial no. **1292h** marked to slide, frame & barrel; discreetly marked U.S. importers mark to back strap on frame spur; mechanically fine, strong springs & sears, slide retracts freely; original maroon two-piece bakelite grip is in vgc., other than some minor chipping to top lhs, hard to fault, grooves v. well-defined; comes in g. cond. black leather holster, marked **gxy 1941** & **P38**; overall in exc. wo & near exc. cond. **#1292h** Mfg. 1943 L/R **1750 - 2250**

265. **F. LANGENHAN SELBSTLADER SEMI-AUTO PISTOL & HOLSTER:** .32 ACP cal.; 8 rnd. mag.; 4 1/8" (104m/m) barrel with f.+ bore, rifling sharply defined but some pit peppering towards muzzle; original blued finish to metalwork is thinning to a grey patina, some light oxidation staining in patches but presents honest, markings remain sharply defined; lhs. slide marked **F.L. SELBSTLADER/** patents; slide retracts freely, strong springs & sears; original hard rubber grips are in g.+ cond., chequering & **FL** trademark to top of grip panels are all v. well-defined; comes in period fitted pig skin holster with additional magazine; overall in vg. wo & f. to g. cond. **#49777** Pre 47' L/R Mfg. c. 1915-1918 **600 - 800**

266. **SIGNIFICANT D.W.M MFG. LUGER P08 ARTILLERY S/A PISTOL & SHOULDER STOCK, HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 200m/m barrel with vg.+ bore, rifling sharply defined, some scattered small pits; original blued finish to metalwork, thinning to a grey patina on profiles & underused of barrel from holster wear, some scattered patches of fine pitting but presents well overall; trigger, safety & other small parts retain much of their straw finish; ***DWM*** trademark marked to top of toggle, **1917** to top of breech; all visible numbers are matching excluding mag. which is marked **1283**; mechanically exc., trigger crisp, toggle retracts freely; tangent sight with **1-8** graduations; chequered grip panels in exc. cond., sharply defined chequering with trace amounts of handling marks overall; pistol comes in correct style leather holster marked **STERN & Co/ OFFENBACHAM/ 1916**; flat side shoulder stock numbered **578**, both in vgc., light wear & handling marks; holster retains multitool & cleaning rod; overall in exc. wo & g. vg. cond. **#7354** Mfg. 1917 L/R ***Comes with the coat lapel & dog tag of Hermann Reich born 17.11.1898 in Steine, Breslau of the 1st Machine Gun Company, who the pistol was issued to. Reich was thought to have been wounded & the pistol was captured, brought back to Australia. A nice example with some interesting history.*** **3000 - 4000**

267. **WWI D.W.M. MFG. LUGER P08 S/A SERVICE PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with vg., bright bore, sharply defined rifling with some frosting; original blued finish, honest holster wear to profiles, thinning to a plum & then silver patina, finely speckled oxidation staining overall but still presents well; straw finishes to small parts with some staining; ***DWM*** trademark marked to top of toggle, **1917** to top of breech; serial no. **6488** marked to lhs. breech, underside of barrel & all visible small parts bear **88**; non-matching but period mag. (#**6032**); toggle retracts smoothly, strong springs & crisp sears; chequered grip panels in vgc. cond., sharply defined chequering with only minor handling marks to both; comes in period leather holster with additional mag. (#**1623**) & multitool; makers ovate 1916 dated stamp marked on inside of lid; overall in exc. wo & g.+ cond. **#6488** Mfg. 1917 L/R **1600 - 2000**

268. **WWII ERA MAUSER MFG. '41 byf' P08 LUGER S/A SERVICE PISTOL, HOLSTER & LANYARD:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g. bore, rifling is sharply defined with superficial frosting & fine pit peppering; original thinning reblued finish to metalwork, holster wear to profiles thinning finish to a grey patina, some minor handling marks overall; **41** marked to top of breech, **byf** to top of toggle; serial no. **8119** marked to lhs. breech, abbreviated **19** marked to all externally visible small parts excl. side plate (#**80**) mag. & spare mag.; pair Waffenamt **655** marks to rhs. breech along with eagle proof, another on barrel; mechanically exc., toggle retracts smoothly, crisp sears; walnut grips are sound but bearing some handling marks & bruising, chequering in defined overall; comes in black leather holster with multitool; back of holster marked **FR&K.VOEGELS/ KOLM-DEUTZ/ 1937** & **WaA387** Waffenamt; fitted with period round leather overall in exc. wo & g.+ cond. **#8119** Mfg. 1941 L/R **1750 - 2250**

269. **MAUSER C.96 'BROOMHANDLE' S.A. PISTOL & SHOULDER STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork presents exc., some minor oxidation staining & handling marks but retains 95%+ finish; polished finish to bolt, some small parts; **MAUSER** trademark marked to lhs. frame, **U** proof to lhs. of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & rhs. of frame, the latter marked with full **A/ NECKAR / D.R.P.a.U.P**; serial no. **920114** marked to top of bolt housing, all other parts are unnumbered; bolt retracts freely, strong springs & sears however <u>top lh corner of bolt has chipped off</u>, extractor now not sitting properly; **50** to **1000** graduated rear tangent sight; 12-groove walnut grips in vg. cond., some light handling wear to finish & general handling marks; lanyard ring to butt; comes with g. cond. correct style wooden shoulder stock holster & leather straps incl. cleaning rod; sharply defined **MAUSER** trademark stamped to rhs. stock; overall in vg. cond. & f. wo **#920114** Pre 47' L/R **1000 - 1300**

270. **D.W.M MFG. LUGER P08 ARTILLERY S/A PISTOL & SHOULDER STOCK, HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 200m/m barrel with f. bore, rifling well-defined but peppered with light to moderate pits, last 1/4" of riffling has been bored out; reblued finish to metalwork is strong overall, some minor oxidation in areas; trigger, extractor & mag. release retains areas of strong straw finish; ***DWM*** trademark marked to top of toggle, **1915** to top of breech; most numbers are matching excluding mag. which is marked **2227** & side plate, **09**; some markings have been polished & now only lightly defined; mechanically exc., trigger crisp, toggle retracts freely; tangent sight with **1-8** graduations; chequered grip panels in exc. cond., sharply defined chequering with trace amounts of handling marks overall; pistol with correct style leather holster marked **1916** and with non-matching number flat side shoulder stock, both in vgc., light wear & handling marks; holster in f. cond. & retains multitool & cleaning rod; overall in g. wo & cond. **#2823** Mfg. 1915 L/R **1500 - 2000**

271. **TINY BELGIAN FOLDING TRIGGER POCKET REVOLVER:** 5m/m pinfire cal.; 6 shot cylinder; 2 1/8" (55m/m) octagonal barrel with f. bore, rifling defined some pitting; 80%+ nickel finish to metalwork, patchy losses with grey patina; **ELG** Liege proof to cylinder; mechanically complete, action occasionally binds but springs & sears are strong; petite walnut chequered grip panels, some minor bruising but chequering is well-defined; overall in f. to g. cond. **#48** Pre 1900 L/R **300 - 500**

272. **BELGIAN FOLDING TRIGGER POCKET PINFIRE REVOLVER:** .38 cal. pinfire; 6 shot cylinder; 4" (103m/m) round barrel with bright bore, some scattered pitting, rifling lightly defined; grey patina to majority of metalwork, back half of cylinder retains some stronger area of blueing; frame & cylinder with clam pattern engraving, cylinder marked with **ELG** Liege proof; mechanically strong, cylinder indexing well, strong springs & sears; walnut chequered grip panels in vgc., some minor bruising but chequering is well-defined; overall in g. cond. **#23** Pre 1900 L/R **400 - 600**

273. **BRITISH PROOFED PINFIRE D.A. REVOLVER:** 12m/m pinfire cal.; 6 shot cylinder; 6" (152m/m) round barrel with f. bore, rifling is sharply defined, only light oxidation & fine pitting; grey patina to majority of metalwork, some minor brown staining & scattered patches of moderate pitting to rhs. barrel; Birmingham proofs to barrel & chambers, a single Liege proof to cylinder; mechanically strong, cylinder indexing well, strong springs & sears; g.+ cond. chequered walnut grips, some light handling marks & bruising both sound; lanyard ring to butt of backstrap; overall in g. cond. **#41504PD** Pre 1900 L/R **400 - 600**

274. **COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 5" (127m/m) octagonal barrel; dark & dusty bore, sharply defined rifling, some minor pitting; silvery-grey patina to majority of metalwork, some scattered pit peppering & handling marks but presents decent; two-line **NEW YORK** address to top of barrel, lhs. of frame marked **COLT'S/ PATENT**; **21051** is marked to barrel, loading lever, frame, trigger guard & butt, replacement wedge; matching cylinder indexing, strong springs & sears holding, mechanically a bit sloppy; smooth replacement walnut grips are exc., present a bit too well; overall in f. to g. cond. **#21051** Mfg. 1851 L/R **900 - 1100**

275. **BELGIAN S x S PERCUSSION POCKET PISTOL:** .36 cal.; 3 1/2" (90m/m) barrels with dark & dusty bores, considered f.; dark patina to metalwork some light pitting around nipples; **ELG** Liege proof to lhs. breech along with light scroll engraving to both sides; strong lock springs & sears to boxlock action; smooth walnut grip in vgc., some minor handling marks; overall in f. cond. **#41510PD** Pre 1900 L/R **300 - 500**

276. **S. NORTH U.S. MODEL 1813 ARMY MODEL FLINTLOCK SERVICE PISTOL:** .54 cal.; 9" round barrel with f. bore, dark & with some light oxidation scale; dark plum patina & fine pitting to majority of metalwork, frosted appearance; centre lockplate marked **S. NORTH/ U.** (indistinct eagle & S) / **MIDLN CON**; top of breech marked with **P** / **US** inspection marks; strong lock spring, full cock sear holding, half not; bevelled front section of lockplate, original ring-neck cock, brass pan; crude replacement rod; walnut half stock bearing a few handling marks, minor chips, aged cracks, light bruising, flaking finish in areas but remains original; lhs. stock with lightly defined ovate inspector's mark; steel butt cap with back strap extending up to breech; overall in f. cond. **N/L** **1000 - 1400**

277. **R. JOHNSON U.S. MODEL 1836 FLINTLOCK SERVICE PISTOL:** .54 cal.; 8 1/2" round barrel with g. bore, some patches of light pitting but would grade up with a clean; silvery-grey patina to metalwork, some finely speckled staining/ frosting to barrel, mottled grey patina to lock; **U.S./ R. JOHNSON/ MIDDN CONN/ 1836** marked to middle of lockplate, inspection marks to breech; strong lock springs & sears, ring-neck cock with replacement jaw screw, original brass pan; replacement ramrod & swivel assembly; vg. walnut half-stock, has been cleaned back but ovate inspectors' cartouche to lhs. is still visible; metal-to-wood fit is vg. overall; steel butt cap with back strap extending up to breech; overall in g. wo & cond. **N/L** **1200 - 1500**

278. **18th CENTURY FLINTLOCK S/B TRAVELLING PISTOL by ARCHER of LONDON:** .635 cal.; 9" round barrel with f. bore, dark but only light to moderate pitting visible; dark patina to majority of metalwork, light pit peppering to majority of barrel; dull patina to brass furniture; ***archer*** engraved to lockplate, London **V** & **P** proofs to lhs. breech; border engraved lockplate, rosettes to trigger guard, acorn finial; bevelled lockplate with stepped tail, lock retains strong spring tension, original swan neck cock; older replacement tapered ramrod; walnut full stock presents decent, some light handling marks, forestock with some small losses, crack repairs; brass butt cap with elongated spurs; overall in f. to g. cond. c.1770-1800 **N/L** **1600 - 2000**

279. **CONTINENTAL FLINTLOCK HORSE PISTOL:** .510 cal.; 13" barrel, octagonal breech, transitioning to sixteen side section, to wedding band, round remainder; p. bore; patchy grey patina to metalwork, some minor pitting in areas; mellow finish to brass furniture; unsigned, no proof marks externally; bevelled lockplate, strong spring tension & sears; ornate brass side plate; walnut full stock presents decent, some handling marks, aged chips & small partial cracks; brass butt cap with elongated spurs; overall in f. to g. cond. **N/L** **1500 - 1800**

280. **18th CENTURY FLINTLOCK S/B TRAVELLING PISTOL by T. RICHARDS of LONDON:** .590 cal.; 8" barrel, octagonal breech half transitioning to wedding band, round remainder; f. bore, powdering oxidation throughout but would grade up; dark patina/ oxidation to majority of barrel, fine pitting; dark grey patina to locks; deep plum patina to bronze furniture; **T/ RICHARDS** engraved to lockplate, London **V** & **P** proofs to lhs. breech; border engraved lockplate with some light floral motifs to trigger guard, butt cap, acorn finial; bevelled lockplate with stepped tail, lock retains strong spring tension, original swan neck cock; period horn capped ramrod with iron worm; walnut full stock presents well, some light handling marks & staining but presents well; ornate bronze butt cap engraved with rosettes to sides, elongated spurs & grotesque to butt; overall in g. cond. **N/L** c.1760 ***Bearing over two centuries of patina, this bronze mounted travelling pistol has managed to escape restoration & still retains exc. metal to wood fit.*** **1800 - 2200**

281. **SAKO MOD VL63 FINNWOLF LEVER-ACTION RIFLE:** .308 Win. cal.; 3 rnd. box mag.; 23" replacement barrel with exc. bright bore & crisp rifling; strong blued finish to metalwork overall, speckled with oxidation in areas but presents well; lhs. barrel marked **308 WIN**, lhs. action marked **VL63 No. 2153** & proof; action cycles smoothly, strong springs & sears; fitted with older scope, marked **ZF 6x42-M-** / **DDR**, clear optics; walnut stock in g.+ cond., some minor handling marks confined to surface, chequering remains sharply defined on grip & forewood; raised right-handed cheek piece/ comb; fitted with leather sling on factory swivels; original grooved buttplate; overall in exc. wo & g. cond. **#2153** L/R **600 - 800**

282. **STURM RUGER MOD. 10/22 SEMI-AUTO RIFLE:** .22 LR cal.; 10 rnd. rotary mag.; 17 1/2" round barrel with vg. bore & sharply defined rifling, dusty towards muzzle; strong blued finish to majority of marts, some minor handling marks to alloy trigger guard's black finish; top of barrel marked with **STURM RUGER** address, lhs. action marked with make, model & trademarks; bolt retracts freely, strong spring & sears; vacant rear sight dovetail, fitted with **LEUPOLD 2-7 X** scope, clear optics; threaded muzzle with cap; nicely figured walnut stock, some light handling marks overall & glued crack to lhs, crack running from lhs. back of receiver down to trigger guard; curved steel buttplate; overall in exc. wo & g. cond. **#125-05256** Cat C L/R **300 - 500**

283. **J.V. NEEDHAM MODEL NO. 6 S x S HAMMER SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 3/4 & full, bright bores with some minor pitting & small patches of powdery oxidation starting; strong blued finish to barrels, some areas of strong case colours on action & locks, plum patina to remainder; metalwork with fine speckling of oxidation to most parts, would clean up; top rib engraved **J.V. NEEDHAM. LOVEDAY STREET BIRMINGHAM**; makers name again to border & lightly engraved locks; **2 3/4**, **1 1/4**oz Birmingham **NITRO PROOF** marks to barrel flats; action locks up tight & on face, some movement in fore-end; strong rebounding locks; walnut splinter fore-end with some minor losses around edges; vg. cond. stock with back style grip, chequering is well-defined; 14 3/4" LOP incl. original horn grooved buttplate; overall in vg. wo & f. to g. cond. **#13746** L/R ***Would grade up significantly with a clean, hasn't seen much work.*** **400 - 600**

284. **BRNO ARMS FOX-MOD. 2 B/A RIFLE:** .222 Rem. cal.; missing 5 rnd. mag.; 24" barrel with well-defined rifling, bright overall but peppered with moderate pitting, considered f.; blued finish to metalwork is thinning to a grey patina in areas, matte finish to action; lhs. barrel marked with **85** proof, **FOX-MOD.2.** marked to lhs. breech, **BRNO ARMS** to lhs. action; bolt cycles freely strong springs & crisp sears to double set triggers; vacant rear sight dovetail, fitted with **ZEISS 4-12X42** scope on two-piece Leupold rings, clear optics; walnut Monte Carlo style stock with raised right-handed cheekpiece, comb, forewood & grip caps etc.; woodwork in g.+ cond., some light handling marks & wear but presents well, chequering is defined; retains original buttplate; overall in g. wo & cond. **#32491** L/R **400 - 600**

285. **J. STEVENS A.&T. Co. MOD. 44 1/2 RIMFIRE RIFLE:** .22 LR cal.; 26" barrel, octagonal breech third & round remainder; bright bore with sharply defined rifling, some fine pitting but g. cond. overall; original blued finish to barrel thinning to a mottled grey patina, action retains majority of its vivid striped case colours; some scattered handling marks to barrel; makers name & **CHICOPEE FALLS** address marked to rhs. barrel flat, **22.L.R.** marked to lhs; action locks up tight, strong springs & sears; globe front sight dovetailed to barrel, period **LYMAN** tang-mount peep sight with fine aperture; walnut straight stock & Schnabel style forestock, some light handling marks & bruising to both but presents well; forewood tip with some aged partial cracks; sling stud to underside of stock, vacant dovetail to underside of barrel; original hard rubber buttplate with stag head motif, makers name; overall in vg. wo & g.+ cond. **#11898** L/R **500 - 700**

286. **WINCHESTER MOD. 1885 LOW WALL S/S RIMFIRE RIFLE:** .22 LR cal.; 28" heavy octagonal **2** weight barrel; vg. bright bore & sharply defined rifling;]blued finish to barrel presents well, thinning only slightly on profiles, some oxidation staining but confined to underside mainly; areas of defined case colours to action, some minor patchy staining; top of barrel marked with two-line **WINCHESTER**, **NEW HAVEN** address, **22 LONG R.** to top of barrel before breech; mechanically strong, action locks up tight, strong springs & sears; semi-buckhorn rear sight & folding globe front sight dovetailed to top of barrel; walnut straight stock & Schnabel tip forestock in g. sound cond., some older handling marks & light bruising to both but still retain vg.+ metal-to-wood fit; 'Swiss' style brass buttplate with thinning silver plated finish, developing a mellow brass patina to majority; overall in exc. wo & g.+ cond. **#76572** L/R **1500 - 2000**

287. **SOUTH AUST. ISSUE ENFIELD MARTINI-HENRY MK. II RIFLE & BAYONET:** 577–450 cal.; 33 1/8" barrel with f. to g. bore, relatively bright & rifling is crisp, red oxidation has started, would grade up significantly with a proper clean, has been oiled; thinning original blued finish to metalwork has developed a dark patina, some minor staining overall, some lightly cleaned areas, staining to muzzle end of barrel; all markings & profiles to rifle are crisp; rhs. of action marked with cypher/ **V.R./ ENFIELD / 1878./** Board of Ordnance mark/ **II.** along with **SA** / **3404** & broad arrow marks; mechanically strong, action locks up well, strong springs & sears; std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs. of front barrel band; retains steel cleaning rod; original woodwork bearing only minor handling marks overall; rhs. butt marked with crisp **R. M. ENFIELD** roundel/ **II./ 1** & pair broad arrows; grey patina & patchy dark staining to steel buttplate; comes with g. cond. Mk. IV bayonet, blade has been polished leather grips in vgc.; overall in vg. wo & g. to vg. cond. #3404 **N/L** **1000 - 1400**

288. **SOUTH AUST. MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with vg. bright bore, sharply defined rifling; blued finish to metalwork, has darkened with some scattered patches of staining but presents well; full name & **B.S.A.** piled arms trademark to lhs. of action, **COMMONWEALTH OF AUSTRALIA** to rhs. & Kangaroo trademark to top of breech; action locks up well & trigger crisp; std. tangent sights & blade front; replacement brass lock retaining screw; woodwork is in g. to vg. cond., general handling marks & bruising but presents well; clear **CMF**/ **S.A.** stamps to rhs. butt; steel buttplate; overall in exc. wo & g. cond. **#46922** L/R ***A nice example, fitted with brass muzzle cap & leather sling.*** **300 - 400**

289. **WINCHESTER MOD. 1892 L/A RIFLE:** .32 W.C.F (.32-20 Win.) cal.; half length, 6 rnd. tube mag.; 24" round heavy barrel with vg. bright bore & sharply defined rifling; reblued finish to metalwork presents decent, some light pitting in areas; ***WINCHESTER*** trademarks & cal. to lh barrel, address to rhs; action cycles freely, strong springs & sears; semi buck horn rear sight & pinched nickel silver blade front sight dovetailed to barrel; saddling ring to action; replacement walnut straight stock & fore-end present well, some minor handling marks; crescent steel buttplate with some light pitting; overall in exc. wo & g. cond. **#905754** L/R ***Looks to be a saddle ring carbine with a genuine rifle barrel swapped in. Would make a great shooter.*** **300 - 500**

290. **B.S.A MARTINI CADET S/S TARGET RIFLE CONVERSION:** .22 LR cal.; 29" heavy round barrel with vg, bright bore & sharply defined rifling; reblued finish to metalwork is strong, some light storage marks; std. BSA cadet markings to action, replacement BSA heavy target barrel fitted; action operates freely, crisp trigger; top of action fitted with two-piece dovetail mounts & older **2.5X70** marked scope; nicely figured walnut stock & large forewood present well, only light handling marks to both; fitted with leather sling; overall in exc. wo & f. to g. cond. **#47750** L/R **150 - 300**

291. **B.S.A MOD. 12 MARTINI RIMFIRE TARGET RIFLE:** .22 LR cal.; 29" heavy round barrel with vg. bright bore & sharply defined rifling, has been relined; reblued finish to metalwork is strong, some light storage marks & frosting still present; piled arms trademark to lhs. action, top of barrel marked with makers full name & calibre; action functions freely, strong springs & sears, slight movement in barrel thread; factory rear mounted fully adjustable peep sight, globe front sight; walnut straight stock and large target forewood in sound cond., butt has been extended 2" and fitted with steel buttplate; overall in exc. wo & f. to g. cond. **#22120** L/R **150 - 300**

292. **BOER MARKED LOEWE & Co MAUSER MOD. 1896 CARBINE:** 7×57m/m cal.; 5 rnd. integral mag.; 18" barrel with f. bore, quite bright, rifling is defined but some light to moderate pitting in areas; original blued finish to metalwork has thinned to a smoky grey patina, presents honest; some small parts retain areas of strong nitre blueing; lhs. action marked **MOD. MAUSER 1896./ LUDW. LOEWE & Co BERLIN**; **1218** marked to lhs. breech, woodwork below, cleaning rod & mag. floor plate; non-matching bolt (#**2676**) cycles freely, strong springs & sears, std. sights; fitted with period leather sling to sling swivels on barrel band & underside of butt, additional saddle ring to lhs. butt; walnut stock presents well, only light surface handling marks & light bruising overall, retains exc. metal-to-wood fit; lhs. butt lightly but distinctly marked **A H LEGGETT** and another but fainter **KRUGERSDORP** marked to lhs. forewood; steel buttplate; overall in g. wo & g.+ cond. **#1218** L/R **1000 - 1500**

293. **WINCHESTER MOD. 53 LEVER ACTION RIFLE & LETTER:** .32 W.C.F (.32-20 Win.) cal.; half length, 6 rnd. tube mag.; 24" round barrel with vg. bright bore & sharply defined rifling, some minor frosting & small mark towards muzzle; original blued finish to metalwork has thinned to an even brown patina in areas, stronger blued finish in protected areas, thinning to a mottled grey patina on barrel & small parts; some light pit peppering to lhs. barrel; lhs. barrel marked **-MODEL 53 – *WINCHESTER* – NICKEL STEEL 32 W.C.F.-**, rhs. barrel marked with **NEW HAVEN** address; std. top tang markings; action cycles smoothly, strong springs & sears, std. flat top sights, **LYMAN** marked blade front sight; walnut straight stock & forewood present well, some handling marks & aged scuffs but sound; std. 53 model grooved steel but plate, fluted comb etc.; overall in exc. wo & g. to vg. cond. **#8552** L/R ***Comes with Cody letter confirming rifle was numbered June 21, 1926***. **700 - 900**

294. **WINCHESTER MOD. 1892 SADDLE RING L/A CARBINE:** .38 W.C.F (.38-40 Win.) cal.; half length, 6 rnd. tube mag.; 20" round barrel with vg. bright bore & sharply defined rifling, some minor pin-prick pitting; 20%+ original blued finish to metalwork has thinned on the action to an even brown patina, stronger in protected areas, thinning to a grey patina on barrel & small parts, free from any significant pitting; ovate saddle ring wear pattern to lhs. action; lhs. barrel marked **-MODEL 92 – *WINCHESTER* – 38 W.C.F.-**, rhs. barrel marked with **NEW HAVEN** address; std. top tang markings; action cycles smoothly, strong springs & sears, std. carbine sights, pinned blade front sight; walnut stock & fore-end present well, only minor handling marks & bruising but retain exc. metal-to-wood fit, vgc. overall other than small section of forewood lhs. lifting; curved steel buttplate; overall in exc. wo & g. to vg. cond. **#998928** L/R Mfg. 1929 ***A lovely honest example of a 92'.*** **800 - 1200**

295. **BROWNING MOD. BL-22 GRADE II OCTAGON L/A RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. tube mag.; 24" octagonal barrel with exc. bright bore & sharply defined rifling, appears unfired; strong blued finish to barrel & small parts, bright satin nickel finish to action with light coverage of floral scroll engraving; makers name, **MADE IN JAPAN** marked to lhs. barrel, calibre to rhs; action cycles smoothly, strong springs & sears, buckhorn rear sights & blade front; walnut straight stock & fore-end in g. to vg. cond., a few scattered handling marks to polymer finish but chequering remains sharply defined; overall in exc. wo & vg. cond. **#20151MP242** L/R **700 - 1000**

296. **WINCHESTER MOD. 9422 L/A RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. tube mag.; 20" round barrel with exc. bore & sharply defined rifling; strong blued finish to metalwork overall, a few minor blemishes & handling marks; ***WINCHESTER***, **NEW HAVEN** address & cal. marked to lhs. barrel; action cycles smoothly, strong springs & sears, std. rear sights & hooded front; muzzle has been threaded, fitted with knurled cap; plain walnut straight stock & fore-end, some light handling marks to both but presents well; original black polymer buttplate; overall in exc. wo & g.+ cond. **#F207902** L/R **500 - 700**

297. **BRNO MOD. 1 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 shot mag.; 22 3/4" barrel with vg. to exc. bright bore & sharply defined rifling; strong original blued finish to metalwork, some minor storage marks & dried grease but presents v. well; makers full name to lhs. action, **56** proofs to lhs. breech & barrel, trademark **BRNO MOD 1** to lhs. barrel; bolt cycles freely, strong springs & crisp sears, std. sights, front retains hood; walnut stock with Schnabel forewood, well-defined chequering to semi-pistol grip; woodwork bearing some light handling marks but g. overall; original black plastic buttplate slightly warped; overall in exc. wo & g. cond. **#124819** L/R Mfg. 1956 ***A good original example of these iconic rifles.*** **500 - 700**

298. **ERMA WERKE MFG. GALLAGHER MOD. 1860 BREECH LOADING CARBINE:** .54 cal.; 22" round barrel with exc. bright bore & sharply defined micro-groove rifling; strong blued finish to metalwork, some scattered patches of minor pitting & oxidation scale but presents decent; lockplate marked with **GALLAGHER MOD. 1860**, makers name, **MADE IN W. GERMANY**; action locks up sound, strong lock springs & sears; hardwood straight stock bearing a few scattered handling bruises & marks, patch box inletted to rhs. butt & saddle bar, ring to lhs. of wrist; overall in exc. wo & g. cond. **#002419** L/R **500 - 700**

299. **ITALIAN RANSON 1863 PATT. ZOUAVE PERCUSSION MUSKET:** .58 cal.; 33" barrel with vg., bright bore & crisp three-groove rifling; strong bluing to barrel & vivid case colours to small parts, some light handling marks; makers name & Italian proofs to barrel, small trio of initials lightly etched to lhs. barrel below rear sight; strong lock springs & sears, std. sights; retains ram rod, swivels; woodwork in g. cond., some general handling marks & scuffs but confined to surface; brass furniture & patch box; curved steel buttplate; overall in exc. wo & g. cond. **#1422** L/R **300 - 500**

300. **PARKER HALE TWO-BAND PERCUSSION MUSKETOON:** .577 cal.; 24" barrel with exc. bright bore, crisp rifling; strong blued finish to barrel presents well, some dried grease but bearing only traces of storage marks; vivid case colours to lockplate; mellow finish to brass furniture; **1861 ENFIELD**, **P-H** under royal cypher to lockplate; **PARKER-HALE LTD BIRMINGHAM. ENGLAND.** to top of barrel; strong lock springs & sears, fitted with snap cap on brass chain; std. ladder sight & blade front sight; complete with swivels & ramrod; woodwork in in g. cond., some light handling marks & bruising; rhs. marked with **PARKER HALE** roundel; overall in exc. wo & g.+ cond. **#8469** L/R ***A few bumps & bruises but appears to be unfired.*** **600 - 800**

301. **SPRINGFIELD ARMOURY MOD. 1884 TRAPDOOR RIFLE:** .45-70 Govt. cal.; 32 5/8" barrel with vg. bright bore & crisp rifling; original blued finish to metalwork has thinned to an even plum patina, some speckled staining but free from any significant pitting, presents honest; breech block & lockplate with dark mottled patina; top of breech marked **U.S./ MODEL / 1884**, centre of lock marked with eagle & shield motif, **U.S./ SPRINGFIELD**; lock springs & seas remain strong, action locks up tight; 2-20 graduated rear peep sight & fine blade front with hood; retains swivels & steel rod bayonet; walnut stock presents well, some light handling marks, scattered bruises & fine cracks overall; roundel inspection mark to underside of wrist & boxed **SM / 1890** cartouche to lhs. wrist is sharply defined; curved steel buttplate with **U.S. / D / 5** marked to heel tang; overall in g. to vg. cond. **#510739** L/R **1100 - 1400**

302. **FRENCH St. ETIENNE MFG. 1866-74 CHASSEPOT B/A RIFLE:** 11×59m/mR Gras cal.; 32" barrel with bright bore & sharply defined rifling, some bands of light pitting & two scores towards muzzle; thinning reblued finish to metalwork, grey patina on barrel; lhs. action marked **MANUFACTURE IMPERIALE/ *St Etienne*, MLE 1866-74**; matching bolt cycles freely, strong springs & sears; 350-17 graduated rear sight, no cleaning rod but retains swivels; nicely figured walnut stock presents well, other than some peening on either side of butt, would be considered vgc.; steel buttplate; overall in g. wo & cond. #K22239 **N/L** **700 - 900**

303. **FRANCOTTE MARTINI CADET CONVERSION RIFLE:** .310 Cadet cal.; 23 3/4" replacement barrel with vg. bright bore & sharply defined rifling; reblued finish to metalwork, thinning to a plum patina in areas, metalwork bearing some light handling marks; std. BSA markings to barrel & **FRANCOTTE**, **VICTORIAN GOVERNMENT** markings to action; action operates freely, light trigger; std. cadet sights, fitted with brass sight & muzzle cover; walnut straight stock & forewood in sound cond., some light handling marks; butt has been extensively decorated with brass pins, dog & kangaroo motifs to lhs. & rhs. with human figure, **THE KERRIGAN**.; fitted with leather sling; overall in vg. wo & f. to g. cond. **#1521** L/R **150 - 300**

304. **REMINGTON MOD. 12 P/A RIMFIRE RIFLE:** .22 Rem. special cal.; 10 rnd. tube mag.; 24" octagonal barrel with slight bulge towards muzzle; original blueing has thinned to a grey patina overall, all markings to barrel are sharply defined; action jammed open but appears complete, std. sights; poor replacement stock but retains original buttplate, pump original & relatively g., small hairline crack to lhs; overall in p. cond. **#405395** L/R ***Suit parts or line barrel to .22 LR*** **50 - 75**

305. **WESTLEY RICHARDS & Co MANNLICHER BOLT ACTION S/S SPORTING RIFLE:** .32-40 cal.; 26" barrel with f. bore, strongly defined rifling & quite bright but peppered with light pitting; reblued finish to metalwork presents dull, some light oxidation in areas; metalwork bearing some scattered patches of light pitting, confined mostly to barrel; top of barrel marked ***WESTLEY RICHARDS & Co LONDON***, trademark triangle to breech, lhs. barrel marked ***FOR 32/40 CARTRIDGE***; bolt cycles freely, strong springs & sears; 1-5 graduated tangent rear sight with tapered blade front sight; large sling rings to underside of stock & barrel; walnut half stock presents well, refinished but bearing a few light handling marks, aged crack repair to forestock which runs through Schnabel forewood end; chequering to forestock & semi-pistol grip is well-defined; original steel buttplate lightly peppered with pits; overall in g. wo & f. to g. cond. **#40446** L/R ***An unusual little rifle.*** **1000 - 1400**

306. **TIPPING & LAWDEN COMMERCIAL MARTINI-HENRY S/S RIFLE:** .577–450 cal.; 33 1/8" barrel with vg. bright bore & well-defined rifling, some patchy frosting towards muzzle; original blued finish to metalwork presents well, darkened slightly & thinning at muzzle but presents v. well overall; top of barrel engraved ***TIPPING & LAWDEN LONDON.***, lhs. barrel marked with Birmingham commercial proofs, **HENRY'S PATENT** & trademarks; **MARTINI'S PATENT 168** marked to lhs. action with trademark; underside of action marked with **BSA Co**; action only opens with trigger pulled, sliding safety to rhs. frame above trigger, strong springs & sears; brass replacement action bolt; std. 5-13 graduated rear sight, complete with swivels, older leather sling, steel ramrod & brass muzzle cap; walnut stock & forewood present well, some general surface marks & light bruising, small chip lifting to head of stock; chequered steel plate; overall in g. wo & g.+ cond. **N/L** **800 - 1200**

307. **NEPALESE ISSUE ENFIELD MARTINI-HENRY MK IV. RIFLE:** .577–450 cal.; 33 1/8" barrel with exc. bright bore & crisp rifling, needs a clean but hard to fault; blued finish to metalwork has developed a dark patina overall, thinning in some areas, presents well, only a small patch of pit peppering to lhs. action; rhs. action marked with cypher/ **V.R./ ENFIELD / 1886./ IV./ 1**; British proofs to breech & action; distinctive long lever action operates smoothly, strong springs & sears; 5 – 13 graduated rear sights; retains correct style steel cleaning rod & fitted with brass muzzle cap; retains period leather sling; walnut stock in g. cond., some general handling marks & light bruising overall but presents well; Nepalese cartouche & **ENFIELD** roundel marks to rhs. stock are well-defined; overall in exc. wo & g. to vg. cond. #4041 **N/L** ***A good honest example.*** **1000 - 1400**

308. **SNIDER-ENFIELD TRADE CARBINE by BARNETT of LONDON:** .577 Snider cal.; 20" barrel with vg. bright bore & sharply defined Enfield three groove rifling, some minor staining; thinning blued finish to barrel developing a plum-brown patina, has been cleaned slightly around rear sight; grey patina to lock, breech with areas of strong case colours; brass furniture has been cleaned to, dull finish; **BARNETT/ LONDON** marked to lock, lhs. barrel marked with London **V** & **P** commercial proofs, breech & barrel marked with **AS** proof, Snider fletched arrow **S** trademark to top of breech; strong lock springs & sears, complete with swivels & cleaning rod; std. sights; nicely figured walnut stock presents well, has been lightly refinished but still bears some scattered handling marks & grazes; lhs. butt marked with **18** stock number; brass buttplate with some light bruising; overall in exc. wo & g. cond. **N/L** ***Vendor has provided the following information: This carbine was taken by Major James Clinton Branney CGM NZ Armed Constabulary Ranger Company during the 1868-72 'Te Kooti Rebellion'*** **700 - 1000**

309. **SOUTH AUST. ISSUE L.S.A. Co MARTINI-HENRY MK. II RIFLE & BAYONET:** 577–450 cal.; 33 1/8" barrel with exc. bore, v. bright & rifling is crisp, hard to fault; what appears to be the original blued finish to metalwork is incredibly strong, only light handling marks on action, some patchy blemishes & frosting to barrel; all markings & profiles to rifle are crisp; rhs. of action marked with cypher/ **V.R./ L.S.A. Co / 1889./** Board of Ordnance mark/ **II./ 1.** along with **SA** / **4246** & broad arrows marks; mechanically strong, action locks up well, strong springs & sears; std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs. of front barrel band; retains steel cleaning rod; original woodwork bearing only minor handling marks & some darkened areas; rhs. butt marked with crisp **LONDON** roundel/ **II./ 1** & pair broad arrows; grey patina to steel buttplate, faint case colours, matching screws; comes with exc. cond. socket bayonet, clean blade with only a few minor knicks, plum patina to socket body; scabbard in f. to g. cond., stitching has separated; overall in exc. wo & vg. cond. #4246 **N/L** ***One of the finest Martini rifles to come through our auction. In unissued condition*** **2000 - 2500**

310. **SNIDER-ENFIELD MK. III TWO-BAND SHORT RIFLE & YATAGHAN SWORD BAYONET:** .577 Snider cal.; 30 1/2" barrel with vg. bright bore & sharply defined three-groove rifling, some minor oxidation scale; silvery-grey patina & varying degrees of pitting to majority of metalwork incl. iron furniture; barrel with moderate pit peppering to entirety; Birmingham proofs to breech, barrel, border engraved lock with Royal cypher/ **V.R**; strong lock springs & sears, breech locks up well but needs the small thumb lever spring replaced; std, sights, retains steel cleaning rod, swivels; walnut full stock presents ok, has been lightly cleaned back & bearing only light handling marks overall, some dark staining on forewood; metal-to-wood fit vg.; steel buttplate; comes with period Yataghan sword bayonet, no scabbard; leather grips showing wear & blade has a few scattered patches of heavy pitting, matches the aesthetic of the rifle; overall in exc. wo & f. cond. **N/L** ***Would make a brilliant classic shooter with some minor work.*** **800 - 1200**

311. **WINCHESTER DEFENDER MOD. PUMP-ACTION SHOTGUN:** 12G, 3" chambered; 7 rnd. tube mag.; 18" round barrel with vg. bright bore; strong blued finish to steel parts & blacked finish to alloy receiver, some minor handling marks to both but presents well; lhs. barrel marked ***WINCHESTER*** **DEFENDER** / address; action cycles freely, strong springs & sears; walnut stock & pump furniture in near exc. cond., a few minor handling marks overall; genuine original ventilated rubber recoil pad; overall in exc. wo & vg.+ cond. **#L1887432** Cat D L/R **700 - 1000**

312. **COMPOSITE LONDON ARMOURY COMPANY VOLUNTEER'S PERCUSSION RIFLE:** .577 cal.; 39" barrel with vg. bright bore & sharply defined six-groove rifle; mottled brown & dark patina to lock & barrel, presents ordinary; dull brown patina to brass furniture; faint crown to tail & **1862** / **L.A.Co** stamped to lockplate, top of barrel ahead of front sight has been re-cut with ***LONDON ARMOURY CO.*** / ***ENGLAND***; strong lock springs & sears, retains swivels, repro. rod; hardwood restock, presents ordinary & flat; only light handling marks & groove to rhs. butt; overall in exc. wo & f. cond. **N/L** **500 - 700**

313. **BRITISH PAT. 1858 PERCUSSION NAVAL SHORT RIFLE:** .577 cal.; 33" barrel with p. bore, rifling is defined but powdery red oxidation throughout, should clean up; older finish on barrel has thinned to a brown patina in areas, some minor pitting but presents decent; grey patina to lock & dull mellow finish to brass furniture; border engraved lockplate marked crown / **VR** to tail & **1859** / **TOWER** to centre; ordnance marks to lhs. breech are sharply defined; strong springs & sears to lock, 5-11 graduated rear sight, sword bar to rhs. barrel, missing rod but retains swivels; original walnut stock has been cleaned back, markings are faint & metal sits proud of woodwork, some aged surface cracks & light handling marks; overall in g. cond. **N/L** ***Would grade up significantly with an oil & bore scrub.*** **900 - 1200**

314. **SCARCE BRITISH PATT. 1858 NATIVE FOOT POLICE PERCUSSION CARBINE by ENFIELD:** .656 cal.; 31 1/2" barrel with f. bore, bright overall but some scattered patches of pitting towards muzzle; thinning plum finish to metalwork, excl. brass furniture which has a dull mellow patina; plain lock marked with crown /**V.R** to tail & **1864 68 / ENFIELD** to centre; faint inspection marks to lhs. breech of barrel; trigger guard misshapen & stamped with several **68** marks; strong lock springs & sears, std. post mutiny front & rear fixed sights; retains original ram rod & front swivel, other to underside of stock is missing; walnut full stock presents dark, chip to toe of butt at buttplate otherwise bearing light handling marks & bruising; overall in exc. wo & g. cond. **N/L** ***Made for East India Govt. by cutting down & reaming out non-interchangeable patt. 1853 rifle barrels*** **700 - 900**

315. **NEPALESE BRUNSWICK RIFLE STYLE PERCUSSION MUSKET:** .65 cal.; 35 5/8" barrel with f. bore, only light pitting visible but needs a clean; grey patina to lock & barrel, patchy dried grease to barrel & some oxidation in areas; border engraved back action lock with indistinct makers name; Nepalese markings to trigger guard; strong lock spring & sears are holding, bun-nut to hammer; chambered & hooked breech, plain front & rear sights and sword bar; retains original swivels & steel ram rod; barrel held in barrel with three flat keys; hardwood stock in f. cond., crack repairs through wrist have been filled, presents OK; overall in g. wo & f. cond. **N/L** **500 - 700**

316. **MAUSER MFG. SWEDISH MAUSER MOD. 1896 B/A RIFLE:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 30" barrel; vg. bore with well-defined rifling, a bit dull; strong original blued finish to majority of metalwork; polished steel bolt & internals, some small parts with areas of strong nitre blueing remain; **WAFFENFABRIK/ MAUSER/ OBERNDORF A/N/ 1900** marked to top of breech; matching numbers rifle incl. bolt which cycles smoothly, strong springs & sears; 3-6 graduated rear sight & blade front; retains steel cleaning rod; fitted with older leather sling; woodwork in g. to vg. overall cond., bearing some minor handling marks & light bruising but presents well; brass disc inlaid to rhs. of stock marked with several numbers & **Torped Overslag**; matching steel buttplate; overall in exc. wo & g. to vg. cond. **#49130** L/R **600 - 800**

317. **FINE EDDYSTONE MODEL. 1917 B/A SERVICE RIFLE:** .30-06 Sprg. cal.; 5 rnd. mag.; 26" barrel with exc. bright bore & crisp rifling; 95%+ grey parkerized finish to metalwork, some light wear to profiles & minor staining but presents exc.; top of breech marked **U.S.** / **MODEL OF 1917** / **EDDYSTONE** / **1341073**, lhs. action marked with ordnance flaming bomb; bolt cycles freely, strong springs & sears; 2-16 graduated sight; complete with period leather sling; woodwork in near exc. cond., a few scattered light surface marks but profiles are crisp; steel buttplate with trap; overall in exc. wo & vg. to exc. cond. **#1341073** L/R ***In unissued condition, retaining much of the packing grease in protective areas & with canvas tag specifying that the 'COMPANY COMMANDER' must inspect the rifle to make sure the 'HEAVY OIL HAS BEEN REMOVED-'*** **1200 - 1500**

318. **FINE R.O.F. FAZAKERLEY No. 5 MK. I JUNGLE CARBINE:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; exc. bore, sharply defined rifling, needs clean; military blacked finish to metalwork presents well, some light handling; lhs. of action marked with crisp **No5 MKI ROF (F)/ 10/44** / **AC 3124**; **BNP** proofs to top breech, barrel ahead of handguard; matching magazine & bolt, the latter cycles freely, strong sears & springs; std. peep sights with **2** – **8** graduations & knurled sight slide to ladder; matching no. woodwork in vg. cond. overall, a few handling marks & light bruising but presents extremely well; standard cupped buttplate with rubber centre; fitted with older canvas sling; overall in exc. wo & vg. cond. **#AC 3124** L/R ***A lovely post-war example*** **1200 - 1500**

319. **MAUSER MFG. SWEDISH MAUSER MOD. 1896 B/A RIFLE:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 30" barrel; vg. bore with well-defined rifling; strong original blued finish to majority of metalwork; polished steel bolt & internals, some small parts with areas of strong nitre blueing remain; **WAFFENFABRIK/ MAUSER/ OBERNDORF A/N/ 1900** marked to top of breech; matching numbers rifle incl. bolt which cycles smoothly, strong springs & sears; 3-6 graduated rear sight & blade front; retains steel cleaning rod; fitted with older leather sling; woodwork in vg. to exc. overall cond., bearing some minor handling marks & light bruising but presents well, profiles are sharp; brass disc inlaid to rhs. of stock marked with several numbers & **Torped Overslag**; matching steel buttplate; overall in exc. wo & vg. cond. **#55118** L/R ***A fine example.*** **900 - 1200**

320. **EXCEPTIONAL D.W.M. MFG. BRAZILIAN MAUSER MOD. 1908 B/A RIFLE & MATCHING BAYONET:** 7×57m/m Mauser; 5 rnd. integral mag.; 30" barrel with fine, bright bore, crisp rifling; bright polished finish to action, strong blued finish to barrel, mag. floor plate, some minor wear but presents exc.; small parts retain areas of strong nitre blueing; serial no. to lhs. of breech, Brazilian crest to top & **MOD. 1908** to rhs; DWM full name & **BERLIN** to lhs. of action; serial no. **7872** is marked to all externally visible parts incl. bolt, mag. floor plate, other small parts and the bayonet with matching scabbard; matching bolt cycles freely, trigger crisp; std. tangent sights with 2 – 20 graduations; retains the steel cleaning rod & brass muzzle cap; sling swivels to trigger guard & barrel band, fitted with period leather sling; walnut woodwork in exc. cond., a few v. minor handling marks but hard to fault; Brazilian star roundel mark to rhs. butt & serial no. to underside are sharply defined; steel buttplate; polished steel buttplate; comes with matching **W.K.& CIE / SOLINGEN** marked bayonet & matching scabbard, both in exc. cond. with the exception of a small patch of peppering to spine of blade after ricasso; overall in exc. wo & cond. **#7872** L/R ***An exceptionally fine example of these high-quality service rifles.*** **2500 - 3000**

321. **WINCHESTER MFG. ENFIELD PATT. 14 B/A SERVICE RIFLE:** .303 cal.; 5 rnd. mag.; 26" barrel with g.+ bore, sharply defined rifling with some fine pitting throughout; dark military blued finish to majority metalwork, some minor handling marks & wear on profiles but presents well; top of breech marked with small star stamp, **W181908**; Broad arrow & **GRI** proofs to lhs. action; matching bolt cycles freely, strong springs & sears; 4-16 graduated rear ladder sight, retains swivels & fitted with period canvas sling; woodwork in g. cond., dark appearance & bearing some handling marks overall; small partial crack around volley sight plate; rhs. stock inlaid with std. brass disc & small brass plate, marked **SAU-CIE**/ **5828**; steel buttplate with trap; overall in exc. wo & g. cond. **#W181908** L/R **900 - 1200**

322. **MAUSER MFG. SWEDISH MAUSER MOD. 1896 B/A RIFLE:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 30" barrel; g. bore with well-defined rifling, a bit dull & some fine pitting; blued finish to metalwork has developed a dark patina; polished steel bolt & internals; **WAFFENFABRIK/ MAUSER/ OBERNDORF A/N/ 1899** marked to top of breech; matching numbers rifle incl. bolt which cycles smoothly, strong springs & sears; 3-6 graduated rear sight & blade front; retains steel cleaning rod; sling swivels to barrel band & underside of stock, fitted with period leather sling; woodwork in g. to vg. overall cond., bearing some minor handling marks & light bruising but presents well; brass disc inlaid to rhs. of stock marked with several numbers & **Torped Overslag**; matching steel buttplate; overall in exc. wo & vg. cond. **#24228** L/R **800 - 1100**

323. **SCARCE B.S.A. WAR OFFICE 1906 PATT. MINIATURE RIFLE:** .297-230 Morris long cal.; 22 3/4" barrel with g. bore, some minor pitting but rifling remains well-defined & relatively bright overall; original blued finish to metalwork has thinned to a smoky grey patina overall, some handling marks but presents well; top of barrel marked with BSA full name / **BIRMINGHAM/ CARTRIDGE .297/230 LONG**; serial no marked to lhs. breech & barrel; bolt cycles freely, strong springs & sears; 25 – 200 yd graduated rear tangent sight, blade front with swivel protective cover; walnut stock in sound cond., some scattered handling marks & bruises overall, **TRADE MARK** / piled arms motif stamped to lhs. butt is sharply defined; brass buttplate with trap; overall in exc. wo & g. cond. **#13977** L/R ***Interesting example in the less common .297-230 chambering*** **600 - 800**

324. **CIVIL WAR ERA J.H. MERRILL TYPE II BREECH-LOADING CAVALRY CARBINE:** .54 cal. paper cartridge; 22 1/8" round barrel with g. bright bore, sharply defined three-groove rifling, peppered with some fine pitting throughout; metalwork has developed a silver-grey finish with patchy plum patina on most parts, some fine pitting on muzzle half of barrel; mellow finish to brass furniture, some dark patchy staining; plain bevelled lockplate marked **J H MERRILL, BALTO.** / **PAT. JULY 1858.** / **APL. 9 MAY 21-28-61**, lock tail marked **1863**; makers name & patents marked again to top of breech lever; strong lock springs & sears, breech lever locks up tight; std. sights, saddle ring bar & ring to lhs. stock; walnut half stock presents well, some aged handling bruises & marks but retains vg. metal-to-wood fit; curved brass buttplate, top tang marked **U.S./ 8** / **75**; overall in vg. wo & f. to g. cond. #14588 **N/L** ***A very interesting carbine which was issued to cavalry regiments in the Union.*** **1500 - 1800**

325. **WILLIAM POWELL & SON '*LIFT-UP TOP LEVER*' S x S HAMMERLESS SHOTGUN:** 12G, original 2 3/4" chambered; 29 3/4" damascus barrels choked approx. 3/4 & 3/4; bright bores, vg. overall with some light pit peppering in chambers; strong browned finish to barrel with exc. pattern definition, presents exc.; silver-grey patina to action; top rib engraved ***WILLIAM POWELL & SON. 13. CARRS LANE, BIRMINGHAM.***; Birmingham proofs to barrel flats, ***Chambered for 2 3/4 Inch Cartridge*** engraved in scroll to bottom rib; 50% coverage of fine scroll engraving to action & small parts, ***WILLIAM POWELL & SON*** engraved to both sides of action, **POWELL'S PATENT** engraved to the distinctive top lever; action locks up tight with fore-end fitted, loose w/o; strong locks, manual safety with sunken gold **SAFE**; English straight stock & splinter fore-end have been professionally refinished, glossy finish showing off the nice walnut grain, re-cut chequering to side panels, wrist & fore-end is sharply defined; 14 1/4" LOP incl. the original chequered horn buttplate; 6lb 14oz weight; overall in g. wo & vg. cond. **#8818** L/R **2500 - 3000**

326. **FINE WINCHESTER MODEL 50 SEMI-AUTO SHOTGUN:** 12G, 2 3/4" chambered; 4 rnd. tube mag.; 30" barrel, full choked; exc. bright bore; 90%+ original gloss blued finish to metalwork presents exc., some minor handling wear to bottom of receiver thinning finish to grey; lhs. barrel marked with ***WINCHESTER*** trademarks, **MODEL 50 -12 GA- 2 ¾ CHAM**, **WINCHESTER PROOF STEEL**/ **FULL**; mechanically exc., bolt retracts smoothly, crisp springs & sears; sling swivels to forewood & butt; woodwork in g. to vgc., some light handling marks to walnut semi-pistol grip stock & fore-end, chequering is sharply defined; two surface scratches to rhs. butt at heel; original maker marked buttplate; overall in exc. wo & vg. cond. **#70624** Cat C L/R **1000 - 1300**

327. **INTERESTING REVIVALIST DOUBLE FLINTLOCK FOWLER by H. ABRAMS:** 19 bore approx.; 39 1/2" barrels with f. bores, dark & dusty but don't appear heavily pitted; grey patina to barrels with some minor dark staining in areas, grey patina to locks with traces of gold washed finish remaining; top of each barrel engraved ***H. ABRAHAMS & Co***, **ELG** Liege proofs marked to underside of barrels; ornately engraved breech ends of barrels, engraving extends on to locks & tangs; bright heavy relief brass furniture, various Trophée d'armes depictions incl. crown to ramrod thimble, a knight finial, cannons & shields to trigger guard & tang; strong lock springs & sears, matching swan neck cocks; retains ramrod; walnut half stock ornately carved with bearded man grotesque beneath right handed cheek piece, unusual woven pattern chequering to wrist & forestock are well-defined; brass buttplate with ornate heel tang; overall in g. wo & cond. **N/L** ***An ornate piece which was retailed by H. Abrahams & Co. of Melbourne c.1880-1890's, possibly ordered for the 1888 Melbourne Centennial Exhibition. An interesting bit of local history, would look brilliant over the mantlepiece.*** **2000 - 2500**

328. **FINE S.A. ISSUED H. HOLLAND ALBINI-BRAENDLIN MOD. 1867 RIFLE:** .577 Snider cal.; 36" round barrel with fine bore, bright & with crisp three-groove rifling; original blued finish to barrel has thinned to a patchy brown patina; lock & breech retain areas of vivid case colours thinning to an even grey patina elsewhere; mellow finish to brass furniture; **H. HOLLAND/ 98 NEW BOND ST.** marked to top of barrel, **BRAENDLIN-ALBINI/ PATENT/ No 2532** marked to top of breech; London **V** & **P** proofs to lhs. breech, & breech; mechanically v. strong action locks up tight, strong springs & sears; 5-8 graduated rear sight; retains square tipped steel ramrod; woodwork in g.+ condition, some surface handling marks & scattered light bruising but retain exc. metal-to-wood fit; markings incl. the Braendlin crossed flag trademark in front of lock nose are all well-defined; brass buttplate marked with crown/ **S A/ 1 3 1 4**; overall in exc. wo & g. to vg. cond. #2532 **N/L** **2000 - 2500**

329. **SWISS 'SCHMIDT-RUBIN' K11 STRAIGHT-PULL LONG RIFLE:** 7.5×55m/m cal.; 5 rnd. mag.; 30" barrel with vg. bright bore & sharply defined rifling; original blued finish to metalwork presents well thinning slightly on profiles, some minor staining; lhs. breech & barrel, bolt & mag. marked with serial no. **414085**; distinctive straight-pull bolt with bakelite handle & ring cocking piece; action cycles smoothly, strong springs & sears; 3-20 graduated tangent sights & blade front, fitted with brass muzzle cap; fitted with period Swiss marked leather sling; woodwork in g. cond., some handling marks & bruising overall; steel buttplate; overall in exc. wo & g.+ cond. **#414085** L/R ***A good, honest & matching numbers rifle for the Swiss collector.*** **1200 - 1500**

330. **FINE BRAZILIAN MAUSER MOD. 1935 B/A RIFLE:** 7×57m/m Mauser; 5 rnd. integral mag.; 30" barrel with fine, bright bore, crisp rifling; 99%+ blued finish to majority of metalwork, protected by layer of dried grease in many areas; some small parts retain vivid nitre blueing incl. trigger & bolt release; serial no. to lhs. of breech, Brazilian crest to top & **MOD. 1935** to rhs; **MAUSER-WERKE A.G. OBERDORF A/N** to lhs. of action; serial no. **5289** is marked to all externally visible parts incl. bolt, mag. floor plate, other small parts; matching bolt cycles freely, trigger crisp; std. tangent sights with 1 – 20 graduations; retains the steel cleaning rod & brass muzzle cap; sling swivels to trigger guard & barrel band, fitted with period leather sling; walnut stock in near exc. cond., a few superficial blemishes to finish & very light scuff to finish on lhs. stock, hard to fault otherwise; exc. metal-to-wood fit, profiles are crisp; polished steel buttplate; overall in exc. wo & near exc. cond. **#5289** L/R ***An incredibly well-preserved example, unissued condition.*** **1200 - 1600**

331. **CZ BRNO MOD. VZ 27 B/A MAUSER RIFLE:** 7.62×51m/m NATO cal.; 5 rnd. mag.; 24" barrel with exc. bright bore & sharply defined rifling; parkerized military finish to metalwork strong in areas, some dark areas on action & light wear on profiles; large **7.62** / CZ full name / **BRNO** to top of breech, **VZ 24** marked to lhs. action; matching no. bolt cycles freely, strong springs & sears; 1-20 graduated rear tangent sight & hooded front; K98 style hardwood stock is in exc. cond., profiles are crisp, a few minor handling marks but remains in unissued condition; cupped steel buttplate; fitted with leather sling; overall in exc. wo & vg. cond. **#V9646** L/R **600 - 800**

332. **19th CENTURY NEPALESE MATCHLOCK TORADOR MUSKET:** .52 cal.; 36 1/2" iron barrel with f. bore, would grade up with a clean; silvery grey patina to majority of metalwork, mellow finish to the four brass barrel bands; lhs. breech marked with Nepali / Devanagari script **श्री वाल्टर नई लन्का ४३८** which denotes the New Lanka Arsenal in Kathmandu; mechanically exc., match lock mechanism with strong springs, complete with pan cover, integral V-notch rear sight & copper bead front; hard wood forewood & butt are all in vg. cond., some light handling marks, metal-to-wood fit is vg.; steel cupped buttplate; overall in vg. cond. **N/L** #४३८ (438) ***A surprisingly high level of fit & finish for what are usually very primitive pieces.*** **1100 - 1500**

333. **18th CENTURY JAPANESE MATCHLOCK TANEGASHIMA LONG GUN:** .52 cal. approx.; 39" octagonal barrel with flared muzzle; p. bore; worn black painted finish to barrel, remainder with dark plum patina & pitting; dull mellow patina to brass lock & furniture; breech end of barrel inlaid in silver with a swamp motif, wavey wire inlay for the water below reeds; trigger sear needs work but lock spring retains g. tension, pan is pitted; primitive integral sights to barrel; missing ramrod nicely figured hardwood full stock in g. cond., some surface cracking & light handling marks but presents well; butt half of stock with extensive brass plate both sitting proud and inletted, brass engraved with floral & dragon motifs; overall in g. to vg. cond. **N/L** ***An impressive looking display piece*** **900 - 1200**

334. **SOUTH ASIAN MATCHLOCK TORADAR / JEZAIL MUSKET:** .62 cal.; 34" barrel, bulbus breech tapering down to a band before a flared muzzle, f. bore; grey patina to iron barrel, light pitting to majority; dull mellow patina to brass furniture, bands etc; lock functioning well, complete with swivel pan cover; plain forestock, butt with nicely figured hardwood inlaid with a variety of decorative brass & bone inlay; cupped brass buttplate with stamped circle bordering; overall in f. to g. cond. **N/L** **700 - 900**

335. **LONGBRANCH C NO. 4 MK. I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore & crisp rifling; strong military blued finish to metalwork, some light wear to profiles & surface marks but presents well; lhs. action marked **C No4 MK 1*/ LONG BRANCH / 1950**; matching numbers bolt cycles freely, strong springs & sears; 2-13 graduated rear sight; fitted with period green canvas sling; woodwork in vg. overall cond., a few scattered handling marks & light bruising but presents v. well; steel buttplate with trap, 50% patchy blued finish; overall in exc. wo & vg. cond. **#92L3609** L/R **700 - 1000**

336. **FINE WWII ERA LONGBRANCH NO. 4 MK. I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore & crisp two-groove rifling; strong military blued finish to metalwork, some minor handling marks but presents exc.; lhs. action marked **No4 MK 1*/ LONG BRANCH / 1943**; matching numbers bolt cycles freely, strong springs & sears; std. 300 & 600 flip up peep rear sight; fitted with period green canvas sling; woodwork in vg.+ overall cond., a few scattered handling marks & light bruising but presents exc., hard to fault; grey alloy buttplate with trap; overall in exc. wo & cond. **#35L9055** L/R ***In unissued condition.*** **900 - 1200**

337. **WINCHESTER MOD. 1894 LEVER ACTION RIFLE:** .32-40 Win. cal.; 6 rnd. full length mag.; 25 1/2" round replacement barrel with bright bore & sharply defined rifling, band of scoring towards muzzle, possibly mfg. imperfection; metalwork has been reblued, bearing a flat black refinish, fine pitting still present on majority of surfaces; top of barrel stamped **SIL-ROHU**, std. original Winchester markings to top tang & faint London proofs to lhs. action; action cycles freely, strong springs & sears; original semi buckhorn rear sight, replacement front sight; walnut straight stock & forewood in f. to g. overall cond., both refinished but bearing only light handling marks & bruising, some patchy finish; crescent steel buttplate; overall in g. wo & f. cond. **#130092** L/R ***An interesting rifle with some Australian history, original serial no. dates to c.1898 and was re-barrelled prior to 1945 by Sil Rohu in Sydney.*** **400 - 600**

338. **SWISS 'SCHMIDT-RUBIN' K11 STRAIGHT-PULL RIFLE:** 7.5×55m/m cal.; 5 rnd. mag.; 23 1/2" barrel with exc. bright bore & sharply defined rifling; original blued finish to metalwork presents well thinning slightly on profiles, some minor staining; lhs. breech & barrel, bolt & mag. marked with serial no. **207637**; distinctive straight-pull bolt with bakelite handle & ring cocking piece; action cycles smoothly, strong springs & sears; 3-15 graduated tangent sights & blade front, fitted with alloy muzzle cap & with period Swiss marked leather sling; woodwork in sound, f. to g. cond., some handling marks & bruising overall but confined mainly to rhs. butt; steel buttplate; overall in exc. wo & g.+ cond. **#207637** L/R **1000 - 1300**

339. **SCARCE ENFIELD SHT. LE MK. V B/A RIFLE:** 303 cal.; 10 rnd. mag.; 25 1/4" barrel with vg. bore & sharply defined rifling, some superficial frosting, still quite bright; blued finish to metalwork presents v. well overall, has darkened a little; body socket marked with cypher/ **G.R./ ENFIELD / 1922 / SHT LE / V**; breech rhs, nose cap & bolt marked **2614**; mechanically strong matching bolt cycles freely, strong sears & springs; retains magazine cut off; early design aperture style receiver mounted 'battle sight'; distinctive MK V style nose cap; woodwork in g.+ cond., some scattered handling marks & bruising but presents well; vacant brass disc inlaid to rhs. stock, brass buttplate with trap; fitted with period leather sling; overall in exc. wo & g.+ cond. **#2614** L/R ***A good honest & matching example of a relatively scarce rifle.*** **1400 - 1800**

340. **MIDDLE EASTERN SNAPHAUNCE LOCK JEZAIL MUSKET:** 17 bore approx.; 51" barrel, octagonal breech gradually tapering down to a round muzzle; p. bore; silver grey patina to iron lock & barrel, thin brass sheet wrapped around forestock & barrel to form continuous band; lock not holding but springs are strong, retains pan cover; brass V-notch rear sight & blade front; hardwood stock showing its age, cracks to lhs. & some general handling marks; woodwork has been decorated with various brass tacks, red coloured beads & carvings to head; overall in f. cond. **N/L** ***An impressive looking piece*** **700 - 900**

341. **OPERATIONAL M.A.N. MFG. MAXIM MG08/15 BELT-FED MACHINE GUN:** 7.92×57m/m Mauser cal.; 30" barrel incl. flash hider, f. to g. bore, needs a clean but rifling remains well-defined, some frosting; metalwork a mixture of grey & brown patina with light pitting to most external surface, presents well & markings remain sharply defined; water jacker with some patchy dark green paint remaining & some dents, bruising; top of receiver marked with large **6972** / **MG08/15** / **M.A.N.** / **NÜRNBERG** / **1917**; serial no. **6972** marked to several other parts & etched to underside rear of receiver; mechanically g. bolt handle to rhs. retracts freely, strong springs & sears; std. offset tangent sights with 5-20 graduations; fitted with trench bipod mount, swivels freely but externally pitted; woodwork in f. cond., grip a more recent replacement, stock bearing general handling marks & some cracks; butt has replacement section added in, chequering with some knocks & marks; overall in vg. wo & f. cond. **#6972** **Cat E / Dealers only** L/R ***A great piece of history. Usually only seen in museums, rarely offered for purchase and even rarer in operational condition. *Shipping to be organized by winning bidder****

7000 - 10000

342. **SCARCE BRITISH R.B. MK I. BOYS BOLT-ACTION ANTI TANK RIFLE:** .55 Boys cal.; 5 rnd. detachable box mag.; 36" barrel with usually nice bore, rifling remains sharply defined & bright overall, vg.+; phosphate / parkerized finish to majority of metalwork has thinned to a mottled grey patina, frame & magazine with strong Suncorite/ black enamel finish; lhs. of action marked **R.B. MkI F 5 32**; both sides of frame marked **DO NOT CRAMP HERE**; proofs & broad arrow marks to top of breech; matching numbers to frame & barrel; bolt cycles very smoothly, strong springs & sears; retains the distinctive round muzzle brake & monopod, std. offset sights, peep style rear & globe front; hard wood furniture is in g. to vg. cond., some light bruising & handling marks to grip, handle & cheek piece; leather wrapped soft rubber butt; overall in exc. wo & g. to vg. cond. **#C5354** L/R ***An unusually nice example of these behemoths. Cat B license required in Victoria. *Shipping to be organized by winning bidder****

5000 - 8000

343. **BRITISH ENFIELD RSAF MFG. BREN MK. I LIGHT MACHINE GUN & ANTI-AIRCRAFT TRIPOD:** .303 cal.; 30 rnd. magazine; 24" barrel incl. flared flash hider; sharply defined rifling, dark grooves & some fine pitting, f. to g. cond.; black phosphate/Parkerized finish to majority of metalwork incl. frame is strong, some handling marks & minor losses but strong overall; even grey finish to muzzle half of barrel & grey phosphate finish to breech half are lightly scored with vice marks; top of receiver marked with serial no. **BB5572**, marked again to barrel release handle; lhs. breech of barrel marked with Lithgow **star** & **A8121**; lhs. breech marked with British proofs; lhs. frame marked **MKI.** / **D** / **1943** / **A S R** below; mechanically strong, bolt retracts freely, strong springs & sears; std. offset sights to lhs; hardwood grip in f. cond., has been roughly cleaned back but still bearing bruising; butt in g. sound. cond., surface bruising & handling marks but presents well; rhs. butt marked with boxed **B** mark / broad arrow mark; steel buttplate; overall in vg. wo & g.+ cond. **#BB5572** **Cat E / Dealers only** L/R ***Bren comes with complete anti-aircraft tripod set up & period canvas protective cover. An incredible operational offering for the military collector when so many have been deactivated.***

15000 - 18000

344. **OPERATIONAL GENERAL MOTORS MFG. BROWNING M2 HEAVY MACHINE GUN:** .50 B.M.G cal.; belt fed; 36 1/2" barrel with vg. bright bore & sharply defined rifling; parkerized day grey finish to majority of metalwork, thinning to a plum patina in areas, some light pitting but presents well; rhs. of receiver marked **BROWNING MACHINE GUN CAL. 50 M2** / **MANUFACTURED BY** / **AC SPARK PLUG DIVISION – GENERAL MOTORS** / **FLINT, MICHIGAN U.S.A.** & serial no. **1870293**; serial no. marked again to top of receiver ahead of sights; mechanically strong, bolt cycles freely, strong sears to butterfly style trigger; **1 - 26** graduated rear sight with **YARDS** to the top; black bakelite handles in g. cond., retains carry handle to barrel; comes on standing mount with homemade base, ammunition can support bracket, ammo can & a full belt of inert / dummy sounds on links; overall in exc. wo & g.+ cond. **#1870293** **Cat E / Dealers only** L/R

15000 - 20000

345. **OPERATIONAL V.S.M. MFG. VICKERS BELT-FED MACHINE GUN, TRANSPORT CASE & TRIPOD MOUNT:** .303 cal.; 28" barrel with dark & dirty bore, caked with oxidation scale, would grade up but considered poor; armourers blued finish to metalwork presents well, some light handling marks & wear thinning finish to a grey patina, scattered patches of light pitting; **VSM** (Vickers, Sons & Maxim Ltd.) marked to several parks incl. receiver, cocking handle & water jacket; top of water jacket marked with large serial no. **H 5342**; Broad arrow & period British proofs/ inspection marks to several parts; bolt cycles freely, strong springs & butterfly style trigger sears; std. offset fixed peep sight & blade front, flip up 0 – 29 graduated rack & pinion sight; water jacket fitted with canvas head shield; walnut handles bearing some light handling marks & splits to lh grip; comes with hardwood transport chest & tripod; tripod marked **B.S. & Co No. 1927**, **DIAL DIRn Mk.II**; overall in g. cond. **#H5342** **Cat E / Dealers only** L/R **15000 - 20000**

346. **OPERATIONAL GENERAL MOTORS MFG. BROWNING M1919 A4 / L3A3/A4 BELT-FED MACHINE GUN & TRIPOD:** .30-06 Sprg. cal.; 26 1/2" barrel with vg. bright bore & sharply defined rifling; phosphate / parkerized finish to majority of metalwork presents well, some light handling marks & rub marks overall; lhs. receiver marked **NO. 364788 U.S. INSP RZC / BROWNING MACHINE GUN / U.S. CAL. 30** ~~M1919A4~~ **L3A3/A4 / MANFD BY SAGINAW STEERING GEAR DIV. / GENERAL MOTORS CORPORATION.**; mechanically strong , bolt retracts freely, strong springs & sears; flip up rear blade sight; perforated barrel shield; weld spot to lhs. receiver & vacant holes for sight; knurled alloy pistol grip in f. cond., some cracks & scuffs to blacked finish; comes on g. cond. WWII M2 ground tripod, marked **AMC / C59336**, matching finish, presents well; overall in exc. wo & vg. cond. **#364788** **Cat E / Dealers only** L/R ***A phenomenal offering, complete with 7.62 Nato barrel & spare .30-06, ammunition belts to the winning bidder. *Shipping to be organized by winning bidder**** **15000 - 18000**

347. **RHODESIAN / STH. AFRICAN LDP KOMMANDO SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 25 rnd. Uzi pattern mag.; 8" (204m/m) barrel with g. bore, rifling is sharply defined but grooves dirty with powder residue & leading, some light pitting visible; blued finish to metalwork, handling marks & surface scuffs to majority; small **P** within triangle mark to lhs. barrel & receiver; makers plaques to rhs. & lhs. of frame are missing; fires from open bolt, grip safety; strong springs & sears; **IMI** marked magazine; complete with folding wire stock; black polymer frame bearing general handling marks to surface but has cracked through the thin section of integral trigger guard; overall in vg. wo & f. cond. **#SV7890** Cat H L/R ***One of only 10,000 of these interesting pistols manufactured by Lacoste Engineering between South Africa & Rhodesia back in the 1970's.*** **1500 - 2000**

348. **SHORTENED MOSSBERG MOD. 500 ATP PUMP-ACTION SHOTGUN:** 12G, 3" chambered; 5 rnd. tube mag.; barrel shortened to 16", bore with patchy oxidation, f. cond.; thinning blued finish to steel parts, & some wear to black finish on alloy receiver; makers name & **NORTH HAVEN** address to underside of receiver; mechanically strong, action cycles freely, strong springs & sears; barrel & ventilated top rib has been sawed-off, no front bead; fitted with **Pachmayr** pump & pistol grip, chequered rubber furniture, factory designed & not been modified; overall in g. wo & f. cond. **#H534426** **Cat E / Dealers only** L/R **400 - 600**

349. **MILITARY ARMAMENT CORP. INGRAM MAC-10 SUB MACHINE GUN:** .45 ACP cal.; 30 rnd. mag.; 5 3/4" barrel with vg. bright bore & sharply defined rifling; original grey phosphate finish to metalwork, some minor handling marks overall & wear to finish on profiles but presents well & honest; rhs. frame marked with the makers trademark top rear corner, centre marked **INGRAM M10, CAL 45 AUTO / MILITARY ARMAMENT CORP / POWDER SPRINGS, GA, USA**; mechanically exc., strong main spring & sears, cocking piece to top of receiver, select fire selector to lhs. receiver & safety to rhs. of trigger; primitive std. sights, retains the telescopic skeleton stock & nylon swivelling foregrip; genuine maker marked 30 rnd. stick magazine; black polymer grip section to spine of mag. well; overall in exc. wo & g. to vg. cond. **#1-3 002263** **Cat E / Dealers only** L/R **12000 - 15000**

350. **SHORTENED MOSSBERG MOD. 500 A PUMP-ACTION SHOTGUN:** 12G, 3" chambered; 5 rnd. tube mag.; barrel shortened to 20 1/2", g. bright bore; strong blued finish to steel parts some handling marks & staining; minor marks to black finish on alloy receiver; makers name & **NORTH HAVEN** address to underside of receiver; mechanically strong, action cycles freely, strong springs & sears; barrel has been sawed-off, no front bead but retains factory rear sight; fitted with **PR-MO** black polymer pump & unbranded pistol grip; fitted with canvas sling to swivels; overall in exc. wo & g. cond. **#J671515** **Cat E / Dealers only** L/R **300 - 500**

351. **BLANK FIRE JIANSHE ARSENAL MOD. SKS SEMI-AUTO CARBINE:** 7.62×39m/m cal.; 30 rnd. mag.; 16 1/2" barrel has been threaded & plugged for use with blanks; strong original blued finish to metalwork, even grey finish to bolt; lhs. receiver marked with makers trademark, Cantonese markings, model & calibre; matching no. bolt cycles freely, strong springs & sears; std. 1-10 graduated tangent sight & globe style front; retains folding bayonet & cleaning rod; hardwood stock & handguard g. sound cond., stock has been shortened & fitted with pistol grip, some movement in fitting; overall in g. cond. #**2309550** **Cat E / Dealers only** L/R ***Ideal for a movie or television armourer.*** **250 - 500**

352. **AUSTRALIAN WARWICK FIREARMS MOD. WFM5 SUB MACHINE GUN:** 9×19m/m Luger cal.; 30 rnd. mag.; 10" barrel with bright bore & sharply defined rifling; unusual style rifling; matte black finish to metalwork presents exc., a few spots of minor wear to moving parts but presents exc.; lhs. mag. well marked **Cal. 9mm x 19** / **Mdl. WFM5**, rhs. marked with serial no. **WAFM1100116** / Warwick Firearms cannon motif trademark; mechanically strong, bolt retracts freely, strong springs & sears, fires from a closed bolt; fire rate selector to lhs. of polymer frame/ furniture; H & K MP5 style rotatory rear peep sight & large globe front sight; integral torch to front of handguard, unknown working order; black polymer grip & subframe in vgc., some light handling marks; collapsable polymer stock with some minor handling marks; overall in exc. wo & vg. cond. **#WAFM1100116** **Cat E / Dealers only** L/R ***Rare to find operational examples of any submachine guns in Australia.*** **12000 - 15000**

353. **CASED WILLIAM FORD SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 1/2" chambered; 27" barrels choked approx. 1/2 & full; exc. bright bores; v. strong blued finish to barrels, silvery grey patina to action & locks with some faint case colours in areas, blued finish to top lever & small parts; finishes present exc.; top rib engraved ***WILLIAM FORD. 15 ST. MARY'S ROW BIRMINGHAM.***, barrel flats marked with **3 TONNES PER** (square inch) **"** Birmingham proofs, **2 1/2" .729**; action & locks with full coverage of the fine acanthus scroll relief engraving, beaded borders engraving & ***WILLIAM FORD*** within scroll banner to centre of both locks; action locks up tight & on face, strong nine pin locks & well-timed ejectors, manual safety with gold inlaid **SAFE**; English straight stock & splinter fore-end are in vg. cond., superbly figured walnut bearing only a few minor handling marks overall; chequering to wrist & fore-end is sharply defined, as are the tear drops to lock tails; exc. metal-to-wood fit, stocked to the fences; rose gold escutcheon to stock engraved with initials D G; 14 1/4" LOP incl. leather wrapped recoil pad, 6lb 8oz weight; comes in vgc. oak & leather fitted case, relined green felt with **WILLIAM FORD** paper facsimile trade label, maker marked snap caps, a nickel oil bottle, contemporary cleaning rods; overall in exc. wo & vg. cond. **#12293** L/R **9000 - 10000**

354. **IMPRESSIVE CASED JOHN RIGBY & Co S x S DOUBLE RIFLE:** .275 Rigby (7×57m/m Mauser) cal.; 24" barrels with vg. bores & well-defined rifling; rifle has undergone significant restoration, reblued finish to barrels & small parts is strong, vivid case colours to action; finishes present exc., bearing only the slightest storage marks; top of right barrel engraved **John Rigby & Co. (Gunmakers)**, top of lh barrel engraved **BY APPOINTMENT TO HM King George VI**; top of rib engraved **275 (No.2) MAGNUM AMMUNITION**; makers name again engraved to sides of action; barrel flats marked with original London **V** & **P** proofs along with more recent British **NITRO PROOVED** stamps; calibre markings have been re-stamped; 50% coverage of scroll engraving to action & tangs; action locks up tight & on face, strong springs & sears, auto safety; three-quarter rib, fitted with dovetail scope mount & dovetailed with express sights, one standing & two folding, each with gold inlay sighting lines; brass bead front blade side on ramp; comes with **aus Jena DDR ZF4/S** scope on rib mount; clear optics, classic German reticle #1; restocked with some light but nicely figured walnut, semi-pistol grip stock with cheekpiece, splinter fore-end; woodwork is exc. & chequering is sharply defined; 14 3/4" LOP incl. 1" rubber recoil pad, 9lb 9oz weight; comes in contemporary fitted oak & leather case with a variety of accessories, facsimile trade label & green felt lining; case contains four oil bottles, turn screws & striker wrench; overall in exc. wo & cond. **#55022** L/R **7000 - 9000**

355. **CASED WILLIAM POWELL & SON BOXLOCK EJECTOR S x S SHOTGUN:** 12G, 2 3/4" chambered; 30” barrels choked approx. full & full; exc. bright bores; original blued finish to barrels, thinning from handling wear to sides of barrels to a grey patina, action retains 40%+ vivid case colours; ***WM POWELL & SON*** engraved to top of rh barrel, ***CARRS LANE BIRMINGHAM*** to lh; name again to sides of action with 60% coverage of crisp acanthus scroll engraving; Birmingham **1 1/4OZ NITRO PROOF** marks to barrel flats; action locks up with some movement, strong locks & well timed ejectors; side clips, Greener cross bolt, auto safety with silver inlaid **SAFE**; quality replacement walnut stock with bag style grip, splinter fore-end, sharply defined chequering; 14 1/2" LOP & 7lb 13oz weight; original chequered butt; comes with generic, period canvas case & some accessories; overall in g. wo & g.+ cond. **#15003** L/R **600 - 900**

356. **CASED ARMY & NAVY C.S.L. BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 1/2" chambered; 28” barrels choked approx. half & full; vg. bright bores, some frosting; blued finish to barrels is worn, thinning to a silvery-grey patina, some case colours remain on action; ***ARMY & NAVY C.S.L.*** engraved to top rib, name again to action; London **V** & **P** proofs to barrel flats; light coverage of fine scroll engraving to action & small parts; action locks up tight, dolls head extension, auto safety & strong locks with double triggers; walnut splinter fore-end & English straight stock are f., chequering to fore-end is worn, rhs. of wrist has had a period silver plate reenforced repair, some light handling marks & bruising elsewhere; 14 3/8” LOP incl. the original grooved horn buttplate (missing both screws); comes in the original canvas & green baize lined carry case with **Army & Navy Co-operative Society / NO.8 GUN DEPARTMENT** paper trade label; label has been marked **R W FREEMAN / HOBART** in pen; case in f. cond., comes with period cleaning rods; overall in vg. wo & f. to g. cond. **#17595** L/R ***An honest gun with some interesting history. Worth getting the A & N records from University of Glasgow.*** **400 - 600**

357. **CASED E.M. REILLY & Co. S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30” damascus barrels choked approx. 1/2 & full; exc. bright bores; strong re-browned finish to barrels, g. pattern definition; grey patina to locks & action with areas of strong case colours; top rib engraved ***E.M. REILLY & Co 16 NEW OXFORD ST. LONDON.***; barrel flats marked with London **V** & **P** proofs; 40% .coverage of sharply defined scroll engraving to locks & action ***E.M. REILLY & Co*** engraved to both locks; rebounding back-action locks are strong, matching hammers; action locks up tight & on face, dolls head extension; English straight stock & splinter fore-end are in vg. cond., some v. minor handling marks overall but metal-to-wood fit is exc., chequering to wrist & fore-end is v. well-defined; 14 1/4" LOP incl. the original grooved horn buttplate, 6lb 8oz weight; comes in the original solid oak case, g. to vg, overall cond., original green baize lining, **E.M. REILLY** paper trade label & **CHARGE** sheet; top of lid marked J**.W. FOWELL**; overall in exc. wo & vg. cond. **#34655** L/R **2250 - 2500**

358. **CASED WILLIAM POWELL & SON BOXLOCK EJECTOR S x S SHOTGUN:** 12G, 2 3/4" chambered; 30” barrels choked approx. 1/2 & 3/4; exc. bright bores; original blued finish to barrels, thinning from handling wear to sides of barrels to a grey patina, action retains 40%+ vivid case colours; ***WM POWELL & SON*** engraved to top of rh barrel, ***CARRS LANE BIRMINGHAM*** to lh; name again to sides of action with 60% coverage of crisp acanthus scroll engraving; Birmingham **1 1/4OZ NITRO PROOF** marks to barrel flats; mechanically strong, action locks up tight, strong locks; side clips, Greener cross bolt, auto safety with silver inlaid **SAFE**; walnut stock with bag style grip, splinter fore-end, some light handling marks & grazes to otherwise well-defined chequering on grip; 14 1/2" LOP & 7lb 13oz weight; original chequered butt; comes with generic, period canvas case & some accessories; overall in exc. wo & g.+ cond. **#15016** L/R ***A big, solid live pigeon gun. Ready for the field or clay club.*** **1500 - 1800**

359. **CASED CHARLES LANCASTER SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 3/4" chambered; 30” barrels choked approx. cyl & full; blued finish to barrels has developed a dark appearance, some light handling wear overall; locks & small parts with mottled grey patina; top rib engraved ***CHARLES LANCASTER, PLAIN HAMMERLESS***, barrel flats marked with London **V** & **P 1 1/4**oz **NITRO PROOF** marks and **VICKERS STEEL**; 30% coverage of defined scroll engraving to border engraved action & locks; action locks up tight, strong & well-timed ejectors, Greener style cross bolt, auto safety; English style straight walnut stock & dainty splinter fore-end are in vg. cond., some light handling marks overall, chequering to wrist & fore-end are well-defined; 14 1/2" LOP incl. 1” walnut extension, 6lb 7oz weight; comes in period tropical fitted case with **CHARLES LANCASTER** trade label; g. green baize lining & comes with two-piece cleaning rod, oil bottle; overall in exc. wo & g.+ cond. **#13416** L/R **1600 - 1800**

360. **CASED I. HOLLIS & SONS BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & extra full; bright bores, vg.+; gun retains strong original blued finish to barrels & areas of vivid case colours on action; ***I. HOLLIS & SONS. BIRMINGHAM & LONDON*** engraved to top of file cut rib, barrel flats marked with Birmingham **1 1/4OZ NITRO PROOF** marks; light coverage of defined scroll engraving to action; carved ball fences, side clips; action locks up tight w/ fore-end but slightly loose w/o, strong spring & sears, auto safety; walnut stock & fore-end present v. well, bearing some light handling marks; chequering to bag style grip & fore-end is sharply defined, vg. metal-to-wood fit; 14 1/2" LOP incl. original grooved buffalo horn buttplate; comes in basic period canvas case; overall in vg. wo & g. to vg. cond. **#115821** L/R **700 - 900**

361. **CASED SABATTI CLASSIC BIG FIVE MOD. S x S EXPRESS DOUBLE RIFLE:** .500 Nitro Express cal.; 24" barrels with exc. bright bores & sharply defined rifling, factory test fired only; gloss blued finish to barrels is exc.; action & sideplates with satin silver finish; makers name & address, **Mod. CLASSIC BIG FIVE Cal. 500 N.E.** marked to top lh barrel, importer marks to rh barrel; acanthus scroll engraving to action, with lion to lhs, buffalo to rhs. & elephant to underside of action; arcaded carved fences; action locks up v. tight, strong ejectors; double triggers; quarter rib dovetailed with express sights, unmarked fixed & two folding leaf's; exc. cond. walnut stock, semi-pistol grip with skeleton grip carp, semi beavertail fore-end with Schnabel style tip; cheekpiece to lhs. stock; 15" LOP inc. the much needed 1" rubber recoil pad; comes in its original maker marked hard plastic carry case; overall in exc. wo & new cond. **#139070** L/R ***Suit new gun buyer.*** **9000 - 12000**

362. **CASED W.W. GREENER BLUEROCK BOXLOCK EJECTOR SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 3/4 & full; vg. bright bores with some superficial frosting; original blued finish to barrels presents decent, honest storage wear thinning finish to a grey patina to sides of barrels at breech end, grey patina to action with some faint case colours in areas; top of rh barrel engraved **W.W. GREENER, MAKER** & **40, PALL MALL, LONDON WORKS BIRMINGHAM** to top of lh barrel; the distinctive pigeon motif engraved to top rib ahead of top rib flute at breech; 40% coverage of well-defined acanthus scroll to action, **W.W. GREENER** engraved within banner to both sides of action; Birmingham **1 1/4 OZ NITRO PROOF** marks to barrel flats; action locks up tight & on face, well timed ejectors; Greener cross bolt & side safety; walnut splinter fore-end & stock with Prince-of-Wales style grip, chequering to both is well-defined; woodwork bearing a few light handling marks but in vg. overall cond.; buffalo horn fore-end tip & grip cap; 14 5/8" LOP incl. an older 1" ventilated rubber recoil pad; comes in older, f. cond. solid leather case with **C.B. VAUGHAN** gold embossed trade label; overall in exc. wo & g.+ cond. **#75297** L/R **2000 - 2500**

363. **CASED HAMMOND BROS BOXLOCK EJECTOR S x S SHOTGUN:** 12G, 2 3/4" chambered; 30 1/4" barrels choked approx. 1/2 & 3/4; vg. bright bores; strong blued finish to barrels, finish to small parts showing some light wear; areas of strong case colours to action; top rib engraved ***HAMMOND BROS PATENTEES, WINCHESTER.***; Birmingham proofs to barrel flats; border engraved action with makers name to both sides; top lever inlaid with silver **PATENT EJECTOR**; action locks up tight & on face, well timed ejectors & manual safety; English style walnut straight stock & splinter fore-end, woodwork presents well & has been refinished, chequering has been recut; some light handling marks; nicely figured walnut, retains exc. metal-to-wood fit; 14 1/8" LOP incl. original horn buttplate, 6lb 11oz weight; comes in period solid leather brass-corned case with red baize lining & **HAMMOND BROS** paper trade label; overall in exc. wo & vg. cond. **#7505** L/R **800 - 1200**

364. **CASED 1 of 1000 LIMITED EDITION BERETTA SILVER PIGEON 686 U/O SPORTING SHOTGUN:** 12G, 3" chambered; 30" barrels with ventilated top & mid rib, fitted with extended interchangeable chokes; blued finish to barrels, still retain their protective stickers, silver coin finish to action; **SPORTING** / chambering / **GARDONE** address to lhs. breech; top tang marked with serial no. & **1 of 1000**; limited edition model game bird & scroll engraving pattern to action; mechanically exc., still retains all the jewelling to breech of barrels; grade III walnut semi-pistol grip stock & Schnabel tip fore-end; woodwork presents flawless; 14 3/4" LOP incl. original 7/8" rubber recoil pad; comes in the original blue plastic hard shell case with spare chokes & tools; overall in exc. wo & as new cond. **#AUS20749** L/R ***A brand new gun taken out of the original plastic sleeves to be catalogued.*** **2500 - 3000**

365. **EARLY CASE STEPHEN GRANT S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30" damascus barrels, unchoked; bright bores, patchy light pitting throughout both & some scattered moderate pitting; plum grey patina to barrels with g. damascus pattern definition, grey patina to remainder of metalwork; ***STEPHEN GRANT. 67 ½ ST JAMES'S STREET LONDON.*** engraved to top rib followed by **2**; London **V** & **P** proofs to barrels flats & action tables; 70% coverage of the best quality scroll engraving to action & locks, **S. GRANT.**; matching dolphin style hammers, non-rebounding locks, ornate percussion fences; strong lock springs & sears; Jones underlever action locks up with some movement; repair to bottom tang; original walnut splinter fore-end in g. cond., chequering showing wear; plain replacement stock with bag style grip; vg. cond., only minor handling marks & some wear to finish; original steel buttplate with border engraving & **2** to centre; comes in the original oak & leather, brass cornered case with the original **STEPHEN GRANT** paper trade label & **CHARGES** paper sheet; red baize lining with sound partitions; **S G S** embossed to lid; 14 3/8" LOP & 7lb weight; overall in g. wo & cond. **#3208** L/R ***Was a best quality hammer gun back in the day.*** **800 - 1200**

366. **TURKISH BUSHMEISTER BA-X12 LEVER-RELEASE SHOTGUN:** 12G, 5 rnd. tube mag.; 20" barrel with ventilated top rib & interchangeable choke; exc. bore; satin silver coloured finish to metalwork, some minor storage marks; makers name marked to barrel, model to receiver; bolt cycles freely, strong springs & sears, lever release to rhs; black synthetic fore-end & semi-pistol grip stock with rubber recoil pad; overall in exc. wo & cond. **#65-H22YT-007157** Cat B L/R **400 - 600**

367. **W.C. CARSWELL BOXLOCK EJECTOR S x S GAME SHOTGUN:** 12G, 2 1/2" chambered; 25" barrels unchoked, cyl. & cyl.; vg. bright bores; strong blued finish to barrels & small parts, silver-grey finish to action; v. thin game rib engraved ***W.C. CARSWELL. 4. CHAPEL STREET. LIVERPOOL.***; Birmingham **1 1/8**oz **NITRO PROOF** marks to barrel flats; large & sharply defined acanthus scroll pattern engraved to action, ***W.C. CARSEWELL*** to both sides; action locks up tight, strong locks & well-timed ejectors; walnut straight stock & splinter fore-end, has been refinished & presents well overall; chequering to wrist & fore-end & lightly defined, some light bruising; head of stock with older professional screw fastening repair; 14 3/4" LOP incl. 1" bakelite buttplate, chequered butt; 6lb weight; comes in older wooden case, has been modified to suit the gun; overall in exc. wo & g. cond. **#6407** L/R ***An interesting little gun sharing many features & almost certainly inspired by the Churchill 25's of the time.*** **1400 - 1600**

368. **CASED T. WILD BOXLOCK N.E. S x S WILDFOWLING SHOTGUN:** 12G, 3" chambered; 30" barrels choked approx. full & full; vg. bright bores; original blued finish to barrels is thinning to a grey patina at breech end but presents well with honest wear; areas of strong case colours remain on action; file cut top rib with **T.WILD WHITALL STREET. BIRMINGHAM** inlaid in gold, **HITALL** inlaid to top lever; 90% coverage of crisp acanthus scroll engraving to action, small **T. WILD** engraved to both sides; Birmingham **1 1/4**oz **NITRO PROOF** marks to barrel flats; action locks up with some minor movement, Greener cross bolt, strong locks & auto safety with gold inlaid **SAFE**; stock with bag style grip & splinter fore-end, nicely figured walnut is bearing a few handling marks, bruises but tear drops, chequering to grip & fore-end are all v. well-defined; 14 1/8" LOP incl. original grooved horn buttplate, buttplate has three drill holes; exc. metal-to-wood fit; 8lb 2oz weight; comes in period solid leather, brass-corned case with maroon baize lining; overall in g. wo & g.+ cond. **#I3588** L/R ***A better quality boxlock, would grade up.*** **800 - 1200**

369. **CASED F.N. BROWNING B25 A GRADE O/U SHOTGUN:** 12G, 2 3/4" chambers; 30" barrels choked approx. 3/4 & full; vg. bright bores; original blued finish to metalwork, thinning to a plum patina on underside of action but strong overall; lhs. top barrel marked with F.N. full name & **HERSTAL** address, rhs. marked with **MADE IN BELGIUM BROWNING PATENT**; border engraved action & tangs; action locks up with some movement, strong lock springs & sears, single trigger, weak but well-timed ejectors; wide trap rib; walnut stock with Monte Carlo comb, wide fore-end both present v. well, some light handling marks overall & bruise to lhs. fore-end; chequering to fore-end & bag style pistol grip is well-defined; 14 3/8" LOP incl. 1" ventilated rubber recoil pad; comes in generic period canvas case; overall in exc. wo & vg. cond. **#54887 S6** L/R **600 - 800**

370. **CASED SAKO P04R QUAD BOLT-ACTION RIMFIRE SET:** .17 HMR cal. fitted; 22 1/4" barrel with threaded muzzle cap, exc. bore, rifling sharply defined but needs a patch run through it; strong blued finish to metalwork incl. other barrels, some minor spotted blemishes but presents well; lhs. action marked **SAKO P04R** / **757742**; bolt cycles freely, strong springs & crisp trigger sear; fitted with factory scope marked **BURRIS 3X – 9X SAKO QUAD**, clear optics, on two-piece mounts; black synthetic stock bearing a few handling marks & scuffs; comes in the original foam lined alloy carry case, **SAKO** quad trademark to lid; case contains the three additional barrels in **22 Win. Mag.**, **17 Mach 2** & **22 LR**, all with exc. bores & sharply defined rifling, marked with makers name; spare mag & sling in case; overall in exc. wo & g.+ cond. **#757742** Cat A L/R ***A great little set, four guns in one. Would clean up as it has had some mould spotting on surface.*** **1250 - 1500**

371. **CASED COGSWELL & HARRISON 'AVANT TOUT' B.L.E SMALL BORE SHOTGUN:** 16 Gauge, 2 1/2" chambered; 28" barrels choked approx. cyl & 1/4; vg. bright bores, some minor rivelling in lh barrel; strong reblued finish to barrels & small parts, some minor storage marks; silver-grey patina to action; top rib engraved ***COGSWELL & HARRISON LTD. THE AVANT TOUT. 141 NEW BOND ST. & 226 STRAND. LONDON***; action with 70% coverage of acanthus scroll engraving, makers name to both sides; London **V** & **P NITRO PROOF 1OZ** marks to barrel flats; assisted opening action locks up tight & on face, well timed ejectors, auto safety; walnut straight stock & splinter fore-end, has been lightly refinished & presents well, re-cut chequering to wrist & fore-end is sharply defined; 14 3/4 LOP incl. 5/8" rubber recoil pad, 5lb 13oz weight; comes in fitted, period canvas case with ***Cogswell*** facsimile trade label; case in g. cond., maroon baize lining showing some wear; overall in vg. wo & g. to vg. cond. **#26172** L/R **1200 - 1500**

372. **ADLER MOD. A-110 LEVER-ACTION SHOTGUN:** 12G, 3" chambered; 4 rnd. tube mag.; 22" barrel, looks to have been shortened; g. bright bore with sharply defined rifling, needs a clean; matte black finish to metalwork, some light handling marks; makers name named marked to lhs. barrel, model & trademarks to action; action cycles freely, strong springs & sears; picatinny rail to top of barrel, running over receiver; black synthetic stock & fore-end, rubber recoil pad; overall in exc. wo & g.+ cond. **#TH715-20L-AU04816** Cat B L/R **250 - 400**

373. **CASED DESERT TECH. MODEL SRS COVERT B/A RIFLE:** .300 Win. Mag.; 5 rnd. mag.; 20 1/2" barrel incl. muzzle brake, exc. bright bore & sharply defined rifling; matte black finish to metalwork bearing only light handling marks, presents exc.; rhs. frame marked **DT SRS COVERT DESERT TECHNOLOGY & MFG LLC WVC**, **UT**, serial no.; lhs. marked **US**, patents & **MULTI-CALIBRE**; bullpup design, bolt cycles freely, crisp trigger; integral picatinny rail to length of frame; beige synthetic stock, some light handling marks but in exc. cond.; adjustable cheek rest, perished padding has gone sticky; comes in an impressive & solid fitted carry case with five additional magazines & two threaded faux suppressors, neither with any internals; overall in exc. wo & vg. cond. **#SRS002931** L/R ***An impressive outfit, has seen little use.*** **3500 - 4000**

374. **TURKISH BUSHMEISTER BA-X12 LEVER-RELEASE SHOTGUN:** 12G, 5 rnd. tube mag.; 20" barrel with ventilated top rib & interchangeable choke; exc. bore; satin silver coloured finish to metalwork, some minor storage marks; makers name marked to barrel, model to receiver; bolt cycles freely, strong springs & sears, lever release to rhs; black synthetic fore-end & semi-pistol grip stock with rubber recoil pad; overall in exc. wo & cond. **#65-H22YT-007155** Cat B L/R **400 - 600**

375. **TURKISH BUSHMEISTER BA-X12 LEVER-RELEASE SHOTGUN:** 12G, 5 rnd. tube mag.; 20" barrel with ventilated top rib, interchangeable choke; exc. bright bore; matte black finish to metalwork; makers name marked to barrel, model to receiver; bolt cycles freely, strong springs & sears, lever release to rhs; walnut semi-pistol grip stock & fore-end in near exc. cond., some minor handling marks but hard to fault; black rubber recoil pad; overall in exc. wo & near exc. cond. **#65-H22YT-004356** Cat B L/R **400 - 600**

376. **FINE BOXED COMMEMORATIVE JOHN WAYNE WINCHESTER MOD. 94 CARBINE & CARTRIDGES:** .32-40 Win. cal.; 5 rnd. full length tube mag.; 18 1/2" rnd. barrel with exc. bore & crisp rifling, vendor advises rifle is unfired; glossy blued finish to barrel, mag. tube, bolt & trigger presents exc.; silver coin finish to action & tangs presents flawless; lhs. of barrel marked with ***WINCHESTER*** trademark, **NEW HAVEN** address & **MODEL 94 32-40 WIN.**, rhs. marked **JOHN WAYNE COMMEMORATIVE** retaining all the silver paint; the Duke's signature stamped to top tang; stage coach & horseback scenes engraved to sides of action with the Dukes film titles as bordering; std. semi buckhorn rear sight, pinched blade front; saddle ring to lhs. of receiver; mechanically exc., distinctive large loop lever; screw heads untouched; woodwork exc., well figured straight walnut stock, satin finish; sharp chequering to wrist & fore-end; **John Wayne** medallion inlaid to rhs. of stock, curved steel buttplate with gloss blued finish; comes in the original matching no. polystyrene box & carboard sleeve, both in f.+ cond.; overall the carbine in exc. wo & as new cond. **#JW 31345** L/R ***Rifle comes with an original packed of John Wayne Commemorative .32-40 ammunition (pick up only.), commemorative Winchester catalogue, genuine Winchester saddle ring leather 'thong'.*** **2250 - 2500**

377. **FINE BOXED SHERIFF BAT MATHERSON COMMEMORATIVE WINCHESTER MOD. 94 CARBINE:** .30-30 Win. cal.; 6 rnd. tube mag; 20" round barrel; exc. bright bore & crisp rifling, appears unfired; strong blued finish to barrel, mag. & some small parts; silver finish to action, barrel bands & lever is strong, 99%+ with only some brown patina developing in protected areas; scroll engraved receiver with shoot out scene to lhs, rhs. with Western town, cavalry scout scenes; two-line ***WINCHESTER*** **NEW HAVEN** address to lhs. of barrel, rhs. of barrel with ***Sherif Bat Matherson***; mechanically exc., strong springs & sears, saddle ring to lhs. receiver; cloverleaf rear sight & tapered brass blade front; woodwork exc., hard to fault; straight stock & forewood with crisp chequering, rhs. stock inlaid with silver Bat Matherson medallion; curved blued buttplate retains all its finish; comes in the original carboard sleeved polystyrene packaging, a bit tatty at the ends but presents well still; overall in exc. wo & cond. **#BM7184** L/R **1200 - 1500**

378. **BOXED WELLS FARGO COMMEMORATIVE WINCHESTER MOD. 94 S.R. CARBINE:** .30-30 Win. cal.; 6 rnd. full-length tube mag.; 20" round barrel with exc. bright bore & crisp rifling, almost certainly unfired; blued finish to barrel, magazine & small parts showing no wear, some oxidation staining & fine pits running along barrel where metal meets forewood; silver finish to action has tarnished to an even grey patina overall; two-line ***WINCHESTER*** trademark, **NEW HAVEN** address marked to lhs. barrel, rhs. marked **"Wells Fargo & Co 1852 – 1977"**; stagecoach scene to lhs. receiver, **W.F. & CO. 1852 1977** marked to rhs. with bank motif; mechanically exc., strong springs & sears, flat top rear sight & pinched blade front; saddle ring to lhs. action; nicely figured walnut straight stock & fore-end, chequering to both is sharply defined; varnished finish to woodwork is 'fracturing' & lifting, only trace amounts of handling marks; rhs. stock inlaid with **WELLS FARGO & CO** silver medallion; curved steel buttplate; carbine comes in its original polystyrene packaging & g. cond. cardboard sleeve; overall in exc. wo & near vg. cond. **#WFC02065** L/R **900 - 1200**

379. **SCARCE BOXED CAPTAIN COOK COMMEMORATIVE WINCHESTER MOD. 9422 XTR. L/A RIFLE:** .22 WMR cal.; 10 rnd. tube mag.; 20" barrel with exc. bore & sharp rifling, looks to be unfired; silver finish to action, glossy blued finish to barrel, mag & other small parts; finishes to metalwork show no wear but silver finish to action has developed a grey & blue mottled tarnished patina, no pitting or oxidation staining evident; two-line ***WINCHESTER*** trademark, **NEW HAVEN** address to lhs. barrel; acanthus scroll hand engraving to action, ***Botany/ Bay/ 30.4.1770*** to lhs. action, map of Australia **Terra Australis** to rhs. & ***Discovery 1 Capt James Cook*** engraved to top of action; mechanically exc., strong springs & sears std. 'clover leaf' rear sight & hooded front; walnut straight stock & fore-end, crisp chequering to both & in perfect cond.; original maker marked chequered buttplate; comes in its original Winchester carboard box with manuals & certificates; sticker to base of box marked **98/100** overall in overall in exc. wo & cond. **#F509173** L/R ***A very nice untouched & unfired examples of these Australian commemorative rifles.*** **2500 - 3000**

380. **VERY FINE BOXED ANNIE OAKLEY COMMEMORATIVE WINCHESTER MOD. 9422 XTR. L/A RIFLE:** 22 LR cal.; 15 rnd. tube mag.; 20" barrel with exc. bore & sharp rifling, looks to be unfired; gold finish to action lever & bands, glossy blued finish to barrel, mag & small parts; finishes to metalwork present flawless, 99%+ blueing & gold finish remain; two-line ***WINCHESTER*** trademark, **NEW HAVEN** address to lhs. barrel, **ANNIE OAKLEY COMMEMORATIVE** marked to rhs; acanthus scroll engraving to action, horseback shooting scene to lhs, Oakley's portrait to rhs; strong springs & sears std. 'clover leaf' rear sight & hooded front; beautifully figured walnut stock with gloss piano finish, presents exc., some trace storage marks but hard to fault; original maker marked chequered buttplate; comes in its original mfg. marked carboard box with receipts & certificates; overall in exc. wo & cond. **#AOK1055** L/R ***A lovely example, complete with GENUINE AMERICAN WALNUT sticker to underside of the butt & makers ANNIE OAKLEY tag still on the lever.*** **2000 - 2500**

381. **FINE BOXED COMMEMORATIVE JOHN WAYNE WINCHESTER MOD. 94 CARBINE:** .32-40 Win. cal.; 5 rnd. full length tube mag.; 18 1/2" rnd. barrel with exc. bore & crisp rifling, appears unfired; glossy blued finish to barrel, mag. tube, bolt & trigger presents exc.; silver coin finish to action & tangs presents flawless; lhs. of barrel marked with ***WINCHESTER*** trademark, **NEW HAVEN** address & **MODEL 94 32-40 WIN.**, rhs. marked **JOHN WAYNE COMMEMORATIVE** retaining all the silver paint; the Duke's signature stamped to top tang; stage coach & horseback scenes engraved to sides of action with the Dukes film titles as bordering; std. semi buckhorn rear sight, pinched blade front; saddle ring to lhs. of receiver; mechanically exc., distinctive large loop lever; screw heads untouched; woodwork exc., well figured straight walnut stock, satin finish; sharp chequering to wrist & fore-end; **John Wayne** medallion inlaid to rhs. of stock, curved steel buttplate with gloss blued finish; comes in the original matching no. polystyrene box & carboard sleeve, both in g.+ cond.; overall the carbine in exc. wo & cond. **#JW 30070** L/R ***Rifle comes with commemorative Winchester catalogue, genuine Winchester saddle ring leather 'thong'.*** **1500 - 2000**

382. **CASED COMMEMORATIVE GREAT WESTERN ARTISTS WINCHESTER MOD. 1894 L/A RIFLE:** 30-30 Win. cal.; full length tube mag.; 20" rnd. barrel with exc. bright bore & crisp rifling, looks to be unfired; silver coin finish to action & bands, gloss blued finish to remainder of metalwork; finishes bearing no handling wear, some scattered speckles of surface oxidation on action, would clean up well; two-line ***WINCHESTER*** trademark, **NEW HAVEN** address to lhs. barrel, ***Great Western Artists I*** marked to rhs; acanthus scroll engraving to action, **HOFFMAN HOTEL** horseback brawl scene to lhs. & horseback Indian hunting bison to rhs; mechanically exc., strong springs & sears; flat top rear sights & hooded front; walnut stock in exc. cond., sharp chequering to wrist & fore-end; chequered butt; comes in vgc. **WINCHESTER** fabric case with red felt lining & the two original picture frames; overall in exc. wo & g. to vg. cond. **#4940231** L/R ***Would grade up significantly with some delicate cleaning, remains a fine, unfired example.*** **1200 - 1500**

383. **CASED COMMEMORATIVE GREAT WESTERN ARTISTS WINCHESTER MOD. 1894 L/A RIFLE:** 30-30 Win. cal.; full length tube mag.; 20" rnd. barrel with exc. bright bore & crisp rifling, looks to be unfired; silver coin finish to action & bands, gloss blued finish to remainder of metalwork; finishes bearing no handling wear, scattered speckles of surface oxidation, on receiver but confined almost entirely to rhs; two-line ***WINCHESTER*** trademark, **NEW HAVEN** address to lhs. barrel, ***Great Western Artists I*** marked to rhs; acanthus scroll engraving to action, **HOFFMAN HOTEL** horseback brawl scene to lhs. & horseback Indian hunting bison to rhs; mechanically exc., strong springs & sears; flat top rear sights & hooded front; walnut stock in exc. cond., sharp chequering to wrist & fore-end; chequered butt; comes in vgc. **WINCHESTER** fabric case with red felt lining & the two original picture frames; overall in exc. wo & g. to vg. cond. **#4963988** L/R ***Would grade up with some delicate cleaning.*** **900 - 1200**

384. **CASED W.J. JEFFERY & Co. LTD S x S BOXLOCK N.E. SHOTGUN:** .12G, 3" chambered; 32" barrels choked approx. full & full, exc. bright bores; strong reblue to barrels & small parts presents exc., deep glossy finish; areas of original strong case colours to action; **W.J. JEFFERY & Co. LTD** marked to top of rh barrel, **9 GOLDEN SQUARE, REGENT STREET, LONDON. W.I.** to lh; barrel flats with **3"** Birmingham **1 1/2**oz **NITRO PROOF** marks; light scroll to action & name within scroll banner to both sides; action locks up tight & on face, strong sears to double triggers, auto safety; splinter fore-end & stock with back style grip, both in vg. cond. with sharply defined chequering & only minor handling marks to both; 14 5/8" LOP incl. 1" recoil pad, 8lb 4oz weight; comes in refurbished solid leather case with gold **W.J. JEFFERY & Co** leather trade label; comes cleaning accessories & second set of barrels made by, **G.E. LEWIS** 28" choked half & 3/4, 2 3/4" chambered; overall in exc. wo & vg.+ cond. **#25375** L/R ***A brilliant heavy goose or live pigeon gun, needs nothing done.*** **2500 - 3000**

385. **BOXED RUGER PRECISION RIMFIRE B/A RIFLE:** .22 LR cal.; 9 rnd. rotary mag.; 18" heavy barrel with dirty bore, appears exc. & sharply defined rifling, threaded muzzle cap; matte black finish to metalwork incl. anodized alloy handguard; lhs. action marked with serial no. trademarks, **RUGER PRECISION**; bolt cycles freely, strong springs & sears; no sights fitted, picatinny rail to top of action; black polymer frame, integral stock & pistol grip; adjustable length of pull & cheek piece; comes in original cardboard carton; overall in exc. wo & cond. **#841-86670** L/R **500 - 700**

386. **BOXED HENRY REPEATING ARMS MOD. H010GAW L/A RIFLE:** .45-70 Govt.; 4 rnd. tube mag.; 18 1/2" barrel with dirty bore, appears exc. with sharply defined rifling; satin silver finish to metalwork presents exc., only minor storage marks overall; bolt with brown oxidation internally, needs a good clean; makers name & address to barrel, model marked to top tang; action cycles freely, strong springs & sears; std. sights dovetailed to barrel; black coloured laminated stock & forewood in exc. cond.; factory fitted black ventilated rubber recoil pad; comes in factory cardboard carton; overall in exc. wo & g. cond. **#WFFS09212GAW** L/R ***Doesn't look to have fired a packet of cartridges, would clean up well.*** **600 - 800**

387. **WWII ERA B.S.A. SHIRLEY NO. 4 MK. I T B/A SNIPER RIFLE & SHIPPING CRATE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore, rifling is sharply defined; arsenal phosphate/parkerized finish to majority of metalwork is v. strong, some v. minor wear & handling marks to profiles but presents well; lhs. body socket marked **M 47 C**/ **1944** / **R33873**/ **ENGLAND** / **TR**; faint **No 4 Mk I** / serial no. **R33873** marked to lhs. action along with sharply defined single **T** below; **BNP** proof mark to lhs. breech & full proofs, cartridge spec. stamped to top of barrel; bolt is stamped with serial no., cycles well, strong springs & sears; Savage **S** marked to magazine & sight; woodwork in vg. overall cond., looks to have been lightly cleaned back but profiles incl. grooves to hand guard remains sharply defined & metal-to-wood fit is vg.; serial no. marked to underside of forewood; fitted with raised cheekpiece, brass screws; brass buttplate with trap; rifle comes in the green timber shipping crate complete with paper operations **EQUIPMENT, RIFLE, No. 4 (SNIPING)** label to lid; crate contains correct style leather sling, & canvas scope case; scope in vgc., scope tube marked **TEL. SIGHTING /No.32 Mk.-** (ring obscures remainder) **/O.S. 2039 A. / 1944 No 24827**; scope tube marked with blue painted **B** & red painted **W**; optics clear, post & cross hair reticule, some v. light fuzz on post; **33873 / R** marked to mount; scope with leather dust covers; overall in exc. wo & vg. cond. **#R33873** L/R ***An exceptional outfit for the sniper rifle collector.*** **7000 - 9000**

388. **CHARLES BOSWELL BOXLOCK EJECTOR S x S PIGEON SHOTGUN:** 12G, 3” chambered; 30” damascus barrels choked approx. 1/2 & 3/4; bright bores, chambered have been extended, some pitting in forcing cones & superficial frosting in remainder; soft brown refinish with sharply defined fine-twist damascus pattern to both sets of barrels; silver-grey patina to action, floor plate & trigger guard have been reblued; top of file cut rib(s) engraved ***CHARLES BOSWELL MAKER, 126 STRAND. LONDON.***, barrel flats marked with London **V** & **P** proofs, **CHOKE** & serial numbers; scalloped action with full coverage of the finest acanthus scroll engraving with scattered rose bouquets, carved ball fences with pair of lilly(?) flowers to either side; mechanically g., action locks up tight with one set of barrel, slightly loose with the other, ejectors are strong but slightly miss-timed on both sets; Greener style cross bolt, side clips, auto safety with gold inlaid **SAFE**; second set of matching barrels, identical markings but choked 1/8 & 1/2; beautifully figured walnut stock has been expertly refinished, re-cut chequering to back style grip & side panels to head of stock is sharply defined; metalwork is sitting proud of woodwork, but bearing only light handling marks; fore-end has been restocked, woodwork exc.; 14 1/8” LOP incl.1” rubber recoil pad, 7lb 4oz weight; gun comes presented in the original fitted brass-cornered oak & leather case, g. overall cond.; relined in maroon felt but what appears to be the original gold embossed **CHARLES BOSWELL** black leather trade label remains; comes with oil bottle, turn screws & cleaning rods; overall in g. wo & vg. to exc. cond. **#12160** L/R ***A top grade boxlock ejector.*** **2000 - 2250**

389. **CASED JAMES PURDEY SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 1/2" chambered; 29” barrels choked approx. 1/2 & 3/4; bright bores, some speckled oxidation & frosting in areas but vg. overall, free from rivels or bulges; strong blued finish to barrels, some speckled oxidation in areas but presents well, would clean up; strong blued finish to trigger guard & top lever; silver finish to action & locks, some faint mottled case colours & oxidation staining; top rib engraved with **3**, ***J. PURDEY & SONS. AUDLEY HOUSE, SOUTH AUDLEY STREET. LONDON MADE OF SIR JOSEPH WHITWORTH’S FLUID PRESSED STEEL.***; barrel flats marked with London **V** & **P**, **1 1/8** oz **NITRO PROOF** marks; 70% coverage of Purdey’s distinctive rose & scroll engraving to action, ball fences, locks & small parts, engraving is sharply defined; assisted opening action locks up tight & on face, ejectors remain strong & well-timed, crisp locks; cocking indicators engraved with fletched arrows; walnut stock & splinter fore-end, unfortunately stock has several cracks through wrist, attempts have been made to fix some but still movement in one; will need attention before use; the beautifully figured walnut stock otherwise presents well, some light handling marks, stocked to the fences, chequering tot the bag style grip & tear drops to lock tails are well-defined; splinter fore-end in vgc., some minor handling marks; comes in fitted oak & leather carry case with green felt lining, ***Purdey*** facsimile trade label, some modern but maker marked accessories; overall in g. cond. **#18461** L/R ***A good project for someone. With all the modern epoxy glues we have available, the stunning original stock is definitely still saveable.*** **5000 - 7000**

390. **CASED P. BERETTA S687 EELL DIAMOND PIGEON SPORTING U/O SHOTGUN:** 12G, 2 3/4" chambered; 29 1/2" barrels, ventilated top & mid rib, interchangeable chokes; vg. bright bores; satin blacked finish to barrels is strong, some minor storage marks; silver coin finish to action & side plates; lhs. breech marked **SPORTING/ P. BERETTA** & **PB** trademark; underside of action engraved ***P. Beretta***/ **S687 EELL** / ***Diamond Pigeon***; acanthus scroll engraving to action & side plates is crisp, pair of ducks to lh side plate, pair of snipe to rhs. & woodcock to underside of action; trigger guard signed by engraver ***Bottega C. Giovanelli***; engraving presents v. well; action locks up tight, strong springs & sears, ejectors well timed; adjustable single selective trigger, retains all its gold finish; beautifully figured walnut semi-pistol grip stock & Schnabel style fore-end, both in exc. cond., only minor handling marks overall; chequering to fore-end & right-handed palm swell grip is sharply defined; 14 7/8” LOP incl. original Beretta black rubber recoil pad; 7lb 11oz weight; comes in the original hard shell Beretta carry case with some cleaning accessories & an addition leather carry case with four additional chokes, Beretta snap caps & oil bottle; overall in exc. wo & cond. **#M01848B** L/R ***A lovely example, has been well looked after*** **4000 - 4500**

391. **CASED WALLACE & Co DOUBLE PERCUSSION SHOTGUN WALL HANGER:** 13 bore; barrels have been shortened to 24”, f. bores but wall thickness is thin; brown finish to barrels some pitting happening to breech; makers name engraved to locks, some engraving has been polished off; Birmingham proofed barrels; matching hammer; walnut half stock in g. cond., presents well; comes in period solid oak case with green baize, some cleaning accessories & f. cond. flasks; overall in p. cond. **N/L** ***Best part of this offering is the case.*** **200 - 300**

392. **PARKER FIELD & Co SPORTING PERCUSSION RIFLE:** .577 cal.; 28 1/2" barrel, has been shortened & poorly crowned; internally dirty & some oxidation but three-groove rifling is sharply defined; dark patina to metalwork, some light pitting & blemishes overall; brass trigger guard & butt with patchy nickel finish remaining; border engraved lock, ***PARKER FIELD & Co*** to centre, military inspection marks to breech; strong lock springs & sears, 5-8 graduated rear sight & blade front; repo ramrod; walnut half stock, fitted with German silver forewood cap; some light handling marks & scattered bruising to woodwork; overall in f. to g. cond. **N/L** **600 - 800**

393. **CASED W.J. JEFFERY & Co. LTD. BOXLOCK N.E. S x S WILDFOWLING SHOTGUN:** 12G, 3" chambered; 32" barrels choked approx. 1/8 & 1/4; vg. bright bores, some frosting; reblued finish to barrels some storage wear to lh breech finish & general handling marks; silver-grey patina to remainder of metalwork; top of rh barrel engraved ***W.J. JEFFERY & Co LTD, 13 KING ST ST JAMES'S ST LONDON*** to top of lh; border engraved action with makers name to both sides; Birmingham **1 1/2**oz **NITRO PROOF** marks to barrel flats; action loose, hidden cross bolt, auto safety, strong locks; trigger guard is misshapen replacement walnut stock with bag style grip, some handling marks & light bruising, chequering recut; original fore-end walnut, chip to lh & chequering showing some wear; 14 1/8" LOP incl. original steel heel & toe buttplates, chequering to centre; 8lb 8oz weight; comes in period leatherette case with a second set of 30" barrels, 1 1/4oz proofed, choked approx. full & full; overall in g. cond. **#19416** L/R **600 - 800**

394. **CASED ALFRED BETTS BOXLOCK EJECTOR M.4E GRADE WILDFOWLING SHOTGUN:** 12G, 3" chambered; 30" barrels choked approx. full & full; exc. bright bores; strong blued finish to barrels presents well, a few thin spots from storage rubs; grey patina to action with some dried oil; top of rh barrel engraved ***ALFRED BETTS, MAKER.***, top lh engraved ***4. PRICE STREET, BIRMINGHAM, ENGLAND.***; 80% coverage scroll engraving to action & small parts, ***ALFRED BETTS*** within scroll banner to both sides of action; serial no. & **M. 4E** engraved to bottom tang; Birmingham **1 1/2 OZ NITRO PROOF 3"** marks to barrel flats; action locks up tight, well-timed ejectors, strong locks, auto safety with silver inlaid **SAFE**; Greener style cross bolt, side clips & file cut top rib; splinter fore-end & stock with bag style grip, nicely figured walnut bearing only a few light handling marks overall; chequering to grip & fore-end is well-defined, as are tear drops; 14 1/2" LOP incl. 1 1/8" rubber recoil pad; 7lb 15oz weight; comes in period red canvas carry case with green felt lining, some cleaning accessories; overall in exc. wo & vg. cond. **#1689** L/R ***A big solid gun in lovely condition.*** **2000 - 2500**

395. **CASED R. BLANTON of RINGWOOD SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 1/2" chambered; 27 1/2" barrels choked approx. 3/4 & full; vg. to exc. bright bores; blued finish to barrels presents exc., some v. minor storage marks, bright polished finish to action & lockplates with nitre blued lock pins, blued top lever & trigger guard; **R. BLANTON. GUN MAKER. RINGWOOD** to top rib; **R. BLANTON** to both locks; **1 1/8OZ NITRO PROOF**, London **V** & **P** proofs to barrel flats; action & tangs with 70% coverage of sharply defined scroll & bouquet engraving; action slightly loose; ejectors strong & well timed, auto safety; woodwork in vg. cond., well figured wall nut straight stock, sharply defined chequering to wrist & splinter fore-end; exc. wood to metal fit; 14 1/4" LOP incl. insect damaged horn buttplate, 6lb 11oz weight; comes in period solid leather case; overall in g. wo & vg. to exc. cond. **#7469** L/R ***A well-presented London proofed sidelock.*** **1500 - 2000**

396. **CASED W.W. GREENER S x S HAMMER SHOTGUN:** 10 Gauge, 2 5/8" chambered; 30" damascus barrels, unchoked; bright bores, scattered light pits & frosting throughout, some ripples to underside of rh barrel; plum-grey finish to barrels with vg. pattern definition; grey patina to action & small parts; top rip engraved **PATENT TREBLE/ No5084/** ***WEDGE FAST, W.W. GREENER 68 HAYMARKET LONDON. WINNER OF THE LONDON GUN TRIALS, 1875, 1877, 1878 & 1879***; makers name again to sides of action with 40% coverage fine scroll engraving; Birmingham proofs to barrels; action locks up tight with fore-end, the very slightest movement w/o; strong bar action rebounding locks with matching carved hammers, Greener cross bolt; walnut English style straight stock & splinter fore-end, both bearing only light handling marks & bruising; vg. metal-to-wood fit, some minor chips to fore-end; chequering to wrist & fore-end has been filled with lacquer but appears defined; tear drops to lock tails; 14 3/8" LOP incl. original chequered buffalo horn buttplate, 7lb 11oz weight; comes in tatty solid leather case with green baize lining; overall in g. cond. **#23929** L/R ***Comes with a set of 20 gauge Briley full length barrel inserts tailored to the gun. *Gun would need to be looked over by gunsmith before firing in current configuration.**** **600 - 800**

397. **CASED C.B. VAUGHAN BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 1/2" chambered; 30” fine twist damascus barrels, choked approx. 1/2 & full; vg. bright bores, some superficial frosting; silvery-grey patina to barrels with some minor staining but retains exc. pattern definition overall; grey patina to remainder of metalwork; top rib engraved ***C.B. VAUGHAN. 39 STRAND-LONDON.***; Birmingham proofs to barrel flats; makers name again within scroll banner engraved to action, 60% coverage of scroll engraving to action & tangs; action is loose and off the face, would need attention before use; dolls head extension with hidden third bite, auto safety with gold inlaid **SAFE**, strong locks; English straight stock & splinter fore-end, fine original chequering to wrist, fore-end is only lightly defined, tear drops well-defined; the beautifully figured walnut is bearing a few surface handling marks & bruises but retains vg. metal-to-wood fit; 14 1/4" LOP incl. original heel & toe buttplates, defined chequering between; 6lb 10oz weight; comes in the original but poor cond. canvas case, **C.B. VAUGHAN** paper trade label to lid, lid no longer attached to case; overall in p. wo. & g. cond. **#40168** L/R ***A good quality gun deserving of a mechanical overhaul.*** **500 - 700**

398. **LONDON SPORTING PARK LTD SIDELOCK EJECTOR S x S SHOTGUN & L.O.M CASE:** 12G, 2 3/4" chambered; 30” barrels choked approx. 1/4 & 1/4; bright bores, vg. overall; thinning blued finish to barrels has turned a dark grey patina, grey patina to action & locks; top rib engraved ***MADE UNDER THE DIRECTION OF LONDON SPORTING PARK PTD HENDON LONDON***; London **V** & **P**, **1 1/8**oz **NITRO PROOF** marks to barrel flats; 50% coverage of sharply defined acanthus scroll engraving to locks & action, gold inlaid **2** to top rib & top lever, rose gold **2** inlaid to fore-end; action locks up tight w/ fore-end, some movement w/o, ejectors well timed, crisp sear & strong springs to nine-pin locks; unusual bulbus top lever, auto safety with gold cartouche **SAFE**; walnut English style straight stock & splinter fore-end, both in sound cond., large semicircular grafted section of walnut to lhs. comb running down into stock, possibly a repair from a leather cheek rest or something similar; woodwork otherwise in g. sound cond., some light handling marks & bruising but metal-to-wood fit remains vg.; 14 3/4" LOP incl. 1/2" thin rubber recoil pad; 6lb 13oz weight; comes in period solid leather leg of mutton carry case; overall in g. wo & cond. **#B149** L/R ***Has been a very good quality in the day and must have an interesting story to tell.*** **2000 - 2500**

399. **ALCOCK & PIERCE BOXLOCK EJECTOR S x S SHOTGUN & L.O.M CASE:** 12G, 2 1/2" chambered; 30” barrels choked approx. 1 /2 & 3/4; bright bores some moderate pitting but confined mainly to rh barrel; blued finish to barrels has developed a dark patina, some pitting to underside around fore-end tip profile; grey patina to action & small parts; ***ALCOCK & PIERCE, MELBOURNE*** engraved to top of lh barrel, **“THE ACHILLES”** inlaid in gold to rib, ***MADE IN ENGLAND*** engraved to top of rh barrel; Birmingham **1 1/8**oz **NITRO PROOF** marks to barrel flats; action locks up tight, strong locks, lh ejector miss-timed but both are strong; English style straight stock & splinter fore-end, nicely figured walnut is bearing a few light handling marks, fore-end with some bruises but tear drops, chequering to wrist & fore-end are all defined; 14 1/8” LOP, grooved butt; 6lb 13oz weight; comes in period solid leather leg of mutton carry case; overall in g. wo & cond. **#8715** L/R **600 - 800**

400. **CASED CHAS OSBORNE & Co BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 1/2" chambered; 30” barrels choked approx. 1/2 & full; vg. bright bores, some superficial frosting; blued finish to barrels thinning to a grey patina around breech, silvery-grey patina to action & small parts; lightly defined ***CHAS OSBORNE & Co 2. GT SCOTLAND YARD LONDON*** engraved to top rib, Birmingham **1 1/8**oz **NITRO PROOF** marks to barrel flats; 80%+ coverage of defined acanthus scroll engraving to action, makers name to both sides; action locks up tight, dolls head extension with hidden third bite, auto safety, strong locks; English straight stock & splinter fore-end, a quality gun, action scalloped at stock head, sunken chequered side panels & tear drops; chequering to wrist, fore-end & side panels are v. well-defined, metal-to-wood fit in vg.; nicely figured walnut bearing a few light handling marks; 14 3/8” LOP incl. original grooved horn buttplate, 6lb 4oz weight; comes in period solid leather case with maroon felt lining; overall in exc. wo & g. to vg. cond. **#51764** L/R ***Vendor advises this gun was purchased from the original family in Clifton, Queensland. A nice honest game gun with some best grade features.*** **1500 - 2000**

401. **CASED WILLIAM POWELL & SON SIDELOCK EJECTOR PIGEON SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & full; vg. bright bores; strong reblued finish to barrels, grey patina to locks with faint case colours, stronger in protected areas; ***MADE FOR DONALD MACKINTOSH, MELBOURNE*** engraved to top of rh barrel, ***BY WILLIAM POWELL & SON. BIRMINGHAM*** to top of lh barrel; Birmingham **1 1/4**oz **NITRO PROOF** marks to barrel flats; action & locks engraved with 70% coverage of the best fine English scroll & floral bouquet engraving, extending on to trigger guard & top lever; makers name again to both of the nine-pin locks; action locks up tight, side clips, strong locks & ejectors but the rh ejector is miss-timed; file cut rib with mid bead; manual safety with gold inlaid **SAFE**; quality replacement walnut stock with bag style grip & splinter fore-end, chequering to grip & fore-end remains sharply defined, vg. metal-to-wood fit & bearing only minor handling marks overall; 14 1/2" incl. 3/4" rubber recoil pad, 8lb weight; comes in older brass-cornered, solid leather case; case in g. cond., facsimile **POWELL** trade label, maroon felt lining, cleaning rod; overall in g. wo & vg.+ cond. **#14295** L/R ***A big solid pigeon gun with some Australian history.*** **5500 - 6000**

402. **LOT X 3 UNUSUAL WALKING STICKS:** all about 36" long & each made from a different material. **100 - 150**

403. **RARE SUDANESE SWORD & DAGGERS SET:** 24 1/2" g cond. straight double-edged sword blade, both sides filled with decorative engraved panels, incl thanking prayer; traditional hilt with brass cross-bar & reptile skin wrapped grip; comes with reptile skin scabbard incorporating a matched pair of fine wire wrapped hilted daggers, with 6 1/2" curved blades decorated ensuite with sword blade. Vg cond. 19th Cent. ***An impressive outfit in good condition*** **400 - 650**

404. **JAPANESE TYPE 32 CAVALRY SWORD:** 32.6" slightly curved fullered blade with hatchet point, numbered **82907**, v minor staining, chequered wood grip & steel back strap & sheet bowl guard all in vg cond., Japanese characters to knuckle guard; with sheet iron scabbard in vg. to exc. cond. **500 - 700**

405. **BURMESE DHA SWORD:** 13.75" slightly curved blade of trad form; 7.75" wire wound hilt; comes with cane sliver wrapped wood scabbard; f to g cond. **150 - 200**

406. **EUROPEAN SHORT SWORD:** 18 1/2" straight double fuller blade with faint mottled patina in vg cond., one-piece brass grip; with incorrect scabbard. **300 - 400**

407. **SCARCE NIGERIAN TAKOUBA SWORD:** 24" curved blade with shallow fuller to each side, g. cond., some slight stains; leather wrapped hilt with brass finial pommel; comes with highly ornate heavily worked tooled leather scabbard with traditional leaf form lower section; scabbard adornment includes 2 sets of leather tassels, & 4 bosses with woven grass decoration. Vg. to exc. cond. C.1880. ***an impressive outfit in great condition*** **300 - 500**

408. **MORO TYPE KRIS SWORD:** 21.25" unfullered wavy vg. cond. blade with 10 waves; silver mounted, cord bound, wood grip with loose large Jungayyan hilt; comes with cane bound wood scabbard of trad form. **300 - 500**

409. **U.S. REMINGTON SWORD BAYONET**: 22.6" yataghan style blade in vg cond.; iron hook quillon cross guard, brass hilt, with sheet steel scabbard in vg cond. **400 - 500**

410. **IMPERIAL JAPANESE WWII Type 19 CAVALRY OFFICER'S SWORD:** 28" slightly curved blade with narrow fuller & hatchet point, nickel plating spotting faintly in areas; vg cond. brass hilt & grip fittings, ray skin grip with wire binding gone; c/w zinc plated scabbard, some bruises & light wear, drag damaged and mouthpiece missing. **600 - 850**

411. **INDIAN BULOVA WAR AXE:** 13.25" broad blade of splayed form mounted on 34" stave. vg cond. 19th cent **N/L** **250 - 350**

412. **RARE BRITISH EAST INDIA Co MIDSHIPMAN'S DIRK:** 18.25" curved g cond. blade, single fullered, spine marked with maker **MOLE**, ricasso with EICo inspector stamp ***N/4*** (1848-49); hilt comprised of gilt brass cross guard, back-strap & pronounced EICo Lion's head pommel, one-piece grooved horn grip with old repaired break, 40% gilt remains; comes with gilt brass mounted black leather scabbard in f cond. **450 - 600**

413.	**JAVANESE PEDANG SABET SWORD:** 19" straight single edge chopping blade or watered steel in g cond., fitted to silver plate mounted & ornately carved wood hilt; comes with silver plate mounted wood scabbard. 19th century	**150 -**	**250**
414.	**INDONESIAN PEDANG SWORD:** 19" plain, slightly curved blade with iron mounted, six-sided wood grip; come with tooled brown leather scabbard in g. cond.	**150 -**	**200**
415.	**EUROPEAN SHORT SWORD:** 21 1/2" straight double-edged blade with rubbed areas of dark patina; both sides decorated with an unusual combination of engraved & impressed work, depicting flowers, foliate, falcon & woman with mandolin; hilt with brass cross guard, silver ferrule & one-piece horn grip. No scabbard.	**200 -**	**350**
416.	**AFRICAN KNOBKERRIE SHOKA WAR AXE:** 3.75" wide x 6" long blade of native form, mounted on 20" long knobkerrie, with stable 9" long age split. vg cond.19th cent **N/L**.	**200 -**	**300**
417.	**INDONESIAN PEDANG SWORD WITH WATERED BLADE & BUFFALO HORN GRIP:** 21 1/2" slightly curved watered blade, g. cond., dull grey patina; fitted to sliver mounted buffalo horn grip with ornately carved acanthus foliate pommel, some old glue residue to grip. No scabbard. 19th cent	**200 -**	**300**
418.	**INDIAN BULOVA WAR AXE:** 12 1/2" broad double fullered and heavy blade of splayed form mounted on 35 1/2" stave. vg cond. 19th cent **N/L**	**250 -**	**350**
419.	**INDIAN BULOVA WAR AXE:** 10 1/2" broad blade of crescent form with decorative designs to back edge both sides, mounted on 34 1/2" stave. vg cond. 19th cent **N/L**	**250 -**	**350**
420.	**INDIAN BULOVA WAR AXE:** 9.25" broad blade of splayed form mounted on 32 1/2" stave. vg cond. 19th cent **N/L**	**150 -**	**200**
421.	**INDIAN CRESCENT BLADED WAR AXE:** 7.75" wide crescent blade with fading decoration to both sides, 4.25" long spear-blade to peen; mounted on 23 1/2" oak haft. Vg cond. 19th cent **N/L**	**250 -**	**350**
422.	**INDIAN TABAR HORSEMAN'S WAR AXE:** 4.3" wide hatchet shaped blade with fading silver inlay decoration and with 1.4" hammer peen, mounted on 24" long green and brown velvet covered wooden haft. G. cond. 19th cent **N/L**	**200 -**	**300**
423.	**BRITISH PATTERN 1860 BAYONET: 23"** blade, g. cond. , lightly polished, light surface marks; 3/4 length fullers to both sides; **arrow / WD & 67** to obverse base of blade, **12/79** to reverse side; vg. cond. grips; g to vg. cond. leather scabbard with vg frog. overall in g. to vg. cond.	**350 -**	**450**
424.	**BRITISH PATTERN 1887 BAYONET Mk 3**: 18" blade, g. cond. , lightly polished, light surface marks; arrow / **WD** / crown / **35 / W** to obverse base of blade, **crown / VR / 80(?) / WILKINSON SWORD COMPANY LONDON** to reverse side; vg. cond. grips; 10563 to base of pommel; g. cond. leather scabbard. overall g. cond. .	**350 -**	**450**
425.	**BRITISH PATTERN 1887 BAYONET**: 18" blade, g. cond. , lightly polished, light surface marks; ½ length fullers to both sides; **crown / 66 / E** to obverse base of blade; **4867** to hilt; g to vg. cond. grips; g. to vg. cond. leather scabbard with light stains to chape & locket. overall g. to vg. cond. .	**350 -**	**450**
426.	**USA TRENCH KNIFE** : 6" double-sided blade, g. cond. , light surface marks; heavy knuckle duster grip with **US 1918 / LF&C 1918**; replacement black metal sheaf. overall g. cond.	**850 -**	**950**
427.	**BRITISH PATTERN 1887 BAYONET MK 1**: 18" blade, g. cond. , lightly polished, light surface marks; ½ length fullers to both sides; **arrow / WD over14, crown / 60 / E** to obverse base of blade; **crown / 8G / C 91** to reverse; f to g grips with bruising; g to vg. cond. leather scabbard with light stains to chape & locket. overall g. cond. .	**350 -**	**450**
428.	**BRITISH LANCASTER PATTERN 1885 BAYONET**: 23" blade, g. cond. , lightly polished, light surface marks; **B / 79** to obverse base of blade; **REEVES** to reverse; g to vg grips; f to g. cond. leather scabbard with brass chape & locket. overall g. cond. .	**500 -**	**600**

429.	**BRITISH CUTLASS BAYONET PATT 1859**: 26 1/2" blade, g. cond. , lightly polished, medium staining; **crown / s / 8**, **A&EH** to obverse base of blade; g to vg grips; **274** to pommel; f to g. cond. leather scabbard with stained iron chape & locket. overall g. cond. .	**900 -**	**1200**
430.	**BRITISH SWORD BAYONET PATT 1856**: 22" blade, g. cond. , medium staining; 27 to reverse side of hilt; f. cond. grips with bruising & staining; stained pommel; incorrect f to g. cond. leather scabbard with polished steel chape & locket. overall f. to g. cond. .	**250 -**	**350**
431.	**BRITISH SOCKET BAYONET PATT 1853**: 17" blade, g. cond. , light staining; **WD / E / 12** to base of blade, **956** to another side; f to g. cond. leather scabbard with polished brass chape & locket, with **534** to frog stud. overall f to g. cond. .	**350 -**	**400**
432.	**AUSTRALIAN PATT 1907 BAYONET:** 17" blade, g. cond. , light staining; full length fullers both sides; arrow / x **OA / 12** to obverse base of blade, A / 1907 / 1 / 11 43 to other side; vg. cond. wood grips; g. cond. leather scabbard with dark steel chape & locket. overall g. cond. .	**275 -**	**350**
433.	**THREE BRITISH BROWN BESS SOCKET BAYONETS**: 17" blades: **1.** g. cond., light staining; **WHEELER & JOHNSON**, **crown / 40** to one side; vg. cond. leather scabbard; overall g. cond. **2.** g. cond., light staining; **crown / 31**, **S.CHAMBERS** to one side; g. cond. leather scabbard; overall g. cond. **3.** g. cond., staining; **crown / 28**, ? **HILL** to one side; g. cond. leather scabbard; overall g. cond.	**500 -**	**700**
434.	**BRITISH PATTERN 1853 SOCKET BAYONET**: 17" blade, vg. cond., v. light staining; markings on blade unclear; **1005 and 13** to socket; g. cond. leather scabbard; overall g. cond.	**350 -**	**450**
435.	**BRITISH MARTINI HENRY PATTERN 1876 SOCKET BAYONET**: 21" blade, vg. cond. ; **R / arrow / WD / CROWN / E / 46** to blade; p cond. leather scabbard, p stitching, arrow / **WD / E / 13** to locket. overall f to g. cond.	**275 -**	**375**
436.	**BRITISH MARTINI HENRY PATTERN 1876 SOCKET BAYONET**: 21" blade, vg. cond. ; **R / arrow / WD / CROWN / E / 78** to blade; f. cond. leather scabbard, **arrow / CROWN / E / 39** to locket, **52** below locket. overall g. cond.	**300 -**	**400**
437.	**GERMAN M1884/98 BAYONET**: 9" blade, vg. cond. , light stains; **F. KOELLER & CO OHLIGS SOLINGEN** to base of blade, **6594** to hilt, g. cond. wood grips; g to vg. cond. dark steel scabbard, **CCF** to mouth. overall g to vg. cond.	**475 -**	**575**
438.	**FRENCH CHASSEPOT BAYONET**: 22" polished blade, vg. cond. 3/4 fullers both sides; **A176 & x 30112** to either side of quillon hilt; vg. cond. brass grip with **9868** to pommel. vg. cond. steel scabbard with staining, **69 and 30112** to mouth. overall vg. cond.	**375 -**	**475**
439.	**BRITISH No 4 MK II SPIKE BAYONET**: 7" blade, vg. cond.; overall vg. cond.	**75 -**	**100**
440.	**SWEDISH MODEL 1896 KNIFE BAYONET**: 8" polished double-sided blade, g. cond. , lightly stained, **crown / 301 and EJ AB** to either side of blade; **GOK1202** to hilt; vg. cond. steel scabbard with staining, **E.A.R**. to mouth; vg. cond. leather frog. overall vg. cond.	**150 -**	**200**
441.	**TWO RIFLE BAYONETS: 1. BRITISH 1888 Mk 2 BAYONET**: 11" lightly stained blade, **crown / VR / 1 '00** to one side, **arrow / EFD / crown / R2 / E / X** to other; f to g. cond. wood grips, **1966 / IYC** to pommel; f to g. cond. leather scabbard, chape & locket heavily stained . overall f to g. cond. **2. RUSSIAN MOSIN NAGANT 1891 SOCKET BAYONET**: 16" blade, with surface rust/ stains. overall p to f. cond.	**350 -**	**450**
442.	**RUSSIAN MOSIN NAGANT 1891 SOCKET BAYONET**: 16" blade 3611 to socket. overall vg. cond.	**100 -**	**150**
443.	**BRITISH M 1903 BAYONET**: 11" black double-sided blade, f to g. cond., stained, light rust to hilt; overall p. to f. cond.	**100 -**	**150**

444.	**BRITISH LANCASTER M1855 BAYONET**: 23" polished blade, spear point, vg. cond. ; **CROWN / L** to blade; g. cond. grips; f to g. cond. leather scabbard' brass chape & locket. overall g. cond.	**500 -**	**600**
445.	**BRITISH 1853 SOCKET BAYONET**: 17" blade, g. cond. , light marks. overall f to g. cond.	**50 -**	**100**
446.	**FRENCH 1854 GRAS**: 20" polished wide -backed blade, g to vg. cond. , lightly stained, **l'armes de St.Etienne Mars 1878** etched to back; f. cond. wood grips**; 83848** to hilt; stained steel scabbard with **RS 81618** at mouth overall f to g. cond.	**300 -**	**350**
447.	**SWISS SIG 1957 DEL 1896 KNIFE BAYONET**: 9" polished double-sided blade, exc. cond., **VICTORIA SCHWYZ / 29872** to blade; vg. cond. grip; vg. cond. black steel scabbard, synthetic frog. overall exc. cond.	**150 -**	**250**
448.	**BRAZILIAN M1880 CAVALRY SWORD**: 35" blade, g to vg. cond. with light staining; ¾ length fullers both sides, **WEYERSBERG KIRSCHBAUM & CO SOLINGEN** to blade; f to g. cond. grip with some bruising & wear; cupped steel guard with **brass eagle marked R 18**; overall g. cond.	**450 -**	**600**
449.	**FRENCH GENDARMERIE OFFICER SWORD:** 29" blade, g. cond. with light staining & patina, ½ length fullers both sides, marked **KLINGENTHAL(?),** brass guard (folding side missing) with single knuckle guard; g. cond. wood grip. overall f. to g. cond.	**250 -**	**400**
450.	**BRITISH INFANTRY OFFICER SWORD:** 32" blade, f to g. cond. with heavy staining & patina, full length fullers both sides, medium crown & foliate scroll to both sides (indistinct), marked ????? **SOLINGEN** to back of blade, brass guard with single knuckle guard; g. cond. wood grip. overall f to g. cond.	**300 -**	**400**
451.	**IMPERIAL JAPANESE OFFICER'S DRESS SWORD:** 30"blade, vg. cond. with v light staining, ½ length fullers both sides, brass single knuckle guard with floral decorations; vg. cond. wood grip & wire; vg. cond. black steel scabbard with some marks. overall vg. cond. . **Possibly naval officer's sword**,	**400 -**	**500**
452.	**SCOTTISH HIGHLANDERS OFFICER'S SWORD:** 31" polished blade, vg. cond. with v light staining, full length fullers both sides, crown & decorative scroll work both sides, **SEAFORTH HIGHLANDERS (MOTTO?) ASSAYYE** engraved to one side, **L. COLES NEW BURLINGTON ST LONDON** to base; basket hilt in g. cond. with minor stains; exc. cond. gutta percha grips and wire; overall vg. cond. .	**1000 -**	**1500**
453.	**EUROPEAN CAVALRY SWORD:** 33"blade, f to g. cond. with staining & light rust marks, ¾ length fullers both sides, **1 / 65** to obverse base; loop guard; grips missing; v poor cond. leather scabbard, stitching broken & chape loose.	**100 -**	**150**
454.	**FRENCH M 1816ARTILLERY SHORT SWORD:** 22" blade, g to vg. cond. with light staining, **crown / 16** to reverse side, **helmeted knight** to obverse side; solid brass hilt & grip in g. cond. with light stains; g. cond. leather scabbard, brass chape / locket, **1 / 23** to frog stud.	**300 -**	**500**
455.	**BRAZILIAN M1889 CAVALRY TROOPER'S SWORD**: 33" blade, g to vg. cond. with light staining; ¾ length fullers both sides, **WEYERSBERG KIRSCHBAUM & CO SOLINGEN** to blade (v faintly); f to g. cond. grip with some bruising & wear, wire intact; cupped steel guard marked **E.U.B**.; black steel scabbard in g. cond. with light marks. overall g. cond. .	**600 -**	**700**
456.	**INDIAN TULWAR**: 28" blade in f to g. cond. , light stains; light stains & rust to grip & pommel; f cond. leather scabbard with locket missing. overall in f. cond.	**300 -**	**400**
457.	**42nd HIGHLANDERS OFFICER'S SWORD**: 32" blade with medium staining, full length double fullers both sides, **crown / 42nd HIGHLANDERS -& decorative scroll work** to both sides**, maker's name faded** to base; basket hilt in g. cond. with minor stains; exc. cond. gutta percha grips and wire; overall g. to vg. cond. .	**800 -**	**1000**

458. **BRITISH 1882 ROYAL ARTILLERY OFFICER'S SWORD:** 34" blade with medium staining, 3/4 length fullers both sides, etched both sides with thick foliate scrollwork, winged lightning bolts & Royal Artillery to one side, royal cypher and motto "Ubique" to the other, maker's name & address to one side; steel half-basket hilt in g. cond. with minor stains; exc. cond. ray-skin grip & wire; g. cond. red leather scabbard with some surface flaking. overall g. to vg. cond. . **700 - 900**

459. **3 X POWDER FLASKS:** 1 original with 6.7" plain body, deep mellow copper, several small dimples, brass spout replaced; 1 original with 5.8" shell pattern body, v dark copper, one side pressed in slightly, 3 setting brass spout; 1 Italian reproduction US Peace Flask **150 - 300**

460. **4 X POWDER FLASKS:** 1 with 7" decorative brass body, soft patina, vg condition except spout adjustment at fault; 1 narrow, with 5 1/2" plain body in vg cond., cap marked **COLTS NAVY FLASK** by **JAMES DIXON & SONS SHEFFIELD**; 1 with 6.25" plain body in g. cond., cap marked **FRITH PATENT**; 1 with 5.8" body embossed with hanging game, f to g cond.; **300 - 550**

461. **4 X POWDER FLASKS:** 1 with 6 1/2" plain brass body, a few v small bruises, large spout adj from 2.5 to 3.5 drams, cap marked **JAMES DIXON & SONS SHEFFIELD**; 1 with 6.3" body of shell design, deep hue to copper, marked **PATENT**; 1 with 5.1" soft copper colour body with dog & pheasants to both sides, fixed measure spout; 1 with 6.3" body with hound & deer panels to each side, f cond. o/all, marked **PATENT**. **250 - 350**

462. **3 X POWDER & 1 X SHOT FLASKS:** 1 with 6.6" copper body with leaf designs, small hole to one side, f cond. o/all; 1 with 6 1/2" steel body with copper seam, mottled patina & slight pitting to one side, large spout adj from 2.25 to 3 drams, cap marked **JAMES DIXON & SONS SHEFFIELD**; 1 with 6.8" copper body with hunters & stag, f to g cond.; 1 shot flask with 6" leather body, lightly creased, g. stitching; shot dispenser for 1 or 1.25 oz g. cond. o/all. **300 - 400**

463. **SWEDISH HUSQVARNA MOD. 1907 S/A SERVICE PISTOL:** 9×20m/mSR Browning Long cal.; 7 rnd. mag.; 5" (127m/m) barrel with g.+ bright bore & sharply defined rifling, some frosting in spotted patches; metalwork with dark armoury re-finish, fine sandblasted finish to majority of surfaces, markings remains well-defined; lhs. slide marked **HUSQVARNA VAPENFABRIKS AKTIEBOLAG**; serial no. to rhs. frame has been heavily polished away, now a divot; mechanically complete, slide retracts smoothly strong springs & sears; matching bakelite grip panels in g. overall cond., Husqvarna **h** crown trademark to top of both, chequering is well-defined, some minor handling marks; overall in exc. wo & f. cond. **#84703** Pre 47' L/R **400 - 600**

464. **TARUS MOD. PT94 D.A. RIMFIRE REVOLVER:** .22 LR cal.; 9 shot fluted cylinder; 5 1/8" (130m/m) barrel with exc. bright bore & sharply defined rifling; strong blued finish to majority of metalwork, case colours to small parts; make & cal. to barrel, trademark & serial no. marked to frame cylinder indexing well, strong springs & sears; walnut two-piece grip in vgc., some minor marks but chequering is sharply defined; overall in exc. wo & vg. cond. **#FN73913** Post 46' L/R **300 - 500**

465. **BELGIAN MELIOR MOD. 1920 S/A PISTOL:** .32 ACP; 7 rnd. mag.; 3 1/2" (90m/m) barrel with g. bore, sharply defined rifling, needs a clean; blued finish to metalwork presents ordinary, some light wear to profiles but speckled with light oxidation; **MELIOR**/ patents, **LIEGE – BELGIUM** to lhs. slide; slide retracts freely, strong springs & sears; original hard rubber grips panels, makers name roundels to both, some handling marks & dirt to otherwise defined chequering; overall in vg. wo & g. cond. **#64696** Pre 47' L/R **250 - 400**

466. **WWII BYF/ 44 CODE MAUSER P.38 SERVICE PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4 7/8" (125m/m) barrel with vg. bright bore & sharpy defined rifling, some minor frosting on lands; original blued finish to metalwork presents well, thinning slightly on profiles, front strap to a plum patina; lhs. slide marked **P.38**, **byf** / **44** & rhs. marked with pair **135** Waffenamt & eagle marks, serial no. **7708** marked to slide, frame & barrel; British **BNP** proofs to underside of barrel, lhs. slide & underside of frame; mechanically fine, strong springs & sears, slide retracts freely; original maroon two-piece bakelite grip is in vgc., other than some minor chipping to top lhs, hard to fault, grooves v. well-defined; overall in exc. wo & near exc. cond. **#7708** Mfg. 1944 L/R ***A very nice example.*** **1500 - 1800**

467. **MAUSER C.96 'BROOMHANDLE' SEMI-AUTO PISTOL:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with g. to vg. bright bore & sharply defined rifling, fine pitting to majority; original blued finish to metalwork has thinned to a plum patina & frosting to majority, 10%+ original blueing remains in protected areas, trigger retain some star finish; three-line **WAFFENFABRIK** / **MAUSER / OBERNDORF A/N** marked to top of breech & again to rhs. of frame; German **U** proofs to lhs. breech; serial no. **112467** marked to back of frame, hammer block, lhs. breech & abbreviated **467** to small parts; bolt retracts freely, strong springs & sears; **50** to **1000** graduated rear tangent sight; finely grooved grips are in g. sound cond., some light wear & bruising to both but they present well; overall in exc. wo cond. & f. to g. cond. **#112467** Mfg. c.1910 ***A nice, honest pre-war example. Hasn't seen much use.*** **1500 - 1800**

468. **STURM RUGER NEW MODEL SUPER BLACKHAWK S.A. REVOLVER:** .44 Magnum cal.; 6 shot cylinder; 7 1/2" (190m/m) barrel with exc. bright bore & sharply defined rifling, some powder residue needs a clean out; strong blued finish to metalwork, only light wear on profiles & some minor surface oxidation; lhs. frame marked with **RUGER** trademark, **.44 MAGNUM CAL.** / **NEW MODEL** ***SUPER BLACKHAWK***, model again to top of rib with **HUNTER**; mechanically fine, strong springs & sears; hemi mount notches to barrel; original smooth walnut grips are vg., some minor handling marks to edges, **R** trademark silver medallion inlaid to top of both; overall in exc. wo & g. to vg. cond. **#83-44344** Post 46' L/R **600 - 800**

469. **TAURUS RAGING BULL D.A. MAGNUM REVOLVER:** .44 Magnum cal.; 6 shot fluted cylinder; 6 1/2" (166m/m) barrel, last inch is ported; exc. bore & sharply defined rifling; strong blued finish to majority of metalwork & case colours to small parts, some minor storage rubs & power residue but presents well; cal. / ***RAGING BULL*** marked to lhs. barrel, trademark & std. markings to rhs. frame; strong springs & sears, cylinder indexing well; original rubber grip could use a clean but in vgc.; overall in exc. wo & vg cond. **#GW834583** Post 46' L/R **500 - 700**

470. **WWII ERA TULA ARSENAL TOKAREV TT33 S/A PISTOL:** 7.62×25m/m Tokarev; 8 rnd. mag.; 4 1/2" (115m/m) barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork presents ordinary, streaky & speckled losses of finish now a grey patina; lhs. slide etched with cal. & makers mark, original markings to lhs. frame & top of slide; mechanically exc., slide retracts freely, strong springs & sears; grooved plastic grip panels with star motif to centre; overall in exc. wo & f. cond. **#AUX11025** Mfg. 1945 L/R **500 - 700**

471. **F. LANGENHAN SELBSTLADER SEMI-AUTO PISTOL:** .32 ACP cal.; 8 rnd. mag.; 4 1/8" (104m/m) barrel with f.+ bore, rifling sharply defined but some fine frosting throughout; older or original blued finish to metalwork has darkened, some minor patches of frosting but markings remain sharply defined; lhs. slide marked **F.L. SELBSTLADER**/ patents; rhs. frame marked with **3** / **1043**; slide retracts freely, strong springs & sears; smooth walnut grip panels in vg. cond.; overall in exc. wo & g. cond. **#29374** Pre 47' L/R Mfg. c. 1915-1918 **400 - 600**

472. **WWII BYF/ 44 CODE MAUSER P.38 SERVICE PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4 7/8" (125m/m) barrel with f. bore, rifling still sharply defined but dull with fine pin-prick pitting throughout; reblued finish to metalwork is strong, frame & some small parts still bearing fine pit peppering in areas; lhs. slide marked **P.38**, **byf** / **44**; serial no. **5777u** marked to lhs. slide, frame & barrel; **WaA135** Waffenamts to several parts, rhs. slide marked with trio; markings are showing wear but still defined; mechanically exc., slide retracts freely, strong springs & sears; two-piece brown bakelite grip in vg., sound cond., some light handling marks; overall in vg. wo & g. cond. **#5777** L/R Mfg. 1944 **1200 - 1500**

473. **HONG KONG POLICE COLT POLICE POSITIVE SPECIAL D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder ; 4" (103m/m) barrel with vg. bright bore & sharply defined rifling; blued finish to frame & barrel has darkened & spotted with some minor oxidation staining, presents well; **HARTFORD** address to rhs. of barrel, **POLICE POSITIVE SPECIAL** / **38 COLT N.P. – 38 S. & W. CTG.** to lhs; rampant horse to lhs. of frame; back strap marked **RHKPS 7625** (Royal Hong Kong Police); cylinder indexing well, strong springs & sears; walnut grips with silver **COLT** medallions to top of both, both are sound but in f. cond., chequering is showing wear & bearing some light handling marks; lanyard ring to butt; overall in vg. wo & g.+ cond. **#744991** Pre 47' L/R **500 - 800**

474. **HERITAGE MFG. ROUGH RIDER RIMFIRE S.A. REVOLVER:** .17 HMR cal.; 6 shot cylinder; 6 1/2" (166m/m) barrel with exc. bright bore & sharply defined rifling; strong blued finish to steel barrel & cylinder, black coating to frame & straps, some minor storage marks overall; lhs. barrel marked with **HERITAGE ROUGH RIDER .17 HMR**, Florida address marked to lhs. frame; cylinder indexing well, strong springs & sears; laminated smooth grips in exc. cond.; overall in exc. wo & cond. **#B81805** Post 46' L/R ***An interesting little pistol.*** **300 - 500**

475. **CASED TAURUS THE JUDGE D.A. REVOLVER:** .45 long Colt & .410, 3" chambered; 5 shot fluted cylinder; 3 1/2" (90m/m) barrel with exc. bore, sharp rifling, some leading; strong blued finish to metalwork & case colours to small parts, only minor storage marks overall; makers trademark, U.S.A. address, serial no. etc. marked to rhs. frame **The Judge** to rhs. barrel; mechanically strong, cylinder indexing well; fitted with **HOGUE** brand rubber grip; overall in exc. wo & cond. **#FX684452** Post 46' L/R **400 - 600**

476. **EARLY PRE-WAR D.W.M. MFG. LUGER P08 S/A SERVICE PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g. to vg. cond. bore, some finely speckled oxidation but rifling remains sharply defined; strong original blued finish to majority of metalwork, 90%+, thinning only slightly from holster wear on profiles, slight plum patina on straps; trigger mag. release & other small parts with areas of vivid straw finish; ***DWM*** trademark marked to top of toggle, no year date to top of breech, trio of inspection marks to lhs. breech where serial no. usually lies, **4790a** marked to underside of barrel, front of frame below; front strap marked with unit markings **63.R.5.2.** (thought to be 63rd Reserve Infantry Regiment, 5th Company, weapon No. 2.); non-matching (#6397) magazine; toggle retracts smoothly, strong springs & crisp sears; chequered grip panels in vg. cond., some minor handling marks but chequering is largely sharply defined, some light wear to bottom of both; comes in early leather holster with spare magazine & multitool; holsters makers name is indistinct but 1912 date is clearer; overall in exc. wo & g. to vg. cond. **#4790a** Mfg. c.1908 L/R ***An interesting piece, bearing no year to top of breech, made without the stock lug to rear of frame*** **2000 - 2500**

477. **WWII ERA MAUSER MOD. HSC SEMI-AUTO PISTOL & HOLSTER:** .32 ACP cal.; 8 rnd. mag.; 3 3/8" (85m/m) barrel with vg. bright bore & sharply defined rifling, some superficial frosting; original glossy blued finish to metalwork presents v. well some minor holster wear to nose of slide & on profiles, thinning to a soft grey patina; lhs. slide marked with sharply defined **Mauser-Werke A.G. Oberndorf a.N/ Mod. HSc Kal.7,65mm**; German eagle over **N** proof to rhs. trigger guard & front of slide, lhs. trigger hard marked with **135** Waffenamt inspection proof; mechanically fine, strong springs & sears, slide retracts freely; exc. walnut grip panels, chequering sharply defined, some trace handling marks but hard to fault; comes in **FISCH** of **BERLIN** marked leather holster, g. to vgc.; overall in exc. wo & vg. cond. **#765253** Pre 47' L/R **800 - 1200**

478. **WWI D.W.M. MFG. LUGER P08 S/A SERVICE PISTOL, LANYARD & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with g., bright bore, sharply defined rifling with patchy frosting & fine pitting; 90%+ original blued finish to metalwork remains strong, v. minor holster wear to profiles & some scattered patches of light oxidation staining & blemishes; straw finishes to small parts with some staining & fine pit peppering; ***DWM*** trademark marked to top of toggle, **1917** to top of breech; serial no. **527** marked to lhs. breech, underside of barrel & all visible small parts bear **27**; matching magazine; toggle retracts smoothly, strong springs & crisp sears; chequered grip panels in exc. cond., sharply defined chequering with only traces of handling marks to both, hard to fault; comes in period leather holster with additional mag. (#**2710**) & multitool; inside of flap marked **GUSTAF REINHARDT/ BERLIN/ 1916**; fitted with period round leather lanyard, in g. cond.; overall in exc. wo & g. to vg. cond. **#527** Mfg. 1917 L/R ***A lovely war era example with matching magazine.*** **1750 - 2250**

479. **UMAREX MOD. S.A. CO2 AIR PISTOL:** .177 cal.; 10 rnd. stick mag.; 125m/m smooth bore barrel, g. bright bore; blacked finish to slide, some minor handling marks; black polymer grip & frame bearing only light handling marks; unknown working cond., missing canister but slide retracts freely, appears complete; overall in g. cond. **#12C71975** Post 46' L/R **25 - 50**

480. **ROSSI MOD. 84 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 3" (78m/m) barrel with vg. bright bore & sharply defined rifling; bright finish to stainless steel metalwork, some minor handling marks & marring; makers name & Brazilian address to lhs. barrel, cal. to rhs; mechanically strong, cylinder indexing well, strong springs & sears; original two-piece hardwood grip in g. sound cond., some light handling marks, chequering is defined; overall in exc. wo & g. cond. **#J027613** Post 46' L/R **150 - 250**

481. **SMITH & WESSON M. 60-7 D.A. POCKET REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 1 7/8" (48m/m) barrel with exc. bright bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; fitted with **Pachmayr Presentation/Compac** rubber grip; overall in exc. wo & vg. **#BPD2176** Post 46' L/R **300 - 500**

482. **SMITH & WESSON MOD. SW9C SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 16 rnd. mag.; 3 3/4" (98m/m) barrel with dirty bore, appears vg. with sharp rifling; strong grey finish to slide, some minor handling marls but presents well; **SMITH & WESSON** / **SPRINGFIELD** address to lhs. slide along with **Model SW9C**; slide retracts freely, strong springs & sears; black polymer from, some minor handling marks but in vg.+ cond., **SW** monogram embossed to both sides; overall in exc. wo & vg. cond. **#PAL3204** Post 46' L/R **400 - 600**

483. **SMITH & WESSON MOD. 36-1 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 3" (76m/m) barrel with vg. bright bore & sharply defined rifling; thinning reblued finish to metalwork, presents ordinary overall, some surface marks; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; fitted with **Pachmayr** rubber grip; overall in exc. wo & f. **#J217105** Post 46' L/R **200 - 400**

484. **SMITH & WESSON M. 60-7 D.A. POCKET REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 1 7/8" (48m/m) barrel with exc. bright bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; fitted with **Pachmayr Presentation/Compac** rubber grip; overall in exc. wo & vg. **#BPC5592** Post 46' L/R **300 - 500**

485. **SPANISH RUBY EXTRA D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 2 1/4" (55m/m) barrel with g.+ bore, sharp rifling, some light frosting; thinning reblued finish to metalwork presents ordinary some speckled oxidation & blemishes; **RUBY**/ **EXTRA**/ **TRADEMARK** roundel mark to rhs. frame, cal. to lhs. barrel; cylinder indexing, springs & sears are strong; matching chequered walnut grips in sound cond., showing some wear & handling marks but remain sound; overall in vg. wo & f. cond. **#561063** Post 46' L/R ***Mfg. by Gabilondo y Cia / Llama*** **150 - 300**

486. **ROSSI M88 DOUBLE ACTION REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 3" (76m/m) barrel with vg.+ bore, bright with sharp rifling; thinning blued finish to metalwork presents ordinary some speckled oxidation & blemishes; **ROSSI** full name & Brazilian address to lhs. barrel, trademarks to rhs. frame; cylinder indexing, springs & sears are strong; fitted with some f. cond. but genuine **S&W** walnut grips, handling marks to both; overall in exc. wo & f. cond. **#D584369** Post 46' L/R **150 - 300**

487. **SMITH & WESSON MOD. 19-5 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with vg. bright bore & sharply defined rifling; bright finish to stainless steel metalwork, some handling marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; std. adjustable rear sight; fitted with **Pachmayr GRIPPER** rubber grip, in vgc.; overall in exc. wo & g.+ cond. **#ADR2272** Post 46' L/R **500 - 700**

488. **MAUSER C.96 S/A 'BROOM HANDLE' PISTOL & SHOULDER STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with exc. bright bore & crisp rifling; 60% blued finish to metalwork, thinning to a grey patina & with some pitting on profiles of frame, barrel; some handling marks overall; top of breech marked with three-line makers name/ **OBERNDORF**, rhs. frame marked again with **WAFFENFABRIK MAUSER/ OBERNDORF A. NECKAR/ D.R.P.u.A.P**.; mechanically strong, slide retracts freely, strong springs & sears; 50-1000 graduated tangent sight; 12-groove matching walnut grips in g. cond., some light handling marks to both & general darkening; comes with period walnut shoulder stock holster, g.+ sound cond. with only light handling marks & bruising overall, **MAUSER** trademark to lhs. & serial no**. 911463** stamped to rise of comb; overall in exc. wo & g. cond. **#913108** Pre 47' L/R ***A mechanically fine late model C.96, has seen v. little use.*** **1500 - 2000**

489. **EARLY MAUSER C.96 S/A 'CONE HAMMER' PISTOL & SHOULDER STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with g.+ bore, rifling well-defined & bright overall, some fine pin-prick pitting; original blued finish to metalwork, thinning to a grey patina on barrel, front of frame some minor staining & dark frosting, finish stronger in protected areas & presents well overall; small parts incl. safety, sights, long extractor & bolt stock retain areas of their original nitre bluing; top of breech stamped with three-line **WAFFENFABRIK / MAUSER / OBERNDORF A/N**; serial no. **2081** stamped to frame, bolt, hammer & other small parts; **U** proof to lhs. breech & Mauser antler proof to rhs; mechanically strong, bolt retracts freely, strong springs & sears; 1-10 graduated tangent sights; original matching walnut grips in g.+ cond., some minor handling marks & wear but the 23 grooves to each are well-defined; lanyard ring to butt of frame; comes with period walnut shoulder stock, g. overall cond. with exception of a partial crack to lhs. that needs attention, light handling marks elsewhere; overall in exc. wo & g.+ cond. **#2081** Mfg. c.1897 **2500 - 3000**

490. **EARLY MAUSER C.96 S/A LARGE RING, FLAT SIDE PISTOL & SHOULDER STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel, bore bright & rifling defined but slight ring bulge in breech half; dark almost black blued finish to majority of metalwork, patchy loses where a brown patina has developed, mainly on barrel & rhs. frame; strong straw finish to trigger, bolt stop & safety with some strong areas of nitre bluing; top of breech stamped with three-line **WAFFENFABRIK / MAUSER / OBERNDORF A/N**; serial no. **24030** stamped to lhs. breech, bolt, hammer & other small parts; **U** proof to lhs. breech & Mauser antler proof to rhs; mechanically strong, slide retracts freely, strong springs & sears; 50-1000 graduated tangent sight; matching walnut grips, well-defined 22 grooves; lanyard stud to butt; comes with walnut shoulder stock holster, refinished but in g. to vg. overall cond., only minor handling marks, numbered **4190** to tang; overall in g. cond. **#24030** Mfg. c.1900 L/R **2250 - 2750**

491. **MAUSER C.96 S/A 'BROOM HANDLE' PISTOL & SHOULDER STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with g. bore, rifling well-defined & bright overall, some fine pin-prick pitting small peppering towards muzzle; blued finish to majority of metalwork, scattered patchy losses to finish on barrel, quite strong elsewhere; sights, bolt, trigger, extractor & safety retain most of the vivid nitre blueing; top of breech marked with three-line maker name/ **OBERNDORF**, rhs. frame marked **WAFFENFABRIK MAUSER/ OBERNDORF A. NECKAR**; lhs. breech marked with serial no. **202656**, serial no. marked to bolt, hammer & other small parts, some only lightly; lhs. breech & some small parts marked with **BNP** British proofs & the complete British **BNP** nitro re-proofs are stamped to underside of barrel; mechanically strong, slide retracts freely, strong springs & sears; 50-1000 graduated tangent sight; finely grooved walnut grips are in g. cond., some light handling marks & minor wear; lanyard ring to butt; pistol comes with walnut shoulder holster complete with leather harness & cleaning rod; leather embossed **J.M. ECKARD/ 1918/ LM A/D** stock tang marked with struck ~~**372**~~ over **656**; walnut shoulder stock bearing a few handling marks, aged crack repair & steel band brace; overall in vg. wo & g. cond. #**202656** Mfg. c.1911 - 1915 L/R **2000 - 2500**

492. **SMITH & WESSON M. 60-7 D.A. POCKET REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 1 7/8" (48m/m) barrel with exc. bright bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; fitted with **Pachmayr Presentation/Compac** rubber grip; overall in exc. wo & vg. **#BRP0244** Post 46' L/R **300 - 500**

493. **SCARCE WWII JAPANESE TYPE 90 DOUBLE BARREL FLARE PISTOL:** 28m/m flare cal.; 4" round barrels with g. bores; blued finish to barrels & frame has developed a charcoal grey appearance, some light oxidation staining & thinning to a plum patina on sides; alloy action with 70%+ black enamel finish thinning to a grey patina; lhs. frame stamped with patents, the Kayaba Kogyo company trademark, marked again to top of breech along with other inspection marks; mechanically g. action locks up with some movement, cocking piece with strong springs & sears, barrel selector working; black bakelite grips are in g. to vg. cond., chequering is well-defined, some minor handing marks; overall in g. cond. #9530 **N/L** **1200 - 1500**

494. **EARLY D.W.M. MFG. LUGER P08 S/A SERVICE PISTOL:** 7.65×21m/m Parabellum cal.; 8 rnd. mag.; 4 3/4" (120m/m) barrel with vg. bright bore & sharply defined rifling, some fouling in grooves; blued finish to majority of metalwork has darkened to a charcoal grey colour, thinning to a grey patina on barrel, profiles; some small parts with areas of vivid straw finish; ***DWM*** trademark marked to top of toggle; top of breech marked **1910**; serial no **6862** marked to front of frame, **62** marked to other parts but some are restamps; side plate a replacement; front strap marked with unit markings **1.G.U.5.18.**; non-matching magazine; toggle retracts smoothly, strong springs & crisp sears; chequered grip panels in vg. cond., some minor handling marks but chequering is largely sharply defined, some light wear to bottom of both; exc. wo & g. cond. **#6862** Mfg. 1910 L/R **1000 - 1500**

495. **BRITISH WEBLEY & SCOTT MK. III FLARE PISTOL:** 1" calibre; 5 5/8" barrel with the distinctive flared muzzle; dull mellow patina to brass frame & barrel, some light handling marks but presents well; lhs. frame marked **WEBLEY & SCOTT LTD** / address / **III** & proofs; action locks up tight, strong springs but main sear is not holding; smooth walnut grips in vg. cond. some light handling marks; lanyard ring to butt; overall in g. cond. #116608 **N/L** **300 - 500**

496. **SMITH & WESSON M. 60-7 D.A. POCKET REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 1 7/8" (48m/m) barrel with exc. bright bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; fitted with **Pachmayr Presentation/Compac** rubber grip; overall in exc. wo & vg. **#BRN9124** Post 46' L/R **300 - 500**

497. **SWEDISH HUSQVARNA MOD. 1907 S/A SERVICE PISTOL & HOLSTER:** 9×20m/mSR Browning Long cal.; 7 rnd. mag.; 5" (127m/m) barrel with g.+ bright bore & sharply defined rifling, some frosting; metalwork with dark armoury re-finish, fine sandblasted finish to majority of surfaces, markings remain well-defined; lhs. slide marked **HUSQVARNA VAPENFABRIKS AKTIEBOLAG**/ **SYSTEM BROWNING**; lhs. frame marked **T5 No110**; mechanically complete, slide retracts smoothly but gummed up with dried grease, springs feel strong; matching bakelite grip panels in g. overall cond., Husqvarna **h** crown trademark to top of both, chequering is well-defined, some minor handling marks; fitted with period round leather lanyard & comes in period Swedish military holster with two spare magazines; embossed star pattern to holster externally, crown/ **14** stamped to lid; overall in g. cond. **#26510** Pre 47' L/R **700 - 1000**

498. **DREYSE MOD. 1907 SEMI AUTO POCKET PISTOL:** .32 ACP cal.; 8 rnd. mag.; 3 1/2" (90m/m) barrel with f. bore, rifling is defined, some light pitting & oxidation; grey patina & light to moderate pit peppering to most external surfaces, presents ordinary; markings to pistol have been recut, lhs. frame marked **BERGMANN**/ **MOD. 1810 M.P**/ **2815**, markings are crude, rhs. marked **CAL. 9MM.** despite bore measuring .32; slide retracts but spring wear, feels rough; crude replacement smooth grips; comes in older leather holster; overall in p. cond. **#2815** Pre 47' L/R ***Either a badly restored original or poorly constructed Spanish copy.*** **100 - 200**

499. **SMITH & WESSON VICTORY MOD. D.A. SERVICE PISTOL:** .38/200 cal.; 6 shot fluted cylinder; 5" (127m/m) barrel with exc. bright bore & sharply defined rifling, some superficial fine pit peppering; 90%+ parkerized finish to metalwork, presents well & only thinning from holster wear on profiles; trigger & hammer with faint case colours; top of barrel marked with two-line **SPRINGFIELD** address, **SMITH & WESSON** marked to lhs. & **38 S.&W. CTG** to rhs; rhs. frame marked with **SW** monogram trademark, **MADE IN USA**, **FTR MA 54**, British proofs & **D** broad arrow **D** mark; top strap marked **"UNITED STATES PROPERTY"**; markings are sharply defined; mechanically fine, cylinder indexing well, strong springs & sears; original smooth walnut grips in g. cond., some light handling marks & bruising; lanyard swivel to butt; overall in exc. wo & vg. cond. **#945310** Pre 47' L/R **700 - 1000**

500. **SWEDISH HUSQVARNA MFG. M40 'LAHTI' S/A PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4 1/2" (116m/m) barrel with exc. bright bore with sharply defined rifling; strong original blued finish to metalwork presents v. well, light holster wear thinning finish on profiles to a grey patina; some minor handling marks; lhs. mantle marked **HUSQVARNA VAPENFABRIKS A.B.** & **F12** / **520** to rear; serial no. **32322** marked to lhs. frame, mantle; mechanically exc., bolt retracts freely, strong springs & sears; matching bakelite grip panels in g. overall cond., Husqvarna **h** crown trademark to top of both, chequering is well-defined; comes with period vgc. leather holster holding two additional magazines; overall in exc. wo & g. to vg. cond. **#32322** Pre 47' L/R **1000 - 1400**

501. **BRITISH WEBLEY & SCOTT LINE-THROWER PISTOL:** 1" calibre; 12" round barrel, g. bore, dent to muzzle; brass frame & barrel, some light handling marks & mottled dark patina to barrel extension; makers name broad arrow marks & proofs to lhs. breech, frame; action locks up tight, strong lock springs & sears; smooth walnut grips are in g. sound cond., some scattered handling marks; overall in g. cond. #135017 **N/L** **300 - 500**

502. **EARLY MAUSER C.96 S/A 'CONE HAMMER' PISTOL & SHOULDER STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with vg. bright bore, rifling is crisp, only some superficial frosting in areas; original blued finish to metalwork has thinned to a dark grey patina overall, consistent pin prick pitting peppers majority of frame & barrel; fortunately, markings remain sharply defined; top of breech marked with three-line maker name/ **OBERNDORF**, rhs. frame marked **WAFFENFABRIK MAUSER/ OBERNDORF A. NECKAR**; lhs. breech marked with serial no. **13638**, serial no. marked to bolt, hammer & other small parts; lhs. breech & some small parts marked with **BNP** British proofs & the complete British **BNP** nitro re-proofs are stamped to underside of barrel, rhs. breech, frame & bolt marked with period London **P** proofs; mechanically strong, slide can be a little stiff to retract, strong springs & sears; 50-500 graduated tangent sight; matching 23 groove walnut grips in g. cond., some minor handling marks & bruising, both present well; comes in period walnut shoulder holster stock, some light handling marks & fine crack to underside; has been fitted with unusual leather strap to rhs; stock numbered **11619**; overall in exc. wo & f. cond. #**13638** Mfg. c.1898 L/R ***Has seen very little work.*** **2250 - 2750**

503. **VERY FINE MAUSER C.96 S/A 'BROOM HANDLE' PISTOL & MATCHING SHOULDER STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with g.+ bore, rifling well-defined & bright overall, some fine pin-prick pitting; pistol retains majority of the original finishes, 95%+ gloss blued finish to majority of metalwork, some minor storage marks from holster but hard to fault; sights, bolt, extractor & safety retain most of the vivid nitre blueing, strong straw finish to trigger; top of breech marked with **MAUSER** trademark, rhs. frame marked **WAFFENFABRIK MAUSER/ OBERNDORF A. NECKAR**; lhs. breech marked with serial no. **86249**, serial no. marked to bolt, hammer & other small parts; mechanically strong, slide retracts freely, strong springs & sears; 50-1000 graduated tangent sight; finely (35-ish) grooved walnut grips are in g. to vg. cond., some light handling marks & bruising but showing little wear; lanyard ring to butt; pistol comes with the equally fine, matching (**249**) number walnut shoulder stock; only light handling marks but furniture retains strong blued finish; overall in vg. wo & fine original cond. **#86249** Mfg. c.1905 L/R **2500 - 3000**

504. **BOXED ADLER M. B-230 STRAIGHT PULL SHOTGUN:** 12G, 3" chambered; 10 rnd. mag.; 23 1/2" barrel incl. ported muzzle break; makers name & model marked to action; satin tan finish to metalwork presents exc.; mechanically strong, bolt cycles freely; fitted with polymer sights, picatinny rail to top of receiver, barrel fitted with ventilated heat shield; fitted with **MAGPULL INDUSTRIES** adjustable tactical stock & pistol grip; come in original cardboard box with the original black synthetic stock & pistol grip, spare magazine; overall in exc. wo & cond. **#20AU-07081** Cat B L/R **500 - 700**

505. **WINCHESTER MOD. 94 LEVER-ACTION RIFLE:** .30-30 Win. cal.; 6 rnd. tube mag; 20" barrel with bright bore & sharply defined rifling; blued finish to metalwork presents well, some minor oxidation staining & dried grease overall but showing little wear; lhs. of barrel marked with ***WINCHESTER***, model, calibre & address; mechanically exc., cycles smoothly; original cloverleaf sights, front retains hood; woodwork in g. sound cond., has been given a lacquer, some light handling marks overall; factory plastic **WINCHESTER** marked chequered buttplate; overall in exc. wo & vg. cond. **#3451937** L/R **500 - 700**

506. **BOXED ADLER M. B-230 STRAIGHT PULL SHOTGUN:** 12G, 3" chambered; 10 rnd. mag.; 20" barrel with interchangeable choke; makers name & model marked to action; satin tan finish to metalwork presents exc.; mechanically strong, bolt cycles freely; fitted with polymer sights, picatinny rail to top of receiver, barrel fitted with ventilated heat shield; original black synthetic stock & pistol grip; come in original cardboard box with spare magazine & chokes; overall in exc. wo & cond. **#20AU-07061** Cat B L/R **400 - 600**

507. **U.S. SPRINGFIELD ARMOURY KRAG–JØRGENSEN MOD. 1898 RIFLE:** .30-40 Krag cal.; 5 rnd. capsule magazine; 30" barrel with dull bore, rifling remains well-defined, some scattered patches of moderate pitting; mottled grey patina to majority of metalwork, some minor staining but profiles & markings remains sharply defined; lhs. action marked **U.S. / MODEL 1898. SPRINGFIELD ARMOURY. 435852**; mechanically fine, bolt cycles butter smooth, strong springs & sears; 1-20 graduated rear ladder sight & blade front; fitted with period beige canvas sling; woodwork in g. original cond., has darkened but bearing only a few scattered aged handling marks & bruises; steel buttplate with trap; overall in g. wo & g.+ cond. #**435852** L/R **1400 - 1600**

508. **LOEWE MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with f.+ bore, well-defined rifling & still quite bright, fine pitting throughout; dark patina to majority of metalwork, has been heavily greased; top of breech marked with well-defined crown/ **LOEWE BERLIN/ 1890**, trio of proofs to rhs. & serial no. marked to lhs; breech & barrel marked **5561**; **Gew. 88** marked to lhs. action; Turkish crescent moon marked to bolt; bolt cycles, strong springs & sears but needs a clean; retains steel cleaning rod; woodwork sound cond., presents dry & grey but bearing only light handling marks & bruising overall; overall in g. wo & f. cond. **#2614** L/R ***Would grade up significantly with a clean & oil.*** **150 - 300**

509. **LITHGOW MOD. 1 B/A RIMFIRE RIFLE:** .22 LR cal.; 24" barrel with vg, bright bore & sharply defined rifling; blued finish to metalwork has thinned to a mottled dark grey patina overall; makers name **LITHGOW N.S.W.** address marked to lhs. barrel; bolt cycles freely, strong springs & sears, std. sights; two-piece walnut stock bearing a few handling marks & light bruising to surface but in g. sound cond., **LITHGOW** polymer disc inlaid to rhs. stock; overall in exc. wo & g. cond. **#23771** L/R **150 - 300**

510. **BELGIAN F.N. MAUSER 98 SHORT RIFLE:** .30-06 Sprg. cal.; 5 rnd. mag.; 24" barrel with exc. bright bore & crisp rifling; black painted finish to metalwork thinning to a grey patina in areas, 70%+ remaining; lhs. action marked with **FAB. NAT. D'ARMES de GUERRE**/ address to lhs. action, serial no. **13954** marked to rhs. breech, woodwork below & bolt, the latter cycles smoothly, strong springs & sears; 1-19 graduated tangent sights; retains steel cleaning rod; woodwork in g.+ original cond., profiles are sharply defined, some bruising & handling marks but sound; rippled steel buttplate; overall in exc. wo & g. cond. **#13954** L/R **500 - 700**

511. **STEYR MANNLICHER M.95 STRAIGHT-PULL RIFLE:** 8×50m/mR Steyr cal.; 5 rnd. integral mag.; 30" barrel with vg. bright bore & well-defined rifling; strong blued finish to majority of metalwork, thinning only slightly on profiles but presents v. well; bright polished finish to bolt & some small parts, only minor staining; top of breech marked **STEYR/ M.95**, top of barrel marked with **S**; matching numbers straight-pull bolt cycles freely, strong springs & sears; matching numbers marked to breech, barrel & stock; 6-26 graduated rear sights; fitted with contemporary leather sling; woodwork in g. to vg. cond., some general handling marks & light bruising, presents well; steel buttplate; overall in g. wo & cond. **#9633Y** L/R **700 - 1000**

512. **VICTORIAN MARKED SPARKBROOK LEE-ENFIELD MK. I* SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 30" barrel with f. bore, rifling well-defined but bore is dull, some pit peppering towards muzzle; blued finish to metalwork thinning in areas to a grey patina, patch of pitting to barrel above bayonet lug; metal finishes present well, honest; rhs. body socket marked with crown/ **E.R. / SPARKBROOK / 1902 / L.E. / I***; breech marked with serial no. **18081** which is marked again to bolt; breech marked with additional **VIC 6857**, marked again to top of barrel, rhs. stock; matching bolt cycles freely, strong springs & sears; complete with mag cut-off, volley sights, dust cover & correct style mag with chain; 6-18 graduated sights, blade front; fitted with period leather sling; woodwork in g. to vg. cond., retains exc. metal-to-wood fit & markings remains well-defined, some light handling marks & bruising overall; rhs. butt marked with **SPARKBROOK** & **COMMONWEALTH** – **VICTORIA** roundels, broad arrows, **6857**; brass buttplate with trap; overall in g. wo & g. to vg. cond. **#18081** L/R ***Presents v. well overall. A nice, complete rifle.*** **700 - 900**

513. **R.F.I. ISHAPORE B/A SERVICE RIFLE 2A1:** 7.62×51m/m NATO cal.; 10 rnd. box mag.; 25 1/4" barrel with fine bright bore & sharply defined rifling; blued finish & patchy black paint thinning in areas to a grey or plum patina; rhs. body socket marked with crest/ **RIFLE** / **7.62 mm 2A1**/ **R.F.I.** / **1968**; matching bolt cycles freely, strong springs & sears; 2-8 graduated sights; fitted with period canvas sling to factory swivels; woodwork in vgc., some spotted blemishes to finish but bearing only a few minor handling marks overall; lhs. butt with painted **9**/ **413**; grey alloy buttplate with trap; overall in exc. wo & vg. cond. **#AB 5370** L/R **700 - 900**

514. **BOXED GERMAN UMAREX-HÄMMERLI MOD. 850 AIR MAGNUM:** .22 cal.; 8 shot polymer cylinder; 23" barrel with exc. bright bore & sharply defined rifling; strong blued finish to metal parts; makers name & model marked to rhs. of polymer receiver; mechanically exc., bolt action cycles freely, front of forestock removes to reveal cannister housing; black polymer stock is exc.; comes in original polystyrene packing & blue cardboard box, spare polymer cylinder/ magazine; overall in exc. wo & as new cond. **#G040398** Cat A L/R **300 - 500**

515. **BOXED GERMAN UMAREX-HÄMMERLI MOD. 850 AIR MAGNUM:** .177 cal.; 8 shot polymer cylinder; 23" barrel with exc. bright bore & sharply defined rifling; strong blued finish to metal parts; makers name & model marked to rhs. of polymer receiver; mechanically exc., bolt action cycles freely, front of forestock removes to reveal cannister housing; fitted with **Bushnell 3-9X32EG** scope with clear optics; black polymer stock is exc.; comes in original polystyrene packing & blue cardboard box, sealed canister & spare polymer cylinder/ magazine; overall in exc. wo & as new cond. **#G041703** Cat A L/R **400 - 600**

516. **BOXED RUGER AMERICAN B/A SPORTING RIFLE:** .300 Blackout cal.; 10 rnd. polymer magazine; 16" barrel with exc. bright bore & sharply defined rifling, needs a clean; matte black finish to majority of metalwork, satin on action; **SOUTHPORT** address to top of barrel, **RUGER AMERICAN** to lhs. action; strong springs & sears; picatinny rail to top of action; tan colours synthetic stock, exc. cond., still has the factory stickers on the underside of forewood & rhs. butt; factory black rubber recoil pad; comes in the original cardboard box; overall in exc. wo & cond. **#690274615** L/R **500 - 700**

517. **W.W. GREENER LARGE FRAME MARTINI RIMFIRE RIFLE:** .22 long cal.; 30" barrel with f. to g. bore, rifling well-defined, some scattered patchy light pitting but still quite bright; plum patina to majority of metalwork, softer on action, some minor staining & handling marks; **W.W. GREENER, MAKER. BIRMINGHAM** to lhs. action, **AMMUNITION** / **22 RIMFIRE** engraved to top of breech & makers name & full address engraved to barrel ahead of sights; mechanically strong, action locks up tight; 25-100 yd rear sight, blade front & fitted with **B.S.A.** peep sight to head of stock; walnut stock & forewood in g.+ cond. overall, some minor handling marks & bruising; steel buttplate; overall in vg. wo & g. cond. **#020778** L/R ***An interesting range rifle.*** **500 - 800**

518. **BOXED SAVAGE MOD. A17R RIMFIRE BOLT RELEASE RIFLE:** .17 HMR cal.; 10 rnd. rotary polymer mag.; 20" heavy barrel with exc. bore & sharply defined rifling, needs a clean; blued finish to metalwork, only minor storage marks; makers name & address to barrel; mechanically strong, bolt retracts freely, released by lever to front of trigger guard; black synthetic stock with speckled texture to surface; black rubber recoil pad; comes in original cardboard box; overall in exc. wo & cond. **#N213054** L/R **400 - 600**

519. **STH. AUST. MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with g. bore, relatively bright overall with well-defined rifling, some light pitting & oxidation; thinning original blued finish to metalwork, has developed a dark patina, some patchy staining & fine peening; full name & **B.S.A.** piled arms trademark to lhs. of action, **COMMONWEALTH OF AUSTRALIA** to rhs. & kangaroo trademark to top of breech; action locks up well & trigger crisp; std. tangent sights & blade front; missing sling swivel to butt; woodwork is in sound cond., general handling marks & bruising but presents very well with sharply defined **CMF**/ **S.A.** stamps to rhs. butt; steel buttplate; overall in vg. wo & f. to g. cond. **#47935** L/R A very honest example in original condition. **300 - 500**

520. **ENFIELD MARTINI-ENFIELD S/S CUSTOM RIFLE:** .22-250 Rem. cal.; 26 1/4" barrel with exc. bright bore & sharply defined rifling; strong blued finish to metalwork a few minor handling marks; std. **ENFIELD** markings to lhs. action; action functions well, strong springs & sears, lever has been bent down to suit vertical grip; fitted with dovetail mount to top of barrel, bipod; original stock has been modified with grip & comb, some repaired surface cracks; custom forewood; woodwork sound; overall in exc. wo & g. cond. **#1513** L/R **50 - 100**

521. **TASMANIAN MARKED ENFIELD MFG. SHT.LE MK. I B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bore, rifling is sharply defined & has been greased; thinning blued finish to metalwork has darkened, thinning on profiles, presents well; rhs. of body socket marked **E.R.** Cypher/ **ENFIELD**/ **1904**/ **SHT. LE/ I**; **139** / serial no. **7218**/ **E** marked to rhs. breech & bolt; early style bolt with sliding charger guide cycles freely; rifle complete with volley sights, mag. cut off & early 2-20 graduated sights with windage adjustments; walnut woodwork in g. to vg. overall cond., has darkened slightly but markings remain sharply defined & metal-to-wood fit is exc.; some light bruising & general handling marks; rhs. butt inlaid with brass disc, marked with **ENFIELD** roundel/ **I.**, **7 /05**, **C.M.F.**/ **T** & 139; steel buttplate w/o trap; fitted with older leather sling; overall in exc. wo & vg. cond. **#7218E** L/R ***An unusually nice example*** **900 - 1200**

522. **SAKO MOD. L461 VIXEN B/A SPORTING RIFLE:** .222 Rem. cal.; 5nd. mag.; 24" barrel with bright bore & sharply defined rifling, some v. minor pit peppering at muzzle end; original blued finish to metalwork presents well, some light general wear & oxidation at muzzle; **VIXEN MADE IN FINLAND**, cal. marked to barrel, **L461** and serial no marked to lhs. action; bolt cycles smoothly, crisp trigger; hooded front sight & fitted with factory large aperture peep sight; walnut stock in vg. cond. overall, chequering remains sharply defined, only a few minor marks to the original gloss finish; retains sling swivels, original buttplate; overall in exc. wo & vg.+ cond. **#128387** L/R **600 - 800**

523. **LITHGOW MOD. 12 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 25" barrel with bright bore sharply defined rifling, vg. cond.; thinning blued finish to metalwork, has been cleaned off in areas; **LITHGOW**, address, cal. markings to lhs. barrel; bolt cycles freely, crisp trigger; factory sights have been removed, dovetails have been filled, action fitted with bridge mount; refinished stock presents well, some minor handling marks; original buttplate & grey spacer; overall in exc. wo & f. cond. **#32804** L/R **50 - 100**

524. **HUSQVARNA MFG. SWEDISH MAUSER MOD. 96 B/A RIFLE:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 30" barrel; vg. bright bore with sharply defined rifling; strong original blued finish to majority of metalwork, thinning slightly on trigger guard & mag. floorplate; polished steel bolt & internals; **HUSQVARNA VAPENFABRIKS**/ **ATIEBOLAG**/ **1942** marked to top of breech; matching no. bolt cycles smoothly, strong springs & sears; 2-6 graduated rear sight & blade front; retains steel cleaning rod; fitted with period leather sling; woodwork in vg. overall cond., bearing some minor handling marks but presents v. well; brass disc inlaid to rhs. of stock marked with several numbers & **Torped Overslag**; non-matching steel buttplate; overall in exc. wo & vg. cond. **#654103** L/R **700 - 900**

525. **MAUSER MFG. SWEDISH MAUSER MOD. 1896 B/A RIFLE:** 6.5×55m/m Swedish cal.; 5 rnd. integral mag.; 30" barrel; vg. bore with well-defined rifling, a bit dull; dark blued finish to metalwork, looks to be an armourers refinish on action, some light handling marks; polished steel bolt & internals; **WAFFENFABRIK/ MAUSER/ OBERNDORF A/N/ 1900** marked to top of breech; matching numbers rifle incl. bolt which cycles smoothly, strong springs & sears; 3-6 graduated rear sight & blade front; retains steel cleaning rod; sling swivels to barrel band & underside of stock, fitted with period leather sling; woodwork in g. to vg. overall cond., bearing some minor handling marks & light bruising but presents well; brass disc inlaid to rhs. of stock marked with several numbers & **Torped Overslag**; non-matching steel buttplate; overall in exc. wo & g. to vg. cond. **#42646** L/R **700 - 900**

526. **FINE WWII REMINGTON MFG. MODEL 1903 SERVICE RIFLE:** .30-06 Sprg. cal.; 5 rnd. mag.; 24" barrel with exc. bright bore & crisp rifling; rifle retains 90% of the original parkerized finish to metalwork, some v. light wear confined mainly to profiles & some minor staining but presents exc.; top of breech marked **U.S.** / **REMINGTON** / **MODEL 1903** / serial no. **3195722**; bolt cycles freely, strong springs & sears; std. 3-27 graduated rear sight, blade front sight with hood; complete with swivels & period green canvas sling; walnut stock & hand guard present exc., some scattered older handling marks, confined mainly to rhs. butt & forewood before first barrel band; steel buttplate; overall in exc. wo & vg. cond. **#3195722** L/R .c. 1943 ***By far the finest 1903 model rifle to come through our auctions.*** **1200 - 1600**

527. **JAMES HILL & SONS 'THE UNEEK' S x S HAMMER CAPE GUN:** 12G, 2 1/2" chambered by .380 B.P.E cal.; 30" barrels, rifle barrel with well-defined rifling, some light pitting, shotgun barrel with some heavier pit peppering at breech end; grey patina to barrels, action has been blacked & presents ordinary; ***THE UNEEK MADE EXPRESSLY FOR HAMES HILL & SONS ADELAIDE*** engraved to top rib, **G.M. MUMME KADINA** engraved to lhs. barrel; Birmingham proofs to barrels; action locks up tight, locks function; fitted with crude replacement sights, dovetailed to top rib; replacement fore-end wood & original stock has plenty of crack repairs; overall in p. cond. **#103892** L/R ***An interesting gun that has seen better days.*** **50 - 100**

528. **F.A.T CARCANO M.41 B/A RIFLE:** 6.5×52m/m cal.; 5 rnd. integral mag.; 28" barrel with an unusually nice bore, bright with sharply defined rifling, vg.+ cond.; original blued finish to metalwork presents well, some minor storage marks overall; **FAT/ 42** to top of breech; lhs. breech has marked with British **BNP** proofs; bolt cycles well, strong sears; 3- 10 graduated rear sight, retains steel cleaning rod, fitted with period leather sling; woodwork in g. to vg. overall cond., some scattered handling marks & bruising; ovate **FAT**/ **1947** & serial no. **AG** / **6779** marked to lhs. stock; overall in exc. wo & g.+ cond. **#AG6779** L/R ***One of the better Carcano rifles to come through our auctions.*** **500 - 800**

529. **TERNI CARCANO M.38 B/A SHORT RIFLE:** 6.5×52m/m cal.; 5 rnd. integral mag.; 22" barrel with bright bore & sharply defined rifling, small patch of light pit peppering towards muzzle, otherwise vgc.+; strong blued refinish to metalwork, some minor handling & storage marks; **R. E. TERNI** under crown to top of breech along with **1940 XVIII** stamps to rhs; lhs. breech has marked with British **BNP** proofs, & additional proofs to lhs. barrel; **CAL 6.5** to top of sight block; non-matching bolt cycles well, strong sears; woodwork in g. to vg. overall cond., has been cleaned back, some light handling marks but presents well; overall in vg. wo & g. cond. **#H660** L/R **400 - 600**

530. **SPORTERIZED ENFIELD LEE-ENFIELD B/A RIFLE:** .303-25 cal.; 10 rnd. mag.; 23" barrel with f. bore, sharply defined rifling, some light oxidation scale & frosting, needs a clean; blued refinish to metalwork quite strong, some speckled oxidation staining to surface; **ENFIELD**/ **1900** marked to rhs. body socket; bolt cycles freely, strong springs & sears; fitted with ***Ausinel*** side mound housing an older **PECKAR**/ **BERLIN 4 × 81** scope, dusty optics; original forewood has been shortened & chequered, sporter stock with cheek piece, both with some surface marks but in sound cond.; overall in g. wo & f. cond. **#22392** L/R **200 - 300**

531. **BELGIAN F.N. MAUSER 98 B/A SPORTING RIFLE:** .30-06 Sprg. cal.; 5 rnd. mag.; 24" stepped military style barrel with vg. bright bore & well-defined rifling; black coated finish to metalwork, some light handling marks overall but markings remain well-defined; **FAB. NAT. D'ARMES de GUERRE**/ address to lhs. action, British proofs to top of barrel; matching numbers marked to barrel, breech & bolt; bolt cycles freely, strong springs & sears; retains tangent sights & fitted with **BUSHNELL SCOPECHIEF** scope on homemade two-piece mounts; fitted with leather sling; original matching stock has been shortened, fitted with grafted comb, some handling marks but sound; rubber recoil pad; overall in exc. wo & g. cond. **#12395** L/R ***A good solid rifle, appears to have been sold new from surplus military components*** **300 - 500**

532. **WINCHESTER MOD. 1903 SEMI-AUTO RIMFIRE RIFLE:** .22 Win. auto cal.; 10 rnd. tube mag.; 20" round barrel has been re-lined, vg. bore & sharply defined rifling; original blued finish has thinned to a plum patina on receiver, mottled grey-brown patina on barrel; **WINCHESTER** two-line address marked to barrel along with trademarks & calibre to lhs. of breech; action cycles smoothly, strong springs & sears; std. front & rear sights dovetailed to barrel; walnut straight stock & forewood bearing a few surface marks, let down by a split to toe of butt; crescent steel buttplate with loading spring tube; overall in vg. wo & f. cond. **#89458** Cat C L/R **200 - 300**

533. **TERNI CARCANO M.91 B/A CAVALRY RIFLE:** 6.5×52m/m cal.; 5 rnd. integral mag.; 18" barrel, rifling is well-defined but spotted with powdery oxidation scale, would clean up but considered p. until then; mottled grey patina to majority of metalwork, some speckled oxidation staining; crown over **R. E. TERNI** to top of breech along with **36-XIV** stamps to rhs; bolt cycles freely, strong springs & sears; std. sight & folding bayonet; woodwork has been lacquered to a glossy finish, some staining & bruising still evident; steel buttplate; overall in f. cond. **#I8849** L/R ***A good project*** **150 - 250**

534. **SIAMESE POLICE CONV. TOKYO ARSENAL TYPE 38 B/A CARBINE:** 6.5×50m/mSR Arisaka cal.; 5 rnd. integral mag; 17" barrel with f. to g. bore, rifling is sharply defined, pin-prick pitting in grooves; armourers blued finish to metalwork presents well, thinning on muzzle end of barrel, some minor oxidation staining; Siamese markings to top of breech, lhs. action marked with the original Tokyo arsenal trademark, serial no.; bolt cycles freely, strong spring & sears, retains dust cover; 5-24 graduated rear sight; fitted with older canvas sling; two-piece M1 carbine style hardwood stock, bearing surface handling marks & bruising; overall in vg. wo & f. to g. cond. **#18790** L/R ***A good example of these post war converted carbines.*** **500 - 700**

535. **STOEGER TACTICAL COACHGUN S x S SHOTGUN:** 12G, 3" chambered; 20" barrels, choked approx. 1/2 & 1/2; bores dirty but vg.; matte blacked finish to metalwork is strong, some surface oxidation on rib; makers name & **TACTICAL** marked to rhs. action, cal. to lhs. barrel; action locks up tight, strong springs, mechanical single trigger; fitted with picatinny rail to top rib & bottom rib ahead of fore-end; blacked finish to hardwood stock & beavertail fore-end, some light handling marks; black rubber recoil pad; overall in vg. wo & g. cond. **#A308210-14** L/R **300 - 400**

536. **DANZIG MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with f. bore, rifling is well-defined but grooves speckled with oxidation scale, would grade up with a clean; even dark patina & frosting to majority of metalwork, some scattered oxidation staining; top of breech marked with well-defined crown/ **DANZIG**/ **1890**, trio of proofs to rhs. & serial no. marked to lhs; breech & barrel marked **8953** / **w**; **Gew. 88** marked to lhs. action; Turkish crescent moon marked to bolt, German unit marks to barrel band; bolt cycles smoothly, strong springs & sears retains steel cleaning rod; woodwork in sound cond., presents very dark but bearing only surface light bruising & handling mark; steel buttplate; overall in vg. wo & f. to g. cond. **#8953** L/R **500 - 700**

537. **REMINGTON MOD. 25 PUMP ACTION RIFLE:** .32 W.C.F (32-20 Win.) cal.; 11 rnd. tube mag.; 24" round barrel with vg. bright bore & sharply defined rifling, some spotted frosting in patches; original blued finish to metalwork has thinned to an even grey patina in areas; makers name & **ILION** address marked to top of barrel, **Remington**/ **TRADE MARK MODEL 25**/ **32 WCF** to lhs; action cycles freely, strong springs & sears, lhs. action has been drilled & tapped; std. sights; woodwork in g.+ cond., some patchy varnish remains on butt but bearing only minor handling marks overall; crescent buttplate; overall in exc. wo & f. to g. cond. **#AA4010** L/R **400 - 600**

538. **MARLIN MOD. 1897 LEVER ACTION RIMFIRE RIFLE:** .22 LR cal.; 17 rnd. tube mag.; 24" octagonal barrel, relined; bore g. bright bore with sharply defined rifling, some fine pitting; strong reblued finish to metalwork, some light oxidation staining; top of barrel marked with well-defined **NEW HAVEN** address, ***MARLIN SAFETY*** marked to top of action, model marked to top tang; action cycles freely, strong springs & sears; std. rear sight, front brass blade sight is loose in dovetail; woodwork has been refinished, some surface cracks to grain & light general handling marks, presents ok; original hard rubber buttplate in g. cond.; overall in g. wo & cond. **#206028** L/R **300 - 500**

539. **WINCHESTER MOD. 1890 PUMP ACTION RIMFIRE RIFLE:** .22 Long cal.; 12 rnd. tube mag.; 24" octagonal barrel, has been relined; bore dirty but appears bright with sharply defined rifling; strong reblued finish to metalwork, some speckled staining & blemishes, pin-prick pits still present; top of barrel marked with sharply defined **WINCHESTER NEW HAVEN** address to top & **22 LONG** marked to lhs. of barrel; action cycles freely, strong springs & sears, V-notch rear & blade front sights dovetailed to barrel; walnut straight stock with crescent steel buttplate; woodwork presents poorly, patchy varnish finish to stock but handling marks only surface; grooved walnut pump handle in good cond.; overall in g. wo & cond. **#451350A** L/R **300 - 500**

540. **WINCHESTER MOD. 1885 LOW WALL S/S RIFLE:** .22 K Hornet cal.; original 24 3/4" octagonal barrel has been relined, vg. bright bore & sharply defined rifling; strong reblued finish to metalwork overall, some speckled oxidation, blemishes & light pit peppering remain; **WINCHESTER NEW HAVEN** address showing wear to top of barrel; mechanically exc., action locks up tight with strong spring tension & sears; fitted with dovetail mount on top of barrel, rear sight dovetail vacant, no front sight; original walnut straight stock & fore-end both in p. cond., surface cracking to grain & metal to wood fit around top tang is p.; overall in exc. wo & p. to f. cond. **#52257** L/R ***Suit restock or custom build.*** **200 - 300**

541. **WWI ERA ERFURT MFG. KAR 98 AZ RIFLE:** 7.92×57m/m cal.; 5 rnd. mag.; 24” barrel with g. bore, rifling is v. well-defined, some superficial frosting; blued finish to metalwork thinning to a grey patina in areas, some minor oxidation staining in areas; top of breech marked with crown/ **ERFURT**/ **1918**, trio of proofs to rhs. breech, serial no. to lhs; **Kar 98.** marked to lhs. action; most parts marked with serial no. **8425** or abbreviated **25**, bolt unmarked; bolt cycles freely, strong springs & sears; 3-20 graduated tangent rear sight; fitted with older leather sling; woodwork in sound cond., has been lightly refinished but still bears the inspection marks to rhs. butt & some light handling marks, bruising overall; matching no. steel buttplate; overall in exc. wo & g. cond. **#8425** L/R **800 - 1000**

542. **SWISS ‘SCHMIDT-RUBIN’ K11 STRAIGHT-PULL CARBINE:** 7.5×55m/m cal.; 5 rnd. mag.; 23 1/4" barrel with g. bore, bright with crisp rifling but some dirty patches in grooves, would clean up well; original blued finish to metalwork presents well, thinning slightly at rear of action, polished finish to bolt; lhs. breech marked with serial no. **172995**/ **P**; non-matching distinctive straight-pull bolt with bakelite handle & ring cocking piece; action cycles smoothly, strong springs & sears; 3-15 graduated tangent sights & blade front; walnut stock presents v. well., some light scattered handling marks & bruising, vgc. cond.; steel buttplate; overall in exc. wo & g. to vg. cond. **#172995** L/R **700 - 1100**

543. **SWISS SCHMIDT RUBIN K.31 STRAIGHT-PULL SHORT RIFLE:** 7.5×55m/m Swiss cal.; 5 rnd. mag.; 26” barrel with fine bore & sharply defined rifling; original blued finish to majority of metalwork presents well, some light wear on profiles & scattered blemishes, polished finish to bolt; lhs. breech marked with serial no. **793891**, Swiss cross mark to top of breech; distinctive straight-pull bolt with cast handle & ring cocking piece; action cycles smoothly, strong springs & sears; 1-15 graduated tangent sights & blade front, fitted with muzzle cap; fitted with period Swiss marked leather sling; woodwork in g.+ cond., some light handling marks & bruising overall but profiles are still sharp; surface hair-line crack to rhs. finger groove; polished steel buttplate; overall in exc. wo & g. to vg. cond. **#793891** L/R **700 - 1000**

544. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. steel mag.; 24 3/4" barrel with exc. bore, bright with sharply defined rifling; strong original blued finish to barrel, some minor storage marks but presents exc., satin finish to action; **BRNO MOD. 2** marked to barrel, **57** proofs to action & breech; bolt cycles freely, strong springs & sears; retains factory tangent 25-200 yd rear sight, blade front sight with hood; fitted with two-piece 1” rings; walnut stock presents well, bearing only minor handling marks & small stain to lhs; chequering to grip is well-defined; retains sling swivels & original buttplate; overall in exc. wo & g. cond. **#63533** L/R **500 - 700**

545. **WINCHESTER MOD. 1200 PUMP ACTION SHOTGUN:** 12G, 2 3/4" chambered; 4 rnd. tube mag.; 28” barrel, fitted with **MOD** interchangeable choke; vg. bright bore; blued finished to steel parts are still quite strong, some oxidation speckling & light wear; some wear to black finish on alloy receiver, incl. a deeper rub to lhs. from pump cycling; ***WINCHESTER*** trademarks & address to lhs. barrel; mechanically strong, cycles well; full length ventilated top rib; woodwork is sound, pressed chequering is defined but let down by flaking finish; original buttplate & grip cap; overall in exc. wo & f. to g. cond. **#L1040895** Cat C L/R **500 - 700**

546. **WINCHESTER MOD. 1200 RIOT PUMP ACTION SHOTGUN:** 12G, 2 3/4" chambered; 4 rnd. tube mag.; 18” barrel, cylinder bored; vg. bright bore; blued finished to steel parts thinning to a mottled grey patina; some light wear to black finish on alloy receiver; ***WINCHESTER*** trademarks & address/ **RIOT** to lhs. barrel; mechanically strong, cycles well; woodwork is sound, some light handling marks & bruising but presents well; original ventilated black rubber recoil pad & plastic grip cap; overall in exc. wo & g. cond. **#L1053776** Cat C L/R **500 - 700**

547. **WINCHESTER MOD. 1400 MK. II SEMI-AUTO SHOTGUN:** 12G, 2 3/4" chambered; 4 rnd. tube mag.; 28” barrel, fitted with **MOD** interchangeable choke; vg. bright bore; blued finished to steel parts starting to thin in areas, some oxidation patches; some wear & handling marks to black finish on alloy receiver, incl. a deeper rub to lhs. from pump cycling; ***WINCHESTER*** trademarks & address to lhs. barrel; action cycles well, strong springs & sears; ventilated top rib; woodwork is sound, pressed chequering is defined but has had an ordinary refinish; some scattered bruises & handling marks; original buttplate & grip cap; overall in exc. wo & f. to g. cond. **#N750980** Cat C L/R **400 - 600**

548. **BRNO MOD. 1 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. steel mag.; 24 3/4" barrel with exc. bore, bright with sharply defined rifling; original blued finish to barrel, some speckled oxidation staining & blemishes overall but presents decent, free from pitting; **BRNO MOD. 1** marked to barrel, **56** proofs to action & breech; bolt cycles freely, strong springs & sears; retains factory rear sight, fixed **50** & folding **75**, **100** leaf's; blade front sight with hood; fitted with period **meopta 3X** scope on bridge mount, optics clear but reticle a little blurry; walnut stock in g.+ original cond., some light handling marks & bruising overall; chequering to grip is well-defined; retains sling swivels & original buttplate; overall in exc. wo & g. cond. **#129248** L/R **600 - 800**

549. **BRNO ARMS MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 24 3/4" barrel with exc. bore, bright with sharply defined microgroove rifling; strong original blued finish to barrel, some minor storage marks but presents exc., matte finish to action; **BRNO ARMS MOD. 2** marked to barrel, **67** proofs to action & breech; bolt cycles freely, strong springs & sears; factory tangent rear sight missing, blade front sight with hood; fitted two-piece mounts, rings; walnut stock presents flawless, bearing only trace amounts of handling marks; chequering to grip is crisp; retains sling swivels & original buttplate; overall in exc. wo & cond. **#142842** L/R **600 - 800**

550. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. steel mag.; 24 3/4" barrel with exc. bore, bright with sharply defined rifling; strong original blued finish to barrel, some minor storage marks but presents exc., matte finish to action; **BRNO MOD. 2** marked to barrel, **65** proofs to action & breech; bolt cycles freely, strong springs & sears; factory tangent rear sight missing, blade front sight; threaded muzzle with knurled cap; fitted with Japanese **Nikko Stirling 6X32** scope on two-piece mounts, clear optics; walnut stock presents well, some light handling marks; chequering to grip is sharply defined but a couple of light grazes; retains sling swivels & original buttplate; overall in exc. wo & g.+ cond. **#77729** L/R **500 - 700**

551. **HOLLIS & SHEATH S x S PERCUSSION FOWLER:** 13 bore; 32" twist damascus barrels with g. bores, generally bright with only light to moderate pit peppering; grey patina with patchy dark staining to metalwork, some oxidation staining but twist pattern is defined; ***Hollis & Sheath London*** engraved to top rib, Birmingham proofs marked to underside of breeches; light scroll engraving to locks & small parts; strong lock springs & sears, replacement nipples, original ramrod; top tang has been extended with grooved piece of steel; walnut half stock in f. cond., has been refinished & presents OK, repair above lh lock; overall in g. wo & f. cond. **N/L** **500 - 700**

552. **BRITISH WARD & SONS S/B PERCUSSION FOWLER:** 14 bore; 32" three-stage barrel, octagonal breech transitioning to 16 sided, to wedding band, round remainder; f. bore, some patchy moderate pitting but may grade up with a clean; soft plum patina & patching staining to barrel, even grey patina to lock & furniture; ***Ward & Sons*** marked to lock, ***LONDON FINE TWIST*** engraved to top of barrel; strong lock springs & sears; repo ram rod; g. sound walnut half stock, some scattered bruising & initials G C have been lightly peened to rhs. butt; chequering is defined, German silver forewood cap; steel buttplate; overall in f. to g. cond. **N/L** **400 - 600**

553. **Wm CASHMORE BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & full; vg. bright bores with only minor frosting; original blued finish to barrels thinning to a grey patina, grey patina to action; makers name & **BIRMINGHAM** marked to top of file cut rib, name again to sides of action with light coverage of acanthus scroll engraving; Birmingham **1 1/4OZ NITRO PROOF** marks to barrel flats; mechanically strong, action locks up tight, strong locks; side clips, Greener cross bolt, auto safety with gold inlaid **S**; walnut stock with bag style grip, splinter fore-end, both with some bruising incl. on otherwise defined chequering to grip & fore-end; 14 3/8" LOP incl. original horn grooved buttplate, 7lb 15oz; missing horn fore-end tip; overall in exc. wo & g. cond. **#19772** L/R ***A big solid pigeon gun that would grade up.*** **600 - 800**

554. **R. REDMAN SIDELOCK N.E. S x S SHOTGUN:** 12G, 2 1/2" chambered; 28” damascus barrels choked approx. cyl. & 3/4; bright bores, scattered pit peppering throughout, a few heavier pits to breech end of lh barrel, dent to lh barrel half way up; pretty even grey patina to majority of metalwork, well-defined damascus pattern to barrels; ***R. REDMAN LONDON & BIRMINGHAM (IMPROVED HAMMERLESS GUN)*** engraved to top rib, ***CHOKE BORE*** to top of lh barrel; London **V** & **P** proofs to barrel flats; light scroll & border engraving to action, locks, name to both locks; action locks up with some movement, strong lock, auto safety; crude fore-end iron replacement bolt; nicely figured walnut straight stock & splinter fore-end, some general handling marks & light chipping, has darkened; defined tear drops, chequering to wrist & fore-end; 14 3/8” LOP incl. original steel buttplate; overall in f. to g. cond. **#19538** L/R ***An interesting gun that would grade up with some TLC.*** **400 - 600**

555. **R. WALLIS BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 1/2" chambered; 30” damascus barrels choked approx. cyl. & full; bright bores, some light to moderate scattered pit peppering; strong plum refinish to barrels with vg. pattern definition; polished finish to action, blued small parts; ***R. WALLIS 3. WATERLOO BRIDGE RD. LONDON S E*** engraved to top rib, name action & 30% scroll engraving to action; London **V** & **P** proofs to barrel flats; action locks up tight, strong springs & sears, safety disengaged; English style walnut straight stock & splinter fore-end, woodwork presents well & has been refinished, chequering has been recut; some light handling marks & ordinary metal-to-wood fit around lhs. stock head; 14 1/4" LOP incl. grooved horn buttplate, 6lb 8oz weight; overall in g. wo & cond. **#30309** L/R ***Presents well.*** **600 - 800**

556. **WINCHESTER 1873 S/R CARBINE RIMFIRE CONVERSION:** .22 LR cal.; full length tube mag.; 19 1/2" barrel has been sleeved, bore appears bright with well-defined rifling; brown patina to metalwork, some scattered pitting & handling marks; carbine has undergone significant work, modified bolt, carrier, frame; mainspring broken or missing, working order unknown; twist off magazine, loaded from muzzle end; woodwork in sound but f. cond., last 1/2" of butt is a grafted replacement, some general handling marks overall; curved steel buttplate; overall in f. cond. **#36867PD** L/R **50 - 100**

557. **WINCHESTER MODEL 1873 LEVER ACTION RIFLE:** .44 WCF (.44-40 Win.) cal.; 14 rnd. full length tube mag.; 24” round barrel with bright bore & sharply defined rifling, some bands of light pitting & scoring in one of the grooves; reblued finish to metalwork presents decent, some light handling marks & wear on profiles; top o barrel marked with two-line **NEW HAVEN** address, top line bordering on faint, lhs. barrel marked with partially worn **The Daisy Rifle**, faint **44 W.C.F.** marked to top of barrel at breech; underside of brass cartridge elevator engraved ***44 CAL***; serial no. to bottom tang has been recut & incorrectly given a **P** instead of **B**; action cycles smoothly, strong springs & sears; clover style rear sight & pinched silver blade front sight; small bulge to brass lifter; g. to vg. walnut stock & forewood, some light handling marks & patchy varnish but retains g. metal-to-wood fit; overall in vg. wo & f. to g. cond. **#396465P** L/R **700 - 900**

558. **ROSIER MARKED W.W. GREENER F20 GRADE BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 1/2" chambered; 28” damascus barrels choked approx. 1/2 & 3/4; bright bores, scattered pit peppering throughout, a few heavier pits to breech end of barrels; soft plum finish to barrels with well-defined & particularly fine twist pattern; grey patina to remainder of metalwork; top rip engraved **PATENT TREBLE/ No5084/** ***WEDGE FAST, W.W. GREENER 68 HAYMARKET LONDON. WINNER OF THE LONDON GUN TRIALS, 1875, 1877, 1878 & 1879***; makers name again to sides of action with 40% coverage fine scroll engraving; underside of barrels marked with Birmingham proofs, **NOT FOR BALL** & James Rosier’s **JR 14338** mark to bottom rib; action locks up tight, strong springs & sears, Greener cross bolt & side safety; walnut English style straight stock & splinter fore-end in g. cond., crack to lhs. head between action & safety but otherwise sound, light handling marks & bruising; chequering to wrist & fore-end is defined but showing wear; 14 1/4" LOP incl. original horn buttplate, 6lb 2oz weight; horn fore-end tip; overall in g. cond. **#31301** L/R **400 - 600**

559. **COGSWELL & HARRISON 'AVANT TOUT' BOXLOCK EJECTOR SHOTGUN:** 12G, 2 1/2" chambered; 30" barrels choked approx. cyl & 1/2; vg. bright bores; strong reblued finish to barrels present decent; silver-grey patina to action with some case colour remaining in protected areas; top rib engraved with worn ***COGSWELL & HARRISON LTD. THE AVANT TOUT. 141 NEW BOND ST. & 226 STRAND. LONDON***, only lightly defined; action & side plates with 70% coverage of acanthus scroll engraving, makers name to both sides; London **V** & **P NITRO PROOF 1 1/8** marks to barrel flats; assisted opening action locks up tight & on face, well timed ejectors, auto safety; woodwork in g. cond., splinter fore-end with defined chequering, some light bruising; 'central vision' stock for left-eye-dominant right-handed shooter, top & bottom tangs follow contour for heavy cast through wrist; wrist has been poorly re-chequered but otherwise stock bearing only minor handling marks, small chip below top tang; 14 1/2" LOP incl. a perished 3/4" rubber recoil pad; 6lb 14oz weight; overall in vg. wo & g. cond. **#42363** L/R **900 - 1200**

560. **CHARLES BOSWELL BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & full; g. bright bores, some light pitting & both need a clean; reblued finish to barrels thinning to a grey patina in areas, presents fair; grey patina to action & small parts, some minor staining; top of rh barrel engraved ***CHARLES BOSWELL, MAKER.***, top lh engraved ***126 STRAND LONDON.***; London **V** & **P** proof, **1 1/4** oz **NITRO PROOF** marks to barrel flats; 50% coverage of London best fine scroll engraving to action with floral bouquets, engraving is fine, defined but showing wear; incredible grape & vine carved ball deep relief carved ball fences; action locks up tight, strong locks, manual safety with gold inlaid **SAFE**; Greener style cross bolt, side clips & file cut top rib; woodwork is poor, walnut splinter fore-end with worn chequering some handling marks & stock with Prince-of-Wales style grip has been broken through wrist & poorly repaired, crude re-chequering to grip but side panels retain original chequering; 14 3/4" LOP incl. a perished 3/4" rubber recoil pad; 7lb 4oz weight; overall in vg. wo & f. cond. **#16321** L/R ***Has been a top-grade gun with some unusually ornate features. A good solid base for a worthwhile project.*** **300 - 500**

561. **Wm CASHMORE "*GENERAL GUN*" B.L.N.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & full; g. bright bores, some light pitting; reblued finish to barrels thinning to a grey patina in areas but presents decent; ***Wm CASHMORE, MAKER. BIRMINGHAM*** followed by ***"GENERAL GUN"*** engraved to file cut top rib; plain border engraved action with makers name, game birds to both sides; Birmingham **1 1/4** oz **NITRO PROOF** marks to barrel flats; action loose, Greener cross bolt & side clips, strong locks, auto safety; splinter fore-end & stock with bag style grip, some light handling marks but presents well; chequering to grip & fore-end is v. well-defined; 14 1/4" LOP incl. original grooved horn buttplate, 7lb 2oz weight; overall in exc. wo & f. to g. cond. **#14158** L/R **300 - 500**

562. **BRNO MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. steel mag.; 24 3/4" barrel with exc. bore, bright with sharply defined rifling; strong original blued finish to barrel, some minor storage marks but presents exc., matte finish to action; **BRNO MOD. 2** marked to barrel, **65** proofs to action & breech; bolt cycles freely, strong springs & sears; retains factory tangent 25-200 yd rear sight, blade front sight; fitted with **GSP** brand **2.5-7.5X32** scope on two-piece mounts, clear optics; walnut stock presents v. well, some light handling marks; chequering to grip is sharply defined; retains sling swivels & original buttplate; overall in exc. wo & vg. cond. **#55196** L/R **500 - 700**

563. **LIEGE UNITED ARMS Co S/B FOLDING 'POACHERS' SHOTGUN:** .410 cal., 2 1/2" chambered; 29 3/4" barrel, cylinder bore; bright bore with some patchy light pitting; blued finish to barrel thinning to a dark patina overall, action retains areas of strong case colours; makers name stamped to top of octagonal breech section, ***TESTED*** to rhs; action lock up tight, lock is strong but folding 'stop' broken (folds completely in half upon opening); hardwood stock with bag style grip & petite splinter fore-end both in vgc., some light handling marks but present v. well, chequering is well-defined; overall in g. wo & g.+ cond. **#3371** L/R ***Has seen little work & would grade up with minor work.*** **150 - 300**

564. **W. TRANTER PATENT S/B HAMMER ROOK RIFLE:** .430 CF cal.; 26" octagonal barrel with f. to g. bore & well-defined Henry style rifling, some light pitting; original blued finish to metalwork, thinning to nice plum patina, some speckled staining; **W. TRANTER/ PATENT** stamp to lhs. frame, underside of barrel marked with **430** / **GAUGE** & Birmingham proofs; border engraved frame; strong springs & sears to lock, action locks up tight; top of barrel dovetailed with express style rear sight with one standing, two folding leaf's, blade front; walnut straight stock presents well, some light handling marks, well-defined chequering, sling stud hole has been plugged; overall in vg. wo & g.+ cond. #60855 **N/L** **700 - 900**

565. **SAUER WEATHERBY MK. V DELUXE B/A SPORTING RIFLE:** .240 Weatherby mag.; 4 rnd. integral mag.; 26" barrel with exc. bright bore & sharply defined rifling; original gloss blued finish to metalwork presents exc., only trace storage marks overall; trademark, **.240 MAGNUM** marked to lhs. barrel, **MADE IN W.GERMANY** to rhs; lhs. action marked **SAUER *Weatherby* EUROPA/** patents; bolt cycles smoothly, strong springs & crisp double set triggers; single standing fixed rear sight & blade front, action fitted with solid bridge mount; walnut stock presents well, some surface handling marks & scuffs overall, skip-line chequering to semi-pistol grip & forestock are sharply defined; Monte Carlo style comb with right handed cheekpiece, rosewood grip & forestock caps; sling studs to underside forestock & butt; retains original ventilated black rubber recoil pad; overall in exc. wo & vg. cond. **#P65339** L/R ***A high quality rifle that has seen very little work.*** **1200 - 1500**

566. **WALTER BETTS M3 GRADE BOXLOCK N.E. S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. full & full; original blued finish to barrels presents decent, honest storage wear thinning finish to a grey patina to sides of barrels at breech end; action retains 50%+ vivid original case colours; top of rh barrel engraved ***WALTER BETTS, MAKER 26. WHITALL ST.***, top lh engraved ***ST MAR'S SQUARE, BIRMINGHAM ENGLAND.***; top lever inlaid with gold **W. BETTS**, plain border engraved action with makers name to both sides; Birmingham **1 1/4 OZ NITRO PROOF** marks to barrel flats; action locks up tight, strong locks & manual safety, Greener cross bolt; splinter fore-end & stock with bag style grip, some handling marks & bruising overall, partial split to either side of butt; chequering to grip & fore-end is defined but a bit grubby; 14 1/2" LOP incl. original grooved horn buttplate, 7lb 11oz weight; overall in exc. wo & f. to g. cond. **#762** L/R ***Has seen v. little use, would grade up significantly with some TLC or use as is.*** **600 - 800**

567. **W.W. GREENER F.20 GRADE BOXLOCK N.E. SHOTGUN:** 12G, 2 3/4" chambered; 28" barrels choked approx. 3/4 & full; exc. bright bores; blued finish to barrels presents v. well, possibly original finish; grey patina to action with some faint case colours in areas; top rip engraved **W.W. GREENER, MAKER** & **40 PALL MALL, LONDON WORKS, ST MARYS SQUARE BIRMINGHAM**; 60% coverage of crisp scroll engraving to action, **W.W. GREENER** engraved to both sides of action; Birmingham **1 1/4 OZ NITRO PROOF** marks to barrel flats; action locks up tight & on face, strong locks; Greener cross bolt & side safety; walnut splinter fore-end & stock with bag style grip, both present well but unfortunately head of stock has been broken & crudely repaired; otherwise woodwork bearing only light handling marks & retains well-defined chequering, the original grooved horn buttplate; overall in vg. wo & f. cond. **#73278** L/R ***A competent wood repairer could make turn this into a very nice sporting or field gun.*** **300 - 500**

568. **W.W. GREENER "*GRADE A*" S x S HAMMER SHOTGUN:** 12G, original 2 3/4" chambered; 30" damascus barrels choked approx. full & full, bores generally bright but last 8" of both barrels with some dents & lh barrel with bulge before choke; plum patina to barrels with some patchy staining, grey finish to action with some faint case colours; top rib engraved ***W.W. GREENER, "DOMINION GUN" ST. MARY'S SQUARE, BIRMINGHAM***; makers name to locks; action locks up tight & on face, strong locks with matching hammers; splinter fore-end & stock with bag style grip, some light handling marks but presents honest; chequering to grip & fore-end is v. well-defined; 14 1/4" LOP incl. original grooved horn buttplate; overall in f. cond. **#45997** L/R ***Has actually seen very little use, would suit shortening to a coach gun.*** **150 - 300**

569. **F.N. BROWNING T-BOLT STRAIGHT PULL RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 22" barrel with vg. bright bore & sharply defined rifling; original blued finish to metalwork has been lacquered, bearing only light storage marks overall; black finish to alloy trigger guard & flaking; barrel marked with F.N. full name, **HERSTAL** address/ **BROWNING'S PATENT DEPOSE**; bolt cycles freely, strong springs & sears; fitted with polymer peep sight to factory dovetailed breech, original blade front sight; hardwood stock presents exc., a few minor handling marks; original black plastic **BROWNING** marked buttplate; fitted with period canvas & leather sling; overall in exc. wo & g. to vg. cond. **#27156X7** L/R **500 - 700**

570. **JAVANESE GOLOK SWORD:** 17.25" vg cond. blade of hatchet form, mounted to wooden pistol-grip hilt; comes with cord bound mahogany scabbard with decorated throat. Late 19th cent **150 - 250**

571. **BRITISH PRIVATE PURCHASE BOARDING AXE:** 4.75" broad blade with 3 1/2" spike & 7.25" languets secured with 2 rivets to 23.2" stave.; no markings. vg cond. 19th cent. **N/L** **400 - 600**

572.	**OTTOMAN TURKISH YATAGHAN SWORD:** 23" yataghan blade in vg cond. with decorative designs to both sides & panels of scrip to one side; one piece cast brass decorative hilt with decorative inlay coral beads; comes with highly ornate pressed sheet brass, chape missing.	**350 -**	**550**
573.	**SHORT SWORDSTICK:** 13.8" straight plain blade; hilt & scabbard of exotic hardwood decorated with twin bands of inlay silver-like metal, the grip carved with an attractive design.	**150 -**	**200**
574.	**AFGHAN KYBER KNIFE:** 23.1" blade of trad form in vg. to exc. cond.; decorative brass hilts with two-piece horn grips; come with traditional leather wrapped wood sheath in f to good cond., damaged at mouth.	**400 -**	**600**
575.	**CAUCASIAN KINDJAL KNIFE:** 15" straight blade with narrow single fuller & engraving to each side of fish, birds, foliate & dated **1890**; fitted with two-piece horn grip of traditional form; comes with green velvet covered wood scabbard. Vg cond.	**250 -**	**400**
576.	**BRITISH PRIVATE PURCHASE BOARDING AXE:** 6" Crescent blade with 3 1/2" spike & 7.25" languets secured with 2 rivets to 20" ash stave. G. cond. C.1850. **N/L**	**350 -**	**500**
577.	**JAVANESE STRAIGHT BLADED KRIS:** 21.2" straight narrow blade with light grey patina & with wood hilt of pennant man form; comes with cord bound wood scabbard of trad form, loose connection of scabbard body to cross-piece. .	**250 -**	**350**
578.	**DHA SWORD WITH GROTESQUE HEAD HILT:** 18.75" single edge blade of trad form in g. cond., several edge nicks, one face with decorative applied design; brass mounted hilt with grotesque head in vg cond.; comes with cord bound wood scabbard in g. cond. with decorative scabbard mouthpiece of buffalo horn. .	**350 -**	**550**
579.	**PAIR OF INDIAN HINDU KUSH AXES:** 4.75" wide half-moon blades with fading decorative panels with gold wash remnants to each side, peen surmounted with Elephant; mounted to iron hafts with spike ends, g. cond. 19th cent **N/L**	**250 -**	**400**
580.	**UNUSUAL CANVAS GUN CASE:** 825L×230W ×110H m/m external dimensions, partitioned to take 28" barrels + crossbolt/ dolls head extension; unusually deep design for a single case, appears to partitioned for take down rifle, areas for scope, cleaning rods etc; missing leather straps but otherwise complete, some staining to canvas but in sound cond. overall in g.+ cond.	**150 -**	**300**
581.	**WILLIAM POWELL & SON TROPICAL CANVAS SHOTGUN CASE:** 780L×210W×75H m/m external dimensions, partitioned to take 28" S x S shotgun barrels + crossbolt/ dolls head extension; **WILLIAM POWELL & SON**, **CARRS LANE** addressed paper trade label to lid internally; case in g. sound cond., some general light staining & soot in green felt lining but remains complete, complete with leather straps; overall in f. to g. cond.	**150 -**	**300**
582.	**ARMY & NAVY TROPICAL CANVAS SHOTGUN CASE:** 840L×220W×85H m/m external dimensions, partitioned to take 30" S x S shotgun barrels + crossbolt/ dolls head extension; **ARMY & NAVY** paper trade label to lid internally; green baize lining presents decent, some insect damage to edges; complete with leather straps; overall in g.+ cond.	**150 -**	**300**
583.	**CROCODILE LEATHER OAK & LEATHER SHOTGUN CASE:** 830L×240W×85H m/m external dimensions, partitioned to take 30 1/4" S x S shotgun barrels + crossbolt/ dolls head extension; maroon baize lining in g. cond., sound partitions; solid leather lid, oak & leather base; crocodile skin exterior showing some wear in areas but presents well; brass corners; overall in g. cond.	**250 -**	**350**
584.	**CMI SAFE Co MOD. HG2+ SMALL GUN SAFE:** D535 x W635 x H645 m/m dimensions; safe bearing a few minor marks to exterior from moving but in exc. unused condition. 30 min fire rating, weighs 161kg. ***Quality little safe, perfect for pistols.***	**500 -**	**750**

585. **VERY FINE CASED TRANTER THIRD MOD. D.A. PERCUSSION REVOLVER:** 54 bore (.442 cal.); 5 shot cylinder; 6" (152m/m) octagonal barrel with exc. bright bore & crisp rifling; 95%+ original glossy blued finish to frame & trigger guard, trigger & loading lever with bright polished finish, vibrant nitre blueing to screws & small parts; case colours on cylinder are still quite defined; only minor storage & handling wear to finishes but presents exc.; lhs. of frame marked with **W.TRANTERS/PATENT** oval stamp, rhs. frame engraved ***No. 19551T***; Birmingham proofs marked to chambers & lhs. barrel; border engraved frame with light coverage of acanthus scroll to breech & sides of frame; engraving & markings are crisp; mechanically fine, second trigger indexes chamber perfectly & locks without movement, strong springs & sears; nipples & bore would suggest it is unfired; conical bead front sight dovetailed to barrel, V-notch rear to strap; single piece walnut grip in exc. cond., some trace storage marks but chequering is sharply defined, metal-to-wood fit remains exc.; revolver comes presented in its original equally fine fitted mahogany case with a variety of original accessories incl. an **W.TRANTERS/PATENT** marked **54** bore brass mould, petite **JAMES DIXON** copper powder flask, tarred **W. TRANTER** bullet & lube. comp. tins, ebony turn screw & nipple wrench, cleaning rod etc.; overall in exc. wo & cond. #**19551T** Pre 1900 L/R ***An unusually fine example of these iconic revolvers. One of the best examples offered in the past few years.*** **3750 - 4250**

586. **SUPERB CASED DEANE ADAMS & DEANE MOD. 1851 D.A. PERCUSSION POCKET REVOLVER:** 120 bore (.338 cal.); 5 shot cylinder; 4 1/2" (112m/m) octagonal barrel with bright bore & crisp rifling, some scattered light surface oxidation but g. to vg. overall; 95%+ original glossy blued finish to frame & trigger guard, trigger & other small parts retain vibrant nitre blueing & case colours on cylinder are v. strong; only minor storage & handling wear to finishes but presents exc.; top strap engraved ***DEANE ADAMS & DEANE, 30, KING WILLIAM STt LONDON BRIDGE***, rhs. frame engraved ***ADAMS' PATENT No7734R***, number engraved again to cylinder; London **V** & **P** proofs marked to chambers & lhs. barrel; border engraved frame with light coverage of acanthus scroll to breech & sides of frame; engraving & markings are crisp; mechanically fine, cylinder indexing well, strong springs & sears; tapered bead front sight dovetailed to barrel, V-notch rear to strap; single piece walnut grip in exc. cond., some trace storage marks but fine flat-top chequering is sharply defined, metal-to-wood fit exc., horn radial fluted butt cap with some minor handling marks; revolver comes presented in the original fitted oak case, vgc.+ complete with a variety of original accessories incl. an **ADAMS** marked **120** bore brass mould, petite **JAMES DIXON** copper powder flask, cleaning rod, ebony turn screw & nipple wrench; green baize lining & original paper **DEAN ADAMS & DEANE** yellow trade label; overall in vg. wo & exc. cond. **#7734R** Pre 1900 L/R ***A superb little outfit in exceptionally fine condition.*** **3750 - 4250**

587. **IMPRESSIVE CASED SAMUEL NOCK PEPPERBOX PERCUSSION REVOLVER:** 27 bore (.577 cal.); four-barrel cluster, 4 1/2" (111m/m); g. bores with only light patchy pitting; grey patina to majority of metalwork, some faint case colours in protected areas on frame, butt cap retains strong case colours; some patchy staining to barrels but presents well overall & free from any significant pitting; lhs. side plate engraved **S. NOCK/ REGENT CIRCUS/ LONDON**, flutes of barrel cluster marked with London **V** & **P** proofs; frame, hammer with extensive & sharply defined acanthus scroll engraving; mechanically strong, cylinder indexing well, d.a. only bar hammer with sliding lifter for capping; vgc. walnut stock, only traces light handling marks overall to what is some of the finest English style square chequering to majority, diamond chequering to side panels of head; engraved butt cap with flip up trap; pistol comes nicely presented in the original fitted oak case, **SAMUEL NOCK** paper trade label with ***Regent Street*** address; case in g. cond., green baize lining is vg., partitions are sound; comes with **27** bore bullet mould, period copper shot & powder flask, ebony cleaning rod with brass jag cap; overall in vg. cond. **#8704** Pre 1900 L/R ***A lovely example of what is a very hefty pepperbox. Looks to have been made as 'man stopper' or howdah pistol.*** **3500 - 4000**

588. **UNUSUAL UNDER OVER PERCUSSION HOWDAH PISTOL by ARMSTRONG:** 17 bore (.653 cal.); 4 1/2" (114m/m) barrels with p. bores; barrels have been cleaned back & browned, now with a thick plum brown finish; brown-grey patina to locks & small parts; back action locks & small parts with fletched feather bordering, light coverage of acanthus scroll engraving, both locks engraved ***ARMSTRONG***; top of barrel has been marked with a serial no. more recently; matching, bevelled flat side hammers, strong lock springs & crisp sears; brass bead front sight & captive ramrod; saw handle walnut stock in g. to vg. overall cond., chequering remains well-defined & woodwork bearing only light handling marks; flat base butt inlaid with vacant silver square escutcheon; overall in g. cond. **#C-N6307** Pre 1900 L/R ***An interesting little pistol.*** **2000 - 2500**

589. **PAIR of AUSTRIAN 1798 MODEL S/B PERCUSSION PISTOLS:** 16 bore approx.; 10” round barrels with f. bores, both with unusual short protrusion half way down; even dark patina to majority of metalwork with a thin layer of surface oxidation overall; unmarked lockplates, top of barrels near muzzles of both pistols marked with roman numeral **IIII X X** to one, **XIII** the other; both pistols have had their period armourers conversion from the original flintlock configuration to percussion, strong lock sears & springs; brass nose cap with integral bands & blade front sights; walnut stocks present well, honest handling marks & dings to both but metal-to-wood fit remains vg.; brass butt caps; overall both pistols in g. cond. **N/L** ***A hefty pair of holster pistols.*** **1800 - 2400**

590. **HALF-STOCKED PERCUSSION CONVERTED PISTOL by PATRICK of LIVERPOOL:** 38 bore; 9” octagonal barrel with f.+ bore, some powdery oxidation scale but should clean up, no heavy pitting evident; dark plum re-finish to barrel with faint twist pattern; dark grey patina to remainder of metalwork incl. lock; border engraved lock with ***PATRICK*** below drum, ***LIVERPOOL*** engraved to top of barrel, Birmingham proof to underside of barrel; engraved pineapple finial; plain hammer with strong springs & sears, adjustable trigger; bevelled lockplate with stepped tail, broken sliding safety tab; silver blade front sight dovetailed to top of barrel; replacement ramrod; walnut half stock with silver forewood cap, presents well with some scattered handling marks, light bruising; square silver inlay below top tang engraved **DLC**; retains vg. wood-to-metal fit & well-defined chequering; overall in g. cond. **N/L** c. 1800 **1800 - 2200**

591. **KETLAND & Co S/B FLINTLOCK TRAVELLING PISTOL:** 24 bore; 9” round barrel with dark & dirty bore; mottled dark grey patina to majority of metalwork, some v. minor patches of pitting but presents v. well; border engraved lock with **KETLAND**/ & **C.o** parked below pan, top of barre marked ***LONDON***, London **V** & **P** proofs to lhs. breech; brass trigger guard with small rosette engraved to centre, feather style finial; strong lock springs & sears; walnut full stock presents well, subtle repaired crack running from lock tail to top tang; ramrod a modern replacement; overall in g. to vg. cond. **N/L** **1400 - 1800**

592. **ORNATE BRASS MOUNTED SPANISH MIQUELET S/B TRAVELLING PISTOL:** 42 bore; 9 1/2" barrels, octagonal breech half, wedding band & round remainder; f. bore, dark & full of oxidation scale; metalwork has been cleaned to a silver-grey patina, some minor staining; brass furniture with bright mellow finish; top of breech with sunken horse motif makers mark & nine sunken fleur-de-lis marks surrounding it, most of gold leaf is missing; bevelled lockplate with primitive but sharply defined engraving of sitting man on a rock with the pistol; light coverage of acanthus scroll to pan, frizzen & cock; very ornate brass furniture, incl. an elaborate side plate, ramrod thimble & ferrule; mechanically fine, strong spring & single sear is crisp; horn capped ramrod with unusual iron jag to end; beautifully figured walnut full stock, some general handling marks & light scratches but presents well; lifting chip to rhs. forewood with some filler to centre, needs investigating & repair; brass butt cap with elongated spurs to either side; overall in g. cond. **N/L** ***A very impressive looking piece.*** **1800 - 2200**

593. **AUSTRIAN MOD. 1842 PERCUSSION CAVALRY CARBINE:** .660 cal.; 14 1/2" round barrel with dark bore, some light oxidation but would grade up with a clean; metalwork has been cleaned back & refinished to a mottled grey finish, some light pitting, frosting remains; rhs. breech stamped with additional serial no. 198; marks to lhs. barrel are indistinct; strong lock springs & sears, has been converted from flintlock; integral V-notch rear sight to top tang, blade front; retains steel ram rod; iron side plate to lhs. stock running through wrist with saddle ring; walnut half stock in g. to vg. cond., right-handed cheek piece, some light handling marks but presents well; steel buttplate; overall in g. wo & cond. **N/L** **700 - 1000**

594. **MIDDLE EASTERN FLINTLOCK BLUNDERBUSS:** approx. 12 bore, flaring to 1 1/8” at muzzle; poor bore; grey patina to metalwork, some patchy staining; dull mellow patina to brass furniture & brass muzzle cap; no visible makers name or proofs; g. spring tension & sears to lock, sparks; replacement ramrod; replacement hardwood full stock, some interesting shaping around wrist; woodwork bearing a few light handling marks; overall in f. cond. **N/L** ***Interesting piece, possibly made from continental components*** **1000 - 1300**

595. **SCARCE U.S.A.F. SMITH & WESSON LIGHTWEIGHT M13 AIRCREWMAN SERVICE REVOLVER, HOLSTER & UNIFORM:** .38 Special cal.; 6 shot fluted alloy cylinder; 2" (50m/m) steel barrel with exc. bright bore; alloy frame & cylinder retains 90%+ original anodized/ blacked finish, wear confined to profiles, some light handling marks; areas of strong case colours to trigger & hammer, strong blued finish to barrel with minor wear around muzzle; lhs. barrel marked **SMITH & WESSON**, **.38 SPL.CTG.** to rhs, rhs. frame marked with **SW** monogram trademark, four-line **SPRINGFIELD** address; top strap marked **REVOLVER, LIGHTWEIGHT, M13**; back strap marked **PROPERTY OF U.S. AIRFORCE**; lhs. frame marked with small **P**; mechanically strong, cylinder indexing well; original walnut grips are in exc. cond., some minor handling marks but chequering remains sharply defined, **SW** silver medallion inlaid to top of both grips; comes with period vgc. leather holster with shoulder strap, embossed with **U.S.A.F.** to flap & **55D3513** to front; also included is a **K-2B** one-piece **FLYING SUIT, DATED 9 JANUARY 1964**; olive green-blue suit is in vgc.+; overall in exc. wo & vg.+ cond. **#C282356** Mfg. c.1954 L/R ***An exceptional rare offering with the majority of this model being destroyed by the U.S. govt. or S & W after they were rejected. Even with the M41 130gn. light loadings, these revolvers were still prone to catastrophic failure of the lightweight alloy frame & cylinder. Under no circumstances should this be fired!*** **3500 - 4500**

596. **VERY SCARCE MAUSER C.96 SEMI-AUTOMATIC FLAT-SIDE CARBINE SERIAL NO. "219":** 7.63×25m/m cal.; 10 rnd. integral mag.; 11 3/4" (300m/m) barrel with g. to vg. bore & sharply defined five groove rifling, some minor pit peppering; original blued finish to metalwork has thinned in areas, smoky grey patina to most parts, presents well; some minor oxidation speckling & one small of frosting, blemish to top of barrel; small parts incl. safety, sights & bolt stock retain areas of their original nitre bluing; top of long breech roll stamped with three-line **WAFFENFABRIK / MAUSER / OBERNDORF A/N**; serial no. **219** stamped to lhs. breech, frame & to shoulder stock; mechanically strong, bolt retracts freely, strong sears & g. spring tension; long extractor; original **50** to **500** meter graduated tangent rear sight & globe front sight with conical bead; large ring hammer & flat side; forestock has had some crack repairs & been refined, slither of walnut to rhs. has been grafted on as a repair; woodwork in vgc., some light handling marks to forestock & butt but confined to surface; metal-to-wood fit remains exc.; original hard rubber buttplate still with sharply defined chequering & Mauser monogram to centre; overall in vg. wo & cond. **#219** Cat H Pre 1900 L/R ***A very nice, honest example of these rare transitional pistols. One for the C.96 collector*** **14000 - 18000**

597. **D.W.M. ARTILLERY LUGER P08 S/A PISTOL & SHOULDER STOCK HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 8" (198m/m) barrel with f. bore, sharply defined rifling is peppered with light pitting, mainly on lands; reblued finish to metalwork presents ordinary, thinning to profiles to a grey patina, some staining, some previous fine pitting remains in areas; ***DWM*** trademark to top of toggle, **1918** marked to top of breech, four proofs to rhs; serial no. has been restamped to lhs. breech & another serial no. marked to back of frame; toggle retracts freely, strong springs & sears; std. 1-8 graduated tangent rear sight, blade front; chequered grip panels present well, some minor handling marks to both but chequering remains sharply defined; comes with period paddle stock & leather holster, complete but some straps distressed, pistol struggles to fit; with cleaning rod; overall in vg. wo & f. cond. **#593** Pre 47' L/R ***Given the serial numbers we can only assume this is a composite pistol.*** **1000 - 1500**

598. **WEBLEY & SCOTT MK. IV D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 4" (104m/m) barrel with vg., bright bore & sharply defined rifling; strong original blued finish to metalwork presents v. well, only light wear to profiles & some minor handling marks; **MARK IV 38** to lhs. top strap, **WEBLEY & SCOTT. LTD** marked to top; serial no. to rhs. of frame; action locks up tight, smooth double action & crisp s.a. operation, indexing well; black plastic grips in g.+ cond., well-defined chequering, a bit grubby some handling scuffs but free from cracks; overall in exc. wo & g. to vg. cond. **#3550** Post 46' L/R **300 - 500**

599. **P. WEBLEY & SON MK. III COMMERCIAL REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with g.+ bright bore, rifling is sharply defined but spotted with patches of frosting; thinning plum-brown patina to majority of metalwork, some original blued finish remains in protected areas, presents g., honest; top of barrel marked **P. WEBLEY & SON LONDON & BIRMINGHAM**; lhs. frame marked **WEBLEY / PATENTS**, **W&S** flying bullet trademark; Birmingham **BV** proofs to chambers & barrel; lhs. strap marked **W R 43553** (Westley Richards); mechanically strong, cylinder indexing well, strong springs & sears, action locks up tight; interesting has extended fluting to cylinder & has been given double cylinder stop notches; original hard rubber grips are in g. to vg. cond., some minor handling marks; chequering is sharply defined; lanyard ring to butt of birds head grip; overall in exc. wo & g.+ cond. **#15535** Pre 47' L/R **600 - 900**

600. **WEBLEY MK. I DOUBLE ACTION COMMERCIAL REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with g. bright bore, rifling is sharply defined but spotted with patches of light pitting; original blued finish to metalwork remains strong in protected areas, thinning to a plum patina on barrel & cylinder, some minor pitting on barrel; lhs. frame marked **WEBLEY** / **MARK I** / **PATENTS**, **W&S** flying bullet trademark; Birmingham **BV** proofs to chambers & barrel; mechanically strong, cylinder indexing well, strong springs & sears, action locks up tight; original hard rubber grips are in g. to vg. cond., some minor handling marks & small hairline fracture to top rh grip; chequering is sharply defined; lanyard ring to butt of birds head grip; overall in exc. wo & g.+ cond. **#15535** Pre 47' L/R **600 - 900**

Conclusion of Day One.

Our second session of lot 601. through to 1000. will begin Sunday morning with the same starting time of 10am (unlike last auction)

601. **ENFIELD NO. 2 MK. I** D.A. SERVICE REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 5" (129m/m) barrel with exc. bright bore & crisp rifling, some superficial frosting; black phosphate military finish to metalwork is v. strong, some light handling marks but presents well; **DI**** marked to rhs. frame, **CAL.38** marked to top of barrel; **BNP** proofs to lhs. barrel & chambers; mechanically exc. action locks up tight, strong springs & sears, cylinder indexing well; black polymer grips are in sound cond., some handling marks to grooves; overall in exc. wo & g. to vg. cond. **#V1864** Post 46' L/R **500 - 700**

602. **WEBLEY MK. I DOUBLE ACTION SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with g. bright bore, rifling is lightly defined, some frosting; original blued finish to metalwork has darkened, thinning on profiles & top strap has had finish removed, been etched with large broad arrow; lhs. frame marked **WEBLEY** / **MARK I** / **PATENTS**; broad arrows & **WD** inspection marks to top strap, & other areas; London **V** & **P** proofs to chambers & barrel; cylinder indexing well, strong springs & sears, action locks up with minimal movement; original hard rubber grips, chequering to both still well-defined, loss to butt of lh grip & scuffs to rh grp; lanyard ring to butt of birds head grip; overall in g. wo & f.+ cond. **#36283** Pre 47' L/R **500 - 700**

603. **STH. AFRICAN RETAILED P. WEBLEY & SON MK. III D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 3" (78m/m) barrel with slight ring bulge, otherwise bright & sharply defined rifling; 50%+ original blued finish to metalwork, thinning to a plum patina; rhs. of frame marked with **WEBLEY** / **PATENTS**; lhs. top strap marked **MARK "III" '38**, top strap engraved ***P. WEBLEY & SON BIRMINGHAM*** / ***J.F. KING DURBAN***; strong springs & sears, action locks up tight & cylinder indexing well; original hard rubber grips showing little wear, chequering is sharply defined but some glued ships to butt; overall in f. cond. **#12791** Pre 47' L/R ***An interesting little pistol.*** **100 - 200**

604. **WEBLEY MK. VI D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with g.+ bore & sharply defined rifling, frosting throughout but still quite bright; original blued finish to metalwork has thinned to a mottled grey patina, dull frosted appearance but free form heavy pitting; lhs. of the frame marked **WEBLEY / MARK VI / PATENTS / 1916**, lhs. of top strap marked **MARK VI**; **GR** proofs to barrel & chambers, broad arrows marked to several parts; cylinder indexing well, strong springs & sears, action locks up with minimal movement; original hard rubber grips, chequering to both still well-defined, loss to top of lh grip & partial aged crack to butt of rh grip; lanyard ring to butt; overall in vg. wo & g. cond. **#224756** Mfg. 1916 L/R **700 - 900**

605. **WEBLEY MK. IV D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 4" (103m/m) barre; f. bore with light pitting throughout, rifling is well-defined; dark charcoal grey patina to majority of metalwork, flat frosted appearance with some light oxidation & handling marks; lhs. of top strap marked **MARK "IV"**; barrel & chambers marked with **GR** proofs, broad arrows marked to several parts; **WEBLEY**/ **MARK IV**/ **PATENTS**; cylinder indexing, strong springs but locks up with some movement in action & on cylinder; non-matching but period original grips both in sound cond., rh grip a lighter colour & showing some wear; lanyard ring to birds head grip; overall in g. wo & f.+ cond. **#104274** Pre 47' L/R **400 - 600**

606. **MAUSER C.96 BROOMHANDLE CHINESE 'CARBINE' CONVERSION S/A PISTOL:** 7.63×25m/m cal.; 10 rnd. detachable box mag.; 16" (410m/m) barrel with vg. bright bore, sharply defined rifling with fine pitting throughout; period armourers reblued finish to metalwork in v. strong, some minor staining & Shandling marks; **U** proof to lhs. of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & rhs. of frame, the latter marked with full **A/ NECKAR**; mechanically vg., bolt has been polished, retracts smoothly, crisp sears & strong springs; **50** to **1000** graduated rear tangent sight; **MAUSER** marked magazine; original forestock in vgc., some light handling marks, sling swivel to underside; has been fitted with a homemade 'broomhandle' style grooved grip, presents decent but ordinary fit & a little loose; overall in exc. wo & vg. cond. **#143** Pre 47' L/R ***A fine example of these interesting conversions.*** **2500 - 3000**

607. **SMITH & WESSON MOD. 910 S/A PISTOL:** 9×19m/m Luger cal.; 15 rnd. mag.; 4" (100m/m) barrel with vg. bright bore & sharply defined rifling, needs some leading cleaned out; matte grey finish to steel slide & blacked/ anodized finish to alloy frame, both showing holster wear on profiles but otherwise strong; **SMITH & WESSON** / **SPRINGFIELD** address to lhs. slide, serial no. & **MOD 910** to lhs. frame; slide retracts freely, strong springs & sears; original single piece black polymer grip showing some handling marks & scuffs; comes with additional 15 rnd. mag.; overall in exc. wo & g.+ cond. **#KLF2745** Post 46' L/R **400 - 600**

608. **BERETTA MOD. 92S SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5" (125m/m) barrel, vg bright bore & sharply defined rifling, needs a clean; blued finish to barrel & slide, black anodized finish to alloy frame; finishes showing moderate holster wear to profiles, some handling marks; lhs. **PIETRO BERETTA**, **GARDONE** address & cal. to lhs. slide, **MOD. 92 S– MADE in ITALY- PATENTED** marked to rhs; slide retracts freely, strong springs & sears, threaded muzzle; black plastic grip panels showing some handling marks & scuffs; overall in exc. wo & f. cond. **#X00645Z** Post 46' L/R **400 - 600**

609. **U.S. RETAILED MAUSER C.96 'BROOMHANDLE' SEMI-AUTO PISTOL & STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with slight ring bulges after breech, otherwise bright & sharply defined rifling; 30% original blued finish to frame & barrel assembly, grey patina & frosting to remainder; areas of strong nitre blueing to small parts, straw finish to trigger; lhs. frame marked **VON LENGERKE** / **& DETMOLD** / **NEW-YORK**.; top of breech marked with **MAUSER** trademark, **U** proof to lhs. of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & rhs. of frame; serial no. **86398** marked to back of frame, hammer block, lhs. breech & abbreviated **398** to small parts; bolt retracts freely, strong springs & sears; **50** to **1000** graduated rear tangent sight; finely grooved grips are in g. sound cond., showing wear & some light bruising; comes with period hardwood shoulder stock holster, crack to rhs. otherwise in g. cond.; overall in f. cond. **#86398** Mfg. c.1905 ***An interesting piece from retailers Von Lengerke & Detmold who had the exclusive distributorship for Mauser c.96 pistols in the U.S.A. prior to the first world war*** **1200 - 1500**

610. **MAUSER C.96 'BROOMHANDLE' SEMI-AUTO PISTOL & STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with g. to vg. bore & sharply defined rifling, some minor pitting in grooves; even mottled grey patina to metalwork, frosted appearance but no significant pitting or staining; three-line **WAFFENFABRIK** / **MAUSER** / **OBERNDORF A/N** marked to top of breech & again to rhs. of frame; German **U** proofs to lhs. breech; all matching numbers; mechanically exc., strong springs & sears, bolt retracts freely; **50** to **1000** graduated rear tangent sight; finely grooved grips are in vg. cond., grooves are sharpy defined, some minor handling marks; comes with g. cond. shoulder stock holster, has been refinished but free from cracks; overall in exc. wo & f. to g. cond. **#265430** L/R Mfg. c.1911-15 **900 - 1200**

611. **EXCEPTIONAL SIAMESE CONTRACT MAUSER C.96 S/A PISTOL & MATCHING STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with vg. bright bore & sharply defined rifling; original blued finish to majority of metalwork is v. strong, 98%+ remaining, vivid nitre blued finish to small parts incl. trigger safety, sights etc; three-line **WAFFENFABRIK / MAUSER / OBERNDORF A/N** marked to top of breech & again to rhs. of frame; German **U** proofs to lhs. breech; **132271** marked to back of frame, hammer block, lhs. breech & abbreviated **271** to small parts; back strap marked with the Siamese military Chakra mark, markings to trigger guard in Siamese characters translate to 'Police Gun No. 7156; mechanically exc., strong springs & sears, bolt retracts freely; **50** to **1000** graduated rear tangent sight; finely grooved grips are in near exc. cond., grooves are sharpy defined, some minor handling marks; lanyard ring to butt of frame; comes with shoulder holster, patchy finish & split to comb, tang marked **271**; overall in exc. wo & cond. **#132271** L/R Mfg. c.1911-15 ***An incredibly well preserved example which has amazingly survived its service in the tropics with almost all of the original finish.*** **3000 - 4000**

612. **FINE MAUSER C.96 'BROOMHANDLE' SEMI-AUTO PISTOL:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with g. bore & sharply defined rifling, a little dull with fine pitting to majority; original blued finish to metalwork still strong, has darkened but bearing only light handling marks & some minor speckled oxidation overall; strong nitre blueing to small parts & straw finish on trigger; three-line **WAFFENFABRIK / MAUSER / OBERNDORF A/N** marked to top of breech & again to rhs. of frame; German **U** proofs to lhs. breech & antler proof to rhs; **36071** marked to back of frame, hammer block, lhs. breech & abbreviated **071** to small parts; underside of barrel has been marked with period **T7791** stamp; bolt with long extractor retracts freely, strong springs & sears; **50** to **1000** graduated rear tangent sight; finely grooved grips are in near exc. cond., grooves are sharpy defined, some minor handling marks; overall in vg. wo & cond. **#36071** Mfg. c.1904 **2000 - 2500**

613. **CASED D.W.M MFG. LUGER P08 ARTILLERY S/A PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 200m/m barrel with vg. to exc., bright bore, well-defined rifling, some minor frosting; blued finish to metalwork has thinned to a charcoal grey patina overall, finish has been polished off to sides of mantle/ upper receiver & underside of barrel; ***DWM*** trademark marked to top of toggle, **1917** to top of breech; rhs. breech marked with four German proofs; original serial no has been polished off, **1864** has been stamped to lhs. breech & front of frame; the **64** abbreviated marks to toggle & small parts are original; toggle retracts freely, strong springs & sears; tangent sight with **1-8** graduations; chequered grip panels in vgc. cond., sharply defined chequering with only minor handling marks overall; comes presented in modern hardwood display case with two additional repro magazines & with walnut flat side paddle stock, f. cond. leather holster; overall in exc. wo & f. cond. **#1864** L/R ***Given the serial numbers we can only assume this is a composite pistol.*** **1200 - 1500**

614. **SMITH & WESSON MOD. 66-7 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 2 1/2" (63m/m) barrel with exc. bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; black rubber chequered grip in vgc.; overall in exc. wo & vg.+ cond. #**CJN7677** Post 46' L/R **700 - 900**

615. **SMITH & WESSON MOD. 64-5 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 3" (74m/m) barrel with exc. bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; black rubber chequered grip in vgc.; overall in exc. wo & vg.+ cond. #**BKZ3282** Post 46' L/R **700 - 900**

616. **SMITH & WESSON MOD. 66-7 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 2 1/2" (63m/m) barrel with exc. bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; black rubber chequered grip in vgc.; overall in exc. wo & vg.+ cond. #**DAL5243** Post 46' L/R **700 - 900**

617. **SMITH & WESSON MOD. 66-7 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 2 1/2" (63m/m) barrel with exc. bore & sharply defined rifling; bright brushed finish to stainless steel metalwork, some minor surface marks & marring but presents well; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; black rubber chequered grip in vgc.; overall in exc. wo & vg.+ cond. #**DAX1605** Post 46' L/R **700 - 900**

618. **SMITH & WESSON MOD. 60 D.A. REVOLVER:** 38 Spl. cal.; 5 shot fluted cylinder; 1 7/8" (48m/m) barrel with vg. bright bore & sharply defined rifling; polished stainless finish to metalwork bearing some handling marks & surface marring; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; mechanically exc., strong sears & springs; original chequered grips in f. cond., some handling scuffs & minor chips, **SW** inlaid medallion to top of both; overall in exc. wo & f. to g. cond. **#R152424** Post 46' L/R **300 - 500**

619. **SPANISH STAR MOD. 30M SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 15 rnd. mag.; 4 1/4" (108m/m) barrel with exc. bright bore & sharply defined rifling; blued finish to metalwork is strong overall, satin finish to slide & majority of frame, gloss finish to sides of frame; makers name & address to lhs. frame, **MOD.30M** / **Cal. 9m.m.P** / serial no. to rhs; slide retracts freely, strong springs & sears; maker marked rubber chequered grip panels in vgc.; overall in exc. wo & vg. cond. **#1887044** Post 46' L/R **500 - 700**

620. **FINE COLT WOODSMAN MATCH TARGET S/A RIMFIRE PISTOL:** 22 LR cal.; 10 rnd., mag.; 6" (153m/m) barrel with exc. bore & crisp rifling; original glossy blued finish to metalwork presents flawless, some minor storage marks; lhs. barrel marked with **HARTFORD** address, rampant horse/ **MATCH TARGET** marked to lhs. breech, ***COLT*** & cal. to lhs. slide; slide retracts freely, strong springs & crisp trigger; walnut grip panels with well-defined chequering, thumb rest to lh grip; grip in g. cond., some flaking of varnish & light handling marks; comes with two additional magazines; overall in exc. wo & vg.+ cond. **#088458 S** Post 46' L/R c.1973 mfg. **800 - 1200**

621. **HUNGARIAN FEG MOD. AP MBP S/A PISTOL:** .32 ACP cal.; 7 rnd. mag.; 4" (100m/m) barrel with exc. bright bore & sharply defined rifling; strong blued finish to slide & steel parts, blacked finish to alloy frame is thinning to a yellowy-brown appearance; **7,65mm AP-MBP** stamps & laser etched U.S. importers marks to lhs. slide; slide retracts freely, strong springs & sears; black polymer grips in vg. cond., some light handling marks to both; overall in exc. wo & vg. cond. **#BU0966** Post 46' L/R **300 - 500**

622. **BELGIAN FOLDING TRIGGER PINFIRE POCKET REVOLVER:** .30 PF cal.; 6 shot cylinder; 3" (76m/m) octagonal barrel with p. bore; silver-grey patina to metalwork, some minor brown staining in areas; **ELG** Liege proof to cylinder; strong main springs but cylinder not indexing; smooth walnut grip panels in g.+ cond., some light handling marks; overall in f. cond. **#10** Pre 47' L/R **50 - 100**

623. **SPILLER & BURR NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7" (177m/m) octagonal barrel with dusty bore, rifling appears sharply defined; thinning blued finish to steel parts, some patches of oxidation staining; dull mellow patina to brass frame; top of barrel marked **SPILLER AND BURR CAL. 36** marked to top of barrel, butt of back strap marked with makers overlapping double diamond mark; mechanically strong, cylinder indexing well; smooth walnut grips in vgc.; overall in f. cond. **#20037** Post 46' L/R **50 - 100**

624. **ARMINIUS WEIHRAUCH MOD. HW3 D.A. REVOLVER:** .32 S.&W. long cal.; 6 shot fluted cylinder; 2 3/4" (70m/m) barrel with vg. bright bore & sharply defined rifling, needs a clean; blued finish to steel parts & blacked finish to cast frame, finishes bearing light wear & some oxidation staining; **HW3** marked to swingarm, German proofs to breech; **Made in Germany** to rhs. frame; strong springs & sears, cylinder indexing well; missing front sight; original brown bakelite chequered grip in vgc.; overall in vg. wo & g. cond. **#167753** Post 46' L/R **150 - 250**

625. **COLT MOD. 1873 SINGLE ACTION ARMY REVOLVER:** .38 WCF (38-40 Win.) cal.; 6 shot fluted cylinder; 4 3/4" (122m/m) barrel with f. to g. bore, sharp rifling throughout but some patches of light frosting & scattered pitting; dull grey patina to metalwork, barrel & trigger guard with 20% original blued finish in protected areas, case colours remain at front of frame, top strap groove; **38 W.C.F.** to lhs. of barrel, defined two-line **COLT'S PT. F.A. MFG. Co./ HARTFORD C.T. U.S.A.** stamped to top of barrel; patents & rampant horse trademark to lhs. of frame;**189958** marked to frame, trigger guard & butt of backstrap; mechanically fine, cylinder indexing crisp, strong sears & springs; vg. screw heads; original hard rubber grips present v. well, light general wear to both, chequering & rampant horse motif to top of both remains defined; overall in vg. wo & g.+ cond. **#189958** L/R Mfg. 1899 ***A nice, honest example that's escaped heavy use and repairs.*** **1800 - 2200**

626. **RUGER NEW MODEL BLACKHAWK S.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6 1/2" (167m/m) barrel with g. bright bore, needs a clean but rifling is sharply defined; blued finish to barrel & cylinder with some minor holster wear, plum finish to frame, black finish to trigger guard & straps; address marked to lhs. barrel, make & model to lhs. frame; cylinder indexing well, strong springs & sears; original smooth walnut grips bearing a few handling marks & scuffs but are both sound; overall in exc. wo & g.+ cond. **#32-05588** Post 46' L/R **300 - 500**

627. **COLT OFFICER'S ACP MK IV SERIES 80 S/A PISTOL:** .45 ACP cal.; 6 rnd. box mag.; 3 1/2" (90m/m) bright bore with sharp rifling, needs a clean but appears exc.; grey phosphate finish to metalwork presents well, some light holster wear to profiles, some minor handling marks; lhs. slide marked **COLT MK IV** / **SERIES 80**, rhs. marked **OFFICER'S ACP**; rhs. frame marked with **HARTFORD** address; slide retracts freely, strong springs & sears; chequered walnut grip panels in vgc., some light handling marks, gold **COLT** medallion inlaid to centre of both; overall in exc. wo & vg. cond. **#FA22310** Post 46' L/R **600 - 800**

628. **COLT OFFICER'S ACP MK IV SERIES 80 S/A PISTOL:** .45 ACP cal.; 6 rnd. box mag.; 3 1/2" (90m/m) bright bore with sharp rifling, needs a clean but appears exc.; satin silver finish to stainless steel metalwork presents well, some superficial handling marks; lhs. slide marked **COLT MK IV** / **SERIES 80**, rhs. marked **OFFICER'S ACP**; rhs. frame marked with **HARTFORD** address; slide retracts freely, strong springs & sears; chequered faux wood composite grip panels in vgc., some light handling marks; overall in exc. wo & vg. cond. **#SF19990** Post 46' L/R **600 - 800**

629. **COLT 1851 NAVY MOD. PERCUSSION REVOLVER & HOLSTER:** .36 cal.; 6 shot cylinder; 7 1/2" (191m/m) octagonal barrel with f.+ bore, rifling is well-defined & bright in areas, oxidation in patches towards muzzle; grey patina to majority of barrel, frame & cylinder, some patches of oxidation & fine pitting to majority; trigger & straps retain 70%+ silver finish to, thinning on profiles & section removed to back strap; top of barrel marked with single line **-ADDRESS SAML COLT NEW-YORK CITY-**, lhs. frame marked **COLT'S** / **PATENTS**; well-defined naval engagement scene to cylinder; loading lever, barrel, frame, cylinder, butt all marked with serial no.; cylinder indexing, strong springs & sears; smooth walnut grips in sound cond., patchy original varnish & some light marks to edge of butt; comes in tatty but period fitted leather holster, stitching is sound but leather distressed; overall in g. wo & f.+ cond. **#13129** Pre 1900 L/R **1200 - 1600**

630. **RELIC LONDON COLT SINGLE ACTION ARMY REVOLVER:** .455 Eley cal.; 6 shot fluted cylinder; 5 1/2" (141m/m) barrel with g. bright bore & sharply defined rifling, some patchy oxidation; metalwork has been cleaned back as some stage, now with an even grey patina to majority; moderate pit peppering to frame, barrel & small parts, some scuffs; **B OO C** has been crudely but lightly etched to lhs. barrel, G S to rhs. frame & butt **BROOKONG**; top of barrel marked **COLT'S PT. F.A. MFG, Co HARTFORD, CT, U.S.A. DEPOT 14. PALL MALL LONDON.**, London **V** & **P** proofs to chambers, underside of barrel; serial no. marked to frame is faint but defined on trigger guard & butt; patents to lhs. frame; faint **455 CAL** / **F** marked to lhs. trigger guard; cylinder indexing well, strong springs & sears; some replacement screws; grips are p., both are deeply rotted but have been sealed with lacquer; overall in g. wo & p. cond. **#81635** Mfg. c.1882 L/R ***No history provided, possibly from Brookong station in N.S.W., looks to have been found as a relic & cleaned up.*** **600 - 800**

631. **COOPER FIREARMS Co DOUBLE ACTION PERCUSSION REVOLVER:** .31 cal.; 5 shot cylinder;4" (102m/m) octagonal barrel with vg. bright bore & sharply defined rifling, some minor frosting; original blued finish to barrel & cylinder is thinning to a grey patina, some traces of case colours to frame; trigger guard & strap with mellow patina to brass; top of barrel marked **COOPER FIRE ARMS MFG. Co FRANKFORD PHILA. PA.** / two lines of patents; serial no. marked to barrel, frame, cylinder; cylinder is frozen, strong main spring & appears complete; smooth walnut grips retain much of their original varnish, filled chip repair to lh grip, some light scuffs around butt edge; overall in vg. cond. & f. wo. **#5379** Pre 1900 L/R ***An interesting little pistol, will grade up significantly with some minor work.*** **600 - 900**

632. **WEBLEY MK. VI D.A. SERVICE REVOLVER:** .455 Webley; 6 shot fluted cylinder; 6" (154m/m) barrel with vg. bright bore & sharply defined rifling; some original blued finish remaining in protected areas, even plum patina to remainder of metalwork; lhs. top strap marked **MARK "VI'**, lhs. **PATENTS / 1918** have been struck over with broad arrows; **GR** inspection marks to chambers & barrel; action locks up with some movement, cylinder indexing well, strong springs & sears; vg. original hard rubber grips, chequering is well-defined & bearing only light surface marks to both; lanyard ring to butt; overall in exc. wo & g.+ cond. **#376808** Mfg. 1918 L/R **500 - 700**

633. **WWI D.W.M. MFG. LUGER P08 S/A SERVICE PISTOL & HOLSTER:** 9×19m/m Luger cal.; 8 rnd. mag.; 4" (102m/m) barrel with vg.+, bright bore, sharply defined rifling with some superficial frosting; original blued finish presents v. well, some very light holster wear to profiles; strong straw finishes to small parts; ***DWM*** trademark marked to top of toggle, **1917** to top of breech; serial no. **201** marked to lhs. breech, underside of barrel & all visible small parts bear **01**; the original matching numbers magazines are in g. cond., some chips to wood base; toggle retracts smoothly, strong springs & crisp sear; chequered grip panels in vgc. cond., sharply defined chequering with only minor handling marks to both, still present a lovely light blonde colour; comes in period leather holster with additional mag. (#**201**) & multitool; **SCHERELE&Co** / **NORDHAUSEN** / **1916** marked on inside of lid appear to have been deliberately defaced; overall in exc. wo & vg.+ cond. **#201** Mfg. 1917 L/R **1500 - 1800**

634. **TULA ARSENAL NAGANT M.1895 S.A. REVOLVER & HOLSTER:** 7.62×38m/mR Nagant cal.; 7 shot fluted cylinder; 4 1/2" (117m/m) barrel with vg.+ bright bore & sharply defined rifling; strong armourers black coloured blued finish to metalwork, v. strong only some minor surface oxidation; lhs. frame marked with arsenal markings / **1923**; rhs. frame laser etched with U.S. importers marks & new serial no.; mechanically vg., s.a. only action, cylinder indexing & sealing well; hardwood chequered grips & spine section present well, some handling marks & scuffs but showing little wear; steel butt cap with lanyard to original loop; comes in fitted synthetic holster; overall in exc. wo & vg. cond. **#189524124** 1923 Mfg. L/R **500 - 700**

635. **STEYR HAHN MOD. 1912 S/A PISTOL:** 9×23m/m Steyr; 8 rnd. integral mag.; 5" (128mm) barrel with g.+ bore, sharp rifling, lightly frosted in patches; strong reblued finish to metalwork, presents ordinary, some handing marks & pre-refinish pitting still evident; defined **STEYR 1913** to lhs. of frame, other markings are faint; non-matching slide retracts well, strong hammer spring & sear; std. sights; walnut grip panels in f. cond., chequering to both is defined, some bruising & scugs; overall in g.+ wo & f. cond. **#3897B** Pre 47' L/R **150 - 300**

636. **SPANISH STAR MOD. SI S/A POCKET PISTOL:** .32 ACP cal.; 8 rnd. mag.; 4" (102m/m) barrel with dirty bore, appears bright & rifling sharply defined; blued finish to metalwork presents well, some light holster wear to profiles & handling marks; **STAR** trademarks & address to lhs. slide; mechanically strong, slide retracts smoothly; original black plastic chequered grips with **STAR TRADE MARK** roundels to centres, both showing little wear; overall in exc. wo & vg. cond. **#429101** Post 46' L/R ***A good example of these miniature 1911's*** **250 - 400**

637. **SPANISH STAR MOD. I S/A POCKET PISTOL:** .32 ACP cal.; 8 rnd. mag.; 112m/m barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork presents well, some light holster wear to profiles & minor oxidation staining; **STAR** trademarks & address to lhs. slide; mechanically strong, slide retracts smoothly; original black plastic chequered grips with **STAR TRADE MARK** roundels to centres, both showing little wear but rh grip cracked in half; overall in exc. wo & vg. cond. **#283** Post 46' L/R **150 - 300**

638. **FINNISH VALMET MFG. L-35 LAHTI S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4 1/4" (11m/m) barrel with vg. bore, sharply defined rifling a little dull with frosting; strong blued finish to metalwork presents well, some light handling marks & light vice marks to top of action; top of mantle marked with **VALMET** trademark / **L-35**; serial no. **7348** marked to lhs. frame, mantle; mechanically exc., bolt retracts freely, strong springs & sears; maroon bakelite grips with **VKT** trademark to top of both, chequering is well-defined; overall in exc. wo & g. to vg. cond. **#7348** Pre 47' L/R **1000 - 1400**

639. **STEYR MANNLICHER MODEL 1905 SEMI-AUTOMATIC PISTOL:** 7.63m/m Mannlicher cal.; 10 rnd. integral mag.; 6 1/4" (160m/m) barrel with slight ring bulge 1/2" before muzzle, otherwise bright with sharp rifling; original blued finish to metalwork, patching oxidation staining & pit peppering overall, presents ordinary; lhs. frame marked **SYSTEM MANNLICHER** / **Md.1905** / **WAFFENFABRIK** / **STEYR**; all matching numbers, mechanically strong, slide retracts freely, strong springs & sears; grooved walnut grip panels in f. cond., some scuffs & dark appearance; overall in p. to f. cond. **#3447** Pre 47' L/R ***Has seen little work but has been neglected, remains an original example of an interesting & early self-loading pistol.*** **300 - 500**

640. **MAUSER MOD. 1914 S/A POCKET PISTOL:** .25 ACP cal.; missing 8 rnd. mag.; 3 1/8" (80m/m) barrel with f. bore, rifling defined but peppered with moderate pitting throughout; blued finish to metalwork has thinned to a brown-grey patina in areas, some scattered patched of pit peppering; lhs. of slide marked **WAFFENFABRIK MAUSER A.-G. OBERNDORF A.N. MAUSER'S PATENT**, **MAUSER** trademark to lhs. of frame; slide retracts freely, strong springs & sears, cocking indicator not functioning; single piece walnut grip in g.+ cond., some light handling marks & bruising, chequered panels to sides is defined; overall in exc. wo & g.+ cond. **#34059** Pre 47' L/R **200 - 300**

641. **WESTLEY RICHARDS 'MONKEY TAIL' BREECH LOADING PERCUSSION PISTOL:** .475 cal.; 9" (230m/m) barrel with vg. bore, some frosting but bright overall & polygonal **WHITWORTH** rifling is sharpy defined; light brown patina to barrel, dark grey to lock; some oxidation staining overall, pitting along lhs. barrel wood line; mellow patina to brass furniture; top of barrel marked **WHITWORTH PATENT**, top of breech marked **25 GRAINS**; makers name & **PATENT** to top of breech lever, **WESTLEY RICHARDS & Co** marked to lock, **1867** within triangle trademark to tail; Birmingham proofs & **25** marked to lhs. breech; mechanically strong, breech locks up well, strong lock springs & sears; fixed sights; retains steel ram rod, lhs. stock with lanyard ring, a second to butt; walnut full stock in reasonable cond., some aged fine cracks & general handling marks, staining but presents well; buttplate tang marked **R2** / **A** / **16**; overall in vg. wo & f. to g. cond. **#25** Pre 1900 L/R **1200 - 1600**

642. **BRITISH PATT. 1839 SEA SERVICE PERCUSSION PISTOL by TOWER:** .560 cal.; 6" round barrel with vg. bore, bright with only light patches of frosting; grey patina to majority of metalwork, barrel has been cleaned but still bearing some handling marks to barrel; mellow patina to brass furniture; border engraved bevelled lock with stepped tail, Royal cypher/ **V-R**, **1842**/ **TOWER** marked to centre of lock; acceptance marks to breech; strong lock springs & sears, captive ramrod & belt clip to lhs. forestock; walnut stock presents well, scattered handling marks & bruises; brass butt cap complete with lanyard swivel; overall in f. to g. cond. **N/L** **1500 - 1800**

643. **E. REMINGTON MOD. 95 U/O DERRINGER:** .41 rimfire short cal.; 3" (76m/m) barrels with g. to vg. bright bores, some minor pit peppering but rifling is crisp; 90% original nickel finish to majority of metalwork presents v. well, some minor handling marks & marring; small parts retain strong blueing; well-defined **REMINGTON ARMS CO. ILION. N.Y** marked to top of integral barrel rib; strong springs, sears, striker selecting well & action locks up tight, lhs. of integral hinge to lhs. frame is cracked, would require a delicate repair; gutta percha grip panels present well, chequering well-defined some v. minor handling marks, both have shrunk slightly; overall in g. cond. **#920** Pre 1900 L/R ***Presents very well as is but requires repair.*** **400 - 600**

644. **COLT THIRD GEN. 1873 SINGLE ACTION ARMY REVOLVER:** .44 W.C.F (.44-40 Win.) cal.; 6 shot fluted cylinder; 7 1/2" (189m/m) barrel with ring bulge half way along, otherwise bright with sharply defined rifling; strong blued finish to majority of parts & vivid case colours to frame but some scattered patches of oxidation staining; std. markings, address to barrel, patents to frame; action indexing well, strong springs & sears; smooth walnut grips with **COLT** medallions inlaid to head of both, some light handling marks; overall in f. cond. **#SA49266** Post 46' LR ***Suit parts or rebarrel.*** **200 - 400**

645. **HIGH STANDARD 'THE SHARPSHOOTER' 103 SERIES S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) heavy barrel with dirty bore, appears vg. with crisp rifling; original blued finish to metalwork, thinning in areas but presents decent; **THE SHARPSHOOTER**/ cal. marked to lhs. breech, **HAMDEN** address to rhs; slide retracts smoothly, strong springs & sears, adjustable rear sights; original chequered walnut grip panels in g. cond., some minor handling marks & finish wear; overall in exc. wo & f. to g. cond. **#2389776** Post 46' L/R **150 - 300**

646. **COLT NEW SERVICE D.A. REVOLVER:** .455 Eley cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with sharply defined rifling, some scattered small patches of light pitting, remainder is v. bright, vg. overall; reblued finish to metalwork, has developed a dark, flat appearance & still bearing light pitting to majority; lhs. of barrel marked **NEW SERVICE 455 ELEY**, two-line **HARTFORD** address marked to top of barrel; lhs. of frame marked with rampant horse trademark & double broad arrows, British proofs to top; cylinder indexing well, strong springs & sears; front sight & top of barrel has been ground off; original hard rubber grips in sound cond., some handling marks & surface chips to both, chequering is defined; lanyard swivel to butt; overall in g. wo & p. cond. **#115548** Pre 47' L/R **200 - 400**

647. **ROSSI MOD. 27 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 45m/m barrel with dirty bore, rifling is sharply defined; blued finish to metalwork, some light wear to muzzle & front of cylinder; makers name & Brazilian address to lhs. barrel; **GRYCOL** Aus. Importers marks to rhs. frame; cylinder indexing well, strong springs & sears; fitted with Pachmayr rubber grip; overall in vg. wo & g.+ cond. **#136013** Post 46' L/R **150 - 300**

648. **ROSSI MOD. 88 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 3" (75m/m) barrel with dirty bore, rifling is sharply defined; blued finish to metalwork, some wear to muzzle & front of cylinder; makers name & Brazilian address to lhs. barrel; **GRYCOL** Aus. Importers marks to rhs. frame; cylinder indexing well, strong springs & sears; original two-piece grip with large chunk missing to lhs. head; overall in vg. wo & g.+ cond. **#173742** Post 46' L/R **150 - 300**

649. **SMITH & WESSON MOD. 686-6 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with dirty bore appears exc. & rifling is sharply defined; bright brushed finish to stainless steel metalwork, some minor surface marks & marring overall, powder residue around breech; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; fitted with Pachmayr black rubber chequered grip in g. cond.; overall in exc. wo & g.+ cond. #**AYU9065** Post 46' L/R **400 - 600**

650. **SMITH & WESSON MOD. 64-5 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with vg. bright bore & sharply defined rifling, some leading on lands; stainless steel metalwork has been polished to a bright finish, some light handling marks; makers name to lhs. barrel, **SW** monogram to lhs. frame & four-line **SPRINGFIELD** address to rhs; cylinder indexing well, strong springs & sears; fitted with blue anodized alloy rail to top of barrel & frame; fitted with aftermarket rubber grip, poor, fit but solid; overall in exc. wo & g. cond. **#BFT4384** Post 46' L/R **400 - 600**

651. **COLT MOD. HUNTSMAN SEMI-AUTO RIMFIRE PISTOL: .**22 LR cal.; 10 rnd. mag.; 4 1/2" (116m/m) barrel with vg. bright bore & sharply defined rifling; thinning blued finish to metalwork with a grey patina to most surfaces, appears to have been cleaned; **HARTFORD** address to lhs. barrel, rampant horse trademark/ **HUNTSMAN** to lhs. breech; slide retracts freely, strong springs & sears; custom wood grips with finger contours, both in g. sound cond., some handling marks; overall in exc. wo & f. cond. **#154956C** Post 46' L/R **250 - 400**

652. **MANHATTAN FIREARMS Co. NAVY MOD. PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 4" (103m/m) octagonal barrel with f. to g. bore, bright areas with sharply defined rifling, oxidation scale & light pitting; original blued finish to majority has thinned to a mottled brown patina, some light pitting in areas but presents well, sharp profiles & markings; mellow patina to brass trigger guard & straps with some thinning patches of silver plating; two-line **MANHATTAN FIRE ARMS CO. NEWARK, N.J. / PATENTED MARCH 8, 1864** marked to top of barrel flat; cylinder roll stamped with five oval scenes incl. horseback, naval with rowboat & gun fight scene; cylinder indexing but hammer sear not always holding, locating pins to nose of frame are slightly bent, barrel not sitting parallel to frame; some replacement screws; serial no. **3351** marked to barrel, trigger guard, frame & butt of back strap; German silver front blade sight, notch rear sight to nose of hammer; smooth walnut grips in g. cond. both retain 80%+ original varnish, some handling marks; overall in f. to g. cond. **#3351** Pre 1900 L/R ***Would grade up with some straight-forward repairs.*** **700 - 900**

653. **GAMO COMPACT MOD. AIR PISTOL:** .177 cal.; 210m/m barrel with vg. bright bore & sharply defined micro-groove rifling; strong blued finish to steel parts, some handling marks & scuffs; black polymer frame & upper; mechanically strong, g. spring tension & strong sears; vg. thumb rest hardwood grips with stippled sections; overall in exc. wo & vg. cond. **#04-4C-079984-05** Post 46' L/R **150 - 250**

654. **HÄMMERLI MOD. 100 RIMFIRE TARGET PISTOL:** .22 LR cal.; 11 1/4" (285m/m) barrel with vg. bright bore & sharply defined rifling; satin blued finish to barrel, plum finish to action, only light wear to both; **Hämmerli / SWITZERLAND** marked to lhs. frame, top of barrel **Cal.22 long rifle**; mechanically strong, falling block action locks up tight, strong springs & crisp trigger sear; elaborate walnut thumb rest grip & forewood in g. to vg. cond., presents well, only light handling marks & some minor scratches; overall in vg. wo & g.+ cond. **#31211** Post 46' L/R **400 - 600**

655. **SMITH & WESSON MOD. 36-3 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 3" (77m/m) barrel with dirty bore & sharply defined rifling, vg.+ cond.; strong original blued finish to metalwork with only light holster wear to muzzle & cylinder, presents decent; makers name & calibre marked to barrel, **SW** monogram to lhs. & four-line address to rhs. of frame; mechanically exc., strong sears & springs; original chequered walnut grips with **SW** monogram trademark to top, some handling marks; overall in exc. wo & g.+ cond. **#J276959** Post 46' L/R **300 - 500**

656. **WEBLEY & SCOTT MOD. 1910 SELF-LOADING PISTOL:** .38 ACP cal.; 7 round mag.; 8" (202m/m) stepped barrel, vg. bright bore & sharply defined rifling; original blued finish to slide & frame is strong in areas, but has been cleaned off in other areas; slide, frame & muzzle area of barrel are peppered with moderate pits, presents ordinary in areas; lhs. of slide marked lhs. slide marked with **W & S** flying bullet trademark, **WEBLEY & SCOTT LTD / LONDON & BIRMINGHAM / .38 AUTOMATIC PISTOL**; serial to rear of frame has been peened off, restamped below; v. strong springs to slide, retracts freely; adjustable V-notch rear sight & integral blade front sight; original walnut grips present well, some hairline cracks to base of both & bruising but the fine chequering remains v. well-defined; overall in exc. wo & f. cond. **#514** Pre 47' L/R ***Barrel is a mystery, possibly the original that has been turned down or a replacement that has been threaded into the original breech (which retains original proofs)*** **700 - 1000**

657. **FINE & EARLY COLT CAMP PERRY S/S RIMFIRE TARGET PISTOL:** .22 LR cal.; 10" (255m/) barrel with vg.+ bright bore & sharply defined rifling, some minor marks; original glossy blued finish to metalwork presents exc., 98%+ remaining, small spot of staining & wear around muzzle butt hard to fault; some minor staining to polished sides of hammer; top of barrel marked with **COLT'S PT. F.A. MFG. CO. HARTFORD, CT. U.S.A.**/ patents, lhs. barrel marked **CAL.22 LONG RIFLE**; rampant horse to lhs. frame is sharply defined; mechanically fine, barrel swings out for loading, strong springs & crisp sears; adjustable V-notch rear sight dovetailed to top strap, pinned front blade sight; walnut grips are in vg.+ cond., both have darkened slightly but chequering remains sharply defined, overall in exc. wo & cond. **#220** Mfg. c.1926 **2000 - 2500**

658. **SECTIONALIZED WEBLEY MK. I D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 4” (103m/m) barrel with g. bright bore, rifling is lightly defined, some frosting; reblued finish to metalwork has darkened; frame has been sectionalized, milled section to both sides of frame show internal workings; lhs. frame marked **WEBLEY** / **MARK I** / **PATENTS**; broad arrows & **WD** inspection marks to top strap, & other areas; cylinder indexing well, strong springs & sears, action locks up right; original hard rubber grips with ovate removed sections to head of both, chequering to both still well-defined chip to lh grip; lanyard ring to butt of birds head grip; overall in g. cond. **#7732** Pre 47’ L/R ***Thought to be an original war time training aid, a great display piece regardless.*** **500 - 700**

659. **SCARCE WEBLEY & SCOTT LTD. MOD. 1913 SELF-LOADING PISTOL MK. I NAVY:** .455 Webley Auto cal.; 7 rnd. box mag.; 5” (127m/m) barrel with g.+ bore, rifling is sharply defined but bore frosted with fine pin-prick pitting; 30% patchy original finish to metalwork, remainder is a mix of plum & grey patina, rhs. of pistol is sparsely peppered with fine pits; overall still presents well, honest; lhs. slide marked with **W & S** flying bullet trademark, **WEBLEY & SCOTT LTD** / **PISTOL SELF-LOADING .455 MARK I N** / **1914**; acceptance marks, proofs to barrel, slide & frame; mechanically fine, strong springs & sears, slide retracts freely, grip safety, windage adjustable rear V-notch sight & blade front; replacement black plastic repro grips are in vgc., some minor handling marks; overall in exc. wo & f. to g. cond. **#4575** Pre 47’ L/R **3000 - 3500**

660. **BRITISH T.S. & S. NO.4 BULLDOG STYLE D.A. REVOLVER:** .450 cal.; 5 shot cylinder; 2 5/8” (67m/m) barrel with g. to vg. bright bore & sharply defined rifling, some patches of frosting; mottled grey-plum patina to metalwork with flashes of original blued finish in protected areas; top strap engraved **T.S.&S.**, lhs. frame marked **No4**; Birmingham proofs to barrel & chambers; mechanically strong, cylinder indexing well, strong springs & sears; retains extractor rod; single piece walnut grip in vg. cond., flat-top chequering is sharply defined; steel butt cap with lanyard ring; overall in vg. wo & g. cond. **#89** Pre 1900 L/R ***Doesn’t appear to have done much work at all.*** **400 - 600**

661. **COLT NEW SERVICE DOUBLE ACTION REVOLVER:** .38 WCF (.38-40 Win.) cal.; 6 shot fluted cylinder; 7 1/2" (190m/m) barrel with exc. bright bore & sharply defined rifling; revolver has undergone expert refinishing, deep blued finish to metalwork, presents exc. but bearing some pin-prick pits when inspected closely; two-line **HARTFORD** address to top of barrel is defined, **NEW SERVICE 38 W.C.F.** to lhs. is well-defined; defined rampant horse trademark to lhs. frame; mechanically fine, strong springs & sears, cylinder indexing well; replacement walnut grips would be exc. if not for small lifting chip to rhs. grip centre, otherwise chequering is crisp, silver medallions to top of both; lanyard swivel to butt; overall in exc. wo & vg.+ cond. **#323239** Mfg. c.1925 L/R **1000 - 1500**

662. **WWI D.W.M. MFG. LUGER P08 S/A SERVICE PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 4” (102m/m) barrel with g.+, bright bore, defined rifling with fine pitting; original blued finish has darkened, thinning in areas, some fine pitting; rhs. breech has had proofs polished off; faint straw finish to small parts; ***DWM*** trademark marked to top of toggle, **1916** to top of breech; serial no. **2599** marked to lhs. breech, underside of barrel & all visible small parts bear **99**; mechanically strong, toggle retracts freely, crisp trigger; walnut grip panels in sound cond., some wear & bruising to both but may grade up with a clean; overall in vg. wo & f. to g. cond. **#2599** Mfg. 1916 L/R **900 - 1300**

663. **UMAREX-BERETTA MOD. PX4 AIR PISTOL:** .177 air cal.; 8 rnd. cylinder; 4 1/2" (115m/m) barrel with exc. bright bore & sharply defined rifling; matte blacked finish to steel slight is strong, some surface scuffs; black polymer frame; **BERETTA** model & cal. to lhs. slide, **MADE IN JAPAN FOR UMAREX** to frame; appears to function well, needs gas canister; integral grip of frame bearing only light handling marks; overall in vg. cond. **#12B03484** Post 46’ L/R **300 - 500**

664. **P. BERETTA MOD. 71 S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 3 1/2" (88m/m) barrel with vg. bright bore & sharply defined rifling; blued finish to slide & steel parts thinning to a grey patina, some handling marks to blacked finish on alloy frame; makers name, **GARDONE** address marked to lhs. slide; slide retracts freely, strong springs & sears; black plastic two-piece grip bearing a few handling marks but in f.+; overall in exc. wo & f. to g. cond. **#47297** post 46’ L/R ***A mechanically fine example of these fun little pistols.*** **300 - 500**

665. **WEBLEY & SCOTT MK. IV. D.A. POCKET REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 3" (78m/m) barrel with vg. bright bore & crisp rifling, needs a clean; strong original blued finish to metalwork presents well, some minor oxidation staining on cylinder; **MARK IV .38** marked to lhs. top strap, **WEBLEY & SCOTT LTD/ BIRMINGHAM** to top; mechanically exc., action locks up tight, strong springs & sears, cylinder indexing well; original plastic chequered grips with ***Webley*** to top of both, some handling marks but vg.+ cond.; overall in exc. wo & vg.+ cond. **#A39560** Post 46' L/R **400 - 600**

666. **P. BERETTA MOD. 70 SEMI-AUTO PISTOL:** .32 ACP cal.; 8 rnd. mag.; 3 1/2" (88m/m) barrel with vg. bright bore & sharply defined rifling, needs a clean; blued finish to metalwork thinning slightly on profiles & spotted with small patches of oxidation staining, presents ordinary; **PIETRO BERETTA**, address to lhs. slide, model to rhs; mechanically strong, slide retracts freely, strong springs & sears; two-piece black plastic grip in vg. cond., some light handling marks; overall in exc. wo & f. to g. cond. **#84977** Post 46' L/R **300 - 500**

667. **CZ MODEL 75 SEMI-AUTOMATIC PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5" (126m/m) barrel with bright bore & crisp rifling, a little dirty; original glossy blued finish to metalwork bearing only light handling marks, presents exc.; lhs. slide marked with trademark, **CZ 75 CAL. 9 LUGER**; non-matching barrel; side retracts freely, strong springs & sears; black polymer chequered grips are in vgc., some light handling marks to both; overall in exc. wo & vg. cond. **#V2812** Mfg. 1994 L/R **400 - 600**

668. **EARLY MAUSER C.96 'FLAT-SIDE LARGE RING S/A PISTOL:** 7.63×25m/m Mauser; 10 rnd. integral box mag.; 5 1/2" (141m/m) barrel with f. bore, rifling is defined but consistent fine pitting throughout, may grade up with a clean; original blued finish to metalwork, thinning to a smoky-grey patina overall, holster wear to sides of frame, barrel & some patches of frosting; areas of strong nitre blueing to small parts & straw finish on trigger; three-line **WAFFENFABRIK / MAUSER / OBERNDORF A/N** marked to top of breech; German **U** proofs to lhs. breech & antler proof to rhs; **21423** marked to back of frame, hammer block, lhs. breech & abbreviated **423** to small parts incl. distinctive large ring hammer; bolt retracts freely, strong springs & sears; 1 – 10 graduated rear tangent sight; slight bruise to either side of mag.; 27 groove walnut grips in f. to g. cond., some handling marks; overall in g. wo & cond. #**21423** Mfg. c.1899 **1800 - 2200**

669. **MAUSER C.96 'BROOMHANDLE' SEMI-AUTO PISTOL:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with g. bright bore & well-defined rifling, fine pitting to majority; original blued finish to metalwork, thinning to a smoky-grey patina overall, some light holster wear to sides of frame, barrel & some patches of oxidation staining but presents well; areas of strong nitre blueing to small parts & straw finish on trigger; **MAUSER** trademark marked to top of breech, **U** proof to lhs. of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & rhs. of frame; serial no. **87018** marked to back of frame, hammer block, lhs. breech & abbreviated **018** to small parts; bolt retracts freely, strong springs & sears; **50** to **1000** graduated rear tangent sight; finely grooved grips are in g. sound cond., some light wear & bruising to both but they present well; overall in vg. wo. & f. to g. cond. **#87018** Mfg. c.1905 **1600 - 2000**

670. **CZECH CZ MOD. 91S FULL-AUTO CONV. MACHINE PISTOL & HOLSTER:** .380 ACP cal.; 30 rnd. mag.; 110m/m (4 3/8") barrel, exc. bright bore & sharply defined rifling; black phosphate finish to metalwork with satin finish, some minor handling marks but presents exc.; lhs. receiver marked **CZ 91 S. CAL.9 Browning.**, **MADE IN CZECHOSLOVAKIA**; underside of frame marked **she92** / serial no.; bolt cycles freely, strong spring & sears; std. flip sights **75**, **150**; complete with folding wire skeleton stock; black plastic grip in exc. cond., a few minor handling marks; comes with fitted leather holster; overall in exc. wo & cond. **#0026** **Cat E / Dealers only** L/R **3000 - 4000**

671. **FINE BOXED FIRST YEAR COLT 'BULLSEYE' MATCH TARGET THE WOODSMAN RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. magazine; 6 5/8" (170m/m) barrel with exc. bright bore & sharply defined rifling; original glossy blued finish to metalwork presents flawless, some v. minor wear to profiles but 95%+ remaining; lhs. of barrel marked **MATCH** / bullseye motif / **TARGET**, lhs. breech marked **THE WOODSMAN**; lhs. slide marked **COLT**, **AUTOMATIC** / **CAL..22 LONG RIFLE** & rampant horse motif; two-line **HARTFORD** address to top of barrel; all markings are sharply defined; slide retracts freely, strong springs & sears; V-notch rear sight & double pinned blade sight; single piece walnut grip with the distinctive 'elephant ears' to base; chequering panels are well-defined, some v. minor handling marks, silver **COLT** medallions inlaid to both sides; comes in the original cardboard box which is in g. cond., markings are clear but showing wear to profiles externally; overall in exc. wo & fine cond. **#MT2027** Mfg. 1938 L/R ***An unusually nice example. Definitely one for the pre-war Colt collector.*** **2500 - 3000**

672. **CASED PORTUGUESE CONTRACT D.W.M LUGER MOD. 1906 S/A PISTOL:** 7.65×21m/m (.30 Luger) Parabellum cal.; 8 rnd. mag.; 4 3/4" (120m/m) bright bore with sharply defined rifling, light pit peppering throughout; original blued finish to metalwork has darkened, some minor wear to profiles; faint straw finish to small parts; top of breech marked with royal Portuguese crown above an **M2** royal cypher, ***DWM*** trademark marked to top of toggle; serial no. **999** marked to front of frame, underside of barrel, abbreviated **99** to small parts; circled triangle army acceptance marks to lhs. breech & several small parts; mechanically strong, toggle retracts freely, strong springs & sears, grip safety; walnut grip panels present exc., some minor handling marks; pistol comes presented in contemporary hardwood/ mahogany case with green felt lining; case contains spare original mag. & some cleaning accessories; overall in vg. wo & cond. **#999** Pre 47' L/R ***One of approximately 5,000 pistols made in a contract for the Royal Portuguese Army.*** **2250 - 2500**

673. **STURM RUGER MOD. PC CHARGER SEMI-AUTO PISTOL:** 9×19m/m Luger cal.;10 rnd. Glock pattern polymer mag.; 6 1/2" (165m/m) barrel with vg. bright bore & sharply defined rifling; matte black finish to metalwork, some light handling marks overall but presents well; lhs. receiver marked **PC CHARGER**, **RUGER** / **NEWPORT – NH – USA**; lh cocking handle, bolt retracts freely, strong springs & sears; threaded muzzle cap to barrel, integral picatinny rail to receiver fitted with **Bushnell 1X40RD** red dot optic; genuine polymer black plastic grip; overall in exc. wo & vg. cond. **#913-30084** Cat H L/R **500 - 700**

674. **RHODESIAN / STH. AFRICAN LDP KOMMANDO SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 25 rnd. Uzi pattern mag.; 8" (204m/m) barrel with g. bore, rifling is sharply defined but grooves dirty with powder residue & leading, some light pitting visible; blued finish to metalwork, handling marks & surface scuffs to majority, patch of frosting, staining to lhs. frame; small **P** within triangle mark to lhs. barrel & receiver; makers plaques to rhs. & lhs. of frame are missing; British **BNP** proofs to underside of barrel, & again to lhs. breech, barrel; fires from open bolt, grip safety; strong springs & sears; **IMI** marked magazine; complete with folding wire stock; black polymer frame bearing general handling marks to surface; overall in vg. wo & g. cond. **#SV8420** Cat H L/R ***One of only 10,000 of these interesting pistols manufactured by Lacoste Engineering between South Africa & Rhodesia back in the 1970's.*** **1500 - 2000**

675. **COLT NEW SERVICE MOD. D.A. REVOLVER:** .45 ACP cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with g. bright bore & well-defined rifling, some minor pitting; original blued finish to metalwork, thinning to a grey patina on sides of barrel, some blemishes on cylinder but strong elsewhere; top of barrel marked with two-line **HARTFORD** address, lhs. marked **NEW SERVICE 45 COLT**; sharply defined rampant horse trademark to lhs. frame; mechanically g. cylinder indexing, strong springs & sears; cylinder face has been shaved to accommodate rimless .45 ACP & moon clips; matching hard rubber grips, chequering & **COLT** motif to top of both are v. well-defined, some minor handling marks but in exc. cond.; missing lanyard swivel; overall in vg. wo & g.+ cond. **#327822** Pre 47 L/R **500 - 700**

676. **SECTIONALIZED ENFIELD NO. 4 MK. 3 RIFLE:** .303 cal.; 10 rnd. magazine; 9 1/2" barrel; strong blued finish to metalwork, thinning slightly on profiles; lhs. action marked with mode, serial no. faint; action & magazine has been sectionalized, head of stock shaved back; bolt still cycles but breech has been milled to rhs; retains rear sights; some light handling marks to woodwork but presents well; overall in g. to vg. cond. **#566** Cat B L/R ***Check your state laws.*** **300 - 500**

677. **SPANDAU MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with g.+ bright bore, rifling is well-defined, some fine pin-prick pits; grey patina to metalwork, some patchy plum staining & minor oxidation; top of breech marked with struck **S**, crown/ **SPANDAU**/ **1895**, trio of proofs to rhs; lhs. breech marked with re-proofs, **8x57 J**, original serial no. **2988** marked to breech & barrel; **Gew. 88** / **nm**. marked to lhs. action; non-matching bolt cycles smoothly, strong springs & sears retains steel cleaning rod; woodwork in g. sound cond., some surface handling marks & bruising but presents honest; overall in vg. wo & f. to g. cond. **#2988** L/R **500 - 700**

678. **R.F.I ISHAPORE NO.1 MK. 3* B/A RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore & sharply defined rifling; blued finish to metalwork quite strong, thinning to a plum patina on magazine; some handling marks but finishes present well; rhs. body socket marked **No1.Mk3***/ **R.F.I.**/ **1962**; serial no. has been re-stamped to rhs. breech & again to bolt; bolt cycles freely, strong springs & sears; 2-20 graduated rear sight; woodwork in f. but sound cond., handling marks & bruising to majority but remains original & **D T E W** roundel mark to rhs. butt is sharply defined; overall in exc. wo & g. cond. **#44482** L/R **500 - 700**

679. **LITHGOW SHT. LE MK. III B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with p. bore, rifling is defined but caked with red oxidation & green copper fouling; patchy grey & bronze patina to majority of metalwork, presents ordinary; rhs. body socket marked with **A** within star/ **LITHGOW**/ **SHT.LE**/ **III** / within shield/ **1917**; top of breech marked **4MD**, two sets of serial no.'s; bolt restamped with serial no., cycles freely, strong springs; woodwork in g. sound cond., incorrect handguard section; some light handling marks & bruises but presents well; rhs. butt marked **E F G** / **MHS** / **1/54**; brass buttplate with trap; overall in f. cond. **#15205** L/R **300 - 500**

680. **TURKISH BUSHMEISTER LEVER-RELEASE SHOTGUN:** 12G, 5 rnd. tube mag.; 22" barrel incl. ported muzzle brake; exc. bore; satin bronze coloured finish to metalwork, some minor storage marks; makers name marked to barrel, model to receiver; bolt cycles freely, strong springs & sears, lever release to rhs; fitted with polymer sights, picatinny rail to top of receiver; black synthetic fore-end & semi-pistol grip stock with rubber recoil pad; overall in exc. wo & cond. **#65-H22YT-006037** Cat B L/R **400 - 600**

681. **BOXED ADLER M. B-230 STRAIGHT PULL SHOTGUN:** 12G, 3" chambered; 10 rnd. mag.; 20" barrel with interchangeable choke; makers name & model marked to action; matte blacked finish to metalwork, presents exc.; mechanically strong, bolt cycles freely; fitted with polymer sights, picatinny rail to top of receiver, barrel fitted with ventilated heat shield; fitted with **MAGPULL INDUSTRIES** adjustable tactical stock & pistol grip; come in original cardboard box with the original black synthetic stock & pistol grip, spare magazine; overall in exc. wo & cond. **#20AU-09137** Cat B L/R **500 - 700**

682. **B.S.A. SPORTSMAN FIFTEEN B/A RIMFIRE RIFLE:** .22 LR cal.; 15 rnd. tube mag.; 25" barrel with exc. bright bore & sharply defined rifling; thinning original blued finish to metalwork has developed a plum-brown patina in areas; B.S.A. full name. **MADE IN ENGLAND**, cal. & proofs marked to barrel; bolt cycles freely, strong springs & sears; std. sights dovetailed to barrel; lhs. action has been drilled & tapped; walnut stock in sound cond., has been refinished, some handling marks & scratches, forestock has been shaved back to lhs. of action to suit mount; defined winged ***BSA*** trademark embossed to lhs. stock; fitted with leather sling; overall in exc. wo & f. to g. cond. **#LB13156** L/R **200 - 400**

683. **STURM RUGER MINI-14 SEMI-AUTO RIFLE:** .223 Rem. cal.; 20 rnd. box mag.; 18" barrel with g. bright bore & sharply defined rifling, last inch of rifling has been bored out; blued finish to metalwork thinning to a plum patina in areas; lhs. receiver marked with **STURM RUGER & CO**, **SOUTHPORT** address/ **MADE IN THE 200th YEAR OF AMERICAN LIBERTY**, model to back of receiver; bolt cycles freely, strong springs & sears; standard sights; hardwood stock in sound, cond., some handling marks but patchy varnish finish presents v. poor; curved steel buttplate; overall in exc. wo & f. cond. **#180-65928** Cat D L/R **300 - 500**

684. **REMINGTON MOD. 1100 SEMI-AUTO SHOTGUN:** 12G, 2 3/4" chambered; 8 rnd. tube mag.; 21" barrel + threaded serrated muzzle brake; dirty bore but appears, vg.; metalwork has been given a full matte Cerakote, pit peppering still present to much of receiver; address & makers name marked to rhs. barrel, model & serial no. to lhs. receiver; action cycles freely, strong springs & sears; ventilated top rib; fitted with synthetic pistol grip stock & fore-end, some minor handling marks to both; rubber recoil pad; overall in vg. wo & g. cond. **#L964258V** Cat D L/R **400 - 600**

685. **CHINESE NORINCO MOD. SKS SEMI-AUTO RIFLE:** 7.62×39m/m cal.; 30 rnd. mag.; 20 1/2" barrel with vg. bright bore & sharply defined riffling; strong original blued finish to metalwork, even grey finish to bolt; lhs. receiver marked with makers name, model, calibre & U.S. importers marks; matching no. bolt cycles freely, strong springs & sears; std. 1-10 graduated tangent sight & globe style front; retains folding bayonet & cleaning rod; hardwood stock & handguard in vg. cond., a few minor bruises but otherwise in vg.+ cond.; overall in vg. wo & g. cond. **#8812889** Cat D L/R **750 - 1000**

686. **CHINESE I.A.C. MODEL 87 LEVER-ACTION SHOTGUN:** 12G, 2 3/4" chambered; 20" barrel with interchangeable choke, dirty bore; entirety of shotgun has been hydro dipped in a **Vzions** liquid print reed camouflage, some minor handling marks; action cycles freely, strong springs & sears; fitted with **Bushnell HOLO sight**, flat batteries; stock & grips in unknown condition and of unknown material, appears sound; rubber recoil pad; overall in exc. wo & vg. cond. **#B090623** Cat B L/R **400 - 600**

687. **BENTLEY MOD. 30K PUMP-ACTION SHOTGUN:** 12G, 2 3/4" chambered; 8 rnd. tube mag.; 20" barrel, cylinder bored; vg. bright bore; strong blued finish to metalwork, only minor handling marks overall, presents exc.; make, model, **PHILIPPINES** address to rhs. barrel, **BENTLEY** to lhs. action; pump cycles freely, strong springs & sears, bolt retains much of the original jewelling; V-notch rear sight & hooded front sight; black finish to woodwork, in vg. cond., some minor surface marks; perished rubber recoil pad; overall in exc. wo & vgc. **#A549389** Cat D L/R **400 - 600**

688. **ITALIAN G. GLISTENTI MFG PATTERN 1842 PERCUSSION MUSKET:** .69 cal.; 40" round barrel with f. cond. smooth bore, would grade up with a clean; metalwork bearing grey or plum patina, some frosting & light oxidation to most surfaces, presents ordinary; lock marked with **G.GLISENTI** / **BRESCIA**, serial no. marked to rhs. breech & pair of sunken proofs to lhs; strong lock springs & sears; retains swivels & bands but missing ramrod; woodwork in f. to g. cond., some surface handling marks & bruising, patchy blemishes to finish but free from any serious damage; steel buttplate; overall in f. cond. #25909 **N/L** ***A good, off-license project that would come up a treat with some TLC.*** **600 - 800**

689. **SPORTCO-MARTINI SINGLE SHOT RIMFIRE RIFLE:** .22 LR cal.; 23" round barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork, some minor handling marks & speckled oxidation staining; thinning to a brown patina on action; **SPORTCO-MARTINI .22 CAL.** marked to barrel, Kangaroo motif to top of breech; action functions well, strong springs & sears; lhs. action has been drilled & tapped; std. sights; walnut straight stock & forestock are in vgc., some minor handling marks; steel buttplate; overall in exc. wo & g. cond. **#M2758** L/R **200 - 300**

690. **LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with g.+ bore & sharply defined rifling, some minor leading & oxidation, would grade up with a clean; original military grey phosphate finish to metalwork is v. strong, light wear on profiles & some light oxidation staining; rhs. body socket marked with **MA/ LITHGOW/ S.M.L.E/ III*/ 1944**; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; matching nose cap & numbers to forewood; woodwork bearing a few surface handling marks & grime build up but present v. well; rhs. stock marked with standard **M.A./ LITHGOW/ SMLE III* HV /1945** markings; brass buttplate with trap; overall in vg. wo & g.+ cond. **#F21999** L/R ***Vendor advises that the rifle was taken out of the grease paper, fired once and put away decades ago.*** **500 - 700**

691. **UNUSUAL V. BERNADELLI MODELLO SPORT FOLDING S x S SHOTGUN:** 12G. 2 3/4" chambered; 29” barrels choked approx. full & full.; bores need a clean but appear to be vg.+; strong blued finish to barrels & silver coin finish to action, finishes bearing light handling wear & barrels with some speckled oxidation staining; **MODELLO SPORT** marked to top rib, makers name & light engraving to sides of action; trigger guard pushes forward, snap-action locks up with some minor movement, folding in half when opened; double triggers, strong locks; sound woodwork, some heavier dings to stock & short surface crack to rhs. butt but otherwise bearing only light handling marks; 14 1/4” LOP incl. black plastic buttplate; overall in vg. wo & g. cond. **#1130** L/R **300 - 500**

692. **ADLER ARMS MOD. B-220 STRAIGHT-PULL SHOTGUN:** 12G, 3" chambered; 4 rnd. tub mag.; 20” barrel with interchangeable choke; strong silver coated finish to metalwork presents well, satin finish bearing a few minor storage marks overall; makers name & **MADE IN TURKEY** marked to lhs. barrel, name & model again to action; bolt cycles freely, strong springs & sears; express style 3/4 rib; black synthetic forestock & butt, some minor handling marks but presents exc.; factory rubber recoil pad; overall in exc. wo & vg. to exc. cond. **#19AU-04273** Cat B L/R **400 - 600**

693. **BRNO MOD. ZKK-600 B/A SPORTING RIFLE:** 30-06 Sprg. cal.; 4 rnd. mag; 24” barrel with bulge 1/2” before muzzle, otherwise bright with sharply defined rifling; blued finish to metalwork presents strong, thinning slightly on mag. floor plate; matte finish to action; makers full name to barrel, top of breech marked with **CZ** trademark, **BRNO** / **MOD.** / **ZKK-600**; bolt cycles freely, strong springs & sears; std. folding sights & pop-up peep sight; g. to vg. walnut stock, some light surface marks, chequering well-defined; original buttplate; overall in f. wo & g. cond. **#7452436161** L/R ***Good project for someone to shorten barrel & use as scrub gun.*** **200 - 400**

694. **IZHEVSK MFG. MOSIN NAGANT MOD. 91/30 B/A SERVICE RIFLE:** 7.62×54m/mR cal.; 5 rnd. integral mag.; 29” barrel; bore caked with grey & reddish oxidation throughout, rifling remains well-defined but considered p. until cleaned; strong blued finish to metalwork has been protected by a thin coating of dried grease, would clean up well; arsenal markings, **1942** marked to top of breech; non-matching bolt cycles freely, strong springs & sears; std. tangent sights; woodwork bearing a few scuffs & marks but confined to surface; steel buttplate; overall in f. cond. **#C2219** L/R **150 - 300**

695. **LITHGOW S.M.L.E MK III* B/A SERVICE RIFLE:** .303 cal.; missing 10 rnd. mag.; 25 1/4” barrel with exc. bright bore & crisp rifling; original matte military phosphate finish appears strong but covered in dried grease; rhs. body socket marked with **MA/ LITHGOW/ S.M.L.E/ III*/ 1941**; top of breech marked **F.T.R.**; matching numbers marked to rhs. breech, barrel & nose cap; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; woodwork is in g. to vg. cond., dark finish with some scattered handling marks, steaky losses to dark finish on lhs. forestock but presents as unissued; rhs. stock marked with faint **1944**; brass buttplate with tarnished patina; overall in exc. wo & vg. cond. **#C86892** L/R ***Just needs a clean & magazine and would be ready for the range.*** **400 - 600**

696. **R.F.I. ISHAPORE B/A SERVICE RIFLE 2A1:** 7.62×51m/m NATO cal.; 10 rnd. box mag.; 25 1/4" barrel with exc. bright bore & sharply defined rifling; black paint finish to metalwork, some patchy loses in areas but 70%+ remains; thinning in areas to a grey or plum patina; rhs. body socket marked with crest/ **RIFLE** / **7.62 mm 2A1**/ **R.F.I.** / **1966**; matching bolt cycles freely, strong springs & sears; 2-8 graduated sights; fitted with period canvas sling to factory swivels; woodwork in g. to vgc., some spotted blemishes to finish but bearing only a light handling marks overall; lhs. butt with painted **19**, **lhs.** forestock with **R-4**; grey alloy buttplate with trap; overall in exc. wo & vg. cond. **#G2032** L/R **700 - 900**

697. **J.G. ANSCHUTZ MOD. 1418 B/A RIMFIRE RIFLE:** .22 LR cal.; missing mag.; 19 1/2" barrel with vg. bright bore & crisp rifling, needs a clean; blued finish to metalwork is strong, some light oxidation staining overall; top of barrel marked **Anschutz-Modell 1418** / cal., **67** proof to lhs. breech & makers full name to lhs. action; bolt cycles freely, strong springs & sear to double set triggers; retains std. sights & fitted with period **Nikko Stirling 4X32** scope on bridge mount; walnut full stock in g. to vg. cond., some light handling marks & surface residue; sharply defined skip-line chequering to forestock & grip, right-handed cheek piece; retains original black buttplate; overall in exc. wo & g. cond. **#679356** L/R ***A quality little rifle in need of a magazine & a clean.*** **300 - 400**

698. **P. BERETTA MOD. S55 UNDER OVER SHOTGUN:** 12G, 2 3/4" chambered; 27 3/4" barrels choked approx. 3/4 & full; bright bores with some minor frosting, both need a clean but vgc.; original blued finish to metalwork presents poorly, thinning to a grey patina on action & patchy staining, fine pitting overall; makers name & **GARDONE** address marked to action; action locks up tight, double triggers are strong & extractor working; woodwork in sound cond., some light handling marks overall but chequering to bag style grip, fore-end & well-defined; 14 1/8" LOP incl. original buttplate; overall in exc. wo & f. cond. **#A7920** L/R **400 - 600**

699. **CHARLES BOSWELL S x S HAMMER SHOTGUN:** 12G, 2 3/4" chambered; 25 1/2" shortened barrels, now cyl. choked; bores bright but extensive light to moderate pitting throughout; damascus barrels now with older reblued finish, grey patina to small parts; makers name & address to top of file cut rib, name to ornately engraved locks; action locks up tight, strong locks, matching rebounding hammers; walnut splinter fore-end & stock with bag style grip, some scattered handling marks & fine surface crack behind rh lock tail but sound overall, presets well; 14 1/4" LOP; overall in g. wo & f.+ cond. **#12292** L/R ***Has been a top grade pigeon gun, action bears some best English acanthus scroll & floral engraving.*** **150 - 300**

700. **WINCHESTER MOD. 1906 P/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. tube mag.; 20" barrel, bore is dirty, rifling appears well-defined but peppered with moderate pitting, may grade up; grey patina & sticky dried oil residue or lacquer to most of metalwork; markings are well-defined, **WINCHESTER**, **NEW HAVEN** address to lhs. barrel, calibre markings to lhs. barrel at breech; action cycles freely, strong springs & sears, retains original sights; walnuts stock & pump furniture have been refinished & lacquered, some bruising & handling marks, repairs through wrist; worn orig. buttplate; overall in f. to g. wo & f. cond. **#672545B** L/R ***Need a pull down, clean & scrub. Not too far gone.*** **150 - 300**

701. **WINCHESTER MFG. P.14 ENFIELD B/A SPORTING RIFLE:** .303 cal.; 5 rnd. mag.; 26" barrel with g.+ bright bore, rifling is well-defined, some fine pin-prick pits; blued finish to metalwork thinning to a grey patina, some scattered patches of pitting & oxidation staining; rhs. breech & barrel marked with serial no. **W97559**, British proofs to rhs. chamber of barrel; matching bolt cycles freely, strong springs & sears; 2-16 graduated military pattern rear sight & sporting blade front sight; original walnut stock has been converted to a sporting half stock, forewood & wrist have been chequered, fitted with grafted section to toe of butt & ventilated rubber recoil pad; woodwork in sound cond. but bearing handling marks & scuffs to chequering; overall in exc. wo & f. to g, cond. #**W97559** L/R **400 - 600**

702. **WINCHESTER 1892 L/A SADDLE RING '*THE NEW DAISY CARBINE*':** .32 WCF (.32-20 Win.) cal.; 6 rnd. half-length tube mag.; 20" round barrel with f. to g. bore, rifling well-defined & relatively bright but some scattered patches of light pitting; original blued finish thinned to a soft plum-grey patina, some blueing remains in protected areas; well-defined markings, ***THE NEW DAISY CARBINE*** over two-line **NEW HAVEN** address to lhs. barrel, lhs. near breech marked **32 W.C.F**, std. markings to top tang; action cycles smoothly, strong springs & sears; std. 2-20 ladder rear sight & pinned blade front sight; walnut stock & forewood in g. cond., wood-to-metal fit is vg., some general light handling marks & bruising, dark areas around buttplate but presents well; aged surface crack to lhs. forewood; curved steel buttplate; overall in vg. wo & f. to g. cond. **#713754** L/R Mfg. c.1913 ***One of the Australian delivered rifles sold through F. Lasseter & Co., George St. Sydney Australia.*** **500 - 700**

703. **ROSSI MOD. 92 LEVER-ACTION RIFLE:** .357 Magnum cal.; 10 rnd. full length tube mag.; 20" round barrel with g.+ bore, needs a clean but rifling is sharply defined; blued finish to metalwork presents well, some dried grease & minor oxidation staining overall but showing little wear; lhs. barrel marked **.38 SPL -.357 MAG.**, serial no. marked to underside of action; action cycles freely, strong springs & sears; buckhorn rear sights, blade front; plain walnut stock & fore-end bearing a few scattered handling marks but otherwise exc.; curved steel buttplate; overall in exc. wo & vg. cond. **#K263616** L/R **300 - 500**

704. **MOSSBERG MAVERICK MOD. 88 PUMP-ACTION SHOTGUN:** 12G, 3" chambered; 4 rnd. tube mag.; 18" barrel, cylinder bored; vg. bright bore; strong blued finish to barrel & small parts, alloy action retains strong blacked finish, only minor wear to metal finishes; chamberings to lhs. barrel, lhs. action marked **MODEL 88**, maker, serial no.; pump cycles freely, strong springs & sears; black synthetic pump & semi-pistol grip stock both in vgc., only minor handling marks; rubber recoil pad; overall in exc. wo & near exc. cond. **#MV54110D** Cat C L/R **500 - 700**

705. **REMINGTON MOD. 7615 PUMP-ACTION RIFLE:** .223 Rem. cal.; 5 rnd. box mag.; 17" barrel with vg. bore & sharply defined rifling, needs a clean; matte black finish to metalwork bearing a few minor surface marks but very strong overall; **ILION** address marked to lhs. barrel, ***Remington* 7615** marked to lhs. action; pump cycles smoothly, strong springs & sears; front sights removed, two-piece picatinny mounts to top of receiver; fitted with **ATI** black polymer stock, original polymer forestock with tactical attachment, repaired to attachment; overall in exc. wo & g. to vg. cond. **#B8570626** Cat B L/R **500 - 800**

706. **CHINESE NORINCO MOD. SKS SEMI-AUTO RIFLE:** 7.62×39m/m cal.; missing 30 rnd. mag.; 16 1/2" barrel + muzzle brake; vg. bright bore & sharply defined riffling; original blued finish to metalwork, some light handling marks; grey finish to bolt some minor staining; lhs. receiver marked with makers name, model, calibre & U.S. importers marks; matching no. bolt cycles freely, strong springs & sears; std. 1-10 graduated tangent sight & globe style front; black polymer stock bearing some handling marks & chipped section to pistol grip; black painted hardwood handguard section; overall in vg. wo & f. cond. **#8922187** Cat D L/R **300 - 500**

707. **WINCHESTER MOD. 1300 PUMP ACTION SHOTGUN:** 12G, 2 3/4" chambered; 4 rnd. tube mag.; 28" barrel with ventilated top rib, fitted with **IMP CYL** interchangeable choke; g. bore but needs a clean; blued finished to steel parts are still quite strong; some handling marks to black finish on alloy receiver but 95%+ remain; ***WINCHESTER*** trademarks & address to lhs. barrel; mechanically strong, cycles well; woodwork is in g. cond., some light handling marks & bruising overall, chequering to grip & pump remains sharply defined; original buttplate & grip cap; overall in exc. wo & f. to g. cond. **#L2682632** Cat C L/R **500 - 700**

708. **VICTORIAN MARKED ENFIELD MARTINI-ENFIELD MK. I RIFLE:** .303 cal.; 30 1/4" barrel with p. to f. bore; finishes have thinned to a grey & plum patina overall, some light oxidation scale & handling marks overall; faint Enfield markings to rhs. action, lhs. marked Cypher / **V.R** / **ENFIELD** / **1896** / **M.E.303**/ **I.**; double broad arrows & **VIC** markings to rhs. corner; lever main spring is strong, return spring broken or missing, strong lock; std. sights, no rod but retains swivels; walnut woodwork in sound cond., some light handling marks & bruising, markings faint; steel buttplate; overall in f. cond. **#5171** L/R **400 - 600**

709. **VICTORIAN MARKED B.E. Co MARTINI-ENFIELD MK. II RIFLE:** .303 cal.; 30 1/4" barrel with p. to f. bore; finishes have thinned to a grey & plum patina overall, some light oxidation scale & handling marks overall; faint Enfield markings to rhs. action, lhs. marked Cypher / **V.R** / **B.E. Co** / **1900** / **M.E.303**/ **II**; double broad arrows & **VIC** markings to rhs. corner; lever main spring is strong, return spring broken or missing, strong lock; std. sights, no rod but retains swivels; nicely figured walnut woodwork in g. to vg. cond., some light handling marks & bruising but markings remain v. well-defined; missing handguard; **COMMONWEALTH**, **VICTORA** & **B.E. Co** roundels, **17135**; chequered steel buttplate; overall in f. to g. cond. **#17135** L/R **600 - 800**

710. **CZ BRNO MOD. ZH 302 UNDER OVER SHOTGUN:** 12G, 2 3/4" chambered; 26" barrels with unusual flared & ported last 3 1/2" of both barrels; bright bores, both need a clean; strong original blued finish to metalwork presents well, some minor storage marks; lhs. top marked **MADE IN CZECHOSLOVAKIA** & with Brno full name; action locks up with some movement, strong sear to double triggers, auto safety to front of trigger guard; walnut fore-end & semi-pistol grip stock present v. well, some minor handling marks & bruising but skip-line chequering to both remains sharply defined; 15 1/2" LOP incl. 1" foam rubber recoil pad that has been poorly fitted; overall in g. wo & cond. **#424027** L/R ***A very unique shotgun, just needs some mechanical TLC.*** **400 - 600**

711. **SAVAGE ARMS MOD. 24C SERIES N COMBINATION GUN:** 20G, 2 3/4" chambered & .22 LR cal.; 20" barrels with vg. bores, both need a clean but are bright, rifling to top barrel is sharply defined; blued finish to barrel with patch of staining & fine pitting towards muzzle of both, presents f.; strong blacked finish to action; **SAVAGE ARMS** & address marked to rhs. breech, model to rhs. frame; action locks up tight, strong lock springs & sears, selective striker to hammer; woodwork presents poorly with patchy finish, small aged partial crack to rhs. head of stock but otherwise sound; buttplate with swivel trap; overall in exc. wo & f. cond. **#B239620** Cat A L/R **200 - 300**

712. **DAVID PEDERSOLI MOD. PLAINSMAN PERCUSSION RIFLE:** .45 cal.; 37" octagonal barrel with p. bore, speckled with powdery oxidation scale to otherwise sharply defined rifling, would grade up quickly with a good scrub; strong blued finish to barrel, some minor oxidation staining; silver finish to lock, dull patina to brass furniture; **PLAINSMAN** marked to top of barrel, makers name & address to lhs; strong lock springs & sears to double set triggers, std. sights, retains ram rod, missing its cap; walnut half stock in vgc., some minor handling marks; brass patch box to rhs. stock; crescent buttplate; overall in g. cond. **#6962** L/R **200 - 400**

713. **DIXIE GUN WORKS FLINTLOCK 'POOR BOY' RIFLE:** .50 cal.; 41 1/4" octagonal barrel with g. bright bore & sharply defined rifling, some minor pit peppering; browned finish to barrel thinning around breech but otherwise strong, brown patina to remainder of furniture; top of barrel marked **Dixie Gun Works** / **Union City, Tennessee**; lock needs work, set trigger not working but sparks well when heavy main trigger is pulled; lock screw now a bolt replacement; std. sights dovetailed to barrel, modern alloy ram rod; walnut full stock with right-handed cheek piece & crescent buttplate, g.+ cond. overall, some minor handling marks & dark areas; overall in g. cond. **#36** L/R ***Would make a great shooter with some tinkering.*** **300 - 500**

714. **STURM RUGER MINI-14 SEMI-AUTO RIFLE:** .223 Rem. cal.; 20 rnd. box mag.; 18" barrel with g. bright bore & sharply defined rifling, a little dull; blued finish to metalwork remains strong, some thin spots on magazine; lhs. receiver marked with **STURM RUGER & CO**, **SOUTHPORT** address, model to back of receiver; bolt cycles freely, strong springs & sears; standard sights; hardwood stock in g. sound, cond., some handling marks but patchy varnish finish presents poor; curved steel buttplate; overall in exc. wo & f. to g. cond. **#180-18614** Cat D L/R **600 - 900**

715. **F.A.T CARCANO M.41 B/A RIFLE:** 6.5×52m/m cal.; 5 rnd. integral mag.; 28" barrel; bore caked with grey & reddish oxidation throughout, rifling remains well-defined but considered p. until cleaned; some quite strong blued finish hiding under dried grease & oxidation staining, presents ordinary but not heavily pitted; **FAT/ 42** to top of breech; lhs. breech has marked with British **BNP** proofs; non-matching bolt cycles well, strong sears; 3- 10 graduated rear sight, retains steel cleaning rod; woodwork in g. to vg. overall cond., some light handling marks & bruising, fine surface cracking to lhs. butt; serial no. **AK** / **9888** marked to lhs. stock; steel buttplate; overall in p.+ cond. **#AK9888** L/R ***Probably a half decent rifle hiding under the surface build up.*** **100 - 200**

716. **LITHGOW S.M.L.E MK. III* B/A RANGE RIFLE:** .303 cal.; missing mag.; 25 1/4" barrel with p. bore, caked with grime & build up, rifling appears well-defined; military grey phosphate finish to metalwork is v. strong, some oxidation staining in areas; std. MK **III*** /**1942** markings to rhs. body socket; matching bolt cycles freely, strong springs & sears; no std. sights, fitted with **CENTRAL NO. 4** side mount peep sight, top of charger bridge & breech drilled & tapped; woodwork has been refinished, butt & forestock are in sound cond., bubbling finish presents poorly, handguard in p. cond. with some loses; overall in p. to f. cond. **#E8990** L/R ***Retains some good parts & should grade up with a clean.*** **150 - 300**

717. **WINCHESTER MOD. 9422M L/A RIFLE:** .22 WMR cal.; 10 rnd. tube mag; 24" barrel with bright bore & sharply defined rifling, needs a clean but some frosting visible, g. overall; blued finish to metalwork is quite strong but presents ordinary, some oxidation developing on barrel, surface resident & scuffs overall; lhs. of barrel marked with **WINCHESTER**, model, calibre & address; mechanically exc., cycles smoothly; retains factory sights & fitted with **Nikko Stirling 4X32** scope on **FIELD** mount on factory dovetailed action; woodwork in g. sound cond., some handling marks but presents well; factory plastic buttplate; overall in vg. wo & f.+ cond. **#F167520** L/R **400 - 600**

718. **VIC GOVT. MARKED ENFIELD MARTINI-HENRY MK. I RIFLE:** .577–450 cal.; 33 1/8" barrel with f. bore, rifling is defined but caked with powdery oxidation, needs a clean; mottled grey patina to majority of metalwork, presents brown with dried grease & patches of oxidation staining in areas; rhs. of action marked with worn cypher/ defined **V.R. / ENFIELD / 1874. /** Board of Ordnance stamp / **I.**; action locks up with strong sears & springs, missing cleaning rod, std. sights with 5 -12 graduations; bayonet lug & sling swivel to rhs. of front barrel band; woodwork presents ordinary but bearing only light handling marks & bruising overall, surface graze to rhs. butt; rhs. butt marked with **VIC GOV** / **310** & **ENFIELD** / **1** roundel stamps, still defined; steel buttplate; overall in f. cond. #310 **N/L** ***A nice gun hiding under decades of grime.*** **500 - 700**

719. **SPORTERIZED D.W.M. MFG. MAUSER MOD. 1904 RIFLE:** 7.92×57m/m Mauser cal.; 5 rnd. integral mag.; 24" barrel with vg. to exc. bore, rifling is sharply defined; rifle refinished with phosphate matte grey coating, some light handling marks; **ESPINGARDA PORTUGUESA 6.5 MOD. 1904** to lhs. of breech, crown/ **IC** monogram to top; DWM full name & **BERLIN** to lhs. of action; matching no. bolt has been reshaped, turned down, cycles smoothly, strong trigger sear; std. tangent sights with 2 – 20 graduations; top of breech has been drilled & tapped; original stock has been shortened, large walnut section to toe third of stock as grafted replacement; overall in exc. wo & g. cond. **#A3977** L/R **300 - 500**

720. **REMINGTON MOD. 25 PUMP ACTION RIFLE:** .25 W.C.F (25-20 Win.) cal.; 11 rnd. tube mag.; 24" round barrel with f. to g. bright bore & well-defined rifling, some patchy light pitting; original blued finish to metalwork has thinned to a mottled dark plum patina overall; makers name & **ILION** address marked to top of barrel, **Remington**/ **TRADE MARK MODEL 25**/ **25-20** to lhs; action cycles freely, strong springs & sears; std. sights; woodwork in f. cond., dark patches of staining to butt, some light partial cracks & finger groove shaped into grip; walnut pump in similar cond.; crescent buttplate; overall in g. wo & f. cond. **#11939** L/R **300 - 500**

721. **N.S.W. MARKED B.S.A MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/2" barrel with vg. bore, relatively bright overall with sharp rifling; blued finish to metalwork has developed a dark patina, some oxidation patches on barrel; full name & **B.S.A.** piled arms trademark to lhs. of action, **COMMONWEALTH OF AUSTRALIA/ N.S.W.** to rhs. & Kangaroo trademark to top of breech; action locks up well & trigger crisp; std. tangent sights & blade front; woodwork is in sound cond., general handling marks & bruising but presents decent, lhs. forestock with some chipped losses; crisp **C.M.F**/ **N.S.W.** stamps to rhs; faint roundel mark to rhs. butt; steel buttplate; overall in exc. wo & g. cond. **#36741** L/R ***Hasn't seen much use, would grade up with a good scrub.*** **300 - 500**

722. **BELGIAN BARTON & CO S.L.N.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 1/8 & 1/2; f. to g. bright bores with some light pit peppering; blued finish to barrels now a mottled dark plum patina, silver-grey finish to action & locks; makers name marked to top rib & locks; action locks up tight, strong locks, double triggers & manual safety; walnut stock & splinter fore-end showing wear but in g. sound cond., some light handling marks; 14 1/2" LOP incl. steel buttplate; overall in g. wo & cond. **#671** L/R **200 - 400**

723. **AUSTRALIAN RETAILED BELGIAN FOLDING S x S POACHERS SHOTGUN:** .410 cal., 2 3/4" chambered; 29 1/2" barrels, cyl. choked, bright bores with patchy oxidation or light pitting throughout, may clean up; thinning blued finish to barrels has turned a dark patina, action retains some areas of strong case colours, oxidation staining on most metalwork; **HARTSPORT-MELBOURNE. MANUFACTURED BY IN BELGIUM**; side lever action locks up tight, strong locks, double triggers; folding mechanism works well; petite walnut fore-end & butt both in g. sound cond., some minor handling marks; steel buttplate; overall in g. wo & cond. **#4352FRG** L/R **300 - 500**

724. **BELGIAN MFG. MANTON S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 29 1/2" barrels choked approx. cyl. & cyl. rh barrel slightly ovate at muzzle; f. to g. bores, both need a clean but only light pitting to both; thick plum patina to majority of metalwork, presents ordinary; **MANTON** stamped to both lockplates, Liege **ELG** Belgian proofs marked to barrels; rotary underlever action locks up tight, strong rebounding locks with double triggers; g. sound walnut straight stock, has been refinished but bearing only light handling marks; overall in g. wo & f. cond. **#18068** L/R **50 - 100**

725. **CHINESE I.A.C. MOD. 87 LEVER ACTION SHOTGUN:** 12G, 2 3/4" chambered; 5 rnd. tube mag.; 20" round barrel with g.+ bore; blued finish to metalwork presents well, some dried grease & minor oxidation staining overall but showing little wear; model & cal. laser etched to lhs. barrel, **MADE IN CHINA** & serial no etched to top tang; action cycles freely, strong springs & sears; hardwood stock & two-piece handguard/ fore-end in exc. cond., a few v. minor handling marks to both; chequered black plastic buttplate; overall in exc. wo & cond. **#0607904** Cat B L/R **500 - 700**

726. **BOXED BARRETT FIRE ARMS MFG. M.R.A.D. BOLT ACTION RIFLE:** .300 PRC cal.; 10 rnd. polymer mag.; 28 3/4" fluted barrel incl. muzzle brake; fine bright bore & crisp rifling; matte black finish to metalwork presents flawless; lhs. receiver marked **MRAD** / **MULTI-ROLE ADAPTIVE DESIGN**, lhs. frame marked with makers name / **MURFREESBORO, TN. USA** / **MULTI-CALIBER** / serial no.; mechanically exc. bolt cycles freely, crisp trigger; integral picatinny rail to top of receiver, handguard; black rubber recoil pad, adjustable polymer cheek piece; **MAGPULL** marked pistol grip; comes in the original makers carboard carton & packaging; overall in exc. wo & as new cond. **#FJ000842** L/R ***An impressive looking bit of gear.*** **5000 - 6000**

727. **BOXED BARRETT FIRE ARMS MFG. M.R.A.D. BOLT ACTION RIFLE:** .300 Win. Mag. cal.; 10 rnd. polymer mag.; 28 3/4" fluted barrel incl. muzzle brake; fine bright bore & crisp rifling; matte tan finish to majority of metalwork, black finish to barrel, metal finishes presents flawless; lhs. receiver marked **MRAD** / **MULTI-ROLE ADAPTIVE DESIGN**, lhs. frame marked with makers name / **MURFREESBORO, TN. USA** / **MULTI-CALIBER** / serial no.; mechanically exc. bolt cycles freely, crisp trigger; integral picatinny rail to top of receiver, handguard; black rubber recoil pad, adjustable polymer cheek piece; **MAGPULL** marked pistol grip; comes in the original makers carboard carton & packaging; overall in exc. wo & as new cond. **#FJ001188** L/R ***An impressive looking bit of gear.*** **5000 - 6000**

728. **WINCHESTER MOD. 1892 LEVER ACTION RIFLE:** .32 WCF (.32-20 Win.) cal.; 14 rnd. full length tube mag.; 24" octagonal barrel with f. bore, rifling well-defined but scattered pits & frosting throughout; metalwork has been cleaned back to a silver steel finish, some handling marks; top of barrel with well-defined **WINCHESTER** address, **32 W.C.F** after breech; action jammed and not cycling, appears to be an extractor issue, 8mm of muzzle in replacement, has been crowned but is not rifled; missing sights; original walnut forestock in g. cond., some staining, modern replacement stock in exc. cond. but requires some extra fitting to be perfect; overall in f. cond. **#218323** L/R ***A good project for the gunsmith to complete or fix & use as is*** **150 - 300**

729. **WINCHESTER MOD. 1892 LEVER ACTION RIFLE:** .44 WCF (.44-40 Win.) cal.; 6 rnd. half-mag; 24" round barrel with f. bore, fine pit peppering throughout but rifling remains well-defined; strong reblued finish to metalwork, some speckled staining & frosting still present; **WINCHESTER** address to top of barrel showing wear but still defined, **44 W.C.F.** to lhs. after breech of barrel; action cycles freely, strong springs & sears; missing screw to lhs. action; flat-top rear sight & pinched iron blade front sight dovetailed to barrel; walnut straight stock & forestock both in g. sound cond., refinished & bearing only light handling marks with exception of small gouge/ dent to lhs. wrist; overall in g. wo & f. cond. **#908744** L/R **300 - 500**

730. **WINCHESTER MOD. 1885 LOW WALL S/S RIFLE:** .38 WCF (.38-40 Win.) cal.; 24" round barrel with f. bore, rifling is well-defined but extensively peppered with moderate pitting throughout; reblued finish to metalwork has developed a flat, black appearance with frosting & fine pitting in areas; clear **WINCHESTER NEW HAVEN** address & **38 W.C.F.** marked to top of barrel; mechanically strong, action locks up tight & sears holding; semi buckhorn rear sight & pinched steel blade front sight; original walnut stock & forewood are original but showing extensive bruising, grazes & an aged fine crack to wrist; overall in f. wo & cond. **#85340** L/R **200 - 300**

731. **SWISS 'SCHMIDT-RUBIN' K11 STRAIGHT-PULL LONG RIFLE:** 7.5×55m/m cal.; 5 rnd. mag.; 30" barrel with g. to vg. bright bore & well-defined rifling, some fine pin-prick pitting; original blued finish to metalwork presents well, 90%+ thinning v. slightly on profiles, some minor staining; lhs. breech & barrel, bolt & mag. marked with serial no. **359423**; distinctive straight-pull bolt with bakelite handle & ring cocking piece; action cycles smoothly, strong springs & sears; 3-20 graduated tangent sights & blade front; fitted with period Swiss marked leather sling; woodwork in g. cond., some handling marks & bruising overall; steel buttplate; overall in exc. wo & g.+ cond. **#359423** L/R **1000 - 1300**

732. **KOKURA ARSENAL ARISAKA TYPE 99. B/A SERVICE RIFLE:** 7.7×58m/m Arisaka cal.; 5 rnd. integral mag; 26" barrel with p. bore, dark & dirty, rifling is defined; original blued finish to metalwork has developed a dark patina, some oxidation scale & light pitting but markings & profiles remains sharply defined; rifle retains all original markings incl. the sharply defined Chrysanthemum & Kanji markings below, lhs. action marked with serial no. & arsenal markings; matching number bolt cycles freely, strong springs & sears but trigger; rifle complete with dust cover, anti-aircraft sights & cleaning rod; original hardwood two-piece stock presents well, some handling marks, armourers repairs & bruising overall; steel buttplate with some pitting; overall in f. wo & g.+ cond. **#50767** L/R ***Presents v. well*** **600 - 800**

733. **BRITISH PATT. 1853 TYPE III. PERCUSSION VOLUNTEERS RIFLE by L.A.Co:** .582 cal.; 39" barrel with f.+ bore, three-groove Enfield rifling is sharply defined, some light pitting throughout; mottled plum patina to barrel, some pitting around breech but otherwise clean; mottled grey patina to lock & mellow finish to brass furniture; royal cypher / **V.R** marked to lock tail, **1860 L.A.Co.** marked to centre; strong lock springs & sears; 1-8 graduated sight, blade front; repro steel ram rod, one swivel to front ban; walnut woodwork in g. sound cond., some light handling marks & some crude chequering has been scored around grip/ wrist & forewood before barrel band; vg. metal-to-wood fit; brass buttplate; overall in vg,. wo & f. to g. cond. **N/L** **700 - 900**

734. **WINCHESTER MODEL 1873 LEVER ACTION RIFLE:** .44 W.C.F (.44-40 Win.) cal.; 14 rnd. full length tube mag.; 24" round barrel with f. bore, rifling is sharply defined but peppered with fine to moderate pits throughout; metalwork has been cleaned back to a silvery finish, some light staining & scattered peening to action & barrel, presents f.; **WINCHESTER NEW HAVEN** address showing wear to top of barrel but still defined, **44 W.C.F.** marked to top of barrel ahead of breech; action cycles freely, sears hold; fitted with incorrect front sight, rear sight is bent, fitted with unmarked tang mounted peep sight; magazine tube, barrel band are incorrect, some small parts are possible replacements & some screw heads are burred; walnut straight stock & forewood present well, some light handling marks & bruising overall, older repaired fine crack to lhs. head of stock; crescent steel buttplate; overall in f. cond. **#393269B** L/R **200 - 300**

735. **INDIAN SINGLE BARREL PERCUSSION MUSKET:** .65 Cal; 36.25" barrel with Indian gunmaker's name and stamps to the breech; block style front & rear sights; p. bore, would clean up; lock stamped **2108** & **1872**, crisp action, holds on half & full; full stock with join under rear barrel band in g. cond., minor handling marks, small age split to butt rhs, butt lhs. stamped **2108;** brass furniture of local manufacture; complete with ramrod & swivels; made post-Mutiny. **N/L** **400 - 600**

736. **H.M. QUAKENBUSH S/S RIMFIRE 'SAFETY CARTRIDGE RIFLE':** .22 Long cal.; 18 round barrel with f. bore, rifling is defined but some pitting; silvery grey patina & patches of light to heavier pitting overall, frame with 20%+ nickel finish; makers name, **HERKIMER N.Y.** address & parents to lhs. frame; swivel breech action & manual striker all functions, std. sights; original walnut straight stock in f. cond., some glued repairs around wrist & initials **DM** have been etched to either side of butt, presents decent; steel crescent buttplate; overall in f. cond. **#3203FRG** L/R **50 - 100**

737. **B.S.A LINCOLN JEFFRIES AIR RIFLE:** .177 cal.; 19" barrel with g. bore, bright with well-defined rifling; original blued finish to metalwork has darkened, developing a plum patina in areas; serial no marked to rear of frame; mechanically incomplete, missing trigger, g., strong main spring & rotary breech operates freely; retains V-notch rear sight & blade front; original walnut saw-handle stock in g. to vg. cond., some light handling marks but presents v. well; grooved butt; overall in f. cond. **#CS20179** L/R ***Good project for someone with the spare parts to fix.*** **25 - 50**

738. **ENFIELD MFG. LEE-ENFIELD MK. I* B/A RIFLE:** .303 cal.; 8 rnd. single-stack magazine; 30" **MOTTY** barrel with f. bore, rifling defined but peppered with fine pitting, last 1" of barrel has been crowned & joined to original barrel; blued finish to metalwork has darkened slightly, thinning to a plum patina on dust cover; **.R/ ENFIELD/ 1891/ L.E./ I***; serial no. **9098/ Q** marked to rhs. breech & barrel; matching bolt cycles smoothly but bolt head is loose & falls of guide rail; rifle retains volley sights, dust cover to bolt & bolt head, mag. cutoff, correct style mag with chain link, steel cleaning rod; 6-18 graduated rear ladder sight; walnut stock presents well, some general light bruising & handling marks, front section of forestock is subtle grafted replacement; **3** / **305** marked to rhs. stock & breech, addition markings to brass escutcheon to rhs. stock; overall in f. cond. **#9098** L/R ***Presents well but needs work. Fitted with an interesting muzzle cap.*** **300 - 500**

739. **NAGOYA ARSENAL ARISAKA TYPE 38. B/A SERVICE RIFLE:** 6.5×50m/mSR Arisaka cal.; 5 rnd. integral mag; 31 1/2" barrel with f. bore, rifling is defined, light to moderate pitting throughout; original blued finish to metalwork has developed an even dark patina on exposed parts but remains strong on action, under the dust cover; serial no. & arsenal marks to lhs. action are defined, Chrysanthemum to top of breech is defined but has been defaced with small circles; non-matching bolt cycles freely, strong springs & sears; 4 – 24 graduated rear sight, retains steel cleaning rod; hardwood stock in f. cond.; some general handling marks & bruising, heavier bruises have been filled with epoxy; metal-to-wood fit around cupped steel buttplate is p.; overall in f. cond. **#21930** L/R **400 - 600**

740. **BRNO ARMS MOD. 2 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. polymer mag.; 24 3/4" barrel with exc. bore, bright with sharply defined rifling; strong original blued finish to barrel, some minor storage marks but presents exc., matte finish to action; **BRNO ARMS MOD. 2** marked to barrel, **81** proofs to action & breech; bolt cycles freely, strong springs & sears; factory tangent rear sight missing, blade front sight with hood; fitted with Japanese **COUGAR 6X40** scope on two-piece mounts, clear optics; walnut stock presents flawless, bearing only trace amounts of handling marks; chequering to grip is crisp; retains sling swivels & original buttplate; overall in exc. wo & cond. **#297583** L/R **600 - 800**

741. **SIG SAUER MOD. MOSQUITO S/A PISTOL:** 22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) barrel incl. muzzle brake; bore dirty but appears vg.+, sharply defined rifling; matte blued finish to slide & steel parts, metallic purple painted finish to frame; makers name, **MADE IN GERMANY** to lhs. of slide, **MOSQUITO** to rhs; slide retracts freely, strong springs & sears; two-piece makers marked polymer grips in vgc.; overall in exc. wo. & vg. cond. **#F313098** Post 46' L/R **300 - 500**

742. **SMITH & WESSON MOD. 10-5 D.A. REVOLVER:** .38 Spl. cal.; 6 shot fluted cylinder; 3" (76m/m) barrel with vg. bright bore & sharply defined rifling; strong original blued finish to metalwork presents decent, some light handling marks & holster wear; **SMITH & WESSON** to lhs. barrel, cal. to rhs; rhs. frame marked with **SW** monogram trademark & address; cylinder indexing well, strong springs & sears; fitted with **SAFARILAND** polymer grip, f. cond.; overall in exc. wo & g. cond. **#D812401** Post 46' L/R **400 - 600**

743. **A. UBERTI MOD. 1875 S.A. ARMY REVOLVER:** 45 Long Colt cal.; 6 shot fluted cylinder; 7 1/2" (191m/m) round barrel with dirty bore, sharply defined rifling; vivid case colours to frame & almost electric blue finish to barrel & cylinder; lhs. barrel marked **A. UBERTI & C.**, address; cylinder indexing well, strong springs & sears; pinched blade front sight; smooth walnut grips in exc. cond., trace amount s of storage marks; overall in exc. wo & as new cond. **#13816** Pot 46' L/R **600 - 800**

744. **MANURHIN MOD. PP SPORT S/A PISTOL:** 22 LR cal.; 10 rnd. mag.; 6" (150m/m) barrel with exc. bore & sharply defined rifling; strong blued finish to metalwork, presents exc. overall, only trace amounts of storage marks; lhs. of slide marked with French address, trademarks & licenses; slide retracts freely, strong springs & sears; two-piece walnut grips with well-defined chequering, **MANURHIN** trademark embossed to both grips; comes with two additional magazine; overall in exc. wo & cond. **#57532C** Post 46' L/R **500 - 700**

745. **STURM RUGER NEW MODEL SINGLE-SIX S.A. COMMEMORATIVE REVOLVER:** 22 LR cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with vg. bore & sharp rifling, bit dusty; strong blued finish to metalwork, blacked finish to alloy trigger guard; metal finishes present well, some handling marks; top of barrel marked with **STURM RUGER** address; lhs. of frame marked with **RUGER.22 CAL** / **SINGLE-SIX**; cylinder indexing correctly, crisp sears & strong springs; factory black plastic grips in g. cond., chequering defined; overall in exc. wo & vg. cond. **#159967** **500 - 700**

746. **BACON ARMS & Co 6 BARREL PEPPERBOX**: 22 short cal.; 63m/m barrel cluster with vg bores & sharp rifling; barrels reblued & in vg to exc. cond.; **BACON ARMS Co. NORWICH CONN** to one of barrels; shiny plated finish to all other metal; action, trigger spring, indexing all vg to exc.; smooth rosewood grips in vg. cond. with v light marks; overall in vg to exc. wo & cond.
Rarely seen in such good condition. **#460** Pre 1900 L/R **1000 - 1300**

747. **W. POWELL S/B PERCUSSION POCKET PISTOL:** 45 cal.; 1 1/2" barrel, smooth bore with powdery red oxidation scale throughout; silver steel finish to metalwork with mottled grey patina overall; scroll engraving to action, **W. POWELL** within banner to lhs; British proof to underside of breech & barrel; strong hammer spring, folding hammer sear not holding; solid walnut grip in vg. cond., square German silver escutcheon inlaid to back of grip; overall in g. cond. **#10** N/L **600 - 800**

748. **IRISH DROGHEDA S/B PERCUSSION BAYONET PISTOL:** .46 cal.; 3 1/2" octagonal turn-off barrel with f. bore; smoky grey patina to majority of metalwork, thinned blue patina to frame/ action; top tang engraved **DROGHEDA**, London **V** & **P** proofs to breech, barrel; strong lock spring & sears, hammer has had some repairs; spring loaded bayonet with g. bade, peppered with some light pits; walnut stock with silvery butt inlay; oval escutcheon to back of grip, chequering well-defined, some handling dings; overall in g. to v. cond. **N/L** **700 - 1000**

749. **COLT WOODSMAN MATCH TARGET S/A PISTOL:** .22 LR cal.; 10 rnd., mag.; 6" (153m/m) barrel with exc. bore & crisp rifling; strong blued finish to metalwork, thinning only on straps; lhs. barrel marked with **HARTFORD** address, rampant horse/ **MATCH TARGET** marked to lhs. breech, ***COLT*** & cal. to lhs. slide; slide retracts freely, strong springs & crisp trigger; walnut grip panels with well-defined chequering, thumb ret to lh grip; grip in g. cond., some flaking of varnish & light handling marks; comes with two additional magazines; overall in exc. wo & vg.+ cond. **#223449-S** Post 46' c.1967-69 Mfg. L/R **700 - 900**

750. **UNIQUE MOD. D.4. S/A TARGET PISTOL:** .22 LR cal.; 10 rnd. mag.; 8 1/2" (218m/m) barrel incl. 2 1/2" muzzle break; shiny bore with sharp rifling, needs a clean but appears g.+; thinning blued finish to metalwork with some patchy oxidation; makers name & address to sides of slide; slide retracts freely, strong springs & sears; perished bakelite grips, with rubber grip 'sleeve' over the top; overall in exc. wo & p. cond. **#560029** Post 46' L/R ***Unsightly but remains a fun little pistol.*** **100 - 200**

751. **RUGER SINGLE SIX S.A. REVOLVER:** 22 LR cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with g. bore, some frosting but rifling is still sharp; externally looks terrible, flaky finish & fine pitting in areas; makers name to lhs. of frame & top of barrel; action functioning, hammer sear a little weak but springs & indexing are good; two-piece wood grip in f. cond., handling marks & finish wear; overall g. wo & p. cond. **#540023** Post 46' L/R **100 - 300**

752. **TAURUS MOD. PT 99 AF S/A PISTOL:** 9×19m/m Luger cal.; missing 10 rnd. mag.; 120m/m barrel with dirty bore, appears bright with sharp rifling; satin silver finish to slide & matte grey finish to frame sides, polished finish elsewhere; makers name, model & cal. to lhs. slide; mechanically g. slide retracts freely, strong springs & sears; smith walnut grips with some flaking finish & handling marks; overall in exc. wo & g. cond. **#THG35837** Post 46' L/R **200 - 400**

753. **CASED RUGER MK. III TARGET S/A PISTOL:** 22 LR cal.; 10 rnd. mag.; 7" (175m/m) flat sided barrel with vg. but dusty bore, sharply defined rifling; polished finish to stainless steel metalwork, some light handling marks overall; lhs. of frame marked with **RUGER**, cal./ **-MARK III TARGET-**, rhs. marked **COMPETITION TARGET MODEL**; bolt retracts freely, strong springs & sears; adjustable rear sights; thumb rest target grips in exc. cond.; comes in original makers marked moulded plastic carry case with spare mag.; overall in exc. wo & cond. **#217-98934** Post 46' L/R **500 - 700**

754. **WEBLEY MK IV D.A. RIMFIRE REVOLVER & HOLSTER:** 22 LR cal.; 6 shot fluted cylinder; 6" (154m/m) barrel with exc. bright bore & sharply defined rifling; 95% original blued finish to frame presents well, some holster wear to profiles; lhs. of top strap marked **MARK IV .22(LONG RIFLE)**, rhs. marked **MADE IN ENGLAND**; top of barrel marked **WEBLEY & SCOTT LTD**/ **BIRMINGHAM4.**; British proofs to lhs. of barrel, chambers; mechanically exc., action locks up tight, cylinder indexing well, crisp sears & strong springs; plastic grips with ***Webley*** to top of both; grips in vg.+ cond., some light handling marks, sharp chequering; comes in fitted canvas holster with **1943** stamped in ink to flap; overall in exc. wo & vg. cond. **#B16052** Pre 47' L/R **500 - 700**

755. **SCARCE PERSIAN CONTRACT MAUSER MFG. P08 ARTILLERY LUGER:** 9×19m/m Luger cal.; 8 rnd. mag.; 200m/m barrel with exc. bore & sharp rifling; blued finish to metalwork presents well, some light handling marks overall, wear to muzzle, thinning on straps slightly, older refinish; straw finish to small parts incl. trigger & safety; top of breech marked with crisp Persian crest with crown, lion & sunburst; lhs. of breech marked with German **U** proof; pistol bears its original Farsi marking incl. the serial no. **۳۲۸۷** which is marked to lhs. of breech & front of frame, abbreviated **۸۷** is marked to small parts incl. toggle, toggle release, trigger plate; British nitro proofs have been marked to underside of barrel as has **5782** , the latter has been marked to back of frame; mechanically exc. toggle retracts smoothly, crisp sears & trigger; artillery sights with Farsi graduation markings; mag. non-matching but bearing Farsi marks; chequered grips present well, some handling marks to both, chequering well-defined, g. to vgc. overall; overall in exc. wo & vg. cond. **#5782** Mfg. c. 1934 L/R ***One of only a thousand pistols ordered in the early thirties, an interesting piece for the Luger collector*** **2500 - 3000**

756. **P. WEBLEY & SONS R.I.C. D.A. REVOLVER:** .450 Webley cal.; 5 shot fluted cylinder; 2 1/2" (64m/m) barrel with vg. bright bore & sharply defined rifling, some minor frosting but hard to fault; original gloss blued finish to metalwork, 70% with a patchy plum patina to difference; lhs. frame marked with W&S flying bullet trademark / **WEBLEY'S** / **R.I.C.** / **MODEL/83** / **5 SHOT** & serial no.; makers name marked to top strap with **LONDON & BIRMINGHAM**; Birmingham proofed; cylinder indexing, some play in cylinder stop but springs & hammer sears are strong; missing loading gate & extractor rod; single-piece walnut grip in vg. cond. chequering is sharply defined, some minor handling marks; steel butt cap missing lanyard ring; overall in g. wo & cond. **#80438** Pre 1900 L/R ***Has seen little use.*** **400 - 600**

757. **ARMY & NAVY RETAILED TRANTER MOD. 1872 D.A. REVOLVER:** .380 CF cal.; 5 shot cylinder; 4 1/2" (115m/m) octagonal barrel; g.+ bore, bright with sharply defined rifling, some scattered oxidation; silvery grey finish to metalwork with patchy original blueing to barrel; ***ARMY & NAVY COOPERATIVE SOCIETY LIMITED***. engraved to top of barrel, **W. TRANTER'S/ PATENT** stamp to lhs. breech/ serial no.; Birmingham proofs to chambers & underside barrel; frame with 40% coverage of scroll engraving; cylinder indexing, strong springs but hammer sear not holding; single piece walnut grip in g. to vgc., some light handling marks, chequering sharply defined; overall in f. to g. cond. **#38822** Pre 1900 L/R **500 - 700**

758. **HÄMMERLI SINGLE MOD. S/S AIR PISTOL: .**177 cal.; 4 1/2" (112m/m) barrel with shiny bore; worn blued finish to metalwork has turned to a mottled brown patina; **Hämmerli *Single*** marked to lhs. frame, **MADE IN GERMANY** to lhs. barrel; action operates freely; single piece bakelite grip with some handling marks & glued on modifications; overall in f. to g. cond. **#038898** Post 46' L/R **50 - 100**

759. **CASED CZ MOD. 75 SP-01 S/A PISTOL:** 9×19m/m Luger cal.; 15 rnd. mag.; 118m/m barrel with exc. bore & crisp rifling, a little dirty; matte blued finish to metalwork presents exc.; lhs. of slide marked **CZ MOD. 75 SP-01**, **SHADOW 9x19**, **CZ** trademark; **MADE IN CZECH REPUBLIC** to lhs. of frame; matching barrel, slide & frame; mechanically exc., slide retracts smoothly, crisp sears & strong springs; chequered soft rubber grips in exc. cond.; comes in original **CZ** marked black plastic carry case with manuals; overall in exc. wo & cond. **#F414036** Post 46' L/R ***Suit new gun buyer*** **700 - 900**

760. **CASED DEANE ADAMS & DEANE D.A. DRAGOON PERCUSSION REVOLVER:** 38 bore (.497 cal.); 5 shot cylinder; 7 1/2" (189m/m) octagonal barrel; bore with defined rifling, some oxidation & scattered pitting; mottled metalwork has been cleaned & now with an even grey patina; top strap engraved ***DEANE ADAMS & DEANE. 30 KING WILLIAM ST T LONDON BRIDGE.***; London **V** & **P** proofs to chambers & lhs. barrel; border & light coverage of acanthus scroll engraving to frame; cylinder indexing well, strong springs; single piece walnut grip with well-defined chequering, some handling marks, small chip to lhs; engraved steel butt cap with trap; comes in period case, relined with green baize; case containing a variety of contemporary and original accessories incl. a double mould, **HAWKSLEY** flask etc.; overall in g. cond. **#7942R** Pre 1900 L/R **2000 - 2500**

761. **CASED COLT MOD. 1860 ARMY S.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (203m/m) barrel with p. to f. bore, defined rifling with pitting throughout; metalwork has been cleaned, now with a mottled grey, silvery patina to most areas, still bearing botting patches & peening on most surfaces; address to top of barrel partially worn or obscured; **COLTS**/ **PATENT** to lhs. frame; **32413** marked to trigger gaur, barrel, frame, butt & cylinder; cylinder indexing well, strong springs & sears; smooth walnut grips with oil darkened appearance, some chips & a repair around butt; comes presented in a well-made oak display case with facsimile loading label to lid, maroon baize lining; case contains a bullet mould, oil bottle & cap tin; overall in f.+ cond. #**32413** Mfg. 1862 L/R **2000 - 2500**

762. **SUPERB CASED H. EGG RETAILED D.A. TRANTER POCKET REVOLVER:** 297 RF cal.; 5 shot cylinder; 2 1/2" (65m/m) octagonal barrel; g. clean bore, some scattered frosting but rifling remains sharply defined; brass frame tarnishing slightly, bright in protected areas; original blued finish to barrel strong, thinning case colours on cylinder; nitre blueing to small parts incl. trigger, hammer & screws; ***H. EGG./ No.1 PICCADILLY. LONDON.*** engraved to top of barrel, Birmingham proofs to chambers & barrel; **W.TRANTER'S**/ **PATENT**/ serial no. to lhs. breech; border engraved frame; markings & engraving all crisp; mechanically exc., cylinder indexing is exc.; single piece walnut grip with two subtle & only partial hairline cracks to top, still presents flawless with sharply defined chequering; comes in original fitted oak case with walnut veneer to lid; blue baize lining with solid partitions, retains key, cleaning tools & paper **HENRY EGG.** trade label; overall in exc. cond. **#38769** Pre 1900 L/R ***A little gem that's survived well over a century without being*** **1500 - 2000**

763. **D.W.M. LUGER P08 S/A PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 102m/m barrel with f. to g. bore, sharply defined rifling, peppered with fine pits throughout; blued finish to metalwork thinning in areas with plum patina developing in areas of finish loss; large blemish & wide but shallow surface corrosion to rhs. of slide; trigger, safety still retain faint straw finish; ***DWM*** trademark marked to top of toggle, **1916** to top of breech; serial no. marked to all external parts; non matching mag.; toggle retracts freely, strong springs & sears; chequered grip panels in g. cond. worn patches to lh grip, some handling marks but present decent; overall in vg. wo & g. cond. **#3259** L/R Mfg. 1916 **900 - 1300**

764. **LEFAUCHEUX SINGLE ACTION PINFIRE CARBINE:** 12m/m pinfire cal.; 6 shot cylinder; 15 1/4" (385m/m) round barrel with g.+ bright bore with sharply defined rifling; silver steel finish to metalwork with patchy/ mottled staining overall; **LEFAUCHEUX BRTE PARIS** marked to top of barrel; cylinder not indexing/ aligning properly, strong springs & sears hold lightly; fixed & flip up ladder sight dovetailed to beech of barrel; walnut grip with missing should stock attachment to back, three vacant screw holes; lanyard ring to steel butt cap; overall in f. cond. **#512** Pre 1900 L/R ***Would grade up significantly with some minor work*** **700 - 1000**

765. **CASED RUGER MK. III TARGET S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 7" (175m/m) flat sided barrel with vg. but dusty bore, sharply defined rifling; polished finish to stainless steel metalwork, some light handling marks overall; lhs. of frame marked with **RUGER**, cal./ **-MARK III TARGET-**, rhs. marked **COMPETITION TARGET MODEL**; bolt retracts freely, strong springs & sears; adjustable rear sights; thumb rest target grips in exc. cond.; comes in original makers marked moulded plastic carry case with spare mag.; overall in exc. wo & cond. **#217-98934** Post 46' L/R **500 - 700**

766. **RUGER MOD. GP100 D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (151m/m) barrel with exc. bore & sharp rifling; satin finish to stainless steel metalwork, some minor surface marks but presents exc.; lhs. of barrel marked with four-line user warning's & **SOUTHPORT** address; rhs. of barrel marked with **RUGER GP100/ .357 MAGNUM CAL.**, trademark & serial no. marked to rhs. of frame; mechanically exc. with strong cylinder indexing, springs & sears; soft rubber grips with walnut centre panels in vg. cond.; comes in original hard plastic carry case with birth cert. & manuals; overall in exc. wo & near exc. cond. **#174-47908** Mfg. 16/10/2001 L/R **500 - 700**

767. **CASED CZ MOD. P-09 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag; 4 7/8" (120m/m) barrel with exc. bore & rifling; matte blued finish to metalwork presents exc.; lhs. of slide marked **CZ P-09**, **9x19**, **CZ** trademark; **MADE IN CZECH REPUBLIC** to lhs. of polymer frame; matching barrel, slide & frame; mechanically exc., slide retracts smoothly, crisp sears & strong springs; polymer frame presents exc.; comes in original **CZ** marked black plastic carry case with spare mag., manuals; overall in exc. wo & cond. **#C479808** Post 46' L/R **600 - 800**

768. **BERETTA 92 BILLENNIUM S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 121m/m barrel exc. bore & sharply defined rifling; silver alloy nickel finish to slide, mottled smoky grey finish to fame, both present exc.; **billennium** marked to lhs. & rhs. of slide; **PIETRO BERETTA MADE IN ITALY** marked to lhs. frame, US address to rhs; slide retracts freely, fish scale pattern 'knurling'; strong springs & sears; fitted with wood chequered grips with Beretta gold medallion to centre, grips in g. cond. but look to be homemade; comes in original plastic carry case with the factory fitted carbon fibre grip panels, additional mag., trigger locks & other accessories; overall in exc. wo & cond. **#MM00287** Post 46' L/R ***One of 2000 distributed worldwide.*** **1200 - 1600**

769. **BRITISH LAND PATTERN FLINTLOCK PISTOL:** .583 cal.; 11" barrel with dirty bore, appears f.+ with some light pitting; metalwork has been cleaned back to a grey patina on lock & barrel, some light pitting in areas; mellow patina to brass furniture; replacement lockplate, border engraved with no other marks; original barrel with London **V** & **P** commercial proofs; lock functioning, retains ramrod; walnut full stock in g. to vg. cond., some light handling marks & metal-to-wood fit is vg.; brass butt cap with some peening; overall in f. to g. cond. **N/L** **700 - 900**

770. **NORWEGIAN MODEL 1834 S/B FLINTLOCK PISTOL CARBINE:** .61 cal.; 9 3/4" round barrel with dusty & dark bore, appears g.; metalwork has been cleaned, dark mottled patina to lock, silvery grey patina to barrel with some scattered pitting; breech of barrel marked with inspector marks & some later addition British proofs; strong lock springs & sears; brass nose cap/ band with integral blade front sight, rear sight to top tang; woodwork is in p. cond., losses to nose & tail of lockplate, older repair & grafted sections; brass butt cap; fitted with reproduction shoulder stock, complete with brass buttplate & lanyard ring; overall in p. to f. cond. **N/L** **800 - 1200**

771. **BELGIAN S/S 'BICYCLE' PISTOL & SHOULDER STOCK:** .22 cal. centrefire; 9 1/4" (235m/m) octagonal barrel with f. bore; bright chrome refinish to fame & skeleton shoulder stock, grey patina & extensive oxidation staining on barrel; faint Liege proof to lhs. frame; Tranter style action locks up with some movement, strong lock with spur trigger; chamber has been honed out, calibre unknown; shoulder stock possibly a modern repro; smooth walnut grips with only minor handling marks; overall in f. cond. **#7819** Pre 47' L/R **300 - 500**

772. **CASED PAIR W. TRANTER PAT. S/B SALOON PISTOLS:** first pistol **#62045** is chambered in .22 rimfire cal.; 8" (202m/m) octagonal barrel with f. bore & defined rifling; top of barrel engraved **MACNAUGHTON EDINBURGH**; second pistol **#59691** is chambered in .320 CF cal.; 7 1/2" (189m/m) barrel with f to g. bore, sharply defined rifling; both pistols with thinning original blued finish and a plum patina developing overall; **W.TRANTER/ PATENT** stamps to lhs. frame; actions lock up tight & on face, strong springs & sears; walnut single piece grips are in g. to vg. cond., chequering to both is sharply defined; both grips have an oval silver escutcheon to back engraved with matching hand clutching book motifs (Salthouse family crest)/ **PRO VIRTUTE**; pistols come in period, fitted oak case; blue baize lining with some moth damage but partitions remain sound; overall in g. to vg. cond. **#62045** & **#59691** Pre 1900 L/R **1000 - 1500**

773. **CASED JOSEPH LANG S x S PERCUSSION HOWDAH PISTOL:** .60 cal.; 5" (126m/m) twist steel barrels with f bores, some oxidation internally; metalwork has been cleaned, barrels have had a quality re-brown & present well, strong pattern definition; bright steel finish to remainder of metalwork; top of barrel with lightly defined ***JOSEPH LANG 22 COCKSPUR ST LONDON***, makers name again to lockplates; back action lockplates & tangs with well-defined acanthus scroll engraving, pineapple finial; London **V** & **P** proofs to underside of barrels & breech; strong lock springs & sears, hammers with stalking safety's, captive ramrod & steel butt cap with trap; walnut stock with sharply defined chequering, some v. light handling marks; vacant oval silver escutcheon below top tang; comes in mahogany case with dark blue baize lining, facsimile **LANG** paper trade label, some repro accessories; overall in vg. cond. **#142** Pre 1900 L/R **2000 - 2500**

774. **IMPRESSIVE PAIR of JOHN & GEORGE JONES FLINTLOCK HOLSTER TRAVELLING PISTOLS:** 28 bore; 8" twist-steel octagonal barrels with dusty bores; patchy dark grey patina to barrels partially covering twist pattern; grey steel finish to remainder of metalwork incl. locks & tangs; **JNo & GEOE JONES LONDON** engraved to top of barrels & again to lock lates, less address; plain locks with arrowhead border engraving, some light floral patterns to tail & on hammer; ornate pineapple finial & piled arms, shield & horn motif to trigger guard; ornate silver side plate depicting three flags marked **CAMPO/MAYOR**, **VITTORIA**, **ORTHEZ**, piled arms with a Royal cypher / **GR/ XII/ LD**; strong lock springs & sears, French style cock with waterproof pan, roller to frizzen; both pistols retain horn capped ramrods, one with worm; walnut half stock with horn forewood caps, sharply defined chequering to both pistols, only light handling marks overall; shield escutcheons to top of grips inscribed with monogram initials **RB**; steel butt caps, one with chipped screw; pistols come presented in mahogany case with green baize; lid of case with silver plaque inscribed **XIIILD/ Capt Rudophus/ Buchanan**; case contains a period copper sot & powder flask, some contemporary cleaning, loading tools; overall in vg. cond. **N/L** ***An exquisite pair of high-quality pistols that are getting offered in Australia less and less.*** **4000 - 5000**

775. **BOXED SMITH & WESSON MOD. 53 D.A. REVOLVER:** .22 Remington jet cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with exc. bright bore & crisp rifling; reblued finish to metalwork is strong, darkened slightly but bearing only light storage marks overall; lhs. barrel marked **SMITH & WESSON**, rhs. marked **22 MAGNUM**; rhs. frame marked with **SW** monogram trademark, four-line address; strong springs & sears, cylinder indexing well; double strikers & two position hammer for use with centrefire, rimfire; walnut two-piece grip in vg. cond., some light wear to finish, general handling marks but chequering remains sharply defined; both grips inlaid with silver **SW** medallions inlaid to top; comes in its original maker marked carboard box with the six original alloy chamber inserts, additional matching no. cylinder for .22 WMR; overall in exc. wo & g. to vg. cond. **#K463660** Post 46' L/R **1200 - 1600**

776. **CASED SMITH & WESSON MOD. 686 D.A. REVOLVER:** .357 Magnum cal.; 6 shot fluted cylinder; 6" (150m/m) bright bore with sharp rifling, appears to have very slight ring bulge, hard to see; bright finish to stainless steel metalwork, some handling marks & marring; makers name to lhs. barrel, cal. to rhs; frame marked with **SW** monogram & rhs. with four-line address; fitted with large cylinder release, wide trigger attachment; walnut two-piece grip in g. cond., chequering is sharply defined; comes in generic black carry case with two speed loaders; overall in f. cond. **#AHS9604** Post 46' L/R **250 - 300**

777. **COLT MOD. 1894 DOUBLE ACTION REVOLVER:** .38 long Colt cal.; 6 shot fluted cylinder; 4 1/2" (115m/m) barrel with f. to g. bore, sharply defined rifling with some patches of frosting, fine pitting; 80% original thinning blued finish to metalwork, majority of losses on muzzle & straps now with a silvery patina; lhs. of barrel marked **COLT. D.A. 38**, top marked **COLT'S PT.F.A. MFG. CO/ HARTFORD CT. U. S. A./** patents; rear lhs. frame with rampant horse roundel stamp; markings& profiles are sharply defined; **918** marked to cylinder arm, frame & cylinder release, **73/159** marked to butt; cylinder indexing well, strong springs & sears; hard rubber grips in near exc. cond. if not for small scuff to rh grip, chequering to both remains sharply defined, **COLT**/ rosettes & rampant horse motif/ **1894** to top of both; overall in vg. wo & g. to vg. cond. **#918** Mfg. 1892 L/R **1000 - 1400**

778. **FINE WEBLEY MOD. W.G. TARGET D.A. REVOLVER:** .455 cal.; 6 shot fluted cylinder; 7 1/2" (193m/m) barrel with exc. bright bore & sharply defined rifling; revolver retains 80%+ of its original glossy blued finish, with scattered subtle patches of plum patina to the remainder; majority of losses on straps; **"W G" MODEL** marked to lhs. top strap, **.450/455** marked to lhs. breech of barrel; lhs. frame marked with **WEBLEY/ PATENT'S**, **W&S** winged bullet trademark; Birmingham proofs to chambers & barrel; action locks up tight, cylinder indexing well, sears & springs are strong; knurled trigger, German silver pinned front sight with adjustment, stamped **455** to lhs. & **450** to rhs; walnut grips in g. sound cond., chequering to both remains well-defined but some light bruising, small chip to lhs. butt; lanyard swivel to butt of backstrap; overall in exc. wo & vg. cond. **#6930** Pre 1900 L/R ***A lovely example, has done next to no work.*** **1800 - 2500**

779. **SPANISH RETAILED LARGE BELGIAN FOLDING TRIGGER PINFIRE REVOLVER:** 11m/m pinfire cal.; 6 shot cylinder; 4 1/4" (107m/m) round barrel; bore with some patches of light pitting but remainder is bright & rifling sharply defined; original blued finish to barrel & cylinder has thinned to an even plum patina, frame retaining areas of vivid case colours; **RIA LOPER Y Cia DURANGO** has been stamped on to barrel; frame & cylinder engraved with sharply defined, ornate scroll; mechanically strong, cylinder indexing well; original carved walnut grip panels present well, small lifting chip to lh grip but otherwise bearing only light handling marks & sharply defined chequering; overall in vg. wo & g.+ cond. **#1850** Pre 1900 L/R ***A remarkably well presented and quality pinfire revolver.*** **700 - 900**

780. **COLT MOD. NEW LINE S.A. POCKET REVOLVER:** .32 Colt cal.; 5 shot fluted cylinder; 2 1/4" (58m/m) barrel with f. bore, patch of pitting to top of bore but otherwise clean with well-defined rifling; original blued finish to metalwork thinning to a plum patina on barrel, cylinder but quite strong in areas of frame; top of barrel marked with sharply defined **HARTFORD** two-line address, **32 CAL** to lhs. frame; cylinder indexing well, spur trigger with crisp sears; original hard rubber grips in g. to vg. cond., chequering v. well-defined overall, **COLT** to top of both; overall in g. cond. **#21520** Mfg. 1884 L/R **500 - 700**

781. **COLT 1911 NIGHT COMMANDER S/A PISTOL:** 45 ACP cal.; 7 rnd. mag.; 108m/m barrel with vg. bore, sharply defined rifling, needs a clean; blued finish to metalwork with polished sides of slide, frame, matte elsewhere; lhs. of slide marked **NIGHT COMMANDER/ COLT 45 ACP** rhs. of slide marked **LIGHTWEIGHT COMMANDER MODEL**; address & serial no. to rhs. of frame; slide retracts freely, strong sears & springs; factory rubber grips with silver trademark medallions to centre of both; overall in exc. wo & near exc. cond. **#NC095** Post 46' L/R **700 - 900**

782. **COLT 1849 S.A. PERCUSSION POCKET REVOLVER:** .31 cal.; 5 shot cylinder; 6" (152m/m) octagonal barrel; g. bore, bright with sharply defined rifling, some minor pitting & oxidation; silvery-grey patina to majority of metalwork, patchy plum staining & scattered frosting on barrel, frame & cylinder; single-line **NEW YORK** address to top of barrel, lhs. of frame marked **COLT'S/ PATENT**; roll stamped stagecoach scene to cylinder is v. well-defined; **187279** is marked to barrel, loading lever, frame, trigger guard & butt, replacement wedge; matching cylinder indexing but does bind slightly, strong springs & sears hammer; some screw heads burred; smooth walnut grip panels are in g. cond., chip to bottom & thin bruise to top of lh grip, rh grip with small graze along butt edge; overall in g. cond. **#187279** Mfg. 1861 L/R **1200 - 1600**

783. **EXCEPTIONAL PRUSSIAN PRESENTATION REVOLVER by H. LEUE & TIMPE of BERLIN:** .44 Russian cal.; 6 shot cylinder; 6 1/2" (168m/m) octagonal barrel with near exc. bore, mirror with sharply defined rifling overall, some small oxidation patches to surface but vg. overall; 70%+ original glossy blued finish to majority of metalwork presents well, thinning to an even soft grey patina on straps & trigger guard, frame with areas of strong case colours; front & rear sights retain much of their nitre blued finish; entire revolver with gold border & pin-dot inlay including barrel flats, frame, cylinder etc.; frame, straps & barrel with crisp oakleaf & scroll banner engraving, Imperial Eagle / Reichsadler motif engraved to trigger guard; cylinder finely engraved with cavalry & field battle scene; ***H. LEUE & TIMPE HOFBUCHENM./ BERLIN*** engraved to extractor rod; strong mechanically, cylinder indexing smoothly, strong spring tension & sears; some screw heads burred; carved ivory grips both in vgc., only minor surface marks to both & a mellow appearance; grip retaining screws with gold inlaid wreath surrounds; lanyard ring to butt of backstrap; overall in exc. wo & vg. cond. **#40680** Pre 1900 L/R ***An superb revolver from Heinrich Leue & Johann Friedrich Timpe of Berlin. This piece commissioned to commemorate the Franco Prussian War 1870-1871.*** **4000 - 4500**

784. **BLUNT & SYMS D.A. S/B PERCUSSION BOOT PISTOL:** .32 cal.; 5" two stage barrel with octagonal breech half; f. bore, rifling is defined but patchy oxidation scale throughout; mottled grey patina to majority of metalwork, some patches of light pitting to rhs. barrel & frame; **B & S/ NEW-YORK/ CAST STEEL** stamped to top of breech; strong lock springs & sears, d.a. only; smooth walnut grips in g. cond., both with some minor handling marks; overall in g. cond. **N/L** c.1840 **300 - 400**

785. **MANHATTAN FIREARMS Co. NAVY MOD. PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 4" (103m/m) octagonal barrel with fine bore, bright with crisp rifling, some superficial speckled frosting; original blued finish to barrel has thinned to a plum patina, some patchy blueing remains; mottled grey patina to cylinder & frame; dull patina to brass trigger guard & straps with some thinning patches of silver plating; two-line **MANHATTAN FIRE ARMS CO. NEWARK, N.J.** / **PATENTED MARCH 8, 1864** marked to top of barrel flat; cylinder roll stamped with five oval scenes incl. horseback, naval with rowboat & gun fight scene; action functioning well, crisp cylinder indexing, strong sears & springs; serial no. **2705** marked to barrel, trigger guard, frame & butt of back strap; German silver front blade sight, notch rear sight to nose of hammer; smooth walnut grips in g. cond. both retain 80%+ original varnish, some handling marks & patchy loses to both; overall in vg. wo & g.+ cond. **#2705** Pre 1900 L/R ***A very honest, untouched example of these lesser-known Civil War era revolvers.*** **1200 - 1400**

786. **COLT 1877 LIGHTNING D.A. REVOLVER:** .38 Colt cal.; 6 shot fluted cylinder; 4 1/2" (115m/m) barrel with vg. bore, bright crisp rifling, some minor frosting; original blued finish to barrel & small parts is thinning to a grey patina, some traces of case colours to frame; two-line **COLT'S HARTFORD** address to top of barrel, **COLT. D.A. 38** to lhs; patents marked to lhs. of frame along with rampant horse roundel; **17027** to frame, trigger guard; cylinder indexing well but trigger return spring feels gummed up, needs to be pushed fwd.; blade front sight & grooved top strap; hard rubber grip panels in g. to vg. cond., defined chequering & rampant horse to top of both, a flat spot worn to both grips; overall in vg. cond. **#118670** Mfg. 1900 L/R ***Presents well & has seen very little actual use.*** **900 - 1200**

787. **SMITH & WESSON MOD. 10-6 D.A. REVOLVER:** .38 S.&W. cal.; 6 shot fluted cylinder; 4" (103m/m) barrel exc. bright bore & sharply defined rifling; strong blued finish to metalwork, some minor storage marks overall; vivid case colours on small parts; **SMITH & WESSON** marked to lhs. barrel, cal. to rhs.; **SW** monogram, four-line **SPRINGFIELD** address to rhs. frame; mechanically strong, cylinder indexing well, crisp sears; original walnut grips present well, some general surface marks but chequering remains sharply; defined; overall in exc. wo & near vg. cond. **#D644657** Post 46' L/R **500 - 700**

788. **WEBLEY MK. VI D.A. SERVICE REVOLVER & REPO BAYONET:** .455 Webley cal.; 6 shot fluted cylinder; 5" (149m/m) barrel with vg. bright bore & well-defined rifling, some powder residue in grooves; reblued finish to metalwork, some wear to profiles & small patchy losses to lhs. barrel but presents well; lhs. of the frame marked **WEBLEY / MARK VI / PATENTS / 1919**, lhs. top strap marked **MARK "VI'**; **GR** proofs to barrel & chambers, broad arrows marked to several parts; action locks up tight, cylinder indexing correctly, strong springs & sears; original hard rubber grips in g. to vg. cond., some handling marks & scuffs but chequering remains well-defined; lanyard ring to butt of backstrap; comes with Pritchard-Greener bayonet & scabbard, reproduction piece with a wobbly locking mechanism; overall in exc. wo & g. cond. **#436979** L/R 1919 Mfg. **800 - 1200**

789. **CASED BERETTA MOD. PX4 STORM S/A PISTOL:** .40 S.&W. cal.; 14 rnd. mag.; 4" (101m/m) barrel with exc. bore, bright with crisp rifling, need a brush; black coated finish to steel parts presents well, some light handling marks overall; **BERETTA**, **GARDONE** address marked to lhs. slide, rhs. slide marked **Px4 Storm**; mechanically exc., slide retracts freely, strong springs & sears; polymer grip & frame in exc. cond.; comes in the original blue plastic carry case with loading tool, spare mag; overall in exc. wo & as new cond. **#PY51470** Post 46' L/R ***Suit new gun buyer***. **700 - 900**

790. **CASED BERETTA MOD. PX4 STORM S/A PISTOL:** 9×19m/m Luger cal.; 17 rnd. mag.; 4" (97m/m) barrel with exc. bore & crisp rifling; black coated finish to steel parts presents flawless; **BERETTA**, **GARDONE** address marked to lhs. slide, rhs. slide marked **Px4 Storm**; mechanically exc., slide retracts freely, strong springs & sears; polymer grip & frame in exc. cond.; comes in the original blue plastic carry case with loading tool, spare mag & grey cardboard slip; overall in exc. wo & as new cond. **#PX4827A** Post 46' L/R ***Suit new gun buyer***. **700 - 900**

791. **CASED BERETTA MOD. 92FS CENTURIAN S/A PISTOL:** 9×19m/m Luger cal.; 15 rnd. mag.; 4 1/4" (110m/m) barrel with exc. bore & crisp rifling; satin black coated finish to steel parts presents well, some light handling marks overall; **BERETTA**, **USA** address marked to lhs. slide, rhs. slide marked **MOD. 92FS CENTURIAN** & cal.; slide retracts freely, strong springs & sears; black plastic chequered grip panels; comes in original blue plastic maker marked carry case with; overall in exc. wo & near exc. cond. **#BER397747Z** Post 46' L/R **600 - 800**

792. **COLT MOD. 1877 "LIGHTNING" D.A. REVOLVER:** .38 long Colt cal.; 6 shot fluted cylinder; 4 1/2" (115m/m) barrel with g. to vg. bore, v. bright with fine pitting in patches, rifling remains sharply defined; 60%+ original blued finish to metalwork, has thinned to a soft plum patina on straps & cylinder, barrel with some patchy losses & pitting; areas of vivid case colours to frame & strong glossy blueing to small parts; two-line **COLT'S HARTFORD** / **DEPOT 14. PALL MALL LONDON.** address to top of barrel, faint **COLT. D.A.38** to lhs; patents marked to lhs. of frame along with rampant horse roundel; **84190** to frame, trigger guard & butt; matching cylinder; London **V** & **P** proofs to barrel & chambers; mechanically fine, strong springs & sears, cylinder indexing well; blade front sight & grooved top strap; hard rubber grip panels in vg.+ cond., sharply defined chequering & rampant horse to top of both; overall in vg. cond. **#84190** Mfg. c.1891 L/R ***A very original example, has seen v. little use. One for the antique Colt collector*** **1200 - 1600**

793. **WW1 BRASS COGSWELL & HARRISON MK. III FLARE PISTOL:** 1 inch cal.; 4" barrel with v. clean bore; attractive mellow patina to majority of brass metalwork, grey patina to steel small parts; lhs. frame marked with **COGSWELL & HARRISON**/ **LONDON**, proofs & broad arrow marks to breech & frame; action functions well, strong lock; smooth walnut grips with some handling marks, both present well; lanyard ring to butt; overall in g. cond. #69448 **N/L** **300 - 500**

794. **COLT OFFICERS MODEL MATCH D.A. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with dirty bore, sharply defined rifling & appears vg.; strong blued finish to metalwork, some v. minor wear on profiles but presents exc.; model marked to lhs. barrel/ cal.; rhs. barrel marked with single line **HARTFORD** address, lhs. frame marked with rampant horse trademark; strong springs & sears; mechanically exc., strong springs & sears, indexing well; original two-piece walnut grip with well-defined chequering, silver **COLT** medallion inlaid to both sides; grip with some light handling marks; overall in exc. wo & near exc. cond. **#85982** Post 46' L/R **500 - 700**

795. **STURM RUGER MOD. SP101 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 59m/m barrel with dirty bore, rifling sharply defined but powder residue needs a clean out; bright finish to stainless steel metalwork, some light surface marring but presents well; **STURM RUGER**/ address marked to lhs. barrel, model/ cal. marked to rhs; strong springs & sears, cylinder indexing well; two-piece smooth hardwood grip with finger grooves, some light handling marks to both; overall in exc. wo & g.+ cond. **#570-11897** L/R **300 - 500**

796. **WEBLEY MK. IV D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 4 1/8" (105m/m) barrel with bright bore & sharply defined rifling, some scattered light pitting & leading in grooves, f. to g. overall; reblued finish to metal work has thinned to a patchy grey patina with some fine pitting; lhs. of top strap marked **MARK "V"**; **GR** proofs to barrel & chambers, broad arrows marked to several parts; **WEBLEY**/ **MARK IV**/ **PATENTS**/ **1915**; **3.I.M.D.** marked to back strap; action locks up tight, cylinder indexing correctly, strong springs & sears; hard rubber grips present well, chequering remains well-defined but some small chips at bases; overall in vg. wo & f. to g. cond. **#112639** Pre 47' L/R **300 - 500**

797. **PARA ORDNANCE MOD. P18-9 LIMITED S/A PISTOL:** 9×19m/m Luger cal.; missing mag.; 125m/m barrel; bright bore with sharply defined rifling, needs a clean; stainless steel metalwork bright brushed finish to sides of slide & satin elsewhere, presents well, some light handling marks; ***Para-Ordnance*** motif to lhs. slide, model to rhs; rhs. frame marked with Canadian address & serial no.; slide retracts freely, strong springs but hammer sear is too light, sometimes doesn't hold; adjustable rear sights; fitted with flared mag. well attachment; original black chequered plastic grips in exc. cond.; overall in exc. cond. & f. wo **#P125217** Post 46' L/R ***Would need the hammer sear issue addressed before use.*** **200 - 400**

798. **PHOENIX ARMS MOD. HP22 S/A POCKET PISTOL:** .22 LR cal.; missing mag.; 3" (76m/m) barrel with bright bore &s sharply defined micro-groove rifling, needs a clean; satin silver finish to majority of metalwork; **PHOENIX ARMS/ ONTARIO, CA.** to lhs. slide, cal. marked to lhs. barrel, model marked to rhs. slide; unknown working order, slide won't retract without mag.; black polymer grip panels in vg. cond., a few minor handling marks to both; overall in vg. cond. **#4152843** post 46' L/R **200 - 400**

799. **EARLY 'CONEHAMMER' MAUSER C.96 S.A. PISTOL & SHOULDER STOCK HOLSTER:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with g. to vg. bore, bright with sharply defined rifling, some minor pin-prick pitting; blued finish to metalwork all but worn away, flashes remain on frame, mottled brown patina elsewhere with some light patchy oxidation staining; **U** proof to lhs. of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech; **50** to **500** graduated rear tangent sight; mechanically vg., bolt retracts freely, crisp sears & strong springs; early long extractor; 23 groove walnut grips are in g. cond., a few handling marks to both but remain sound; comes with period holster stock; stock with period & quality screwed copper band brace repairs, one to lid & pair to stock body which are to repair some large partial cracks; overall in vg. wo & f. to g. cond. **#6493** Mfg. c.1897 L/R ***A sound example of an early, 2nd year production Mauser C.96*** **1700 - 2000**

800. **BRITISH MARKED COLT NEW SERVICE D.A. REVOLVER:** .455 Eley cal.; 6 shot fluted cylinder; 5 1/2" (140m/m) barrel with sharply defined rifling, some scattered small patches of light pitting, remainder is v. bright, g. to vg. overall; 60%+ original blued finish to metalwork, thinning to a grey patina on sides of barrel, straps, some minor pitting & losses to lhs. frame; lhs. of barrel marked **NEW SERVICE 455 ELEY**, two-line **HARTFORD** address marked to top of barrel; lhs. of frame marked with rampant horse trademark; lhs. breech marked with crossed flag mark, British **6B**/**E** & broad arrow mark to back of lhs. top strap; London **V** & **P** proofs to barrel, breech & chambers; makings to revolver are crisp; strong springs, crisp sears & cylinder indexing well; missing axis pin knurled knob; original hard rubber grips showing little wear, both with sharply defined chequering, small graze to rh grip; swivel to butt of backstrap; overall in exc. wo & g.+ cond. **#113752** Mfg. c.1916 L/R **800 - 1100**

801. **WEBLEY MK. V D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with bright bore & sharply defined rifling, some scattered light pitting but g.+ overall; blued finish to metal work has thinned to a mottled grey patina, some original finish in protected areas & fine pitting; std. marking to lhs. frame have been deliberately obscured with peening, lhs. of top strap marked **MARK "V"**; **GR** proofs to barrel & chambers, broad arrows marked to several parts; **WEBLEY/ MARK V/ PATENTS/ 1915** action locks up tight, cylinder indexing correctly, strong springs & sears; hard rubber grips present well, chequering remains well-defined but some cracking at bases; overall in vg. wo & f. to g. cond. **#159369** Pre 47' L/R **400 - 600**

802. **CASED PARA ORDNANCE MOD. P18-9 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. double stack mag.; 125m/m barrel; bright bore with sharply defined rifling, needs a clean ; stainless steel metalwork bright brushed finish to sides of slide & matte elsewhere, presents well, some handling scuffs; ***Para-Ordnance*** motif to lhs. slide, model to rhs; rhs. frame marked with Canadian address & serial no.; slide retracts freely, strong springs & sears; adjustable rear sights; fitted with **HOGUE GRIPS** marked soft rubber, finger contoured grip; comes in the original maker marked plastic carry case; overall in exc. wo & g. to vg. cond. **#P125157** Post 46' L/R **500 - 700**

803. **CASED PAIR OF BRITISH TURN-OFF POCKET PERCUSSION PISTOLS by ADAMS:** .45 cal.; 1 3/4" round barrels with f. to g. bores, one with some pit peppering; matching dark patina to both pistols, thinning slightly in areas; ***ADAMS*** engraved to lhs. on both side plates, underside of barrels & breeches marked with Birmingham proofs; light coverage of primitive acanthus scroll engraving to both pistols; strong lock springs & sears, turn off barrels lock up tight, some cylindrical scoring to one barrel in particular; plain walnut flat side stocks present well, only light handling marks to both; comes presented in repurposed period oak box with nicely figured veneer; royal blue baize to lid with **TROUGHTON AND SIMMS** trade label; overall in g. cond. **N/L** **1200 - 1500**

804. **CASED W. TRANTER MOD. 1868 D.A. REVOLVER:** .320 cal.; 5 shot cylinder; 3 3/4" (96m/m) octagonal barrel with bright bore, sharply defined rifling, some minor pitting but g.+ overall; original blued finish to metalwork remains in patchy areas on frame, strong on barrel, plum patina to difference; lhs. breech marked with **W.TRANTER'S** / **PATENT** trademark stamp / **36426**; Brimingham proofs to chambers & barrel; strong springs & sears, cylinder indexing; retains loading gate & ejector rod; single piece walnut grip in g.+ cond., sharply defined chequering with some dusty patches, partial aged crack to butt; steel butt cap; comes in period fitted mahogany case with blue baize lining; case in g.+ cond., vacant brass escutcheon to lid; overall in vg. wo & g. cond. **#36426** Pre 1900 L/R **1000 - 1500**

805. **PAIR of TURN-OFF BARREL PERCUSSION PISTOLS by J. DIXON:** .45 cal.; 1 5/8" round barrels with p. bores, oxidation scale in both; both pistols bear a dark patina to majority of metalwork, some minor surface oxidation scale & handling marks; lhs. engraved ***J.DIXON***, rhs. engraved ***1829*** both within ovals, trophée d'armes motif engraving to action; Birmingham proofs to underside of breech & barrel; both pistols function, one pistol smoothly the other has rough sears to for the folding trigger; some replacement small parts; flat side walnut grips with square escutcheons to spines; one stock with surface peening & small losses to head but the other in g.+ cond.; comes in contemporary solid hardwood case; overall in f.+ cond. **N/L** **800 - 1200**

806. **CASED WEBLEY MK. VI D.A. SERVICE REVOLVER:** .455 Webley cal.; 6 shot fluted cylinder; 6" (153m/m) barrel with g. bore & sharply defined rifling, some v. minor pitting & fouling; original blued finish to metalwork has thinned to an even plum-brown patina in worn areas; lhs. of the frame marked **WEBLEY/ MARK VI/ PATENTS/ 1916**, lhs. of top strap marked **MARK VI**; **GR** proofs to barrel & chambers, broad arrows marked to several parts; lhs. barrel marked with peened initials **HGL**; action locks up tight, cylinder indexing correctly, strong springs & sears; hard rubber grips present well, some handling marks but chequering remains defined; comes presented in fitted oak case, facsimile trade label, case contains brass 303 oil bottle & empty cartridge packets; overall in vg. wo & g.+ cond. **#202190** Pre 47' L/R **900 - 1200**

807. **MERWIN HULBERT & Co. S.A. ARMY MODEL REVOLVER:** .44 Merwin Hulbert cal.; 6 shot fluted cylinder; 7" (179m/m) barrel with g. bore, sharp rifling with some patchy oxidation scale & frosting in areas; retains over 60% nickel plated finish to metalwork, patchy dark patina to difference; some minor handling marks to metalwork overall; top of barrel marked **MERWIN HULBERT & Co** followed by **NEW YORK** address, patents; lhs. of barrel marked **THE HOPKINS & ALLEN Manufacturing Co. Norwich. Conn. U.S.A.**; mechanically exc., cylinder indexing correctly, strong springs & sears; rotating barrel assembly locks up tight, slides smoothly along axis pin; screw heads in g. cond.; integral pinched front blade sight to barrel, v. notch sight to top of frame; grips are in vg. cond., swirly black & red colouring; hemi lanyard swivel to butt; comes with period fitted leather holster, holster well-worn but complete; overall in vg. wo & f. to g. cond. **#2708** Pre 1900 L/R **1000 - 1400**

808. **CASED WESTERNER'S ARMS MOD. 1851 NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (191m/m) octagonal barrel with vg. bright bore & sharply defined rifling; strong blued finish to barrel & cylinder, vivid case colours to frame & loading lever, bright finish to brass straps & trigger guard; metal finishes present exc., some minor handling marks; makers name to top of barrel, Uberti trademark to lhs. frame; cylinder indexing well, strong springs & sears; smooth walnut grips with some minor handling marks, g. to vg. cond.; comes in period faux leather fitted case with powder flask, bullet mould, capping tool etc.; overall in exc. wo & vg.+ cond. **#11004** Post 46' L/R ***A nicely presented outfit.*** **500 - 700**

809. **HARRINGTON & RICHARDSON YOUNG AMERICA POCKET REVOLVER:** .22 Long cal.; 7 shot fluted cylinder; 2" (52m/m) octagonal barrel with vg. bore & sharp rifling, a little dusty; blued finish to metalwork presents well, some minor blemishes & surface oxidation staining; name & **WORCESTER** two-line address, calibre designation to lhs. of barrel; **YOUNG AMERICA DA** marked to top strap; action functions in d.a. only, strong springs & cylinder indexing correctly otherwise; matching hard rubber grips in vg. cond., some light handling marks; overall in g. wo & g. to vg. cond. **#360709** Pre 47' L/R **250 - 400**

810. **COLT MOD. 1902 PHILIPPINE CONSTABULARY D.A. REVOLVER:** .45 long Colt cal.; 6 shot fluted cylinder; 6" (161m/m) barrel with bright bore, sharply defined rifling, some minor frosting in patches & leading; silvery grey patina to meatworks with some minor pit peppering in patches on barrel & top strap, presents well; strong nitre blued finish to the distinctive large trigger & spine of hammer; lhs. barrel marked **45 COLT.**, top of barrel marked with single line **COLT'S PT. F.A.MFG. Co. HARTFORD CT. U.S.A.**; rampant horse roundel mark to lhs. frame; **R.A.C.** stamp to lhs. frame, trigger guard; rhs. frame marked with **J.T.T.** to back, **1902** to bottom & **US** to front; action needs work, feels a bit scratchy and only indexes in s.a.; hard rubber birds head grips with v. well-defined rampant horse to top of both & chequering; some light handling marks to grips but only v. light; lanyard swivel to butt of backstrap; overall in f. wo & g. to vg. cond. **#47844** Pre 47' L/R **900 - 1200**

811. **SMITH & WESSON MOD. M&P 40 S/A PISTOL:** 40 S.&W. cal.; 15 rnd. mag.; 105m/m barrel with exc. bright bore & sharply defined rifling; matte blued finish to metalwork, some minor wear to profiles & minor staining; **M&P** trademark, **40** marked to front lhs. of slide, **STAINLESS** to centre & **SW** monogram to back; slide retracts freely, strong springs & sears; all matching numbers; black polymer frame with some minor handling marks; overall in exc. wo & vg. cond. **#DXL0730** Post 46' L/R **500 - 700**

812. **FINE MERWIN HULBERT & Co MEDIUM FRAME D.A. REVOLVER:** .38 CF cal.; 5 shot cylinder; 5 1/2" (140m/m) barrel with fine bore, mirror & crisp rifling, one speckle of frosting but hard to fault; 90%+ original nickel plating to majority of metalwork, majority of losses on butt of backstrap, some surface marks; trigger & hammer with strong case colours; top of integral barrel rib marked with **MERWIN HULBERT & CO. NEW YORK U.S.A.**/ patents; **38 CAL** marked to lhs. frame; mechanically in fine cond., cylinder indexing exc., strong springs & sears; folding hammer spur; hard rubber grips near exc., a few minor handling marks but chequering & woven pattern motif to top of grips are sharply defined; hemi lanyard swivel to butt; overall in exc. wo & vg.+ cond. **#20458** Pre 1900 L/R **1400 - 1800**

813. **MERWIN HULBERT & Co. S.A. ARMY MOD. REVOLVER:** 44 Merwin Hulbert cal.; 6 shot fluted cylinder; 7" (179m/m) barrel with g. to vg. bore, bright with crisp rifling, some oxidation starting in patches; nickel plated finish to metalwork presents well, 80%+ remaining with dark patina to difference; majority of finish loss on trigger guard, top of barrel marked **MERWIN HULBERT & Co** followed by **NEW YORK** address, patents; lhs. of barrel marked **THE HOPKINS & ALLEN Manufacturing Co. Norwich. Conn. U.S.A.**; mechanically in fine cond., cylinder indexing well & sears are crisp; rotating barrel assembly locks up tight, slides butter smooth along axis pin; screw heads in g. cond.; vg. to exc. cond. distinctive original hard rubber chequered grips with mottled orange & black colouring; hemi lanyard swivel to butt; overall in exc. wo & g. to vg. cond. **#303** Pre 1900 L/R ***Has seen very little work, bordering on fine.*** **1500 - 2000**

814. **FINE MERWIN HULBERT & Co SMALL FRAME D.A. POCKET REVOLVER:** .32 CF cal.; 5 shot cylinder; 3" (76m/m) barrel with bright bore, crisp rifling, some patches of pit peppering; 95%+ original nickel plating to majority of metalwork, some minor surface marks; trigger & hammer with areas of strong case colours; top of integral barrel rib marked with **MERWIN HULBERT & CO. NEW YORK U.S.A.**/ patents; **32 CAL.** marked to lhs. frame; mechanically in fine cond., cylinder indexing exc., strong springs & sears; folding hammer spur; hard rubber grips near exc., a few minor handling marks but chequering & woven pattern motif to top of grips are sharply defined; overall in vg. wo & exc. cond. **#11501** Pre 1900 L/R ***A fine example of the far less common small frame Merwin Hulbert pocket revolvers.*** **1000 - 1500**

815. **E. REMINGTON SMOOT NEW MOD. No. 3 POCKET REVOLVER:** .32 rimfire cal.; 5 shot fluted cylinder; 2 3/4" (71m/m) octagonal barrel with integral rib; bright bore with sharply defined rifling, some frosting patches; revolver retains 80%+ original nickel finish, losses are from surface scuffs; **E. REMINGTON & SONS ILION** address & patents to top rip; smooth action & cylinder indexing, crisp spur trigger; extractor rod; chequered hard rubber grips with only light wear to profiles, vg. wo & g.+ cond. **#235** Pre 1900 L/R **500 - 800**

816. **COLT S.A. FRONTIER SCOUT ALAMO MOD. RIMFIRE REVOLVER:** .22 LR cal.; 6 shot cylinder; 4 3/4" (120m/m) barrel with bright bore & crisp rifling, needs a clean but appears exc.; black finish to alloy frame, glossy blued finish to barrel & bright gold finish to small parts, straps; finishes present well, some minor storage marks overall; **ALAMO MODEL** marked to lhs. barrel, single-line **HARTFORD** address to top of barrel & model marked to rhs. barrel; cylinder indexing is crisp, strong springs & sears; faux ivory grips with large gold star to lhs. & gold **COLT** medallions inset to top of both; grips a bit dirty but in vg. overall cond.; overall in exc. wo & vg. cond. **#1800A22** Post 46' L/R **500 - 700**

817. **SMITH & WESSON MOD. 60 D.A. REVOLVER:** .38 Spl. cal.; 5 shot fluted cylinder; 48m/m barrel with dirty bore, appears vg.+ with sharp rifling; polished stainless finish to metalwork bearing some handling marks & surface marring; some surface oxidation where backstrap meets grips; makers name & calibre marked to barrel, four-line address to rhs. of frame; mechanically exc., strong sears & springs; chequered grips in f. cond., some handling scuffs & minor chips; overall in exc. wo & f. to g. cond. **#621944** Post 46' L/R **300 - 500**

818. **COLT POCKET POSITIVE D.A. REVOLVER:** .32 Colt cal.; 6 shot fluted cylinder; 2 1/2" (62m/m) barrel with g. bore, sharply defined rifling with some pin prick pits in grooves towards muzzle; original blued finish to metalwork, strong in protected areas & developing a dark plum patina to remainder; **P/OCKET** over **P/OSITIVE., 32 POLICE CTG.** to lhs. of barrel, fine but defined two-line **HARTFORD** address to top; lhs. of frame marked with rampant horse trademark; markings & profiles are well-defined; cylinder indexing correctly, crisp hammer sear; vgc. hard rubber grips, sharply defined chequering & **COLT** trademark to both grips, some light handling marks & wear to edges of butt; overall in exc. wo & g. cond. **#113040** Pre 47' L/R **400 - 600**

819. **SCARCE & UNUSUAL KYNOCH- SCHLUND PAT. D.A. BREAK-OPEN REVOLVER:** .380 cal.; 6 shot fluted cylinder; 4" (103m/m) barrel with g. bore, some minor oxidation speckled throughout but rifling remains sharply defined; patchy brown patina to majority of metalwork with some original blued finish remaining in protected areas; top of integral barrel rib marked with **KYNOCH GUN FACTORY ASTON**, top strap marked **PATENT MODEL**; lhs. of frame marked **CAL 380**; Birmingham proofs to chambers, barrel & strap; mechanically complete, cylinder indexing correctly; the action works in d.a. only, the secondary trigger spring at fault; opening latch to back of frame, action locks up tight, intermittently extracting; trigger guard slightly misshapen; blade front sight, grooved top strap & frame rear sight; single piece walnut grip in g. to vg. cond., well-defined chequering & some minor handling marks; rhs. of grip stamped with a period **6101** over **VC** mark; overall in g. wo & cond. **#592** Pre 1900 L/R ***An interesting mix of patents & features, would grade up with some minor work.*** **1000 - 1500**

820. **GLOCK MOD. 17 S/A PISTOL WITH CONVERSION ASSEMBLY:** 9×19m/m Luger cal.; 10 rnd. mag.; 150m/m barrel with dirty bore, appears bright, rifling is sharply defined; matte blacked finish to metalwork with sticky tape reside all over; **GLOCK** trademark**, 34 AUSTRIA** & **9x19** marked to lhs. slide; slide retracts freely strong springs & sears; black polymer frame in g. overall cond., some general handling marks; comes with additional slide marked **GLOCK** trademark**, 22 AUSTRIA** & **.40**; overall in exc. wo & g. cond. **#BK405** Post 46' L/R ***Both slides need a good clean up.*** **400 - 600**

821. **I.A.C. MOD. 87 LEVER ACTION SHOTGUN:** 12G, 2 3/4" chambered; 5 rnd. tube mag.; 20" barrel, cyl. choked; bright bore, exc. cond.; strong blued finish to metalwork, presents exc. with only a few storage marks overall; top of barrel marked with **12GA 20" 2 3/4"/ MODEL 87**; action cycles v. smoothly, strong springs & sears; woodwork in exc. cond., a few minor storage marks to semi-pistol grip stock, fore-end fitted to front of mag, can be easily brought back to std.; black plastic buttplate; overall in exc. wo & cond. **#0607392** Cat B L/R **600 - 800**

822. **W. RICHARDS S x S HAMMER SHOTGUN:** 12G, 2 1/2" chambered; 30" damascus barrels choked approx. 1/2 & 1/2; f. bores, shiny overall with light pitting; brown patina to barrels with strong pattern definition; **W. RICHARDS. 27 OLD HALL ST. LIVERPOOL.** engraved to top rib; bar action locks with light coverage of scroll engraving & makers name; Birmingham proofs to barrels; action a little loose, strong locks with matching hammers; beautifully figured walnut straight stock with defined chequering to wrist, some light handling marks overall; fore-end in p. cond. with slithers missing to both sides; overall in g. wo & f. cond. **#7778** L/R **100 - 300**

823. **SNIDER-ENFIELD MK. II CAVALRY CARBINE by I. HOLLIS & SONS:** .577 Snider cal.;18 1/2" barrel with well-defined rifling, a little dull, frosting to light pitting throughout; even grey patina to majority of metalwork incl. iron furniture, some frosting but presents well; ***I. HOLLIS & SONS LONDON*** engraved to top of barrel, makers name engraved again to centre lockplate & trademark to tail; strong lock springs & sears, std. sights; retains leather sight cover, snap cap on chain, saddle ring bar with ring to lhs; walnut half stock in g. overall cond., a few small aged partial cracks to surface around butt but bearing only light handling marks, chequering to wrist remains well-defined; overall in g. wo & g.+ cond. **N/L** **800 - 1100**

824. **J.B. RONGE MOD. 'TRIUMPH' S x S B.L.N.E SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels, choked approx. full & extra full; bores need a clean but in vgc.; original blued finish to barrels thinning in areas, action with traces of case colours; makers name & **LIEGE** to top of rh barrel, **TRIUMPH** to top rib & **TESTED FOR NITRO POWDERS** stamped to lh barrel; action locks up with some movement; g. to vg. cond., walnut stock & splinter fore-end; chequering to bag style grip & fore-end are defined; some general handling marks & graze to comb; 14 3/8" LOP; overall in g. wo & g.+ cond. **#131598** L/R ***Has been well looked after.*** **300 - 500**

825. **STEYR-DAIMLER-PUCH MANNLICHER MOD. M CENTREFIRE RIFLE:** 7x64m/m cal.; 5 rnd. rotary polymer mag.; 20" barrel with g. bore & crisp rifling, needs a clean; strong blued finish to metalwork, presents well; **STEYR-DAIMLER-PUCH/ MANNLICHER MOD. M**; lhs. of barrel marked 7x64; spoon handle bolt cycles freely, strong springs & crisp sears to double set triggers; retains factory fixed sights, fitted with **REDFIELD TRACKER 3-9** scope on **QD** mounts, dusty optics; walnut full stock presents well, cheek piece, sharply defined skip line chequering to forewood & semi-pistol grip; some light handling marks overall but g. to vg. cond.; factory ventilated rubber recoil pad; fitted with leather sling; overall in exc. wo & vg. cond. **#47898** L/R **2000 - 2500**

826. **HARRINGTON & RICHARDSON B/O MOD. ULTRA RIFLE:** .204 Ruger cal.; 24" heavy, fluted barrel with vg. bore & sharply defined rifling; strong blued finish to metalwork, a few minor storage marks; makers name & **GARDNER** address to lhs. frame, **ULTRA RIFLE**/ **CAL. 204 RUGER** to lhs. barrel; action locks up tight & on face, strong lock; fitted with dovetail mount to top of breech; black polymer pistol grip skeleton stock, some handling marks; overall in exc. wo & vg. cond. **#HY224160** L/R **400 - 500**

827. **F.N. BROWNING MOD. SA 22 S/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 19" barrel with vg. bright bore & sharply defined rifling; blued finish to metalwork has thinned to a plum patina on action & grey mottled patina on barrel; F.N. full name & address/ **BROWNING'S PATENT** to top of barrel; bolt cycles freely, strong springs & sears; std. sights with chip to front blade; woodwork in f. cond. overall, crack running down centre of grip top & bottom, otherwise bearing general wear & handling marks; overall in vg. wo & f. to g. cond. **#148065** Cat C L/R **300 - 500**

828. **BELGIAN LOUIS DE BRUS & Co S x S CAPE GUN:** .410 cal., 2 1/2" chambered; 28" barrels with exc. bright bores, lh barrel rifling is sharply defined; gloss blued finish to barrels is exc., action with faint case colours; makers name & **BELGIUM** address to top rib along with **-NITRO PROOF-**; action locks up tight & on face, strong locks & double triggers; fixed v-notch rear sight dovetailed to rib & interesting brass cone front sight with hole drilled in centre for rifle use; folding action with release to lhs; walnut fore-end & stock in vgc., some minor handling marks; chequering to grip & fore-end is sharply defined; overall in exc. wo & vg.+ cond. **#494** L/R ***Interesting little guns like these are so rarely found in usable condition.*** **700 - 900**

829. **WINCHESTER MOD. 1892 L/A RIFLE:** .25 WCF (.25-20 Win.) cal.; full length tube mag.; 24" octagonal barrel with vg. bright bore & sharply defined rifling, some fine pitting; strong reblued finish to metalwork, presents well, thinning slightly on lever; **-MODEL- 92- WINCHESTER- 25-20 W.C.F.-** over **TRADEMARK** to lhs. of barrel, **ADDRESS** & patents to rhs; action cycles v. smoothly, flat top rear sight, blade front; woodwork has been refinished, retains vg. metal-to-wood fit & gloss finish presents v. well, some minor handling marks; crescent steel buttplate; overall in exc. wo & vg. cond. **#957088** L/R **600 - 800**

830. **WINCHESTER MOD. 1892 L/A RIFLE: :** .32 WCF (.32-20 Win.) cal.; full length tube mag.; 24" round barrel with g.+ bright bore & sharply defined rifling, some light pits; reblued finish to metalwork, presents well, thinning to a mottled grey patina on barrel & action; sharply defined two-line **WINCHESTER**, **NEW HAVEN** address to lhs. barrel, **32 W.C.F** to lhs. at breech; action cycles smoothly, strong springs & sears; flat top rear sights & backwards mounted blade front are dovetailed to barrel; original walnut stock & fore-end present exc., bearing only light storage marks overall; crescent steel buttplate; overall in exc. wo & vg. cond. **#915751** L/R **600 - 800**

831. **J.G. ANSCHUTZ MOD. 1416 B/A RIFLE:** .22 LR cal.; 5 rnd. mag.; 20" barrel with exc. bore & crisp rifling; strong blued finish to metalwork, some oxidation speckling; makers name & address etc. to lhs. action; missing bolt; double set triggers, std. factory sights; fitted with **4x40 BENTLEY** scope; two-piece walnut full stock with cheek piece & horn forewood cap; woodwork in sound cond. but bearing plenty of surface handling marks; overall in g.+ cond. **#565572** L/R **100 - 200**

832. **WINCHESTER MOD. 94 COMANCHE COMMEMORATIVE RIFLE:** 30-30 Win. cal.; 6 rnd. full-length tube mag.; 20" barrel with exc. bore & sharply defined rifling; strong blued finish to barrel & mag; bright gold finish to action presents well but does has tiny little 'freckling' overall; ***WINCHESTER*** two-line address, model & cal. marking to lhs. barrel; action with bison motif to lhs. & Comanche to rhs; mechanically exc., looks to have only been test fired, if at all; std. hooded front sight, vacant rear sight dovetail; walnut stock with Comanche medallion inlaid to rhs, trio of studs to either side of fore-end; woodwork in exc. cond.; curved steel buttplate with some patchy surface staining; overall in exc. wo & vg.+ cond. **#CC1681** L/R **500 - 700**

833. **WINCHESTER MOD. 1892 SPORTING RIFLE:** .44 Magnum cal.; 3/4 length tube mag.; 26" replacement octagonal barrel with dusty bore, rifling is sharply defined & appears to be vg.+; strong reblued finish to metalwork, some storage marks & older fine pitting on action still present; **44 MAG** marked to lhs. barrel; action cycles freely strong springs & sears; blade front sight & **STAN**(?) marked side mounted peep sight; walnut restock presents well, a few minor handling marks overall; crescent steel buttplate; overall in exc. wo & vg. cond. **#758547** L/R **300 - 500**

834. **B.S.A MARTINI S/S RIMFIRE TARGET RIFLE:** .22 LR cal.; 29" heavy barrel with bright bore & sharply defined rifling, some light oxidation towards muzzle but g. to vg. overall; strong blued finish to metalwork, some minor oxidation speckling on barrel; BSA full name/ **England**/ **Cartridge 220 Long Rifle** marked to top of barrel; faint BSA piled arms trademark to lhs. action; action functioning well, crisp trigger; fully adjustable front **PARKER HALE** peep sight & glove front sight; walnut stock with cheek piece & long fore-end in g. sound cond., some surface residue & general handling marks; overall in exc. wo & g. cond. **#P73101** L/R **400 - 600**

835. **NORINCO MOD. JW-15A B/A RIMFIRE RIFLE:** .22 LR cal.; missing mag.; 24" barrel with bright bore & sharply defined rifling, needs a clean; strong blued finish to metalwork, presents well; model marked to lhs. barrel; bolt cycles freely, crisp trigger; fitted with **NYKRON 4X32** scope on two-piece mounts; hardwood stock in vgc., a few marks to high gloss finish; overall in exc. wo & vgc. **#9457010** L/R **150 - 300**

836. **I. HOLLIS & SONS B.L.E S x S SHOTGUN:** 12G, 2 3/4" chambered; 30" barrels choked approx. 3/8 & 3/4; g. to. vg. bright bores with some light pitting; strong reblued finish to barrels & small parts, action with some traces of case colours; ***I. HOLLIS & SONS. LONDON.*** engraved to section of file cut top rib; Birmingham **1 1/4 NITRO PROOF** marks to barrel flats; action locks up with some movement, ejectors time reasonably well; original walnut stock in g. cond., chequering to bag style grip is defined; 14" LOP incl. 1" ventilated recoil pad; replacement walnut fore-end with crack to bottom, p. metal to wood fit; overall in g. wo & cond. **#48652** L/R ***Would grade up with minor work.*** **600 - 800**

837. **P. BERETTA MOD. S56E O/U SHOTGUN:** 12G, 2 3/4" chambered; 26 1/2" barrels with ventilated top rib; choked approx. 1/4 & 1/2; vg. bright bores; strong blued finish to barrels, silver coin finish & scroll pattern to action; **P. BERETTA GARDONE** marked to barrels, marked again to sides of action & underside; action locks up tight, strong well-timed ejectors, single trigger; breech retaining much of its original jewelling; woodwork in vg. cond., sharply defined chequering, some light handling marks overall & some finish lifting at heel of butt; 14" LOP incl. maker marked buttplate; overall in exc. wo & vg. cond. **#B64818B** L/R ***A nice honest gun ready for the field or clays*** **600 - 800**

838. **CHARTER ARMS AR-7 EXPLORER S/A SURVIVAL GUN:** .22 LR cal.; 10 rnd. mag.; 16" barrel, bore dirty but appears vg. with sharply defined rifling; matte black coating to alloy receiver & steel barrel presents ordinary, flaking on action, some handling marks; **CHARTER ARMS** trademark roundel/ model/ address to rhs. frame; bolt cycles freely, strong trigger sear; black plastic stock bearing a few handling marks; overall in vg. wo & f. to g. cond. **#A294131** Cat C L/R **200 - 400**

839. **WINCHESTER MOD. 94 XTR BIG BORE L/A RIFLE:** .375 Win. cal.; 5 rnd. tube mag.; 20" barrel with exc. bore, crisp rifling; glossy blued finish to metalwork is strong and presents well, some patchy blemishes on mag. tube & lever; two-line ***WINCHESTER***, address, model, cal. etc. marked to lhs. of barrel; action cycles smoothly, strong sears & springs, screw heads exc.; std. rear sights & hooded front; woodwork in vgc+. overall, some scattered minor handling marks, sharply defined chequering to wrist & fore-end; factory fitted rubber recoil pad; overall in exc. wo & vg. cond. **#BB037811** L/R **600 - 800**

840. **ENFIELD No. 4 MK. I B/A SERVICE RIFLE & BAYONET:** .303 cal.; 10 rnd. mag.; 25" barrel with f. bore, defined rifling but dark & with light pitting; black military re-finish to metalwork presents OK; lhs. action marked **No.4.MK I**; **N14933** marked to lhs. body socket; non-matching bolt cycles freely, strong springs & sears; std. peep sights; woodwork in g. sound cond., some light handling marks & staining; brass buttplate with trap; comes with vg. spike bayonet & scabbard; overall in g. wo & cond. **#N14933** L/R **500 - 700**

841. **C.H. GILKS of LONDON BRITISH VOLUNTEER SHORT RIFLE & BAYONET:** .577 Cal; 33" barrel with vg.+ bright bore & crisp three-groove rifling; barrel has been cleaned previously but still bearing moderate pits which pepper majority & a dark patina overall; dull finish to brass furniture; Govt. & commercial proofs to lhs. breech; border engraved lock engraved ***C.H GILKS*/ *TOWER HILL*/ *LONDON***; strong lock springs & crisp sears; complete with original swivels, steel ramrod & snap cap on brass chain; 1-11 graduated rear sight; walnut stock in g. to vg. cond., scattered handling marks & bruising, but retains vg. metal-to-wood fit, presents well; fitted with correct type Enfield factory made socket bayonet in early type 1 scabbard; overall in exc. wo & g. to vg. cond. **N/L** C1860 **1400 - 1800**

842. **N.Z. MARKED W.H. TISDALL SNIDER-ENFIELD MK. III CAVALRY CARBINE: .**577 Snider cal.; 19" barrel with bright bore & crisp five groove rifling, some fine pitting but vg. overall; mottled plum-brown patina to metalwork; mellow finish to brass furniture; lock marked **crown/ 1872** to tail, ***W.H. TISDALL*/ 47 *WHITTALL ST. BIRMINGHAM.***; top of swivel breech marked with Snider trademark; breech locks up sound, strong locks springs & sears; 4 – 6 graduated rear sights, retains snap cap on brass chain; saddle ring on bar to lhs. forestock; brass lower tang stamped **NZ 80**; woodwork in g., sound cond., bearing some light handling marks & bruising; overall in vg. wo & g.+ cond. **N/L** **1400 - 1800**

843. **ITALIAN /B HAWKIN PERCUSSION RIFLE:** 45 cal.; 29 1/2" octagonal barrel with g. bore, bright with sharp rifling, muzzle end section dirty; mottled oxidation staining to barrel, vivid case colours to lockplate; strong lock spring & sears; half stock woodwork in g. sound cond., cheekpiece to lhs; crescent brass buttplate & patch box inletted to rhs. of stock; overall in exc. wo & f. cond. **#1327** L/R **200 - 400**

844. **EAST INDIA COMPANY JAIPUR ARSENAL FLINTLOCK MUSKET:** .77 cal.; p. to f. bore, moderate to heavy pits peppered throughout; mottled dark patina & patchy surface staining to majority of metalwork, dull finish to brass furniture; lhs. breech marked with London **V** & **P** proofs, EICo bale mark stamp & **JPR/EXR/141** is stamped to top of barrel; double borderline engraved lock with **1810** & EICo Rampant Lion stamps; strong lock spring & solid sears; ring-neck cock, bun-nut screw head; fixed front & rear sights, complete with sling swivels & steel ramrod; f. to g. cond. walnut full stock with moderate bruises & scuffs overall, partial aged cracks to butt toe & forewood ahead of lock; butt rhs. with Indian roundel stamp; overall in g. wo & f. to g. cond. **N/L** **1400 - 1800**

845. **WINCHESTER MOD. 1892 RIFLE:** 32 WCF (32-20 WIN); full length tube magazine; 23 3/4" barrel, shortened; bore in in g. cond., strong rifling & bright, some fine pitting; mottled plum patina to metalwork, light to moderate pitting to action; well-defined **WINCHESTER** two-line **NEW HAVEN** address & **32 W.C.F.** marked to lh flat of barrel; Winchester markings to top tang are worn as is serial no. to underside of action; mechanically good, action cycles freely, could use an oil; magazine ring is loose on factory dovetail & magazine tube is loose in housing; std. semi buckhorn rear sight, crude replacement front sight dovetailed to barrel; fore-end cap missing screw; woodwork presents OK, filled crack repair to fore-end, stock has been refinished, metal sitting well proud of woodwork; crescent steel buttplate; overall in g. wo & f. to g. cond. **#776369** L/R **300 - 500**

846. **SAVAGE MOD. 212 B/A RIFLED SHOTGUN:** 12G, 3" chambered; 2 rnd. polymer mag.; 22 1/2" barrel with dirty bore, appears bright with sharply defined rifling, vg. overall; matte blacked finish to metalwork; lhs. barrel marked with address, **SAVAGE MODEL 212**; bolt cycles freely, strong springs & sears; fitted with **ORYX 3-9 x 32** scope on two-piece mounts, clear optics; black polymer stock with foam rubber recoil pad; stock bearing a few minor handling marks; overall in exc. wo & near exc. cond. **#H425768** L/R **500 - 700**

847. **WWII ERA B.S.A. No. 5 MK I JUNGLE CARBINE:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; vg.+ bore, bright with sharply defined rifling, some superficial frosting on lands; military black painted finish to metalwork, patchy in areas & bearing some surface marks, 80% remaining; lhs. of action marked with defined **No5 MKI**; lhs. body socket marked with **M47/C** / **1945**/ **ENGLAND**/ serial no. **BG1468** which is again marked to bolt; **BNP** proofs to top of barrel ahead of handguard; std. peep sights with 2 – 8 graduations & knurled sight slide to ladder; matching bolt cycles freely, strong sears; woodwork in vg. cond. overall, a few minor handling marks but presents extremely well; underside of butt has a small hole drilled; standard cupped buttplate with rubber centre; fitted with period canvas sling; overall in exc. wo & g. to vg. cond. **#BG1468** L/R **1200 - 1500**

848. **WINCHESTER MOD. 1892 L/A RIFLE:** 32W.C.F (.32-20 Win.) cal.; half-length tube mag.; 24" octagonal barrel has been relined; bore exc. cond., rifling sharp; dark patina to barrel, silver steel finish to action & small parts with some staining; metalwork with some peening; defined **WINCHESTER** markings to barrel; action cycles well, strong sears & springs; flat top rear sight & pinched blade front sight dovetailed to barrel; woodwork in g. cond., some handling marks overall, refinished & metal now sitting slightly proud of woodwork; crescent steel buttplate; overall in exc. wo & g. cond. **#383530** L/R **300 - 500**

849. **MAROCCHI U/O FIELD SHOTGUN:** 12G, 2 3/4" chambered; 27 1/2" barrels with ventilated top rib, choked approx. full & full; bright bores; thinning blued finish to barrels with some surface oxidation patches, silver coin finish to action; action locks up with some minor movement w/o fore-end, top lever needs to be held across to close gun; non-ejector, sling swivels & double triggers; woodwork in sound cond., some handling marks & dings to high gloss finish; 14 3/8" LOP incl. original buttplate; overall in f. to g. cond. **#0886** L/R **100 - 200**

850. **SPANDAU MFG. GEW 1888 B/A COMMISSION RIFLE:** 7.92×57m/m cal.; 5 rnd. integral mag.; 30" barrel with bright bore, worn rifling & fine pitting throughout; dark brown patina to majority of metalwork, some light handling marks; top of breech marked with crown/ **SPANDAU**/ **1890**, lhs. of action marked **3954** & **Gew 88**; lhs. front barrel band marked with **18. R. 1.142.**; non-matching bolt cycles smoothly, strong springs & sears; Turkish markings to sight graduations; retains steel cleaning rod; woodwork in g. sound cond., has been cleaned back but still bearing some original staining; steel buttplate; fitted with original leather sling; overall in exc. wo. & g. cond. **#3954** L/R **500 - 700**

851. **I. HOLLIS & SONS MARTINI ROOK RIFLE:** .442 CF cal.; 25 1/2" round barrel with f. bore, some fine pitting throughout & bands of heavier pits half way, rifling remains sharply defined; smoky grey patina to majority of metalwork, thinning on action; **I. HOLLIS & SONS** engraved to top of barrel, serial no. & **WT** marked to underside of frame; action functions, weak main spring; one missing screw to lhs. action & bad replacement to rhs; walnut stock & fore-end in g. overall cond., head of stock with some losses to top & slightly loose in socket; some general handling marks elsewhere, chequering to grip & forewood is defined; horn forewood cap vg., grip cap horn is distressed; steel buttplate; overall in f. to g. cond. #14899 **N/L** ***Would grade up significantly with some minor work.*** **400 - 600**

852. **WWII ERA FAZAKERLEY No. 5 MK I JUNGLE CARBINE:** .303 cal.; 10 rnd. mag.; 20 1/2" barrel incl. flash hider; f.+ bore, defined rifling, some pitting; worn military black painted finish to metalwork, now a mottled grey patina on barrel & other parts; lhs. of action marked with defined **No5 MKI ROF (F) 2/44**; lhs. body socket marked with serial no. **FE96** which is again marked to bolt; std. peep sights with 2 – 8 graduations & knurled sight slide to ladder; matching bolt cycles freely, strong sears; woodwork in g. cond. overall, a few handling marks & losses to varnish finish but no heavy bruising or cracks; standard cupped buttplate with rubber centre; overall in exc. wo & g. to vg. cond. **#FE96** L/R ***A very early example from the Fazakerley factory. In nice representative condition.*** **1200 - 1500**

853. **EUROARMS PERCUSSION PAT. 1861 ARTILLERY CARBINE:** .58 cal.; 24" round barrel with bright bore & sharply defined rifling, dusty but appears vg. overall; strong blued finish to barrel & bands, vivid case colours to lockplate & dull finish to brass furniture; some light oxidation speckled staining; makers name marked to top of barrel; lockplate marked **LONDON ARMOURY Co.**; strong lock springs & sears; std. style sights; hardwood stock in vg. overall cond., some minor handling marks overall but presents well; brass buttplate; overall in exc. wo & vg. cond. **#3509** L/R **400 - 600**

854. **LITHGOW MOD. 12 B/A RIMFIRE RIFLE:** .22 LR cal.; 10 rnd. mag.; 25" barrel with bright bore & sharp rifling, vg. overall; even thinning blued finish to metalwork; makers name, address etc. marked to barrel; mechanically exc., bolt cycles well, strong sears, original sights; top of action drilled & tapped; woodwork in f. overall cond., patchy finish & what appears to be repaired cracks to forestock, no movement; original buttplate; fitted with leather sling overall in exc. wo & f. cond. **#10095** L/R **50 - 100**

855. **REMINGTON MOD. 600-MOHAWK B/A RIFLE:** .243 Win. cal.; 5 rnd. mag.; 18 3/4" barrel with bright bore & sharply defined rifling, some v. minor oxidation at muzzle but otherwise exc.; strong blued finish to metalwork, some trace amounts of storage marks; polymer trigger guard & floorplate; **ILION** address & makers name to barrel, model to lhs. action; bolt cycles freely, strong springs & sears; alloy dovetail to top of action; vg. cond. hardwood stock, only a few scattered handling marks; pressed chequering well-defined; overall in exc. wo & g. to vg. cond. **#A6363577** L/R ***A compact little scrub gun.*** **400 - 600**

856. **SKB ARMS Co. MOD. 600 U/O SHOTGUN:** 12G, 2 3/4" chambered; 28" barrels, choked cyl. & cyl. approx.; vg. bright bores, very slight ring bulge in bottom barrel; strong blued finish to barrels thinning slightly around muzzle; flaking silver finish to action with relief scroll pattern to most surfaces; makers name & **MADE IN JAPAN** to lhs. barrel; action locks up tight & on face, strong mechanical single trigger & ejectors; ventilated top rib; g. cond. walnut stock with semi-pistol grip; chequering to grip & fore-end is defined, some handling marks overall; 13 1/2" LOP incl. 3/4" rubber recoil pad, slightly perished; overall in g. cond. **#CM639273** LR **100 - 200**

857. **PARKER-HALE VOLUNTEER PERCUSSION RIFLE:** .451 cal.; 33" barrel with bright bore & sharply defined rifling, some superficial frosting but vg. overall; strong blued finish to barrel with some minor speckled staining, vivid case colours to lock; brass furniture with bright finish; **PARKER-HALE LTD. BIRMINGHAM ENGLAND** marked to top of barrel, **P-H** crown & **Parker-Hale** marked again to border engraved lock; strong hammer springs & sears; walnut full stock presents v. well, some minor handling marks overall but chequering to wrist & forestock is sharply defined; brass buttplate; retains steel cleaning rod; overall in exc. wo & vg.+ cond. **#428** L/R **700 - 900**

858. **J.P. SAUER & SON B.L.N.E S x S SMALL BORE SHOTGUN:** 16G, 2 1/2" chambered; 30" barrels choked approx. 1/2 & full; g. to vg. bright bores, some minor frosting & a couple pits peppering after forcing cones; strong reblued finish to barrels & even silvery patina to action; border engraved action with makers name to both sides, top rib marked **J.P. SAUER & SOHN, SUHL.**; action with greener style cross bolt, locks up with some movement; strong trigger sears, cocking indicators to sides of action, auto safety; nicely figured walnut stock with left-handed cheek piece (to rhs. stock); chequering to semi-pistol grip well-defined, smooth fore-end; 14 1/2" LOP incl. original horn buttplate; overall in vg. wo & g. cond. **#209258** L/R **500 - 700**

859. **SAKO MOD. AII B/A SPORTING RIFLE:** .243 Win. cal.; 5 rnd. mag.; 24" barrel with bright bore & sharply defined rifling, some scattered small patches of frosting towards muzzle, g. to vg. cond.; strong blued finish to barrel & action, presents exc.; **SAKO Cal. 243** marked to top of barrel, **MADE IN FINLAND** to lhs; model & serial no to lhs. of action; bolt cycles smoothly, trigger crisp; fitted with **HILVER** bridge mount; walnut stock with right-handed cheekpiece, factory buttplate; woodwork in g.+ overall, some handling marks & scuffs; chequering to grip & forewood well-defined; overall in exc. wo & g.+ cond. **#153489** L/R **700 - 1100**

860. **STH. AUST. MARKED B.S.A MARTINI CADET S/S RIFLE:** 310 cal.; 25 1/2" barrel with f. bore & well-defined rifling throughout, dirty but some pitting visible; original blued finish has turned to a mottled dark patina with streaky varnish on barrel, some oxidation scale; BSA full name over **TRADE MARKS**, **B.S.A.** piled arms trademark to lhs. of action, **COMMONWEALTH OF AUSTRALIA** to rhs. & Kangaroo trademark to top of breech; fitted with std. tangent sights & blade foresight; action locks up well & trigger crisp; woodwork in f. overall cond., has been refinished with some older chips to head of stock; faint **CMF** / **SA** marks to rhs. butt; original marks to rhs. butt still visible; overall in g. wo & f. cond. **#71518** L/R **200 - 300**

861. **WINCHESTER MOD. 1892 SADDLE RING CARBINE:** .32WCF (32-20 Win.) cal.; half-length tube mag.; 20" round barrel is stuffed, bent and twisted towards muzzle; grey patchy patina to majority of metalwork; action cycles smoothly, strong springs & sears, std. carbine sights missing screws; crude replacement screw to rhs. action; woodwork in g. overall cond., fore-end & butt bearing some handling marks & bruising; curved steel buttplate; overall in f. cond. **#908913** L/R ***Suit parts.*** **50 - 100**

862. **WINCHESTER MOD. 94 XTR BIG BORE L/A RIFLE:** .38-55 Win. cal.; 6 rnd. tube mag.; 20" non-original barrel with vg. bright bore, sharply defined rifling; glossy blued finish to metalwork presents decent, some patchy blemishes; no address marked to barrel, small **PW** Winchester proof to top of barrel at breech; action cycles smoothly, strong sears & springs; std. V-notch rear sights & front (less hood); woodwork in g. cond. overall, some scattered minor handling marks, sharply defined chequering to wrist & fore-end; factory fitted rubber recoil pad; overall in exc. wo & g. cond. **#BB047247** L/R **300 - 500**

863. **COMMERCIAL F.N. MAUSER B/A SPORTING RIFLE:** .270 Win. cal.; 5 rnd. integral mag.; 24" barrel with vg. shiny bore, well-defined rifling; strong glossy blued finish to metalwork overall, thinning to a plum patina on mag. floorplate, some storage marks; lhs. of action marked **FAB NAT D'ARMES DE GUERRE HERSTAL – BELGIQUE**; lhs. of barrel marked with **CHROME VANADIUM STEEL**, **MADE IN BELGIUM** to rhs; Belgian proofs marked to lhs. of breech & barrel, serial no. marked to bolt, rhs. of breech & barrel; mechanically exc., bolt cycles smoothly, crisp trigger; action has been drilled & tapped to suit ***Ausinel*** two-piece mounts; original walnut stock in g. cond., some light handling marks & bruising but presents well; cheekpiece, chequering to semi-pistol grip & forewood is well-defined; ventilated rubber recoil pad; overall in exc. wo & g.+ cond. **#B2652** L/R **600 - 800**

864. **J.G. ANSCHUTZ MOD. GERMANIA S/S RIMFIRE RIFLE:** .22 LR cal.; 26" barrel with fine bore, crisp rifling; what appears to be the original blued finish presents v. well, strong overall with only minor storage marks; **JGA** trademark to top of breech, ***„Germania"*** marked to top of action; barrel marked with address & maker full name; bolt cycles freely, strong springs & sears; std. tangent 25 – 200 yd graduated rear sights, blade front; woodwork in g. original cond., sharp profiles & chequering to bag style grip, some handling scuffs & marks; original black grooved buttplate; overall in exc. wo & g. cond. **#3124** L/R ***A quality German rifle that has seen little use.*** **300 - 500**

865. **SQUIBMAN MOD. 11S B/A RIMFIRE RIFLE:** .22 LR cal.; 5 rnd. mag.; 24" barrel with dirty bore, rifling appears sharply defined; blued finish to metalwork showing little wear but speckled with oxidation; makers name & **PHILIPPINES** address marked to rhs. barrel; bolt cycles freely, crisp trigger; std. sights, sling swivels; hardwood stock in sound cond., several handling marks & scuffs to surface; overall in vg. wo & f. cond. **#125907** L/R **200 - 300**

866. **SPORTERIZED EDDYSTONE M.17 B/A RIFLE:** .300 H.&H. magnum cal.; 5 rnd. integral mag.; 26 1/2" stepped replacement barrel with bright bore & sharply defined rifling, needs a clean but appears vg.; thinning blued finish to metalwork, barrel speckled with patches of oxidation; lhs. barrel marked ***300 H-H MAGNUM***; bolt cycles freely, strong springs & sears; knurled bolt handle; two-piece dovetail mounts to top of action; replacement stock in g. overall cond., grafted comb presents a but ordinary but in g. sound cond.; overall in exc. wo & g. cond. **#358893** L/R **400 - 600**

867. **VICTORIAN MARKED B.S.A. MARTINI CADET S/S RIFLE:** .310 cal.; 25 1/4" barrel with g. to vg. bright bore with well-defined rifling throughout, some fine patches of pitting; blued finish to metalwork, some speckled dried grease in areas, would clean up; top of barrel & lhs. of action marked with BSA full name, piled arms motif/ **B.S.A.** to lhs. action; **COMMONWEALTH OF AUSTRALIA** / **VIC** to rhs. & Kangaroo trademark to top of breech; action functioning well, strong sears & springs; std. tangent sights graduated 100yd – 6; blade foresight; woodwork has been refinished, in g.+ sound cond., some light handling marks & staining; steel buttplate; overall in vg. wo & g. cond. **#12532** L/R **200 - 400**

868. **CHINESE JIANSHE ARSENAL MOD. SKS SEMI-AUTO RIFLE:** 7.62×39m/m cal.; 30 rnd. mag.; 20 1/2" barrel with vg. bright bore & sharply defined riffling; strong original blued finish to metalwork, even grey finish to bolt; lhs. receiver marked with makers trademark, Cantonese markings, model & calibre; matching no. bolt cycles freely, strong springs & sears; std. 1-10 graduated tangent sight & globe style front; retains folding bayonet & cleaning rod; hardwood stock & handguard in vg. cond., a few minor bruises but otherwise in unissued cond.; fitted with green canvas sling; overall in exc. wo & vg. cond. #**2306625** Cat D L/R **600 - 800**

869. **G.R.I. ISHAPORE NO.1 MK. III* B/A SPORTING RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with f. to g. bore, sharply defined rifling peppered with fine pitting throughout, a bit dull; strong blued finish to metalwork, a satin appearance overall, some scattered small patches of pit peppering; rhs. body socket marked with crown/ **G.R.I** / **1944** & model; matching barrel marked with British nitro proofs; matching bolt cycles freely, strong springs & sears; std. 2-20 graduated tangent sights; sporting woodwork, walnut semi-pistol grip stock with right-handed cheek piece, fore-end with black cap; woodwork in vgc., only light handling marks, chequering to grip & forewood remain sharply defined; overall in vg. wo & g.+ cond. **#61311** L/R ***A good, solid scrub gun. Plenty of life left in it.*** **300 - 500**

870. **SPARKBROOK LEE-ENFIELD MK. I B/A RANGE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" replacement barrel with exc. bright bore & crisp rifling; blued finish to action has developed a dark patina, some oxidation staining, barrel with strong parkerized finish; rhs. body socket marked with Crown/ **V.R.** / **SPARKBROOK** / **1897** / **LE** / **I**; matching bolt cycles freely, strong springs & sears; fitted with **PARKER-HALE 5A** model side mounted, fully adjustable peep sight; woodwork in g. sound cond., forestock has been shortened, butt in g. to vg. cond. with nicely figured walnut bearing only minor handling marks; brass buttplate with trap; overall in exc. wo & g.+ cond. **#26590** L/R **400 - 600**

871. **BRITISH SINGLE BARREL PERCUSSION WALL HANGER:** 17 bore; 32" barrel with octagonal breech; p. bore; thick plum patina & oxidation scale to majority of metalwork; ***LONDON*** engraved to top of barrel, Birmingham proofs to underside; lock functions roughly, replacement hammer & ramrod; p. cond. half stock with cracks & loses to forestock; steel buttplate; overall in p. cond. **N/L** **100 - 200**

872. **LITHGOW S.M.L.E MK. III* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 25 1/4" barrel with exc. bright bore & crisp rifling; original military grey phosphate finish to metalwork is v. strong, light wear on profiles; rhs. body socket marked with **MA**/ **LITHGOW**/ **S.M.L.E**/ **III***/ **1944**; matching bolt cycles freely, strong sears & springs; std. 2-20 sights; forestock & handguard has been shortened/ sporterized, some light bruising & scattered handling marks to woodwork overall; rhs. stock marked with standard **M.A./ LITHGOW/ SMLE III* HV /1942** markings; brass buttplate with trap; overall in exc. wo & g.+ cond. **#F4592** L/R ***Let down by the shortened forestock but would make a brilliant shooter or restore it with some original woodwork*** **300 - 500**

873. **STEYR MANNLICHER MOD. M FULL STOCKED SPORTING RIFLE:** .30-06 Sprg. cal.; 5 rnd. polymer rotary mag.; 20” hammer forged barrel with dirty bore, appears bright with sharply defined but considered g. until properly cleaned; strong glossy blued finish to metalwork, some minor storage marks overall, defined hammer forged twist pattern to barrel; **STEYR-MANNLICHER-M** marked to lhs. action, proofs & serial no. to rhs. breech & barrel; bolt cycles freely, strong springs & crisp sears to double set triggers; retains original fixed sights & fitted with period **KKAHLES WIEN HELIA-Super** scope on Q.D. mounts; clear optics with fine crosshairs; walnut full stock with cheekpiece to lhs, skip-line chequering to grip & forewood is sharply defined; woodwork in vg. to exc. cond. overall; original ventilated rubber recoil pad; overall in exc. wo & vg. to exc. cond. **#149496** L/R **1400 - 1600**

874. **DANZIG MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29” barrel with g.+ bore, rifling is well-defined & appears bright, some leading & powder residue to clean out; silver-grey patina to majority of metalwork, some darker areas & frosting patches; top of breech marked with **S**/**479** stamp & crown/ **DANZIG**/ **1895**; **Gew** (milled action) marked to lhs. action; Turkish crescent moon marked to bolt & Eastern-Arabic sight graduations; German unit marks to barrel band has been struck; bolt cycles smoothly, strong springs & sears; retains steel cleaning rod; walnut stock presents well, some handling marks & bruises overall, f. to g. cond.; overall in vg. wo & f. to g. cond. **#2878** L/R **400 - 600**

875. **IMPRESSIVE WALSH LOVETT & Co. S x S HAMMER DOUBLE RIFLE:** 16 bore, 2 1/2" chamber; 28” twist damascus barrels with vg. bright bore & sharply defined rifling, some minor frosting; dark plum patina to barrels with defined damascus pattern; patchy reblued finish to action & locks; **WALSH. LOVETT. &. Co. LONDON** inlaid in gold to top of barrel, & again to locks within banner, less address; Birmingham proofs to barrels; extensive border & light scroll gold inlay to action & locks, double gold bands to breech, extending onto small parts incl. top lever, hammers etc.; action locks up tight, strong lock springs & sears; v. wide rib dovetailed with express sights, fixed **50** yd & folding **100**, **200**, **300**, each with platinum inlaid sighting lines, tapered blade front sight; additionally, comes with the original sliding ladder sight which fits on to the wide rib, rib is inlaid with an incredible sixteen gold bands & numbers with inlaid **1-16**; walnut stock & splinter fore-end present well, some light handling marks & bruising but presents well; cheekpiece to lhs. stock; chequering to fore-end & bag style grip is well-defined; vacant shield silver escutcheon to underside of stock along with sling stud, another to underside of barrel; fitted with rubber recoil pad; overall in exc. wo & g. to vg. cond. **#4209** L/R ***An interesting piece, undoubtedly retailed by or made for the Walsh Lovett & Company after their Calcutta branch opened in 1874.*** **3000 - 3500**

876. **DANZIG ARSENAL GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29” barrel with g. bore, relatively bright with well-defined rifling, some light pitting; original blued finish to metalwork has thinned to a grey-soft brown patina overall, barrel is frosted externally but rifle presents well; top of breech marked with well-defined crown/ **DANZIG**/ **1891**, trio of proofs to rhs. & serial no. marked to lhs. breech & barrel marked **345**/ **X**; **Gew. 88** marked to lhs. action; Turkish crescent moon marked to bolt & Eastern-Arabic numeral graduations to ladder sight; German unit marks to barrel bands; bolt cycles smoothly, strong springs & sears retains steel cleaning rod; woodwork in g., sound cond., a little grubby, would grade up; bearing some handling marks & light bruising; overall in vg. wo & g.+ cond. **#4941** L/R **500 - 700**

877. **FINE D.W.M MFG. ARGENTINE MAUSER MOD. 1909 B/A RIFLE:** 7.65×53m/m Mauser cal.; 5 rnd. integral mag.; 30” barrel with exc. bright bore & sharply defined rifling; strong glossy blued finish to barrel & certain small parts, bright polished finish to action & bolt; some minor handling marks but presents v. well; vivid nitre blueing on bolt release, trigger, sights; top of breech marked with crisp Argentinian crest, lhs. marked **MAUSER MODELO**/ **ARGENTINO 1909.**, D.W.M full name & **BERLIN.** to lhs. action; all matching numbers incl. bolt, woodwork & steel cleaning rod; bolt cycles freely, strong springs & sears; original 3-20 graduated rear sight; nicely figured walnut stock bearing some v. scattered handling marks & bruises but presents v. well & showing little wear; some speckled blemishes; Argentine crest mark to rhs. stock is sharply defined; steel buttplate with some minor staining; overall in exc. wo & vg. cond. **#E2130** L/R **1200 - 1800**

878. **STEYR MANNLICHER MOD. CLASSIC FULL STOCKED SPORTING RIFLE:** .270 Win. cal.; 5 rnd. polymer rotary mag.; 20" hammer forged barrel with exc. bright bore & sharply defined rifling; strong glossy blued finish to metalwork, some minor storage marks overall, defined hammer forged twist pattern to barrel, presents exc.; ***Classic Mannlicher*** marked to lhs. action, proofs & serial no. to rhs. breech & barrel; spoon handle bolt cycles freely, strong springs & crisp sears; retains original fixed sights & fitted with **Swarovski 3-10x42 HABICHT** scope on two piece mounts; clear optics with crosshairs; walnut full stock with cheekpiece to lhs, crisp chequering to grip & forewood is sharply defined; other than some minor handing marks, bordering on flawless; original black rubber recoil pad; overall in exc. wo & exc. cond. **#1039102** L/R ***A great package that would suit a new gun buyer.*** **1800 - 2200**

879. **STEYR MANNLICHER MOD. SL FULL STOCKED SPORTING RIFLE:** .222 Rem. cal.; 5 rnd. polymer rotary mag.; 20" hammer forged barrel with vg. bore & sharply defined rifling; strong glossy blued finish to metalwork, some minor storage marks overall, defined hammer forged twist pattern to barrel; **STEYR-DAIMLER-PUCH A.G. STEYR MANNLICHER MOD. SL.** marked to lhs. action, proofs & serial no. to rhs. breech & barrel; extensive acanthus scroll engraving to action & even on polymer trigger guard; bolt cycles freely, strong springs & crisp sears to double set triggers; retains original fixed sights & fitted with period **PECAR/ BERLIN CHAMPION 8X** scope on Q.D. mounts, some oxidation on screws; clear optics; walnut full stock with raised comb, skip-line chequering to grip & forewood is sharply defined; woodwork in vg. to exc. cond. overall; original ventilated rubber recoil pad; overall in exc. wo & vg. cond. **#49218** L/R **1500 - 1800**

880. **FINE SCHMIDT RUBIN K.31 STRAIGHT-PULL MATCH RIFLE:** 7.5×55m/m Swiss cal.; 5 rnd. mag.; 26" barrel with exc. bright bore & sharply defined rifling; blued finish to metalwork presents exc., only trace storage marks but hard to fault, bright polished finish to bolt; crisp Swiss cross marked to top of breech, serial no. **P 264479** marked to lhs. action & again to bolt; left-handed bolt handle marked **G. BURGIN/ BASEL**; bolt cycles freely, strong springs & crisp sears; std. 1-15 graduated rear target sight & globe front sight; nicely figured walnut stock presents exc., some minor handling marks overall but hard to fault; rhs. but inlaid with ovate silver plaque marked **von der Holland-Marschgruppe/ gewidmet/ zum 100 jahrigen Bestehen/ des Schutzenvereins Zch-Affoltern**; steel buttplate; comes with accessories case, contains spare mag., springs, firing pins & peep sight; overall in exc. wo & cond. **#P264479** L/R **1800 - 2250**

881. **HEFTY BRITISH S x S PERCUSSION CAPE GUN by JOHN HAYTON:** 14 bore rh barrel, 32 bore (.545 cal.); 30" twist damascus barrels, rh smooth shotgun & two-groove rifled lh barrels are bot peppered with fine pitting throughout, some heavier pits towards muzzle of shotgun; grey patina to barrels & metalwork, barrels with some minor oxidation staining; ***JOHN HAYTON*** engraved within scroll banner to nose of both locks, makers name & address to top rib is indistinct; London **V** & **P** proofs, serial no. **S & J.W.** stamps to each barrel; well-defined & acanthus scroll engraving to locks, tangs & small parts, hound to rh lockplate, tiger to lh lock & cape buffalo engraved to patch box; strong lock springs & sears, matching flat side hammers; v. wide rib dovetailed with express sights, fixed **50** yd & folding **100**, **200**, **300**, **400** each with platinum inlaid sighting lines, worn silver blade front sight; rib is engraved with graduations ranging from **1-20**, missing the sliding ladder; replacement ramrod; original woodwork has undergone significant repairs, wrist & forewood has been painted black to hide repairs, several re-enforced dowls through wrist & several glued cracks around locks, some filler around buttplate; nicely figured walnut stock inlaid with patch box to rhs; overall in f. cond. #5039 **N/L** ***An interesting & high quality piece with some stories to tell.*** **1400 - 1800**

882. **MANNLICHER-SCHOENAUER MOD. 1908 B/A SPORTING RIFLE:** 8×56m/m Mannlicher–Schönauer cal.; 5 rnd. rotary mag.; 20" barrel with g.+ bore, strongly defined rifling & shiny overall, some frosting in grooves; original blued finish to metalwork presents well, slight plum patina developing on action & trigger guard, scattered patches of staining; patents, makers name & **M.1908** marked to top of breech, lhs. action marked **OESTERR. WAFFENFABR.- GES. STEYR.**; distinctive spoon handle bolt cycles smoothly, strong springs & crisp double set triggers; fixed rear sight with folding 300 leaf; sling swivels to forestock & underside butt; Q.D. mount to breech; walnut full stock in g. to vg. cond., some light handling marks overall & general handling wear; chequering to pistol grip & forestock well-defined; steel forestock cap & oval horn grip cap; underside stock marked **22210**; grooved steel butt with trap to centre for trio of cartridge storage; overall in exc. wo & g. to vg. cond. **#5397** L/R **1500 - 1800**

883. **MANNLICHER-SCHOENAUER MOD. 1950 B/A SPORTING RIFLE:** .30-06 Sprg. cal.; 5 rnd. rotary mag.; 24" barrel with exc. bright bore & sharply defined rifling; reblued finish to metalwork presents well overall, thinning slightly in areas & some oxidation staining patches to barrel; top of breech marked with defined **MADE IN AUSTRIA/ Original/ Mannlicher/ Shoenauer/ Mod. 1950/ Kal. 30-06**; **54** proofs to lhs. barrel & breech; distinctive spoon handle bolt cycles butter smooth, strong springs & crisp sear to double set triggers; standing rear V-notch sight with folding **300** leaf, tapered blade front sights; fitted with **HERTEL & REUSS OPTIK KASSEL** marked **6x47** scope on Q.D. high-mount, clear optics; walnut half stock presents well, cheek piece to lhs, semi-pistol grips with cap & original grooved buttplate; woodwork in g. to vg. cond., some light handling marks, chequering remains sharply defined; overall in exc. wo & vg. cond. **#15141** L/R **1500 - 1800**

884. **CASED J. RIGBY & Co. RETAILED BALLARD PAT. RIMFIRE RIFLE:** .22 long cal.; 26" octagonal barrel with g. bright bore & well-defined rifling, some light pitting ahead of chamber; original blued finish to metalwork has thinned a soft plum patina on barrel, action retains areas of strong case colours, grey patina to remainder; top of barrel engraved ***JOHN RIGBY Co. LONDON & DUBLIN***, lhs. action stamped with **J.M. MARLIN NEW-HAVEN CONN.U.S.A/ PATENTED FEBRUARY 9.1875/ BALLARD'S PATENT.NOV.5.1861**; London **V** & **P** proofs to lhs. barrel, breech & block; action operates freely, strong springs & sears; blade front sights with ivory bead & folding blade rear sight both dovetailed to barrel; Lyman style adjustable peep sight fitted to rear of frame; walnut Schnabel top fore-end & straight stock present v. well, some scuffs & light bruises but both retains much of their original varnish; original steel buttplate; comes in the original fitted tarred canvas tropical carry case; case in poor cond. but retains the original **JOHN RIGBY & Co.** trade label, **W.A.G.** stencil painted to top of lid; overall in vg. wo & g.+ cond. **#9084** L/R **1500 - 1800**

885. **BOSS & Co. SINGLE TRIGGER SIDELOCK EJECTOR S x S SHOTGUN:** 12G, 2 1/2" chambered; 26" shortened barrels, now cyl. & cyl. choked; exc. bright bores; strong reblued finish to barrels, presents exc.; silvery grey finish to locks & action; top rib engraved **BOSS & Co, 13 DOVER STREET, PICADILLY, LONDON. W.**; London **V** & **P**, **1 1/8 OZ NITRO PROOF** marks to barrels & action tables; action, fences, tangs & locks with Boss's signature rose & scroll engraving, sharply defined & covering most surfaces; locks with no less than six floral bouquets, **BOSS & Co** within scroll banners; underside of action engraved **BOSS & Co/ PATENT**, an additional **BOSS'S PATENT/ No11278** ahead of trigger guard; gold **1** is inlaid to top rib, top lever & fore-end iron; assisted opening action locks up with some movement, strong springs & sears, mechanical single trigger & perfectly timed ejectors; manual safety with gold inlaid **SAFE**; screw heads vg.; walnut straight stock & splinter fore-end in vg. overall cond., a few minor handling marks & light bruising; vacant gold escutcheon to underside of stock; nicely figured walnut, stocked to the fences with tear drops to lock tails; chequering to wrist & fore-end is well-defined, bearing a few minor marks; small aged partial crack to underside of fore-end; metal-to-wood fit is vg. overall; fitted with a distressed foam rubber recoil pad, measures 13 1/4" LOP from trigger to end of walnut; 6lb 5oz weight; overall in vg. wo & cond. **#6073** L/R **3000 - 3500**

886. **MIROKU MFG. SPRINGFIELD M. 1861 PERCUSSION MUSKET:** .58 cal.; 40" barrel with bright bore & crisp three groove rifling, some patches of light oxidation towards muzzle; strong case colours to lockplate, remainder of metalwork with bright plated finish; serial no. & **JAPAN** marked to lhs. breech, **U.S./ SPRINGFIELD** & eagle motif to lockplate; strong lock springs & sears, std. sights; sling swivels, retains ram rod; walnut full stock presents well, a few minor handling marks; overall in vg. wo & g. to vg. cond. **#0389** L/R **300 - 500**

887. **BELGIAN COMBLAIN MOD. 1870 FALLING BLOCK RIFLE:** .44 W.C.F (44-40 Win.) cal.; 24" replacement barrel with vg. bright bore & crisp rifling, a little dusty; strong reblued finish to metalwork, some minor speckled oxidation in areas rhs. frame marked **COMBLAIN/ BREVETTE**/ serial no.; action operates freely, strong springs & sears, fitted with Winchester style semi-buckhorn rear sights; replacement sporterized forestock, original stock retains makers roundel stampings to both sides, some handling marks & bruising; curved steel buttplate with some pitting; overall in exc. wo & g. cond. **#82851** L/R **300 - 500**

888. **WINCHESTER MOD. 100 S/A SPORTING RIFLE:** 243 Winchester cal.; 4 rnd. mag.; 22” barrel with a vg. bore & sharply defined rifling; blued finish to metalwork presents v. well, some minor speckled staining to barrel in areas, small patch of fine pitting & staining to back of action; **-WINCHESTER- MODEL 100 CAL. 243 WIN.-** over **-TRADEMARK- MADE IN U.S.A.- WIN. PROOF STEEL -**; lhs. of receiver marked with serial no. **84701**; bolt retracts smoothly, original **WINCHESTER** marked steel mag.; std. flip-up rear sight & hooded front; sling swivels to underside of forewood & stock; woodwork in vg. cond., refinished with some light handling marks & runs to oiled finish; defined pressed basket weave ‘chequering’ to grip & forewood with oak leaf pattern; white banded black plastic buttplate & grip cap; overall in exc. wo & g. to vg. cond. **#84701** Cat D L/R Mfg. 1963-1964 **500 - 700**

889. **WINCHESTER MOD. 94 CLASSIC L/A RIFLE:** 30-30 Win. cal.; 8 rnd. tube mag.; 26” octagonal barrel with vg. bright bore & sharply defined rifling; strong blued finish to barrel & mag, blacked finish to receiver; heavy oxidation scale under fore-end & at head of stock, under buttplate; rust is swelling up and cause to head of stock to separate & forewood to swell out; standard ***WINCHESTER*** markings to barrel; deluxe walnut stock & fore-end dark staining in areas & problems outlined above; overall in f. cond. **#3016735** L/R ***Has seen little use but unfortunately has suffered the notorious salt cured walnut.*** **200 - 400**

890. **ENFIELD PERCUSSION SHOTGUN CONVERSION:** 20 bore approx.; 30 1/2" barrel with f. bore, dark but not heavily pitted; dark patina to metalwork with red surface oxidation to majority of barrel; British proofs to lhs. breech; Enfield lock with strong lock spring & sears; ramrod pipes brazed to underside of barrel; original woodwork been converted to a half stock with brass forewood cap, staple barrel release; woodwork in decent cond., partial crack behind lock tail & poor finish; brass buttplate missing heel screw; overall in f. cond. **N/L** ***Suit wall hanger*** **200 - 400**

891. **CHINESE NORINCO MOD. SKS SEMI-AUTO RIFLE:** 7.62×39m/m cal.; 30 rnd. mag.; 20 1/2" barrel with vg. bright bore & sharply defined riffling, some copper fouling; gloss finish reblue to majority of metalwork, bolt has been polished to a bright finish; lhs. receiver marked with makers name, model & calibre; matching no. bolt cycles freely, strong springs & sears; std. 1-10 graduated tangent sight & globe style front; folding bayonet removed & no cleaning rod; refinished hardwood stock & handguard in g. cond., a few minor handling marks; overall in vg. wo & g.+ cond. **#8905627** Cat D L/R **500 - 700**

892. **CHINESE NORINCO MOD. SKS SEMI-AUTO RIFLE:** 7.62×39m/m cal.; 30 rnd. mag.; 20 1/2" barrel with dirty bore, rifling is sharply defined but last 1/2" has been threaded internally; blued finish to metalwork is thinning in areas, brown patina developing on bolt; lhs. receiver marked with make, model & calibre; matching no. bolt cycles freely, strong springs & sears; std. 1-10 graduated tangent sight & globe style front; retains folding bayonet & cleaning rod; hardwood stock in g. cond., surface handling marks to butt & handguard, a few scattered bruises; overall in vg. wo & g. cond. **#8821150** Cat D L/R **400 - 600**

893. **D.W.M. MFG. PORTUGUESE MAUSER MOD. 1904 B/A RIFLE & MATCHING BAYONET:** 8×57m/m Mauser cal.; 5 rnd. integral mag.; 24” barrel with vg. to exc. bore, rifling is crisp, needs a clean; reblued finish to metalwork presents well, heavier pits peppering rhs. barrel ahead of handguard; defined **ESPINGARDA PORTUGUESA 6.5 MOD. 1904** to lhs. of breech, crown/ **IC** monogram to top; DWM full name & **BERLIN** to lhs. of action; matching no. bolt cycles smoothly, strong trigger sear; std. tangent sights with 2 – 20 graduations; retains steel cleaning rod; woodwork presents well, has been cleaned back & refinished but still bearing some light handling marks & scattered bruises; fitted with older vgc. leather sling & comes with g. cond. **SIMSON & Co**/ **SUHL** marked matching bayonet; overall in exc. wo & g. cond. **#B2473** L/R **700 - 900**

894. **LOEWE MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29” barrel with g.+ bore, rifling is well-defined & appears bright, some leading & powder residue to clean out; an even dark plum patina to majority of metalwork silver-grey finish remains in protected areas of action; top of breech marked with well-defined crown/ **LOEWE BERLIN**/ **1891**, trio of proofs to rhs. & serial no. marked to lhs; breech & barrel marked **583/ X**; **Gew. 88** marked to lhs. action; bolt has been polished but a faint Turkish crescent moon remains; bolt cycles smoothly, strong springs & sears; retains steel cleaning rod; rear sight with Eastern-Arabic graduation markings; g. walnut stock presents decent, some light handling marks & bruising overall; steel buttplate; overall in vg. wo & g. cond. **#583X** L/R **400 - 600**

895. **LOEWE MFG. GEWEHR 1888 B/A COMMISSION RIFLE:** 8×57m/m (Patrone 88) cal.; 5 rnd. integral mag.; 29" barrel with g.+ bore, rifling is well-defined & appears bright, some leading & powder residue to clean out; v. dark patina to majority of metalwork, some general handling marks; top of breech marked with well-defined crown/ **LOEWE BERLIN**/ **1890**, trio of proofs to rhs. & serial no. marked to lhs; breech & barrel marked **2083/P**; **G. Mod.** (milled action) marked to lhs. action; Turkish crescent moon marks to bolt; German unit marks to barrel band has been struck off; bolt cycles smoothly, strong springs & sears; retains steel cleaning rod; woodwork sound cond., presents a bit dry & dull, would grade up with an oil; bearing general handling marks & light bruising, f. overall; overall in vg. wo & f.+ cond. **#2083P** L/R ***Would respond well with a clean.*** **400 - 600**

896. **VIC GOVT. MARKED B.S.A. Co LEE-ENFIELD MK I* B/A SERVICE RIFLE:** .303 cal.; 10 rnd. mag.; 30" barrel with f. bore, rifling well-defined, fine pitting throughout & needs a clean; blued finish has darkened but presents well, thinning on mag., profiles; rhs. body socket marked with crown/ **E.R.** / **B.S.A. Co** / **1902** / **L.E** / **I.***; top of breech marked with **VIC** stamp; non-matching bolt cycles freely, strong springs & sears; retains mag. cut off, correct style mag. with chain link, dust cover & volley sights; 6-18 graduated ladder sight; walnut stock & handguard has been refinished, still bearing some scattered handling marks; some armourers repairs to forestock, roundels & markings to rhs. stock are lightly defined; brass buttplate with trap; overall in g. wo & g. cond. **#B44515** L/R **600 - 800**

897. **BOER ERA D.W.M. MFG. MAUSER MOD. 1896 B/A RIFLE:** 7×57m/m cal.; 5 rnd. integral mag.; 30" barrel with f. bore, some moderate pitting in grooves of lightly defined rifling; mottled grey patina to majority of metalwork externally; strong nitre blueing to mag. follower; D.W.M. full name over **BERLIN** to lhs. of action; serial no. **2036** marked to lhs. of breech, several small parts, non-matching bolt; mechanically exc. with smooth cycling bolt, g. trigger sears; std. sights with 4 to 20 graduations; blade front sight; missing cleaning rod; woodwork in overall vg. cond., light coloured walnut with only minor scattered handling marks & light bruising; rhs. butt carved with ornate initials **C.C.** ; steel buttplate; overall in g. wo & g.+ cond. **#2036** L/R **700 - 1000**

898. **FINNISH SIG MFG. MOSIN NAGANT M.24 B/A SERVICE RIFLE:** 7.62×54m/mR; 5 rnd. integral mag.; 28" barrel, bore bright & rifling is well-defined, some light pitting & last 1/2" of rifling has been bored out; reblued finish to metalwork presents well, areas of fine pitting still present; top of barrel marked with **SA** boxed cartouche/ SIG **S** trademark, **31576**, rhs. breech marked **Schweiz Industrie-Gessellschaft**/ **Neuhausen**; markings are sharply defined; matching bolt cycles freely, strong springs & sears; **2 - 8 ½** graduated rear sight, blade front; retains steel cleaning rod; two-piece hardwood stock presents v. well, some scattered light handling marks & scuffs but free from cracks & repairs; steel buttplate; overall in vg. wo & g. cond. **#31576** L/R **700 - 900**

899. **CASED COLT 1851 NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (190m/m) octagonal barrel with dark & dirty bore, rifling appears well-defined but considered p. to f.; brown patina to majority of metalwork, areas of frosting, light pitting & peening to most parts; some heavier peening on frame & chipping around screws to lhs. frame; **NEW YORK** address to top of barrel & defined, lhs. frame marked **COLT'S** / **PATENTS**; no markings to cylinder; serial no. marked to all numbered parts; cylinder indexing, strong springs & sears holding; smooth walnut grips have been refinished some filler & light handling marks; comes in homemade fitted case with some original accessories incl. bullet moule & powder flask; overall in f. cond. **#2074** Pre 1900 L/R ***Some parts appear to be replacements, considered a composite pistol.*** **700 - 900**

900. **CARL WALTHER MOD. GSP EMI-AUTO TARGET PISTOL:** .32 S.&.W. long wadcutter cal.; 4 rnd. mag.; 4 1/8" (108m/m) barrel with exc. bright bore & crisp rifling; thinning matte black finish to metalwork presents ordinary, some patchy surface residue but free some anything sinister; lhs. barrel / frame marked with **WALTHER** banner trademark, cal., **Carl Walther Waffenfabrik** / **Ulm/Do. Made in W.-Germany**; bolt retracts freely, strong springs & crisp sears; adjustable rear V-notch sight, blade front; thumb rest walnut grip in g. original cond., retains all its stippled texture, some minor handling marks & oil darkening; overall in exc. wo & g. cond. **#126838** Post 46' L/R ***Quality gun, mechanically fine but needs a tidy.*** **400 - 600**

901. **HÄMMERLI MOD. 120 SINGLE SHOT TARGET RIMFIRE PISTOL:** .22 Long rifle cal.; 10" (250m/m) barrel with exc. bright bore & crisp rifling; strong glossy blued finish to metalwork, some speckled oxidation staining to rhs. action but still presents well overall; lhs. barrel marked with cal.; lhs. action marked **Hämmerli 120** / **LENZBURG SWITZERLAND**; action operates freely, strong & crisp trigger sear; no rear sight fitted, blade front; walnut thumb rest grip, sound cond. but has been shaved & shaped to suit owner; overall in exc. wo & g. cond. **#12-0440** Post 46' L/R **300 - 500**

902. **BRITISH SINGLE BARREL HORSE PISTOL:** .410 cal., 2" chambered; 10" (255m/m) barrel with f. bore, light pitting throughout, choked approx. half; dark patina to metalwork, frosting & scattered fine pitting to majority of external surfaces; underside of barrel marked **CHOKE** & with Birmingham proofs; Tranter style side lever auction, locks up with some minor movement, ejector strong; walnut fore-end & large grip, some bruising to both but chequering is well-defined; overall in g. cond. **#48767** Pre 47' L/R **300 - 500**

903. **BOXED SMITH & WESSON MOD. AIRLITE 351PD D.A. REVOLVER:** .22 WMR cal.; 7 shot fluted cylinder; 2" (50m/m) barrel with exc. bright bore & sharply defined rifling; strong charcoal grey matte anodized finish to majority of alloy frame & matte finish to steel cylinder; lhs. barrel marked with makers name, **SW** trademark to lhs. frame; mechanically exc., crisp cylinder indexing; original laminated grips; comes in makers cardboard box with manuals & trigger lock; overall in exc. wo & near exc. cond. **#DRU1619** Post 46' L/R **500 - 700**

904. **BOXED SMITH & WESSON MOD. M&P 9 SHIELD S/A PISTOL:** .40 S.&W. cal.; 7 rnd. mag.; 3" (77m/m) barrel with exc. bright bore & sharply defined rifling, needs a clean; matte blued finish to metalwork presents exc., only trace storage marks overall; **M&P** trademark, **9 SHIELD** marked to front lhs. of slide & **SW** monogram to back; slide retracts freely, strong springs & sears; black polymer frame with some minor handling marks; comes in maker marked cardboard box with spare magazine; overall in exc. wo & cond. **#HYF2146** Post 46' L/R ***A great little compact pocket pistol, very slim design.*** **500 - 700**

905. **CASED HECKLER & KOCH MOD. USP S/A PISTOL:** .40 S.&W. cal.; 13 rnd. polymer mag.; 5" (129m/m) barrel with exc. bright bore & sharply defined rifling; matte blacked finish to steel parts present exc., some minor handling marks & staining on barrel; **HK** trademark, **USP**, **.40 S&W** marked to lhs. slide, matching slide, barrel & frame; mechanically strong, slide retracts freely, d.a. trigger pull; integral grip to black polymer frame, some minor handling marks but presents exc.; comes in the original makers black plastic carry case with additional magazine; overall in exc. wo & near exc. cond. **#22-075071** Post 46' L/R **500 - 700**

906. **CASED COLT MOD. 1860 ARMY S.A. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 8" (204m/m) round barrel with f. bore, rifling appears well-defined but is caked with debris, should clean up; metalwork has been cleaned back to a grey patina, fine pit peppering to majority but markings remains defined; mellow finish to trigger guard; single line **ADDRESS COL. SAML COLT NEW-YORK U.S. AMERICA** to top of barrel; faint **COLT'S/PATENT** to lhs. frame; **73867** marked to frame & trigger guard, barrel assembly & back strap; naval enragement scene to cylinder is defined in areas; cylinder indexing well, strong springs & sears holding; replacement screws & loading lever; smooth walnut grips in g. cond., some light handling marks & both showing wear but free from cracks; come in homemade fitted case with variety of contemporary accessories; overall in f. to g. cond. **#73867** Pre 1900 L/R **700 - 1000**

907. **CASED PAIR PERCUSSION BELT PISTOLS by J. HARKOM of EDINBURGH:** 38 bore; 4 3/4" octagonal barrels with p. bores, caked with oxidation & dust; plum patina to barrels, strong pattern definition; grey patina to reminder of metalwork, some blued finish remaining in protected areas on both pistols, both some peening to rhs. of barrels; ***J. HARKOM EDINBURGH*** marked to top of barrels, Birmingham proofs to lhs. of both; a more recent serial no. has been stamped to barrels of pistols, **10140** & **10141** respectively; crisp locks, matching flat side hammers, belt clips & captive ram rods; silver bead front sights & fixed V-notch rear sights; original walnut stocks to both pistols, square silver escutcheons to spines & steel butt caps with flip up traps; one pistols stock is exc., fine chequering is sharply defined, the other has been broken through & repaired, chequered sanded off in patches; comes in period wood case, has been internally restored; case comes with some original accessories incl. powder flask & bullet mould; overall in f. to g. cond. **N/L** ***Neither pistols have seen much use, would grade up significantly with some straightforward, expect restoration. A lovely pair of Scottish belt pistols.*** **2500 - 2800**

908. **CASED WHITNEY ARMS Co NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 3/4" (196m/m) octagonal barrel with fine bore, sharply defined rifling, some minor oxidation but hard to fault; mottled grey & plum patina to majority of metalwork, some minor pitting but presents well; brass trigger guard retains 10%+ silver finish, dull mellow patina to remainder; top of barrel marked with faint roll stamped **E. WHITNEY** & **NEW HAVEN** address; cylinder roll stamped with sharply defined naval scene, coat of arms with eagle to lhs. & lion to rhs; cylinder indexing crisp, strong springs & sears; majority of screw heads appear untouched; smooth walnut grips retain much of the original varnish finish but chips to either grip & some peening to butt brings cond. down to f.+; comes in contemporary case with some modern & original accessories; overall in exc. wo & g.+ cond. **#8900** L/R ***A lovely example of these Civil War era revolvers. Has seen little to no work, blueing still remains in the rifling grooves!*** **1500 - 1800**

909. **BOXED FRENCH MANURHIN MFG. MOD. PPK S/A PISTOL:** .32 ACP cal.; 8 rnd. mag.; 98m/m barrel with bright bore & sharply defined rifling, needs a clean but appears exc.; strong blued finish to metalwork, some minor wear to profiles & O shaped rub mark to rhs. slide; lhs. of slide marked with French address, trademarks & licenses; slide retracts freely, strong springs & sears; one-piece brown plastic grips with well-defined chequering, **MANURHIN** trademark embossed to both grips; comes in the **WALTHER PPK** black plastic carry case; overall in exc. wo & f. cond. **#453356** Post 46' L/R **400 - 600**

910. **STURM RUGER NEW MODEL BLACKHAWK S.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 5 1/4" (133m/m) round barrel with vg. bright bore & sharply defined rifling; bright brushed finish to stainless steel metalwork presents well, some minor surface marks & marring; **SOUTHPORT** address to lhs. barrel, **NEW MODEL *BLACKHAWK*** marked to lhs. frame; cylinder indexing well, strong springs & sears; fitted with composite black & silver grips, some surface marks to both; comes in original grey plastic carry case; overall in exc. wo & g.+ cond. **#32-93938** L/R **700 - 900**

911. **CASED COLT THIRD GEN. 1851 NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (190m/m) octagonal barrel with exc. bright bore & sharply defined rifling; strong blued finish to barrel & cylinder, vivid case colours to loading lever & frame, silver finish to trigger guard & straps; metal finishes present v. well, only light wear to bluing around muzzle & front of cylinder; top of barrel marked with single line **NEW YORK** address; lhs. of frame marked **COLT'S PATENT**; crisp naval engagement scene to cylinder; mechanically exc.; smooth walnut grips, some light handling marks & losses to varnish finish; comes in fitted purple felt lined case with some contemporary accessories incl. powder flask & bullet mould; overall in exc. wo & g. to vg. cond. **#14051** Post 46' L/R ***A nice example of these superbly finished revolvers but not so nice you'd be afraid to take it to the range.*** **500 - 700**

912. **CASED HECKLER & KOCH MOD. USP S/A PISTOL:** 9×19m/m Luger cal.; 15 rnd. polymer mag.; 4" (103m/m) barrel with exc. bright bore & sharply defined rifling, some powder residue; matte blacked finish to steel parts present decent, holster wear on profiles thinning finish to grey & general handling marks; **HK** trademark, **HK USP**, **9mmx19** marked to lhs. slide, matching slide, barrel & frame; mechanically strong, slide retracts freely, d.a. trigger pull; black polymer frame in g. cond., some minor handling marks; maker full name to rhs. of polymer frame; comes in the original grey plastic carry case with spare magazine; overall in exc. wo & g. cond. **#24-027987** Post 46' L/R **600 - 800**

913. **BOXED BULGARIAN MFG. MAKAROV S/A PISTOL:** 9×18m/m Makarov cal.; 8 rnd. mag.; 94m/m barrel with vg. bore, sharply defined rifling & bright; strong blued finish to metalwork, presents well, only light wear to profiles of slide close to muzzle; Bulgaria Arsenal Factory **10** mark to lhs. frame along with serial no.; matching slide; U.S. importers marks laser etched to front strap; mechanically fine, strong springs & sears, slide retracts freely; single piece maroon bakelite grips presents well, only light handling marks, sharply defined chequering; comes in the importers brown cardboard box; overall in exc. wo & cond. #**KT372427** L/R **600 - 800**

914. **CASED WALTHER MOD. PPQ S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 116m/m barrel with bright bore & sharply defined rifling, some leading in grooves but appears exc.; matte black finish to slide, barrel & other steel small parts; finishes present exc., trace storage marks overall; **WALTHER** banner trademark to lhs. slide **PPQ** below port; makers name & **MADE IN GERMANY** marked to black polymer frame; slide retracts freely, strong springs & sears; threaded muzzle with cap; polymer frame in exc. cond.; comes in original plastic carry case with an additional 10 rnd. mag and two grip attachments; overall in exc. wo & cond. **#FA06779** Post 46' L/R **800 - 1000**

915. **CASED HECKLER & KOCH MOD. USP EXPERT S/A PISTOL:** .45 ACP cal.; 12 rnd. polymer mag.; 5” (129m/m) barrel with vg. bright bore & sharply defined rifling, some powder residue in grooves; matte blacked finish to steel parts present exc., some minor handling marks but hard to fault; **HK** trademark, **USP EXPERT**, **.45 Auto** marked to lhs. slide, matching slide, barrel & frame; mechanically strong, slide retracts freely, d.a. trigger pull; black polymer frame in vgc., some minor handling marks; maker full name to rhs. of polymer frame; comes in the original polymer & alloy carry case, fitted foam lining with spare magazine; overall in exc. wo & g. to vg. cond. **#25-161998** Post 46’ L/R **700 - 900**

916. **CASED RUSSIAN TOZ-49 GAS-SEAL S.A. MATCH REVOLVER & ACCESSORIES:** 7.62×26m/mR cal.; 6 shot fluted cylinder; 5 3/4" (145m/m) with vg. bright bore & sharply defined rifling; original blued finish to metalwork, worn to a grey patina in areas & bearing some handling marks, free from corrosion & pitting; trademark, **TO3-49 XN1032** marked to lhs. top strap, **MADE IN USSR** marked to rhs; mechanically strong, cylinder indexing well; adjustable rear sight & blade front; f. cond. hardwood thumb rest grips, has been shaved & reshaped, some handling marks; comes in the original fitted hardwood case complete with trio of reloading dies, tools, spare cylinder & owner’s manual; overall in exc. wo & f.+ cond. **#XN1032** Post 46’ L/R **500 - 700**

917. **CASED BERETTA MOD. PX4 STORM S/A PISTOL:** .40 S.&W. cal.; 14 rnd. mag.; 4” (101m/m) barrel with dirty bore, appears bright with crisp rifling; black coated finish to steel parts presents flawless; **BERETTA**, **GARDONE** address marked to lhs. slide, rhs. slide marked **Px4 Storm**; mechanically exc., slide retracts freely, strong springs & sears; polymer grip & frame in exc. cond.; comes in the original blue plastic carry case with loading tool, spare mag; overall in exc. wo & as new cond. **#PY15173** Post 46’ L/R ***Suit new gun buyer***. **700 - 900**

918. **CASED AUSTRIAN GLOCK MOD. 17 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 110m/m barrel with exc. bright bore, rifling is sharply defined, needs a clean; matte blacked finish to metalwork presents exc.; **GLOCK** trademark**, 17 AUSTRIA** & **9x19** marked to lhs. slide; matching barrel, slide & frame; slide retracts freely strong springs & sears; black polymer frame in exc. overall cond.; comes in the original maker marked black plastic ‘Tupperware’ container; overall in exc. wo & cond. **#SNT032** Post 46’ L/R ***Suit new gun buyer*** **500 - 700**

919. **CASED COLT PYTHON MOD. D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 4 1/4" (110m/m) barrel with ventilated top rib, exc. bright bore & crisp rifling; bright polished finish to stainless steel metalwork presents exc.; **PYTHON .357** to lhs. barrel, **HARTFORD** address to rhs; mechanically fine, strong springs & sears; adjustable rear sights; factory laminated grips, chequered & with silver **COLT** medallion inlaid to top of either side; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & as new cond. **#PY007017** Post 46’ L/R **1000 - 1500**

920. **CASED COLT GOVT. MODEL COMPETITION SERIES S/A PISTOL:** .45 ACP cal.; 6 rnd. mag.; 5” (125m/m) barrel with exc. bore & crisp rifling; matte black finish to majority of metalwork & brushed finish to lhs. of slide, presents flawless; **GOVERNMENT / MODEL**, **COLT**, cal. marked to lhs. slide, **COMPETITION SERIES** to rhs; frame marked with **HARTFORD** address; mechanically exc., strong springs & sears; original blue composite chequered grips with relief **Colt** trademark to both; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & as new cond. **#CCS025656** Post 46’ L/R **800 - 1200**

921. **MASSIVE CASED SMITH & WESSON MOD. 500 D.A. MAGNUM REVOLVER:** .500 S.&.W. Magnum cal.; 5 shot fluted cylinder; 4” (103m/m) barrel incl. muzzle brake; exc. bore & sharpy defined rifling, some powder residue; bright brushed finish to stainless steel metalwork, some minor storage marks; lhs. barrel marked **500 S&W MAGNUM**, makers name to rhs, four-line **SPRINGFIELD** address to rhs. frame; mechanically fine, strong springs & sears; original **SW** marked rubber grip; comes in the original blue plastic carry case with loading tool, spare mag; overall in exc. wo & as new cond. **#DJP9600** Post 46’ L/R **1000 - 1500**

922. **CASED COLT PYTHON MOD. D.A. REVOLVER:** .357 Mag. cal.; 6 shot fluted cylinder; 6" (150m/m) barrel with ventilated top rib, exc. bright bore & crisp rifling; bright polished finish to stainless steel metalwork presents exc.; **PYTHON .357** to lhs. barrel, **HARTFORD** address to rhs; mechanically fine, strong springs & sears; adjustable rear sights; factory laminated grips, chequered & with silver **COLT** medallion inlaid to top of either side; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & as new cond. **#PY008139** Post 46' L/R **1000 - 1500**

923. **BOXED S.W.D. INDUSTRIES INC. COBRAY M11 SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 10 rnd. polymer magazine; 130m/m barrel with exc. bright bore & sharply defined rifling; strong black phosphate finish to metalwork, some minor handling marks; rhs. frame marked with **COBRAY** trademark, **M-11** / **NINEmm** / **S.W.D INCORPORATED** / **ATLANTA, GA. U.S.A.**; fires from a closed bolt, strong springs & sears; black polymer grip section in exc.; cond.; comes in the original polystyrene & brown carboard packaging with owners manuals & cleaning rod; overall in exc. wo & vg. to exc. cond. **#89-0006266** Post 46' L/R **1200 - 1800**

924. **BOXED STURM RUGER MOD. LCP MAX S/A POCKET PISTOL:** .380 Auto cal.; 10 rnd. mag.; 2 3/4" (67m/m) barrel with exc. bright bore & sharply defined rifling; satin black finish to slide & metal parts presents exc.; **LCP MAX** marked to lhs. slide, **RUGER** / **MAYODAN, NC. USA** to lhs. of frame; mechanically strong, slide retracts freely; black polymer frame & integral grip in exc. cond.; comes in original maker marked white cardboard box with synthetic holster, loading tool & user manual; overall in exc. wo & cond. **#381330251** Post 46' L/R **500 - 700**

925. **CASED CZ MOD. 75 SP-01 TARGET S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4 1/2" (112m/m) barrel with exc. bore & crisp rifling; matte blued finish to metalwork presents exc.; lhs. of slide marked **CZ MOD. 75 SP-01**, **SHADOW 9x19**, **CZ** trademark; **MADE IN CZECH REPUBLIC** to lhs. of frame, **U.S. KANSAS** address to rhs; mechanically exc., slide retracts smoothly, crisp sears & strong springs; fitted with solid alloy grips, with rough panels stuck on; comes in original **CZ** marked black plastic carry case with manuals & spare magazine; overall in exc. wo & cond. **#B037634** Post 46' L/R ***Suit new gun buyer. Comes with factory target from Custom CZ-USA.*** **800 - 1200**

926. **CASED TAURUS THE JUDGE D.A. REVOLVER:** .45 long Colt & .410, 3" chambered; 5 shot fluted cylinder; 4" (102m/m) barrel with dirty bore, needs a clean but appears exc., sharp rifling; satin finish to stainless steel metalwork, presents well, some dirty patches; makers trademark, U.S.A. address, serial no. etc. marked to rhs. frame **The Judge** to rhs. barrel; mechanically strong, cylinder indexing well; grooved rubber grip; comes in general soft synthetic carry case; overall in exc. wo & vg.+ cond. **#GP785947** Post 46' L/R **400 - 600**

927. **BOXED STURM RUGER MOD. LCP MAX S/A POCKET PISTOL:** .380 Auto cal.; 10 rnd. mag.; 2 5/8" (67m/m) barrel with dirty bore, exc. bore & sharply defined rifling; satin black finish to slide & metal parts presents exc.; **LCP MAX** marked to lhs. slide, **RUGER** / **MAYODAN, NC. USA** to lhs. of frame; mechanically strong, slide retracts freely; black polymer frame & integral grip in exc. cond.; comes in original maker marked white cardboard box with synthetic holster, loading tool & user manual; overall in exc. wo & cond. **#381330466** Post 46' L/R **400 - 600**

928. **CASED BERETTA MOD. PX4 STORM S/A PISTOL:** .40 S.&W. cal.; 14 rnd. mag.; 4" (101m/m) barrel with dirty bore, appears bright with crisp rifling; black coated finish to steel parts presents decent, some light wear to profiles at front of slide; **BERETTA**, **GARDONE** address marked to lhs. slide, rhs. slide marked **Px4 Storm**; mechanically exc., slide retracts freely, strong springs & sears; polymer grip & frame in exc. cond.; comes in the original blue plastic carry case with spare mag; overall in exc. wo & vg. cond. **#PY15201** Post 46' L/R **500 - 700**

929. **CASED STURM RUGER NEW MODEL SUPER BLACKHAWK S.A. REVOLVER:** .44 Mag. cal.; 6 shot cylinder; 7 1/2" (190m/m) barrel with integral rib; exc. bright bore & sharply defined rifling, some powder residue needs a clean out; bright brushed finish to stainless steel metalwork, presents exc.; lhs. frame marked with **RUGER** trademark, **.44 MAGNUM CAL.** / **NEW MODEL *SUPER BLACKHAWK***, model again to top of rib with **HUNTER**; mechanically fine, strong springs & sears; hemi mount notches to barrel; original laminated smooth grips are exc., **R** trademark silver medallion inlaid to top of both; comes in the original marker marked grey plastic carry case with owner's manuals; overall in exc. wo & cond. **#88-43943** Post 46' L/R **700 - 800**

930. **CASED RUGER MK. II RIMFIRE TARGET PISTOL:** .22 LR cal.; 10 rnd. mag.; 4 3/4" (120m/m) barrel with exc. bright bore & sharply defined rifling, needs a clean; bright brushed finish to stainless steel metalwork, some light handling marks but presents exc.; rhs. frame marked **RUGER MK. II** / cal., lhs. marked with **STURM RUGER & CO.**, **SOUTHPORT** address; bolt retracts freely, strong springs & sears; fixed sights; thumb rest laminated grips in vg. cond., some light handling marks but chequering remains sharply defined; comes in original but grubby maker marked grey plastic carry case; overall in exc. wo & vg.+ cond. **#221-58228** Post 46' L/R **400 - 600**

931. **CASED TAURUS MOD. PT 24/7 OSS DS S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5" (130m/m) barrel with dirty bore, rifling is sharp but needs a clean; satin silver finish to slide, some powder residue & light handling marks; rhs. slide marked with **FORJAS TAURUS S.A.**, serial no. & model; matching barrel slide & frame; mechanically strong, slide retracts freely; black polymer frame & integral grip, some minor handling marks but presents exc.; comes in original maker marked black plastic carry case with spare mag.; overall in exc. wo & g.+ cond. **#TCR62382** Post 46' L/R ***Would grade up with a clean.*** **400 - 600**

932. **CASED GERMAN MFG. UMAREX-WALTHER CP99 AIR PISTOL:** .177 cal.; 8 shot cylinder/ magazine; 3 1/4" (84m/m) barrel with exc. bright bore & sharply defined rifling; matte black finish to majority of metalwork, presents exc.; lhs. marked **CP99**, **WALTHER** banner trademark & **CP 88** marked to rhs. of slide; mechanically exc.; black polymer frame with integral grip; comes in maker marked black plastic carry case with spare cylinder; overall in exc. wo & cond. **#J113780937** Post 46' L/R **300 - 500**

933. **BOXED STURM RUGER MOD. LCP MAX S/A POCKET PISTOL:** .380 Auto cal.; 10 rnd. mag.; 2 5/8" (67m/m) barrel with exc. bright bore & sharply defined rifling; satin black finish to slide & metal parts presents exc.; **LCP MAX** marked to lhs. slide, **RUGER** / **MAYODAN, NC. USA** to lhs. of frame; mechanically strong, slide retracts freely; black polymer frame & integral grip in exc. cond.; comes in original maker marked white cardboard box with synthetic holster, loading tool & user manual; overall in exc. wo & cond. **#380961723** Post 46' L/R **500 - 700**

934. **CASED COLT MOD. ANACONDA D.A. REVOLVER:** .44 Mag.; 6 shot fluted cylinder; 8" (202m/m) barrel with exc. bore & sharp rifling; bright polished finish to stainless steel metalwork, presents flawless; **ANACONDA** / cal. to lhs. barrel, **HARTFORD** address to rhs; mechanically exc.; ventilated top rib, adjustable rear sight; single piece rubber grip with **Colt** trademark to top of both sides; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & as new cond. **#AC205122** Post 46' L/R **1500 - 1800**

935. **BOXED TAURUS M44CP MODEL D.A. REVOLVER:** .44 Mag. cal.; 6 shot fluted cylinder; 6 1/2" (165m/m) barrel with ventilated top rib; barrel dirty with lead oxidation but appears exc., crisp rifling; satin grey finish to stainless steel metalwork, presents exc.; **TAURUS** roundel trademark, US & Brazilian address to rhs. frame; mechanically exc., adjustable sights & ported barrel at muzzle; original soft rubber grip; comes in original maker marked box with manuals; overall in exc. wo & cond. **#GZ880336** Post 46' L/R **600 - 900**

936. **CASED CZ MOD. 75 SP-01 S/A PISTOL:** 9×19m/m Luger cal.; 15 rnd. mag.; 4 1/2" (112m/m) barrel with exc. bore & crisp rifling; matte blued finish to metalwork presents exc.; lhs. of slide marked **CZ MOD. 75 SP-01**, **SHADOW 9x19**, **CZ** trademark; **MADE IN CZECH REPUBLIC** to lhs. of frame; matching barrel, slide & frame; mechanically exc., slide retracts smoothly, crisp sears & strong springs; chequered soft rubber grips in exc. cond.; comes in original **CZ** marked black plastic carry case with manuals & spare magazine; overall in exc. wo & cond. **#B126939** Post 46' L/R ***Suit new gun buyer*** **700 - 900**

937. **CASED BERETTA MOD. PX4 STORM S/A PISTOL:** .40 S.&W. cal.; 14 rnd. mag.; 4” (101m/m) barrel with dirty bore, appears bright with crisp rifling; black coated finish to steel parts presents flawless; **BERETTA**, **GARDONE** address marked to lhs. slide, rhs. slide marked **Px4 Storm**; mechanically exc., slide retracts freely, strong springs & sears; polymer grip & frame in exc. cond.; comes in the original blue plastic carry case with loading tool, spare mag & grey cardboard slip; overall in exc. wo & as new cond. **#PY15161** Post 46’ L/R ***Suit new gun buyer***. **700 - 900**

938. **CASED COLT MOD. KING COBRA D.A. REVOLVER:** .357 Mag.; 6 shot fluted cylinder; 4" (109m/m) barrel with exc. bore & sharp rifling; bright finish to stainless steel metalwork, some minor handling marks overall; **KING COBRA** trademark / cal. to lhs. barrel, **HARTFORD** address to rhs; mechanically exc.; laminated grips in exc. cond., COLT medallion inlaid to both sides, stippled grip panels; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & exc. cond. **#RA225527** Post 46’ L/R **1200 - 1500**

939. **AUSTRIAN ISSC M22 S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) barrel with dirty bore, appears bright with crisp rifling, ported before muzzle; black coated finish to steel parts presents flawless; lhs. slide marked **ISSC M 22 Austria cal. 22lr**; matching slide, barrel & frame; mechanically exc.; black polymer frame in exc. cond.; comes in original maker marked black plastic carry case; overall in exc. wo & cond. **#CCB182** Post 46’ L/R **500 - 700**

940. **AMERICAN MFG. C.K. ARMS CUSTOM 1911 SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5” (125m/m) stainless steel barrel with exc. bright bore; satin blacked finish to frame & slide presents flawless, silver finish to small parts; **CK ARMS CAMILLA, GA** marked to rhs. frame / **SS0153**; mechanically fine, slide retracts butter smooth, crisp trigger sears; adjustable **KENSIGHT** rear sight; composite grooved & stippled grips are in exc. cond.; flared mag. base & skeletonized trigger; comes in large black plastic carry case, fitted foam interior; overall in exc. wo & cond. **#SS0153** Post 46’ L/R ***An engineers masterpiece, top quality comp gun.*** **2000 - 2500**

941. **BOXED TAURUS M44 MODEL D.A. REVOLVER:** .44 Mag. cal.; 6 shot fluted cylinder; 4" (102m/m) barrel with ventilated top rib; barrel dirty with powder fouling but appears exc., crisp rifling; satin grey finish to stainless steel metalwork, presents well, some dried oil; **TAURUS** roundel trademark, US & Brazilian address to rhs. frame; mechanically exc., adjustable sights & ported barrel at muzzle; original soft rubber grip; comes in incorrect maker marked box with manuals; overall in exc. wo & exc. cond. **#FY712918** Post 46’ L/R **600 - 900**

942. **CASED COLT DEFENDER LIGHTWEIGHT S/A PISTOL:** 9×19m/m Luger cal.; 7 rnd. mag.; 3” (80m/m) barrel with exc. bore & crisp rifling; matte black finish to majority of metalwork & brushed finish to lhs. of slide, presents flawless; **COLT DEFENDER** marked to lhs. slide, **LIGHTWEIGHT** to rhs; frame marked with **HARTFORD** address; mechanically exc., strong springs & sears; original composite chequered grips with relief **Colt** trademark to both; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & as new cond. **#DF009837** Post 46’ L/R **800 - 1200**

943. **BOXED CLARIDGE HI-TEC MOD. S9 SEMI-AUTOMATIC PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5” (127m/m) barrel with vg. bright bore & crisp rifling, needs a clean; strong phosphate matte blacked finish to under receiver, some minor handling marks; black finish to alloy lower receiver & frame has thinned to an even grey-plum patina overall; lhs. of frame marked **CLARIDGE HI-TEC tm**, serial no. **S900867**; rhs. marked **9mm NATO PAT. PEND. NORTHRIDGE. CA. U.S.A.**; fires from closed bolt, strong springs & sears; integral grip to frame, some minor marks to finish; comes in the original cardboard box with fitted foam lining, contains spare magazine & accessories; overall in exc. wo & vg. cond. **#S900867** Cat H L/R **1000 - 1500**

944. **CASED KIMBER 1911 STAINLESS TARGET II S/A PISTOL:** .38 Super cal.; 8 rnd. mag.; 5” (125m/m) barrel with exc. bright bore, needs a clean; satin silver finish to stainless steel metalwork, presents flawless ; lhs. slide marked ***Kimber***, rhs. slide marked **STAINLESS TARGET II**, rhs. frame marked with serial no. & **YONKERS** address; mechanically fine, strong springs, slide retracts smoothly, crisp trigger; black polymer diamond pattern chequered grips; comes in original maker marked black plastic carry case; overall in exc. wo & cond. **#KF29474** Post 46’ L/R **1500 - 1800**

945. **CASED COLT MOD. ANACONDA D.A. REVOLVER:** .44 Mag.; 6 shot fluted cylinder; 6" (150m/m) barrel with exc. bore & sharp rifling; bright polished finish to stainless steel metalwork, presents flawless; **ANACONDA** / cal. to lhs. barrel, **HARTFORD** address to rhs; mechanically exc.; ventilated top rib, adjustable rear sight; single piece rubber grip with **Colt** trademark to top of both sides; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & as new cond. **#AC204587** Post 46' L/R **1500 - 1800**

946. **CASED I. HOLLIS & SONS WEBLEY D.A. POCKET REVOLVER:** .380 cal.; 6 shot cylinder; 3" (77m/m) barrel with g. bright bore & sharply defined rifling, some pitting & marks; revolver retains 80%+ original nickel finish, patchy grey patina to remainder; ***I. HOLLIS & SONS LONDON*** engraved to top of barrel, **P. WEBLEY** stamped to top strap; frame with 60% coverage of sharply defined scroll engraving; Birmingham proofs to barrel & chambers; cylinder indexing well, strong springs & sears, retains extractor rod; single piece walnut grip in vg. cond., some light handling marks but chequering is sharply defined; lanyard ring to butt; comes in period fitted oak case, case comes with cleaning rod, oil bottle & turn screw; overall in vg. wo & cond. **#G1** Pre 1900 L/R ***A lovely example, has seen little use.*** **600 - 800**

947. **CASED COLT DEFENDER LIGHTWEIGHT S/A PISTOL:** .45 ACP cal.; 6 rnd. mag.; 3" (80m/m) barrel with exc. bore & crisp rifling; matte black finish to majority of metalwork & brushed finish to lhs. of slide, presents flawless; **COLT DEFENDER** marked to lhs. slide, **LIGHTWEIGHT** to rhs; frame marked with **HARTFORD** address; mechanically exc., strong springs & sears; original composite chequered grips with relief **Colt** trademark to both; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & as new cond. **#DF004191** Post 46' L/R ***A compact little pocket cannon*.** **800 - 1200**

948. **BOXED SPRINGFIELD ARMORY MIL-SPEC MOD. 1911 S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5" (127m/m) barrel with exc. bright bore; strong phosphate style black matte finish to metalwork, presents flawless; **MIL-SPEC** marked to lhs. slide, **SPRINGFIELD ARMORY** to rhs; slide retracts freely, strong springs & crisp sears; chequered laminated grip panels; comes in original maker marked carboard box with spare magazine; soft synthetic carry case within; overall in exc. wo & cond. **#NM730169** Post 46' L/R **800 - 1200**

949. **CASED BROWNING ARMS Co. HI POWER SEMI-AUTO PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4 3/4" (119m/m) barrel with exc. bright bore & sharply defined rifling; black coated finish to slide is strong, some light handling marks, satin silver finish to frame & small parts; makers name & **MORGAN, UTAH & MONTREAL P.Q.** marked to lhs. slide, **MADE IN BELGIUM** / **ASSEMBLED IN PORTUGAL** to rhs; mechanically exc., strong springs & sears; fitted with Pachmayr Signature Model rubber chequered grip; comes in the original moulded grey plastic carry case with additional mag.; overall in vg. wo & cond. **#245NZ70670** Post 46' L/R **700 - 900**

950. **CASED SIG SAUER MOD. MOSQUITO S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 4 3/4" (120m/m) barrel + muzzle cap; exc. bright bore & sharply defined rifling; camouflage coating to majority of pistol, presents well, some minor losses on profiles; makers name, **MADE IN GERMANY** to lhs. of slide, **MOSQUITO** to rhs; slide retracts freely, strong springs & sears; two-piece makers marked polymer grips in vgc.; comes in maker marked black plastic carry case with spare mag.; overall in exc. wo. & vg. cond. **#F023543** Post 46' L/R **400 - 600**

951. **CASED GERMAN SPORT GUNS 1911 S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 5" (130m/m) barrel with shiny bore & crisp rifling; matte black finish to metalwork, presents well, some minor handling marks; makers name & trademark to lhs. of slide, serial no., cal., **MADE IN GERMANY** to rhs; slide retracts smoothly, strong sears & springs; black polymer chequered grip panels in exc. cond.; comes in original black plastic carry case; overall in exc. wo & exc. cond. **#AA756154** Post 46' L/R **400 - 600**

952. **CASED GERMAN SPORT GUNS 1911 S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 5" (130m/m) barrel with shiny bore & crisp rifling, needs a clean.; matte black finish to metalwork, presents well, some minor handling marks; makers name & trademark to lhs. of slide, serial no., cal., **MADE IN GERMANY** to rhs; slide retracts smoothly, strong sears & springs; fitted with two-piece composite chequered gip which forms a flared mag. well, exc. cond.; comes in original black plastic carry case; overall in exc. wo & exc. cond. **#A767198** Post 46' L/R **400 - 600**

953. **CASED COLT GOLD CUP TROPHY MODEL S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5” (127m/m) barrel with exc. bright bore, needs a clean; bright finish to sides of frame & slide, matte grey finish to remainder of stainless steel metalwork; lhs. of slide marked **COLT GOLD CUP / TROPHY** with motif, **COLT GOVERNMENT MODEL** to rhs, **HARTFORD** address to rhs. frame; adjustable **Colt** marked target sight; mechanically fine, slide retracts freely, strong springs & crisp sears; composite chequered grips, relief **Colt** to both sides; comes in the original blue plastic maker marked carry case, with manuals, spare mag.; overall in exc. wo & as new cond. **#GCX01931** Post 46’ L/R **700 - 900**

954. **BOXED SPRINGFIELD ARMORY ECHELON MOD. S/A PISTOL:** 9×19m/m Luger cal.; missing 10 rnd. mag.; 5 1/8" (130m/m) barrel with threaded muzzle cap; exc. bright bore & sharply defined rifling; matte black finish to majority of metalwork presents exc.; **ECHELON** marked to lhs. slide, **SPRINGFIELD ARMORY** to rhs; matching slide, frame & barrel; slide retracts freely, strong springs & sears; black polymer grip & frame presents exc.; comes in original maker marked carboard box with soft synthetic carry case within; overall in exc. wo & cond. **#BF107050** Post 46’ L/R **500 - 700**

955. **CASED COLT MOD. KING COBRA D.A. REVOLVER:** .357 Mag.; 6 shot fluted cylinder; 4" (109m/m) barrel with exc. bore & sharp rifling; bright finish to stainless steel metalwork, presents exc.; **KING COBRA** trademark / cal. to lhs. barrel, **HARTFORD** address to rhs; mechanically exc.; laminated grips in exc. cond., **COLT** medallion inlaid to both sides, stippled grip panels; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & exc. cond. **#RA275786** Post 46’ L/R **1200 - 1500**

956. **BOXED SPRINGFIELD ARMORY EMISSARY MOD. S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5” (125m/m) barrel with exc. bright bore; strong blued finish to slide, stainless steel frame, glossy sides & satin remainder to both; **EMISSARY** marked to lhs. slide, **SPRINGFIELD ARMORY** to rhs; slide retracts freely, strong springs & crisp sears; composite grips with large, flat-top chequering, integral chequering to straps; comes in original maker marked carboard box with spare magazine; soft synthetic carry case within; overall in exc. wo & cond. **#NM800878** Post 46’ L/R **800 - 1200**

957. **CASED KIMBER CUSTOM SHOP GRAND RAPTOR II S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5” (127m/m) barrel with exc. bright bore; strong blued finish to slide, stainless steel frame, glossy sides & satin remainder to both; lhs. slide marked **CUSTOM *Kimber* SHOP**, rhs. slide marked **GRAND RAPTOR II**, rhs. frame marked with serial no. & **YONKERS** address; mechanically fine, strong springs, slide retracts smoothly, crisp trigger; dragon scale chequering to red coloured hardwood grips, **Kimber** within oval to centre of both; comes in original maker marked black plastic carry case; overall in exc. wo & cond. **#K453441** Post 46’ L/R **1500 - 1800**

958. **CASED COLT MK. IV SERIES 70 GOVT. MODEL S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5” (127m/m) barrel with exc. bright bore, needs a clean; blued finish to metalwork is strong, gloss finish to slides of frame & slide, satin to remainder; lhs. slide marked **COLT’S MK IV/SERIES’70 / GOVERNMENT MODEL /.45 AUTOMATIC CALIBRE**, model again to rhs. slide, **HARTFORD** address to rhs. frame; mechanically fine, slide retracts freely, strong springs & crisp sears; **BO-MAR** marked rear sight; laminated diamond pattern grips, chequering is crisp; comes in the original blue plastic maker marked carry case, with manuals, spare mag.; overall in exc. wo & as new cond. **#72B5295** Post 46’ L/R **700 - 900**

959. **CASED COLT MOD. ANACONDA D.A. REVOLVER:** .44 Mag.; 6 shot fluted cylinder; 6" (150m/m) barrel with exc. bore & sharp rifling; bright polished finish to stainless steel metalwork, presents flawless; **ANACONDA** / cal. to lhs. barrel, **HARTFORD** address to rhs; mechanically exc.; ventilated top rib, adjustable rear sight; single piece rubber grip with **Colt** trademark to top of both sides; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & as new cond. **#AC204773** Post 46’ L/R **1500 - 1800**

960. **BOXED HI-PONT FIREARMS JCP MODEL PISTOL:** .40 S.&W. cal.; 10 rnd. mag.; 4 1/2" (110m/m) barrel with exc. bright bore & sharply defined rifling, needs a clean; massive zinc alloy frame with matte finish, presents exc.; **HI-POINT FIREARMS / Iberia** address, **MODEL JCP / 40 S&W** marked to lhs. slide; mechanically exc., slide retracts freely, strong springs & sears; black polymer frame & grip panels; comes in original maker marked carboard box, with manuals & accessories; overall in exc. wo & cond. **#X717423** Post 46’ L/R ***Suit new gun buyer for big, cumbersome blow-back design pistols.*** **500 - 700**

961. **BOXED SPRINGFIELD ARMORY XDM ELITE MATCH S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5” (130m/m) barrel with exc. bright bore; strong phosphate style black matte finish to metalwork, presents flawless; **XDm ELITE** marked to lhs. slide, **SPRINGFIELD ARMORY** to rhs; slide retracts freely, strong springs & crisp sears; integral black polymer grip; comes in original maker marked carboard box with spare magazine; soft synthetic carry case within; overall in exc. wo & cond. **#BA691479** Post 46’ L/R **800 - 1200**

962. **CASED GERMAN MFG. UMAREX-WALTHER CP88 COMP. AIR PISTOL:** .177 cal.; 8 shot cylinder/ magazine; 5 1/2" (140m/m) barrel with exc. bright bore & sharply defined rifling; matte black finish to majority of metalwork, presents exc.; lhs. slide marked **Competition**, **WALTHER** banner trademark & **CP 88** marked to rhs. of slide; mechanically exc.; walnut grips with finely stippled panels to both; comes in maker marked black plastic carry case with spare cylinder; overall in exc. wo & cond. **#A132614349** Post 46’ L/R **300 - 500**

963. **CASED KIMBER 1911 CUSTOM TLE / RL II S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5” (127m/m) barrel with exc. bright bore; matte black finish to majority of metalwork, presents exc.; stainless barrel & trigger; lhs. slide marked ***Kimber***, rhs. slide marked **GRAND RAPTOR II**, rhs. frame marked with serial no. & **YONKERS** address; mechanically fine, strong springs, slide retracts smoothly, crisp trigger; diamond pattern chequered black rubber grips; comes in original maker marked black plastic carry case; overall in exc. wo & cond. **#K447829** Post 46’ L/R **1500 - 1800**

964. **CASED COLT MOD. ANACONDA D.A. REVOLVER:** .44 Mag.; 6 shot fluted cylinder; 8" (202m/m) barrel with exc. bore & sharp rifling; bright polished finish to stainless steel metalwork, presents flawless; **ANACONDA** / cal. to lhs. barrel, **HARTFORD** address to rhs; mechanically exc.; ventilated top rib, adjustable rear sight; single piece rubber grip with **Colt** trademark to top of both sides; comes in the original blue plastic maker marked carry case, with manuals; overall in exc. wo & as new cond. **#AC207028** Post 46’ L/R **1500 - 1800**

965. **CASED TANFOGLIO GOLD TEAM S/A MATCH PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5 1/4" (134m/m) barrel with 2” ported muzzle brake; satin silver finish to metalwork, some light handling marks; **TANFOGLIO MADE IN ITALY** marked to lhs. frame; mechanically exc., slide retracts smoothly, strong springs & crisp sears; sides of frame have been drilled & frame for saddle mount, dovetail to top; vacant sight dovetailed to top of slide; vg. chequered walnut grip panels; comes in original **IP SC** marked plastic carry case with four additional magazines, the sight mount; overall in exc. wo & g. cond. **#AB07092** Post 46’ L/R **500 - 700**

966. **CASED CZ 75 COMPACT MOD. S/A PISTOL:** 9×19m/m Luger cal.; 15 rnd. mag.; 9 1/2" (91m/m) barrel with exc. bore & crisp rifling, needs a clean; black coated finish to metalwork presents well, some minor wear to front of slide & frame, general handling marks; lhs. slide marked **CZ 75 COMPACT**, cal. & trademarks; matching slide, frame & barrel; original black plastic chequered grip panels are in g. sound cond., some handling marks; comes in fitted black plastic carry case; overall in exc. wo & g. cond. **#B6774** Mfg. 1994 L/R **500 - 700**

967. **CASED CHRISTENSEN ARMS MOD. 1911 G5 SERIES S/A PISTOL:** .45 ACP cal.; 7 rnd. magazine; 5” (127m/m) stainless barrel with exc. bright bore & crisp rifling; satin black finish to slide, some small parts, grey satin finish to frame; **CHRISTENSEN** marked to lhs. slide, trademark to rear of both sides; rhs. frame marked **CHRISTENSEN ARMS, GUNNISON, UT USA**; slide retracts freely, strong springs & crisp sears; distinctive ram’s curl serrations to slide, fitted with Trijicon sights; half grooved, half chequered composite grip panels; comes in maker marked hard shell lockable carry case with tool, spare magazine & manuals; overall in exc. wo & as new cond. **#CX00696** Post 46’ L/R ***A top quality pistol, suit new gun buyer.*** **1500 - 2000**

968. **CASED REMINGTON MOD. 1911 R1 S/A PISTOL:** .45 ACP cal.; 8 rnd. mag.; 5” (127m/m) barrel with exc. bright bore & sharply defined rifling; satin blacked finish to metalwork presents exc., some minor storage marks; ***Remington*** marked to lhs. slide, rhs. slide marked **1911 R1**; makers full name & **ILION** address, serial no. etc. to rhs. frame; slide retracts freely, strong springs & sears; composite chequered grips in exc. cond.; comes in its original green plastic carry case with the original manuals, multi tool, spare magazine; overall in exc. wo & as new cond. **#RHN03459A** Post 46’ L/R ***Suit new gun buyer***. **1200 - 1400**

969. **CASED AUSTRIAN GLOCK MOD. 17 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 110m/m barrel with exc. bright bore, rifling is sharply defined, needs a clean; matte blacked finish to metalwork presents decent, some light handling marks & wear on profiles; **GLOCK** trademark**, 17 AUSTRIA** & **9x19** marked to lhs. slide; matching barrel, slide & frame; slide retracts freely strong springs & sears; black polymer frame in exc. overall cond.; comes in generic black plastic carry case; overall in exc. wo & g.+ cond. **#DGF127** Post 46' L/R **500 - 700**

970. **CASED AUSTRIAN GLOCK MOD. 17 GEN. 4 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 4 3/4" (120m/m) barrel with exc. bright bore, rifling is sharply defined, needs a clean; matte blacked finish to metalwork presents exc.; **GLOCK** trademark**, 17 Gen 4 AUSTRIA** & **9x19** marked to lhs. slide; matching barrel, slide & frame; slide retracts freely strong springs & sears; black polymer frame in exc. overall cond.; comes in the original maker marked black plastic carry case with spare mag., grip attachments; overall in exc. wo & cond. **#BPDC988** Post 46' L/R **600 - 800**

971. **CASED CHRISTENSEN ARMS MOD. 1911 G5 SERIES S/A PISTOL:** .45 ACP cal.; 7 rnd. magazine; 5" (127m/m) stainless barrel with exc. bright bore & crisp rifling; satin black finish to slide, some small parts, grey satin finish to frame; **CHRISTENSEN** marked to lhs. slide, trademark to rear of both sides; rhs. frame marked **CHRISTENSEN ARMS, GUNNISON, UT USA**; slide retracts freely, strong springs & crisp sears; distinctive ram's curl serrations to slide, fitted with Trijicon sights; carbon fibre smooth grip panels; comes in maker marked hard shell lockable carry case with padlock, tool, spare magazine & manuals; overall in exc. wo & as new cond. **#CX00674** Post 46' L/R ***A top quality pistol, suit new gun buyer.*** **1500 - 2000**

972. **CASED BELGIAN F.N. FIVE-SEVEN SEMI-AUTO PISTOL:** FN 5.7×28m/m cal.; 20 rnd. polymer mag.; bright bore & sharply defined rifling, needs a clean; black polymer outer slide & frame, presents exc.; lhs. slide marked **FN HERSTAL BELGIUM**, rhs. marked **Five-seveN cal. 5.7x28**; U.S. address to rhs. frame; slide retracts freely, strong springs & sears; adjustable rear sights; FN trademark & integral knurling to grip, picatinny style rail to underside of frame nose; comes in the original maker marked large black plastic carry case with two additional magazines, owner's manuals; overall in exc. wo & cond. **#386341077** Post 46' L/R **1000 - 1500**

973. **CASED COLT GOLD CUP TROPHY MODEL S/A PISTOL:** .45 ACP cal.; 7 rnd. mag.; 5" (127m/m) barrel with exc. bright bore, needs a clean; bright finish to sides of frame & slide, matte grey finish to remainder of stainless steel metalwork; lhs. of slide marked **COLT GOLD CUP / TROPHY** with motif, again to rhs, **HARTFORD** address to rhs. frame; adjustable **Colt** marked target sight; mechanically fine, slide retracts freely, strong springs & crisp sears; black chequered rubber grips, **COLT** silver medallion inset to both sides; comes in the original blue plastic maker marked carry case, with manuals, spare mag. & coil spring; overall in exc. wo & as new cond. **#CT423626** L/R **700 - 900**

974. **BOXED F. PIETTA 1851 NAVY MOD. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 7 1/2" (189m/m) octagonal barrel with fine bore, unfired; blued finish to barrel, cylinder, vivid case colours to loading lever, bright finish to brass frame, straps & trigger guard; finishes present exc.; makers name to rhs. barrel, sharply defined markings; mechanically exc.; smooth walnut grips with only light storage marks; comes in original polystyrene packaging with cardboard sleeve; overall in exc. wo & cond. **#631783** Post 46' L/R **300 - 500**

975. **CASED Wm CLARKE RETAILED WEBLEY WEDGE FRAME PERCUSSION REVOLVER:** 80 bore (.40 cal.); 5 shot cylinder; 4 1/4" (108m/m) octagonal barrel with f. bore, dark but rifling is well-defined; dark patina & light pitting to metalwork, markings remain defined; ***Wm CLARKE MAKER*** engraved to top strap, **PATENT No 2715** to lhs. frame; Birmingham proofs to chambers & barrel; light acanthus scroll engraving to frame; cylinder indexes but a little stiff, strong springs & sears; chequered walnut grips panels are in f. to g. cond., rh with some handling marks, bruising; comes presented in modern hardwood fitted case with facsimile **P. WEBLEY & SON** paper trade label; overall in f. cond. **#2715** Pre 1900 L/R **600 - 800**

976. **KAHR ARMS MOD. PM9 COMPACT S/A PISTOL:** 9×19m/m Luger cal.; 6 rnd. mag.; 3" (75m/m) barrel with exc. bore & sharply defined rifling, needs a clean; matte black finish to **STAINLESS** slide, presents exc.; **PM9 KAHR** marked to slide, **WORCESTER** address to lhs. frame; slide retracts freely, strong springs & sears; black polymer frame with integral grip are exc.; comes in fitted foam & black plastic carry case with two additional magazines & owners manuals; overall in exc. wo & cond. **#IE5628** Post 46' L/R **500 - 700**

977. **BOXED F. PIETTA 1851 NAVY MOD. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 7 1/2" (189m/m) octagonal barrel with fine bore, unfired; blued finish to barrel, cylinder, vivid case colours to loading lever, bright finish to brass frame, straps & trigger guard; finishes present exc., small scratch on barrel; makers name to rhs. barrel, sharply defined markings; mechanically exc.; smooth walnut grips with only light storage marks; comes in original polystyrene packaging with cardboard sleeve; overall in exc. wo & cond. **#631782** Post 46' L/R **300 - 500**

978. **BOXED TAURUS M94 MODEL D.A. RIMFIRE REVOLVER:** .22 LR cal.; 9 shot fluted cylinder; 5" (127m/m) barrel with dirty bore, rifling is sharply defined; strong blued finish to metalwork, presents exc.; rhs. frame marked with **TAURUS** roundel, U.S. address & serial no.; mechanically exc.; original black rubber grip; comes in maker marked cardboard box; overall in exc. wo & cond. **#FX52188** Post 46' L/R **300 - 500**

979. **CASED KIMBER 1911 DESERT WARRIOR S/A PISTOL:** .45 ACP cal.; 8 rnd. mag.; 5" (127m/m) stainless barrel with exc. bright bore, needs a clean; beige / tan coated finish to majority of metalwork, satin black finish to small parts, all finishes present exc.; lhs. slide marked ***Kimber***, rhs. slide marked **DESERT WARRIOR**, rhs. frame marked with serial no. & **YONKERS** address; mechanically fine, strong springs, slide retracts smoothly, crisp trigger; cream coloured composite grips; comes in original maker marked black plastic carry case; overall in exc. wo & cond. **#K455431** Post 46' L/R **1500 - 1800**

980. **CASED TAURUS MOD. PT 99 AF-D S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 120m/m barrel with dirty bore, bright with sharply defined rifling; satin silver to slide, flat grey finish to frame, both bearing some handling marks & marring; makers name & model marked to slide; slide retracts freely, strong springs & sears; chequered black rubber grip panels showing some wear & needs a clean; comes in generic black plastic carry case; overall in exc. wo & g. cond. **#TKE95987** Post 46' L/R **300 - 500**

981. **BOXED F. PIETTA 1851 NAVY MOD. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 7 1/2" (189m/m) octagonal barrel with fine bore, unfired; blued finish to barrel, cylinder, vivid case colours to loading lever & frame, bright finish to brass straps & trigger guard; finishes present exc.; makers name to rhs. barrel, sharply defined markings; mechanically exc.; smooth walnut grips with only light storage marks; comes in original polystyrene packaging with cardboard sleeve; overall in exc. wo & cond. **#632704** Post 46' L/R **300 - 500**

982. **CASED BERETTA MOD. U22 NEOS RIMFIRE S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 6" (150m/m) barrel with exc. bright bore & sharply defined rifling, needs a clean; matte black finish to metalwork presents well, only minor handling marks overall; lhs. barrel marked **MOD. 22 NEOS** / U.S. address; slide retracts freely, strong springs & sears; black polymer grip with silver inset panels; comes in the original plastic carry case with owner's manuals & outer cardboard sleeve; overall in exc. wo & vg. cond. **#R12042** Post 46' L/R **500 - 700**

983. **CASED HECKLER & KOCH MOD. HK4 S/A PISTOL:** .25 ACP cal.; 8 rnd. mag.; 3 1/8" (80m/m) barrel with dirty bore, appears exc. with sharply defined rifling; strong glossy blued finish to slide, matte finish to frame, finishes presents exc., only minor storage marks overall; lhs. slide marked ***Mod*** **HK 4 HECKLER & KOCH GMBH** / **OBERNDORF/N** / **MADE IN GERMANY**; mechanically fine slide retracts freely, strong springs & sears; original single piece brown plastic grip, only minor handling marks but chequering remains sharply defined; comes in the original cardboard box with owner's manual along with the black plastic case housing the **.22 LR** barrel & magazine, **7.65** (.32 ACP) barrel & magazine; overall in exc. wo & near exc. cond. **#11111** (Yes, five ones) Post 46' L/R ***An interesting little set, three calibres in one.*** **900 - 1300**

984. **CASED AUSTRIAN GLOCK MOD. 34 GEN. 5 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5 1/8" (130m/m) barrel with exc. bright bore, rifling is sharply defined; satin blacked finish to metalwork presents exc.; **GLOCK** trademark**, 34 Gen 5 AUSTRIA** & **9x19** marked to lhs. slide; matching barrel, slide & frame; slide retracts freely strong springs & sears; black polymer frame in exc. overall cond.; comes in the original maker marked black plastic carry case with spare mag., grip attachments; overall in exc. wo & cond. **#BNXF363** Post 46' L/R **700 - 1000**

985. **BOXED F. PIETTA 1851 NAVY MOD. PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 7 1/2" (189m/m) octagonal barrel with fine bore, unfired; blued finish to barrel, cylinder, vivid case colours to loading lever & frame, bright finish to brass straps & trigger guard; finishes present exc.; makers name to rhs. barrel, sharply defined markings; mechanically exc.; smooth walnut grips with only light storage marks; comes in original polystyrene packaging with cardboard sleeve; overall in exc. wo & cond. **#632705** Post 46' L/R **300 - 500**

986. **CASED RUSSIAN MCM 'MARGOLIN' S/A RIMFIRE PISTOL:** .22 LR cal.; 10 rnd. mag.; 6" (150m/m) barrel with vg. bright bore & crisp rifling; strong blued finish to metalwork, some minor handling marks; **MADE IN USSR** marked to rhs. slide; slide retracts freely, strong springs & sears; adjustable rear sights, fitted with large barrel weight with adjustable front blade sight; original black plastic grips, lh with thumb rest; comes in the original black plastic carry case with spare mag.; overall in exc. wo & vg. cond. **#X1682M** Post 46' L/R **300 - 500**

987. **CASED CHIAPPA RHINO MOD. 60DS D.A. REVOLVER:** .357 Mag. cal.; 6 shot hexagonal cylinder; 6" (152m/m) barrel with exc. bore & sharply defined rifling; satin black finish to metalwork presents flawless; rhs. of breech marked with Rhino trademark motif, ***RHINO 60DS*** / cal. / name & address; mechanically exc., strong springs & sears; walnut grips with sandblasted finish/ texturing, Rhino motif; comes in original maker marked black plastic carry case; overall in exc. wo & as new cond. **#RH10012** Post 46' L/R ***Suit new gun buyer. Nice example of these very unconventional revolvers.*** **900 - 1200**

988. **CASED AUSTRIAN GLOCK MOD. 22 S/A PISTOL:** .40 S.&W. cal.; 10 rnd. mag.; 110m/m barrel with exc. bright bore, rifling is sharply defined but needs a clean; satin blacked finish to metalwork presents exc.; **GLOCK** trademark**, 22 AUSTRIA** & **.40** marked to lhs. slide; matching barrel, slide & frame; slide retracts freely strong springs & sears; black polymer frame in exc. overall cond.; comes in the original maker marked black plastic carry case with spare mag.; overall in exc. wo & cond. **#SZC244** Post 46' L/R **700 - 1000**

989. **CASED HECKLER & KOCH MOD. USP S/A PISTOL:** 9×19m/m Luger cal.; 15 rnd. polymer mag.; 4" (103m/m) barrel with vg. bright bore & sharply defined rifling, some powder residue in grooves; matte blacked finish to steel parts present well, some light holster wear on profiles & general handling marks; **HK** trademark, **HK USP**, **9mmx19** marked to lhs. slide, matching slide, barrel & frame; mechanically strong, slide retracts freely, d.a. trigger pull; black polymer frame in vgc., some minor handling marks; maker full name to rhs. of polymer frame; comes in the original grey plastic carry case with spare magazine; overall in exc. wo & vg. cond. **#24-069495** Post 46' L/R **600 - 800**

990. **CASED HÄMMERLI MOD. SP20 SEMI-AUTO TARGET PISTOL:** .32 S.&.W. long wadcutter cal.; 4 rnd. mag.; 5" (125m/m) barrel with exc. bright bore & crisp rifling, could use a clean; satin finish to fame & small parts, electric blue anodized finish to upper receiver/ mantle; metal finishes present exc.; lhs. marked **HÄMMERLI SP20** / serial no.; ***Swiss Made*** marked to top; mechanically fine, bolt cycles freely, crisp trigger; adjustable rear sight; black polymer thumb rest grip with sandblasted texturing; comes in the original black plastic carry case, fitted foam internally, with some tools & spare magazine; overall in exc. wo & cond. **#20290** Post 46' L/R **800 - 1200**

991. **CASED CZ MOD. 75 TACTICAL SP-01 S/A PISTOL:** 9×19m/m Luger cal.; 10 rnd. mag.; 5 1/8" (130m/m) barrel with exc. bore & crisp rifling; matte beige coated finish to metalwork presents exc.; lhs. of slide marked **CZ MOD. 75 SP-01**, **TACTICAL 9x19**, **CZ** trademark; **MADE IN CZECH REPUBLIC** to lhs. of frame; matching barrel, slide & frame; mechanically exc., slide retracts smoothly, crisp sears & strong springs; threaded muzzle with cap; original chequered soft rubber grips in exc. cond.; comes in original **CZ** marked black plastic carry case with manuals & two spare magazine; overall in exc. wo & cond. **#C794087** Post 46' L/R ***Suit new gun buyer*** **700 - 900**

992. **CASED NAVY ARMS Co. 1860 ARMY PERCUSSION REVOLVER:** .44 cal.; 6 shot cylinder; 5" (125m/m) round barrel with vg. bright bore & sharply defined rifling; blued finish to barrel & cylinder, case coloured loading lever & small parts, mellow patina to brass frame & straps; metal finishes present well, some light wear & oxidation; makers name marked to barrel; cylinder indexing well, strong springs & sears; smooth walnut grips showing some light handling marks & bruising; comes in generic faux leather carry case; overall in exc. wo & g. cond. **#72996** Post 46' L/R **200 - 400**

993. **BOXED MASSIVE SMITH & WESSON MOD. 500 COMPENSATED HUNTER REVOLVER:** .500 S.&.W. Magnum cal.; 5 shot fluted cylinder; 7 1/2" (190m/m) barrel + muzzle brake; exc. bore & sharpy defined rifling, some powder residue; bright brushed finish to stainless steel metalwork, some minor storage marks; lhs. barrel marked **500 S&W MAGNUM**, makers name to rhs, four-line **SPRINGFIELD** address to rhs. frame; mechanically fine, strong springs & sears; original **SW** marked rubber grip; comes in the original white cardboard box with soft synthetic **SW PERFORMANCE CENTRE** carry case; overall in exc. wo & cond. **#CVS5370** Post 46' L/R **1500 - 2000**

994. **CASED MAUSER C.96 'BROOMHANDLE' S.A. PISTOL & SHOULDER STOCK:** 7.63×25m/m cal.; 10 rnd. integral mag.; 5 1/2" (140m/m) barrel with vg. bright bore & sharply defined rifling; reblued finish to metalwork presents well, some minor handling marks but 95%+ remaining; **MAUSER** trademark marked to lhs. frame, **U** proof to lhs. of breech; **WAFFENFABRIK MAUSER OBERNDORF A/N** marked to top of breech & rhs. of frame, the latter marked with full **A/ NECKAR** / **D.R.P.a.U.P**; serial no. **893834** marked to lhs. breech, all other parts are unnumbered; bolt retracts freely, strong springs & sears; **50** to **1000** graduated rear tangent sight; 12-groove walnut grips in vg. cond., some light handling wear to finish & general handling marks; lanyard ring to butt; pistol presented in large modern fitted case with contemporary tools, stripper clip & f. cond. but period wooden shoulder stock, several repaired cracks but appears sound; overall in vg. cond. & f. wo **#893834** Pre 47' L/R ***Make a great shooter for the classic pistol days, presents well.*** **1200 - 1500**

995. **CASED VINNICOMBE ENGRAVED PATENT ARMS MG. CO. PATERSON PERCUSSION REVOLVER:** .36 cal.; 5 shot cylinder; 9" (230m/m) octagonal barrel with exc. bright bore & sharply defined rifling, almost certainly unfired; strong gloss blued finish to metalwork, some minor oxidation speckling & blemishes but presents well; inlaid silver bands to top of barrel, underside, around muzzle & on cylinder; top of barrel engraved ***Patent Arms Mg. Co Paterson N.J Colts Patent***; Italian proofs & stagecoach scene to cylinder; frame & breech end of barrel covered in relief acanthus scroll engraving, presents well, **PV** stamped to underside of barrel; cylinder indexing well, strong springs *& sears but not fitted with nipples; some marks to wedge; smooth walnut grips bearing some light handling marks; comes in fitted sold hardwood case with contemporary accessories incl. capping tool, five-spout powder flask, bullet mould & different style six shot cylinder; overall in vg. cond. **#558** Post 46' L/R **1000 - 1300**

996. **CASED COLT THIRD GEN. 1851 NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 7 1/2" (190m/m) octagonal barrel with vg. bright bore & sharply defined rifling, some superficial speckled frosting; blued finish to barrel & cylinder, vivid case colours to loading lever & frame, silver finish to trigger guard & straps; finishes are strong but unfortunately some light oxidation has started in areas, not yet pitted but needs a delicate clean; top of barrel marked with single line **NEW YORK** address; lhs. of frame marked **COLT'S PATENT**; crisp naval engagement scene to cylinder; mechanically exc.; smooth bone grips, some light handling marks; comes in the original fitted Colt marked case with blue felt lining; some contemporary accessories incl. powder flask & bullet mould; overall in exc. wo & f.+ cond. **#10877** Post 46' L/R ***Has seen little work, would grade up significantly with minor work or use as is.*** **500 - 700**

997. **CASED TANFOGLIO THE ULTRA IPSC S/A PISTOL:** .41 AE cal.; 10 rnd. mag.; 4 3/4" (120m/m) barrel with exc. bright bore & sharply defined rifling; blued finish to slide thinning to a charcoal grey appearance, some minor oxidation speckling; silver satin finish to frame; lhs. slide marked **"THE ULTRA"- "I.P.S.C. APPROVED"**; lhs. frame marked **TANFOGLIO GIUSEPPE-** & **GARDONE** address; slide retracts freely, strong springs & crisp sears; top of slide ported before muzzle; walnut grip panels present well, some light handling marks but chequered remains well-defined; comes in fitted foam lined maker marked plastic carry case with spare magazine & additional ported barrel in **.41 AE** also; overall in exc. wo & g.+ cond. **#DVC0117** Post 46' L/R **600 - 800**

998. **A. UBERTI REMINGTON 1858 NAVY PERCUSSION REVOLVER:** .36 cal.; 6 shot cylinder; 6 1/2" (165m/m) f. bore, rifling is sharply defined, some fine pitting throughout; bright chromed refinished to metalwork, still bearing some of the previous fine pitting; makers name & address to top of barrel; strong springs & sears, cylinder indexing; smooth walnut grips are showing wear but in sound cond.; overall in g. wo & f. cond. **#71490** Post 46' L/R **50 - 100**

999. **WALTHER MOD. P.38 PISTOL:** 9×19m/m Luger cal.; 8 rnd. mag.; 120m/m barrel with vg. bright bore, sharply defined rifling throughout; blued finish to metalwork has thinned to a grey patina overall, some minor staining; blacked finish to alloy frame showing wear to profiles; lhs. slide marked with trademark banner, **Carl Walther Waffenfabrik Ulm/Do**/ **P38 Cal. 9mm**; slide retracts freely, strong springs & sears; black plastic two-piece grip in g. cond., some surface marks & light wear to chequering; overall in exc. wo & g. cond. **#006442E** L/R Mfg. 6/1959 L/R **400 - 600**

1000. **HIGH STANDARD MOD. THE SHARPSHOOTER S/A PISTOL:** .22 LR cal.; 10 rnd. mag.; 5 1/2" (140m/m) heavy barrel with dirty bore, appears bright bore with crisp rifling; blued finish to metalwork thinning on profiles but presents decent; **THE SHARPSHOOTER** marked to lhs. frame; full name & **HARTFORD** address to rhs. breech; slide retracts a little stiff & main spring a smidge weak; adjustable rear sight; chequered grip panels, thumb rest to lh grip; grips in g. to vg. cond. but a bit grubby; overall in vg. wo & g.+ cond. **#2411177** Post 46' L/R ***Would grade up significantly with a clean & service.*** **150 - 300**

End of Australian Fine Arms Auction 12

Please note: Any items that do not meet the reserve will be passed-in during the live auction and then uploaded to a secondary timed auction, almost immediately.
The timed auction will run for another 7 days.
Due to the bidding platforms system, there will be no referred bids

Preparations for auction 13 in May 2027 have already begun!